

GOVERNMENT OF NORTHERN IRELAND.

---

THE  
REGISTRAR-GENERAL'S  
**SIXTH ANNUAL REPORT**  
CONTAINING GENERAL  
ABSTRACTS OF  
**Marriages, Births and Deaths**  
REGISTERED IN  
**NORTHERN IRELAND**  
DURING THE YEAR  
**1927**

TRANSMITTED PURSUANT TO THE PROVISIONS OF ACTS 7 & 8 VIC., C. 81,  
26 VIC., C. 11, AND 26 & 27 VIC., C. 90.

---

*Ordered by the House of Commons to be printed, 16th October,  
1928.*

---

BELFAST: PUBLISHED BY H.M. STATIONERY OFFICE  
ON BEHALF OF THE GOVERNMENT OF NORTHERN IRELAND.  
To be purchased directly from H.M. Stationery Office at the following addresses:  
15, DONEGALL SQUARE WEST, BELFAST;  
120, George Street, Edinburgh; York Street, Manchester;  
1, St. Andrew's Crescent, Cardiff;  
Adastral House, Kingsway, London, W.C. 2,  
or through any bookseller.

1928.

H.C. 158.]

Price 2s. 6d. net.



## CONTENTS.

<b>REPORT :</b>	<b>PAGE.</b>
<b>INTRODUCTORY PARAGRAPHS .. . . . .</b>	<b>5</b>
<b>GENERAL SUMMARY : Population, Marriages, Births, Deaths, Migration, The Weather and Vaccination .. . . . .</b>	<b>6</b>
<b>MARRIAGES :</b>	
Number and Proportion to the Population .. . . . .	9
Number by each Method of Celebration, 1917-27 .. . . . .	9
Civil Condition of Persons Married .. . . . .	9
Marriages in each quarter 1927 .. . . . .	10
Signatures to Marriage Registers and Certificates .. . . . .	10
<b>BIRTHS :</b>	
Number and Proportion to the Population .. . . . .	10
Number of Births registered and Percentage of Illegitimate Births, 1917-27 .. . . . .	10
Proportion of Illegitimate Births in the several Counties of Northern Ireland .. . . . .	10
Number of Births registered in each of the four quarters of 1927 .. . . . .	11
Multiple Births .. . . . .	11
<b>DEATHS :</b>	
Number and Proportion to the Population .. . . . .	12
Number of Deaths registered in each of the four quarters of 1927, and the equivalent annual death rates .. . . . .	12
Number of Deaths in Institutions .. . . . .	12
Causes of Death—	
General Observations .. . . . .	13
Proportion of Deaths from the Principal Causes per 1,000 of the total Deaths at certain Age-Periods, 1927 .. . . . .	11
Deaths from the Principal Causes, 1917-27 .. . . . .	12
Death rates from the Principal Causes and Percentage of Uncertified Deaths, 1917-27 .. . . . .	13
Observations on the Mortality from each of the Principal Causes .. . . . .	14
Deaths from Tuberculous Disease .. . . . .	15
Deaths from Cancer .. . . . .	16
Deaths of Women from Diseases caused by or associated with Pregnancy or Childbirth .. . . . .	19
Deaths from Violence .. . . . .	20
Uncertified Deaths .. . . . .	20
Inquests .. . . . .	21
Ages at Death .. . . . .	21
Infant Mortality—	
General Observations .. . . . .	21
Death rates from the Principal Causes, 1917-27 .. . . . .	22
Death rates in Urban and Rural Areas, 1924-27 .. . . . .	23
Mortality among Illegitimate Children, 1927 .. . . . .	24
CONCLUDING PARAGRAPH .. . . . .	25
<b>ABSTRACTS :</b>	
I.—Births and Deaths registered in each of the Counties and Rural and Urban Areas, distinguishing the Sexes, and Illegitimate Births .. . . . .	29
II.—Marriages registered in each of the Counties, showing Method of Celebration .. . . . .	33
III.—Marriages registered in each of the Counties, showing the number registered in each quarter of the year, the Conjugal Condition of the Persons married and the number of Minors .. . . . .	33

## CONTENTS.

---

<b>ABSTRACTS—(Continued):</b>	<b>PAGE.</b>
IV.—Births registered in each of the Counties, showing the number registered in each quarter of the year, distinguishing Males and Females .. . . . .	34
V.—Deaths registered in each of the Counties, showing the number registered in each quarter of the year, distinguishing Males and Females .. . . . .	34
VI.—Deaths of Males and Females at different Age-Periods in each of the Counties .. . . . .	35
VII.—Causes of Deaths of Males and Females at different Age-Periods	36
VIII.—Deaths from the Principal Causes, and Uncertified Deaths in Counties and Urban and Rural Areas, distinguishing Males and Females .. . . . .	54
IX.—Deaths in Institutions .. . . . .	67
X.—Population of Northern Ireland at each of the nine Censuses, 1841–1926 .. . . . .	68
XI.—Estimated Population of Northern Ireland in the middle of each of the years 1911–27 .. . . . .	68
XII.—Population of Northern Ireland by Sexes and Ages according to the Census of 1926 .. . . . .	68
INDEX to Poor Law Unions or Superintendent Registrars' Districts	69

MARRIAGES, BIRTHS AND DEATHS, NORTHERN  
IRELAND, 1927.

---

SIXTH ANNUAL REPORT  
OF THE  
REGISTRAR-GENERAL.

---

GENERAL REGISTER OFFICE,  
MURRAY STREET, BELFAST,  
*15th October, 1928.*

*To the Right Honourable H. M. Pollock,  
Minister of Finance for Northern Ireland.*

SIR,

I have the honour to submit the Sixth Annual Report on the Marriages, Births and Deaths registered in Northern Ireland during the year 1927, together with Abstracts of the numbers of such registrations. The Report draws attention to the salient features of the Abstracts; figures relating to previous years are included for purposes of comparison, and information is given relating to migration, the weather and vaccination.

The Abstracts of Marriages, Births and Deaths have been prepared for presentation to Parliament pursuant to the provisions of Statutes governing the systems of registration.

In this Report, as in those of 1924, 1925 and 1926, the smallest units of the country for which statistics of births and deaths are given are the Sanitary Districts, *i.e.*, the County Boroughs, Urban Districts, and Rural Districts; and births and deaths have been allocated to the district of normal residence. Thus, births have been assigned to the Sanitary Districts containing the usual residences of the parents, and deaths to the Sanitary Districts containing the usual residences of the deceased persons. As in the three previous Reports, statistics of marriages are not given for areas smaller than Counties.

In the next Annual Report it is intended to show death rates adjusted for sex and age distribution of the population according to the Census of 1926, the final reports on which will shortly all be published. This will enable more accurate comparisons to be made between certain areas in the country and with other parts of the British Isles, etc. In the meantime the death rates given in this Report, as in previous Reports, must be regarded as subject to the limitations which necessarily attach to crude rates.

Estimates of the population of Northern Ireland, made for the purposes of the Registrar-General's Annual Reports, are based upon the population figure as ascertained at the last preceding Census, and the numbers of births and deaths registered in the meantime, adjustments being made for migration and movements of military. The returns of migration now used for the purposes of these estimates are those published by the Board of Trade, London, which give the numbers of British migrants between Northern Ireland and non-European countries. No figures are available showing the movement between Northern Ireland on the one hand, and Great Britain, the Irish Free State, and other European countries on the other, and consequently no account can be taken of this movement in estimating the population of Northern Ireland.

Estimates of the population as at the middle of each of the years 1911 to 1927 arrived at as above described are shown in Abstract XI, and the rates in this Report for the country as a whole have been based upon these estimates. As regards divisions of the country however, no estimates have been made, the 1926 Census figures being given in Abstracts I and VIII and the rates in Table 9 being based upon these figures.

### GENERAL SUMMARY.

The latest enumerated population of Northern Ireland, obtained from the Census of 1926, is 1,256,561. The estimated population in the middle of 1927 is 1,251,000, including military.

The results of the year's registration show that the marriage, birth and death rates are all below the average for the previous ten years. As compared with the previous year, each of these rates shows a slight reduction.

Marriages registered during the year numbered 7,175. The equivalent marriage rate was 5.74 per 1,000 of the estimated population, a reduction of 0.02 as compared with the rate for the previous year.

**TABLE 1.—Northern Ireland : Marriages, Births and Deaths Registered and Estimated Population, 1917-27.**

YEAR.	* Estimated Population in the middle of each year.	Numbers Registered.			Rate per 1,000 of Estimated Population.		
		Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.
1917 .....	1,208,000	6,872	24,949	21,011	5.69	20.7	17.4
1918 .....	1,214,000	7,797	26,212	25,013	6.42	21.6	20.6
1919 .....	1,250,000	9,992	27,496	22,836	7.99	22.0	18.3
1920 .....	1,258,000	9,550	32,521	21,017	7.59	25.9	16.7
1921 .....	1,258,000	8,121	29,710	19,301	6.46	23.6	15.3
1922 .....	1,263,000	8,072	29,531	19,795	6.36	23.3	15.6
1923 .....	1,259,000	7,974	30,097	18,790	6.33	23.9	14.9
1924 .....	1,258,000	7,514	28,496	20,299	5.97	22.7	16.1
1925 .....	1,257,000	7,682	27,686	19,784	6.11	22.0	15.7
1926 .....	1,254,000	7,223	28,162	18,827	5.76	22.5	15.0
Average, 1917-26..	1,248,500	8,080	28,186	20,667	6.47	22.8	16.6
1927 .....	1,251,000	7,175	26,676	18,216	5.74	21.3	14.6
IRISH FREE STATE.							
1927 .....	2,957,000	13,418	60,054	43,677	4.51	20.3	14.8

\* See Abstract XI.

A considerable fluctuation in the marriage rate has been shown in the past ten years. From a rate of 5.69 per 1,000 in 1917 it rose to the high figure of 7.99 in 1919, since when it has fallen steadily, excepting a slight check in 1925, to the rate of 5.74 for 1927, which is the lowest since 1917.

The number of births registered during the year was 26,676, the birth rate being 21.3 per 1,000. This rate is 1.2 below the rate for 1926 and 1.5 below the average rate for the ten years 1917–26. From the relatively low point of 20.7 per 1,000, recorded for 1917, the birth rate rose sharply to the exceptionally high point of 25.9 in 1920. With slight checks in 1923 and 1926, the rate has since declined steadily, that for 1927 being the lowest recorded since 1917.

Deaths registered during the year numbered 18,216, affording a death rate of 14.6 per 1,000. This rate is 0.4 below the rate for 1926 and 2.0 below the average rate for the previous ten years. This relatively low death rate is mainly due to an appreciably lower number of deaths from measles, influenza, tuberculosis and respiratory diseases than the average for the previous ten years, this being only partially offset by the higher numbers of deaths from cancer.

The death rate in Northern Ireland has shown considerable variation over the past ten years. From the high point of 20.6 in 1918, it fell steadily till in 1923 it stood at 14.9. In 1924 a sudden rise to 16.1 was experienced, which was largely accounted for by an epidemic of influenza and a high rate from respiratory diseases in that year. Since 1924, however, a decrease has been recorded each year, and the rate of 14.6 for 1927 is the lowest recorded during the past ten years.

The number of deaths from tuberculous disease registered during the year was 1,767, the equivalent rate being 1.41 per 1,000 as compared with 1.47 in 1926. The rate from this disease declined steadily from the high figure of 2.54 in 1918 to 1.62 in 1923. A slight upward tendency was indicated in 1924 and 1925, which, however, has been more than offset by a fall in the rates for 1926 and 1927 to a point lower than any previously recorded for Northern Ireland.

Deaths from cancer, including malignant disease, numbered 1,477, being 67 more than the number recorded for 1926 and 176 more than the average number for the ten years 1917–26. The death rate from this disease has shown an increase each year from 1922 onwards, with the exception of 1926, when a slight decrease was recorded.

Deaths from bronchitis and pneumonia numbered 2,361. This number is 48 less than that recorded for 1926 and 713 less than the average annual number of deaths from those diseases during the ten years 1917–26.

**Migration.**—According to returns published by the Board of Trade, London, the total number of emigrants from Northern Ireland to countries outside of Europe during the year 1927 was 11,899, and the immigrants into Northern Ireland from those countries numbered 1,550. The net emigration from Northern Ireland during the year thus amounted to 10,349 persons, a decrease of 1,220 compared with 1926.

**The Weather.**—Reports on the weather experienced in Northern Ireland during each month of the year 1927, as furnished by the Director of the Meteorological Office, London, are published in the Quarterly Returns of Marriages, Births and Deaths for that year. Table 2 of this report shows the Average Air Temperature, Rainfall

and Sunshine for Northern Ireland in 1927, and has been compiled from the tables published in the Quarterly Returns.

For the year 1927 the average temperature, rainfall and sunshine were all a little in excess of normal. *January* was on the whole mild and wet, but there was more than the normal amount of sunshine. Gales were experienced frequently throughout the month, the most noteworthy being that on the 28th, which was particularly violent and destructive over Northern Ireland generally. Snow fell on several occasions. *February* was also mainly mild, though comparatively dry. A brief period of cold, dry weather occurred from the 9th to the 12th, and there were many bright sunny periods, notably during the first half of the month. The weather of *March* was mainly unsettled and exceedingly mild. Very unsettled and rainy weather prevailed during the first and last weeks. Excellent sunshine records were obtained on individual days, although the total sunshine for the month was slightly below normal. The weather was changeable during the greater part of *April*. A brief sunny period occurred about the middle of the month, after which the weather became cold, with frequent showers of rain, hail or snow. The total rainfall for the month was, however, markedly deficient, being lower than the total for any other month during the year. The first few days of *May* were cold and wet. After the 4th the weather became fairer and warmer, and, with the exception of a few short periods, during which the temperature fell and rain occurred occasionally, continued thus throughout the remainder of the month. Rainfall was considerably below normal in this month. *June* was characterised, for the greater part, by wet and unseasonably cold weather. A period of generally fine weather was experienced from the 10th to 15th. The first half of *July* was unsettled with frequent rain. Fine dry weather then prevailed for about a week. Thereafter unsettled conditions were renewed, and persisted, but with occasional fair periods, to the end of the month. Temperature, rainfall and sunshine records all approximated to the normal. *August* on the whole was wet and unsettled. Rain fell on 23 days, and thunderstorms were of frequent occurrence. There were, however, considerable fair periods throughout the month. Apart from a few fine days at the beginning of the month, the weather of *September* was exceedingly wet, the amount of rainfall recorded being twice the normal and greater than any other recorded during the year. High winds were experienced frequently throughout the month and temperature and sunshine records were below normal. Fine dry conditions prevailed during the first half of *October*. Thereafter unsettled weather with frequent rain ensued and lasted till the end of the month, culminating in a violent storm on the 28th–29th. The mean temperature for the month was considerably in excess of normal. *November* opened with about a week of fair and unusually warm weather with occasional showers. A period of northerly winds, accompanied by a fall in the temperature and occasional showers of snow or hail, then followed and persisted till the 15th. Apart from a dull rainy spell from 18th–23rd the remainder of the month was mainly fair. A marked excess of sunshine was recorded. The first ten days of *December* were dull and cloudy with occasional rain. The temperature then gradually fell, and, apart from a mild rainy spell on the 21st–22nd, remained low throughout the remainder of the month—cold frosty weather being experienced. There was a fine sunny period from the 26th–29th. Snow fell fairly generally over Northern Ireland on the last two days of the month. Temperature and rainfall records were below normal—the latter markedly so.

**TABLE 2.—Northern Ireland : Average Air Temperature, Rainfall and Sunshine obtained from Readings taken at the Stations of Lisburn, Donaghadee and Armagh, 1927.**

MONTH.	Air Temperature.						Rainfall.*			Sunshine.†	
	High-est.	Low-est.	Means of			Devi-a-tion from Nor-mal.	Total.	Devi-a-tion from Nor-mal.	Num-ber of Days.	Daily Mean.	Devi-a-tion from Nor-mal.
			Daily Maxi-mum.	Daily Mini-mum.	Daily Mean.						
January ...	56	26	45.5	36.1	40.8	+1.3	82	+18	22	1.67	+0.25
February ...	57	22	47.8	35.7	41.8	+1.7	42	-16	18	2.63	+0.40
March ...	60	27	50.8	38.6	44.7	+3.1	70	+12	21	3.19	-0.16
April ...	62	28	52.7	38.5	45.6	+0.2	32	-20	21	4.60	-0.30
May ...	74	28	58.3	42.2	50.3	-0.2	38	-21	11	6.15	+0.31
June ...	65	32	58.9	44.1	51.5	-4.3	82	+21	22	5.30	-0.30
July ...	74	45	65.1	52.3	58.7	+0.6	80	+8	20	4.54	-0.17
August ...	73	42	65.7	52.0	58.8	+1.4	101	+12	23	4.82	+0.53
September ...	70	37	59.4	46.6	53.0	-1.2	122	+61	22	3.87	-0.10
October ...	71	29	57.6	44.5	51.1	+2.7	70	-1	16	2.93	+0.06
November ...	64	23	48.8	38.5	43.6	+0.1	86	+11	22	2.85	+0.85
December ...	51	19	42.2	36.4	39.3	-1.0	56	-24	14	1.29	+0.10
<b>Year 1927 ...</b>	<b>74</b>	<b>19</b>	<b>54.4</b>	<b>42.1</b>	<b>48.2</b>	<b>+0.3</b>	<b>861</b>	<b>+61</b>	<b>232</b>	<b>3.65</b>	<b>+0.11</b>

\* Average figures for the stations of Donaghadee and Armagh only.

† These figures relate to the records obtained at the station of Armagh only.

**Vaccination.**—As returned by the Registrars, the Successful Primary Vaccinations during the year numbered 25,025, the number of births registered during the year being 26,676. The number of Successful Primary Vaccinations is thus about 94 per cent. of the total number of births registered.

## MARRIAGES.

Marriages registered during the year numbered 7,175, the rate being 5.74 per 1,000 of the estimated population. This rate is 0.02 below that for the year 1926, and 0.73 below the average rate for the ten years 1917–26.

**TABLE 3.—Northern Ireland: Marriages Registered, according to Methods of Celebration, 1917–27.**

YEAR.	Church of Ireland.	Presbyterian.	Roman Catholic.	Regis-tered Blds.	In Presence of Registrar.	Society of Friends.	Jews.	Total Marriages Regis-tered.	Total Marriage Rate per 1,000 of Estimated Popula-tion.
1917	2,104	1,002	2,229	388	241	2	6	6,618	6.60
1918 ...	2,502	2,123	2,429	443	293	2	5	7,797	6.42
1919 ...	3,122	2,769	3,147	544	397	3	10	9,992	7.99
1920 ...	2,797	3,010	2,635	582	517	1	8	9,550	7.59
1921 ...	2,337	2,471	2,487	442	375	2	7	8,121	6.46
1922 ...	2,503	2,458	2,267	445	389	5	5	8,072	6.36
1923 ...	2,515	2,349	2,231	475	398	3	3	7,974	6.33
1924 ...	2,401	2,189	1,999	516	403	3	3	7,514	5.97
1925 ...	2,266	2,280	2,231	480	417	4	4	7,682	6.11
1926 ...	2,222	2,073	2,020	467	439	5	2	7,228	5.76
Average	2,477	2,362	2,368	478	387	3	6	8,080	6.47
1927 ...	2,150	2,074	2,091	402	452	2	4	7,175	5.74

Of the total marriages, 89.0 per cent. were of bachelors and spinsters, 6.9 per cent. were of widowers and spinsters, 1.9 per cent. were of bachelors and widows and 2.2 per cent. were of widowers and

widows. Thus 9.1 per cent. of the men married were widowers and 4.1 per cent. of the women married were widows; in 11 out of every 100 marriages, one or both of the contracting parties had been married before.

The marriages registered in each quarter were as follows:—March, 1,487, or 21 per cent. of the total year's registrations; June, 1,823, or 25 per cent.; September, 1,979, or 28 per cent.; and December, 1,886, or 26 per cent.

Of the males married during the year, 165, or 2.3 per cent., were under the age of 21 years, and of the females, 787, or 11.0 per cent.

Of the husbands, 98.2 per cent. signed the marriage registers by writing their names and the remainder signed by "mark," while 98.6 per cent. of the wives wrote their names and the remainder signed by "mark."

### BIRTHS.

Births registered during the year numbered 26,676, representing a rate of 21.3 per 1,000 of the estimated population. The number registered represents a considerable decrease, namely, 1,486, or 5.3 per cent. on the number registered in 1926. The rate for 1927 is 1.2 below that for the previous year, and is 1.5 lower than the average rate for the ten years 1917–26.

**TABLE 4.—Northern Ireland: Births Registered and Percentage of Illegitimate Births, 1917-27.**

YEAR.	Total Births, including Illegitimate Births.			Illegitimate Births.			Illegitimate Births per cent. of Total Births.
	Total.	Male.	Female.	Total.	Male.	Female.	
1917 ...	24,949	12,806	12,143	1,151	617	534	4.61
1918 ...	26,212	13,502	12,710	1,217	644	573	4.64
1919 ...	27,496	14,255	13,241	1,238	629	609	4.50
1920 ...	32,521	16,685	15,836	1,494	794	700	4.59
1921 ...	29,710	15,184	14,526	1,271	666	605	4.28
1922 ...	29,531	15,098	14,433	1,255	608	647	4.25
1923 ...	30,097	15,332	14,765	1,344	678	668	4.47
1924 ...	28,496	14,800	13,696	1,225	651	574	4.30
1925 ...	27,686	14,185	13,501	1,147	584	563	4.14
1926 ...	28,162	14,576	13,586	1,250	649	601	4.44
Average, 1917-26 ...	28,486	14,642	13,844	1,259	652	607	4.42
1927 ...	26,676	13,693	12,983	1,262	633	629	4.73

Of the births registered, 18,693 were of males and 12,983 were of females, the proportion of male births to every 100 female births being 105.5. The corresponding proportions for each of the years 1922–26 are 104.6, 103.8, 108.1, 105.1 and 107.3 respectively.

Of the 26,676 births registered during the year, 25,414 or 95.3 per cent. were legitimate and 1,262 or 4.7 per cent. were illegitimate, the latter being 0.3 above the percentage for the preceding year.

The 25,414 legitimate births are in the proportion of 105.7 males to every 100 females. The corresponding proportion for the 1,262 illegitimate births is 100.6 males to every 100 females.

Of the births appertaining to Co. Antrim, 5.8 per cent. were illegitimate; for Armagh the percentage was 4.1; for Belfast County Borough, 4.0; for Down, 4.5; for Fermanagh, 5.1; for Londonderry, 5.7; and for Tyrone, 5.5. The corresponding percentages for the

preceding year are:—Antrim, 6.4; Armagh, 3.6; Belfast County Borough, 3.5; Down, 3.9; Fermanagh, 4.8; Londonderry, 4.9; and Tyrone, 5.7.

The total number of births registered in the first quarter of the year was 6,738; in the second, 7,291; in the third, 6,603; and in the fourth, 6,044.

#### MULTIPLE BIRTHS.

Of the 26,676 children registered during the year, 26,098 were single children, 566 were twins and 12 were triplets. Thus, of the total children born, 97.84 per cent. were single children, 2.12 per cent. were twins and 0.04 were triplets. In this computation of single births, twins and triplets, only live-born children were counted, still-born children not being registered in Northern Ireland. For example, a birth of one live child and one still-born child would appear in the report as a single birth, and a birth of two live children and one still-born child would appear as a twin birth.

**TABLE 5.—Northern Ireland: Proportion of Deaths from the Principal Causes per 1,000 of the total Deaths at certain Age-Periods, 1927.**

CAUSES OF DEATH.	All Ages.	AGE.											
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
Enteric Fever (1) ...	2	.	.	4	10	12	8	6	3	3	1	.	.
Typhus (2) ...	.	.	.	.	.	.	1	.	1	.	.	.	.
Small-pox (6) ...	.	.	.	8	.	.	.	.	.	.	.	.	.
Measles (7) ...	1	2	15	8	.	.	1	.	.	.	.	.	.
Scarlet Fever (8) ...	3	.	16	38	10	7	5	3	1	1	.	.	.
Whooping-cough (9) ...	12	55	102	41	.	.	.	.	.	.	.	.	.
Diphtheria (10) ...	5	1	44	90	48	4	2	.	1	.	.	.	.
Dysentery (16) ...	.	.	1	.	.	.	.	.	.	.	.	.	.
Influenza (11) ...	41	24	27	26	19	36	46	47	38	44	53	45	32
Encephalitis Lethargica (23)	2	.	2	4	5	4	4	3	3	2	.	.	.
Meningococcal Meningitis (including Cerebro-spinal Fever) (24) ...	.	.	2	4	.	2	2	.	1	.	.	.	.
Tuberculosis of Respiratory System (31) ...	71	2	13	38	163	439	337	218	92	36	8	1	.
Other Tuberculosis (32-7) ...	26	16	104	143	125	107	63	48	16	10	2	1	.
Cancer, Malignant Disease (43-9) ...	81	.	4	.	14	16	29	82	164	172	108	67	30
Diabetes (57) ...	7	.	.	5	7	9	8	11	14	7	5	2	.
Cerebral Haemorrhage (74) ...	60	.	2	.	2	9	33	63	101	105	81	55	.
Heart Disease (87-90) ...	139	.	10	53	135	63	81	114	173	203	228	161	101
Arterial Sclerosis (91b) ...	11	.	.	.	.	.	1	3	14	22	22	18	.
Bronchitis (99) ...	61	67	35	26	14	3	13	20	41	71	92	80	66
Pneumonia(all forms) (100-1) ...	69	136	266	109	96	59	61	59	58	54	43	29	19
Other Diseases of Respiratory System (97-8, 102-7) ...	14	13	35	19	5	8	9	21	19	19	12	10	3
Ulcer of the Stomach or Duodenum (111) ...	7	.	.	.	.	6	18	16	13	13	7	3	2
Diarrhoea and Enteritis (under 2 years) (113) ...	17	126	44	—	—	—	—	—	—	—	—	—	—
Appendicitis and Typhilitis (117) ...	6	.	8	75	48	24	14	13	6	2	1	.	.
Cirrhosis of the Liver (122) ...	2	.	.	.	.	.	.	5	1	4	2	1	.
Nephritis, Acute and Chronic (128-9) ...	25	1	9	30	19	19	34	43	51	39	28	16	5
Puerperal Diseases and Accidents of Pregnancy and Childbirth (143-50) ...	7	.	.	.	.	21	65	40	1	.	.	.	.
Congenital Malformations and Debility, Prematurity Birth (159-161) ...	47	405	14	.	5	4	13	17	13	6	1	1	.
Suicide (165-174) ...	4	.	.	.	.	.	.	.	.	.	.	.	.
Other Violent Deaths (175-203) ...	22	8	67	102	48	33	40	33	30	15	12	12	9
Other Defined Diseases ...	250	142	163	186	231	120	131	163	185	160	257	465	658
Causes Ill-defined or Unknown (204-5) ...	8	2	17	4	.	4	3	7	12	17	11	1	.
<b>ALL CAUSES</b> ...	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000

NOTE.—The numbers in brackets are those of the Causes of Death in the International List.

## DEATHS.

Deaths registered during the year numbered 18,216, a decrease of 611, or 3.2 per cent., as compared with the previous year. The death rate was 14.6 per 1,000 of the estimated population, being 0.4 below the rate for 1926 and 2.0 below the rate for the previous ten years, 1917–26. Of these deaths, 8,721 were of males and 9,495 were of females, the equivalent annual death rates being 14.4 and 14.7 per 1,000 of the male and female estimated populations respectively.

The total number of deaths registered in the first quarter of the year was 5,317; in the second, 4,984; in the third, 3,640; and in the fourth, 4,275. The equivalent annual death rates are 17.0, 15.9, 11.6 and 13.7 for the four quarters respectively.

Of the 18,216 deaths registered, 3,671, or 20.2 per cent., took place in Institutions (1,137, or 6.3 per cent., in Infirmaries and general and special hospitals; 344, or 1.9 per cent., in public lunatic asylums; 1,837, or 10.1 per cent., in workhouses and workhouse hospitals; and 353, or 1.9 per cent., in district hospitals); and the remaining 14,545, or 79.8 per cent., occurred "at their own homes, etc."

TABLE 6.—Northern Ireland : Deaths from the Principal Causes, 1917-27.

CAUSES OF DEATH.	1917	1918	1919	1920	1921	1922	1923	1924	1925	1926	Average 1917-26	1927	Irish Free State, 1927
Enteric Fever (1) ...	87	77	57	65	37	26	20	25	50	37	48	44	98
Typhus (2) ...	8	11	10	12	2	1	2	3	1	1	5	2	11
Small-pox (6) ...	...	...	...	...	1	...	...	...	...	...	...	...	...
Measles (7) ...	132	203	158	278	44	52	204	213	227	308	182	22	175
Scarlet Fever (8) ...	42	35	199	206	51	46	50	90	118	41	88	46	81
Whooping-cough (9) ...	150	532	158	185	194	305	276	338	107	261	220	448	448
Diphtheria (10) ...	74	67	68	141	143	135	102	88	101	125	104	85	218
Dysentery (16) ...	2	1	9	2	2	3	3	3	2	2	2	1	13
Influenza (11) ...	434	3,863	1,938	560	316	889	415	1,026	701	482	1,062	745	2,099
Encephalitis Lethargica (23)	...	...	...	26	19	5	34	80	26	38	23	28	57
Meningococcal Meningitis (including Cerebro-spinal Fever) (24) ...	14	27	15	9	10	6	5	1	4	7	10	8	12
Tuberculosis of Respiratory System (31) ...	2,262	2,371	2,116	1,891	1,693	1,623	1,534	1,564	1,574	1,391	1,802	1,300	3,409
Other Tuberculosis (32-7) ...	752	713	688	638	551	484	503	491	526	450	580	467	892
Cancer, Malignant Disease (43-9) ...	1,206	1,193	1,192	1,235	1,286	1,271	1,365	1,407	1,441	1,410	1,301	1,477	3,113
Diabetes (57) ...	127	102	130	120	120	141	160	100	104	128	123	120	232
Cerebral Haemorrhage (74) ...	964	961	971	945	876	934	934	1,023	1,101	1,018	973	1,087	1,363
Heart Disease (87-90) ...	2,725	2,462	2,545	2,419	2,530	2,619	2,453	2,736	2,533	2,678	2,570	2,529	5,031
Arterial Sclerosis (91b) ...	74	78	99	113	125	161	152	183	198	202	138	204	230
Bronchitis (99) ...	2,020	2,033	2,238	1,725	1,402	1,451	1,307	1,522	1,394	1,212	1,630	1,108	2,610
Pneumonia(all forms) (100-1) ...	1,409	2,192	1,644	1,508	1,199	1,402	1,240	1,387	1,266	1,197	1,444	1,253	2,833
Other Diseases of Respiratory System (97-8, 102-7) ...	310	355	373	317	260	299	227	271	284	316	301	259	684
Ulcer of Stomach or Duodenum (111) ...	133	112	105	112	99	108	124	124	129	120	117	132	271
Diarrhoea and Enteritis (under 2 years) (113) ...	309	333	284	337	419	230	284	274	333	478	328	303	493
Appendicitis and Typhlitis (117) ...	77	93	73	108	96	87	94	88	94	91	90	107	185
Cirrhosis of Liver (122) ...	37	35	33	31	37	26	32	24	24	33	31	28	106
Nephritis, Acute and Chronic (128-9) ...	456	409	467	511	458	419	428	431	435	421	444	457	1,117
Puerperal Diseases and Accidents of Pregnancy and Childbirth (143-150) ...	128	124	127	224	154	139	148	129	123	158	145	128	271
Congenital Malformations and Debility, Premature Birth (159-161) ...	1,027	1,040	1,130	1,322	1,056	1,003	1,072	1,041	985	1,051	1,073	857	1,698
Suicide (165-174) ...	45	45	47	34	59	57	50	68	75	63	54	80	96
Other Violent Deaths (175-203) ...	491	469	425	538	591	839	429	408	393	371	495	398	749
Other Defined Diseases ...	5,086	4,731	5,082	5,021	4,877	4,971	4,960	5,053	5,012	4,726	4,953	4,579	14,066
Causes Ill-defined or Unknown (204-5) ...	430	346	455	383	423	174	154	173	194	165	290	142	1,016
<b>ALL CAUSES</b> ...	<b>21,011</b>	<b>25,013</b>	<b>22,836</b>	<b>21,017</b>	<b>19,301</b>	<b>19,795</b>	<b>18,790</b>	<b>20,299</b>	<b>19,784</b>	<b>18,827</b>	<b>20,667</b>	<b>18,216</b>	<b>43,677</b>
Uncertified Deaths ...	2,655	2,264	2,578	2,392	2,164	2,515	2,230	2,426	2,350	1,785	2,336	1,747	10,916

NOTE.—The numbers in brackets are those of the Causes of Death in the International List.

## CAUSES OF DEATH.

Table 5 shows the deaths from the principal causes as proportions per 1,000 of the total deaths at certain age groups. It will be seen from this table that of all the single defined diseases, heart disease, as is the usual experience, bears the greatest proportion to the total deaths at all ages, and that the deaths from this cause occur mainly among persons of fairly advanced ages. The proportions are high also for tuberculosis, cancer, pneumonia, bronchitis, cerebral haemorrhage and influenza.

At ages under one year, apart from developmental and wasting diseases, the highest proportion of deaths is caused by pneumonia and diarrhoea and enteritis. Between the ages of one and ten, common

**TABLE 7.—Northern Ireland : Death Rates per 100,000 of Estimated Population from the Principal Causes, and Uncertified Deaths as a percentage of Total Deaths, 1917-27.**

CAUSES OF DEATH.	1917	1918	1919	1920	1921	1922	1923	1924	1925	1926	Aver-age 1917-26	1927	Irish Free State, 1927
Enteric Fever (1)	7.2	6.3	4.6	5.2	2.9	2.0	1.6	2.0	4.0	3.0	3.8	3.5	3.3
Typhus (2)	0.7	0.9	0.8	1.0	0.2	0.1	0.2	0.2	0.1	0.1	0.4	0.2	0.4
Small-pox (6)	0.1												
Measles (7)	10.9	16.7	12.6	22.1	3.5	4.1	16.2	16.9	18.1	24.6	14.6	1.8	5.9
Scarlet Fever (8)	3.5	2.9	15.9	16.4	4.1	3.6	4.0	7.2	9.4	3.3	7.0	3.7	2.7
Whooping-cough (9)	12.4	43.8	12.6	14.7	29.1	15.3	24.2	21.9	26.9	8.5	20.9	17.6	15.2
Diphtheria (10)	6.1	5.5	5.4	11.2	11.4	10.6	8.1	7.0	8.0	10.0	8.3	6.8	7.4
Dysentery (16)	0.2	0.1	0.7	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.4
Influenza (11)	35.9	318.2	155.0	44.5	25.1	70.1	33.0	81.6	55.8	38.4	85.1	59.6	71.0
Encephalitis Lethargica (23)				2.1	1.5	0.4	2.7	6.4	2.1	3.0	1.8	2.2	1.9
Meningococcal Meningitis (including Cerebro-spinal Fever) (24)	1.2	2.2	1.2	0.7	0.8	0.5	0.4	0.1	0.3	0.6	0.8	0.6	0.4
Tuberculosis of Respiratory System (31)	187.3	195.3	169.3	150.3	134.6	127.9	121.8	124.3	125.2	110.9	144.3	103.9	115.3
Other Tuberculosis (32-7)	62.3	58.7	55.0	50.7	43.8	38.1	40.0	39.0	41.8	35.9	46.5	37.3	30.2
Cancer, Malignant Disease (43-9)	99.8	98.3	95.4	98.2	102.2	100.2	108.4	111.8	114.6	112.4	104.2	118.1	105.2
Diabetes (57)	10.5	8.4	10.4	9.5	9.5	11.1	12.7	7.9	8.3	10.2	9.9	9.6	7.8
Cerebral Haemorrhage (74)	79.8	79.2	77.7	75.1	69.6	73.6	74.2	81.3	87.6	81.2	77.9	86.9	46.1
Heart Disease (87-90)	225.6	202.8	203.6	192.3	201.1	206.4	194.8	217.5	201.5	213.6	205.8	202.2	170.1
Arterial Sclerosis (91b)	6.1	6.4	7.9	9.0	9.0	12.7	12.1	14.5	15.8	16.1	11.1	16.3	7.8
Bronchitis (99)	167.2	167.5	179.0	137.1	111.4	114.3	103.8	121.0	110.9	96.7	130.6	88.6	88.3
Pneumonia (all forms) (100-1)	116.6	180.6	131.5	119.9	95.3	98.5	110.3	100.7	95.5	115.7	100.2	95.8	
Other Diseases of Respiratory System (97-8, 102-7)	25.7	29.2	29.8	25.2	20.7	23.6	18.0	21.5	22.6	25.2	24.1	20.7	23.1
Ulcer of Stomach or Duodenum (111)	11.0	9.2	8.4	8.9	7.9	8.5	9.8	9.9	10.3	9.6	9.4	10.6	9.2
Diarrhoea and Enteritis (under 2 years) (113)	25.6	27.4	22.7	26.8	33.3	18.1	22.6	21.8	26.5	38.1	26.3	24.2	16.7
Appendicitis and Typhilitis (117)	6.4	7.7	5.8	8.6	7.6	6.9	7.5	7.0	7.5	7.3	7.2	8.6	6.3
Cirrhosis of Liver (122)	3.1	2.9	2.6	2.5	2.9	2.0	2.5	1.9	1.9	2.6	2.5	2.2	3.6
Nephritis, Acute and Chronic (128-9)	37.7	33.7	37.4	40.6	36.4	33.0	34.0	34.3	34.6	33.6	35.6	36.5	37.8
Puerperal Diseases and Accidents of Pregnancy and Childbirth (143-150)	10.6	10.2	10.2	17.8	12.2	11.0	11.8	10.3	9.8	12.6	11.6	10.2	9.1
Congenital Malformations and Debility, Premature Birth (159-161)	85.0	85.7	90.4	105.1	83.9	79.0	85.1	82.8	78.4	83.8	85.9	68.5	57.4
Suicide (165-174)	3.7	3.7	3.8	2.7	4.7	4.5	4.0	5.4	6.0	5.0	4.3	6.4	3.2
Other Violent Deaths (175-203)	40.6	38.6	34.0	42.8	47.0	66.1	34.1	32.4	31.3	29.6	39.6	31.8	25.3
Other Defined Diseases	421.0	389.8	406.8	399.0	387.9	391.8	394.0	401.6	398.5	376.6	396.7	365.8	475.8
Causes Ill-defined or Unknown (204-5)	35.6	28.5	36.4	30.4	33.6	13.7	12.2	13.8	15.4	13.2	23.2	11.4	34.4
<b>ALL CAUSES</b>	<b>1739.3</b>	<b>2080.4</b>	<b>1826.9</b>	<b>1670.7</b>	<b>1534.3</b>	<b>1559.9</b>	<b>1492.5</b>	<b>1613.6</b>	<b>1573.9</b>	<b>1501.4</b>	<b>1655.3</b>	<b>1456.1</b>	<b>1477.1</b>
Percentage of Uncertified Deaths	12.6	9.1	11.3	11.4	11.2	12.7	11.9	12.0	11.9	9.5	11.3	9.6	25.0

NOTE.—The numbers in brackets are those of the Causes of Death in the International List.

infectious diseases, such as whooping-cough and diphtheria, cause a relatively high proportion of the total deaths. Tuberculosis (the deaths from which are mainly due to tuberculous meningitis) and pneumonia also contribute largely to the mortality in this group. Between the ages of ten and thirty-five, tuberculosis (principally of the respiratory system) contributes the largest proportion, and thereafter cancer, heart disease, cerebral haemorrhage and bronchitis are responsible for the largest proportion of the total mortality.

Tables 6 and 7 show for each of the principal causes the numbers of deaths and the death rates for each year since 1917, together with corresponding particulars for the Irish Free State in respect of the year 1927.

**Enteric Fever.**—Deaths from enteric fever numbered 44, 24 being of males and 20 of females. This number is 7 more than that for 1926 and 4 less than the average for the ten years 1917–26.

**Typhus.**—Two deaths from this cause were reported, as against 1 for the previous year and an average of 5 for the previous ten years.

**Small-pox.**—No deaths from small-pox were registered during the year.

**Measles.**—Deaths from measles numbered 22, 13 being of males and 9 of females. A considerable decrease in the number of deaths from this cause is shown, the number being 286 below that for 1926 and 160 below the average number for the ten years 1917–26. Of the 22 deaths from this cause, 19 were of children under 5 years of age.

**Scarlet Fever.**—Deaths from scarlet fever numbered 46, 23 being of males and 23 of females. This number is 5 more than that for 1926 and 42 less than the average for the ten years 1917–26. 57 per cent. of the deaths from this cause occurred at ages under 10 years.

**Whooping-Cough.**—Deaths from whooping-cough numbered 220, 105 being of males and 115 of females. This number is 113 more than that for 1926 and 41 less than the average for the ten years 1917–26. Of the 220 deaths from this cause, 209 were of children under 5 years of age.

**Diphtheria.**—Deaths from diphtheria, including those certified as due to membranous laryngitis, numbered 85, 37 being of males and 48 of females. This number is 40 less than that for 1926 and is 19 less than the average for the ten years 1917–26. Of the 85 deaths from this cause, 67 were of children under 10 years of age.

**Diarrhoeal Diseases.**—Of the 418 deaths from diarrhoea and enteritis, 303 were of children under 2 years of age, 160 of these children being males and 143 females. The number of children under 2 who died from these diseases is 175 less than that for 1926 and 25 less than the average for the ten years 1917–26.

**Encephalitis Lethargica.**—Deaths from this disease numbered 28, 17 being of males and 11 of females. This number is 10 less than that for 1926 and 5 more than the average for the ten years 1917–26.

**Other Epidemic Diseases.**—Deaths from epidemic diseases, apart from those already named and exclusive of influenza, included, among others, 41 from erysipelas, 8 from meningococcal meningitis, 5 from malaria and 3 from acute poliomyelitis.

**Influenza.**—Deaths from influenza numbered 745, 334 being of males and 411 of females. This number comprised 288 registered as from influenza with pulmonary complications, and 457 registered with influenza as the sole cause or with other complications. The 745 deaths for the year are 263 more than the number recorded for 1926, and 317 less than the average for the ten years 1917–26. In making comparisons with years prior to 1921, the change in classification, noted under the heading "Bronchitis," should be borne in mind.

**Tuberculosis.**—Deaths from all forms of tuberculous disease numbered 1,767, or 9.7 per cent., of the deaths from all causes. This number represents a decrease of 74, or 4.0 per cent., on the number registered in 1926. The death rate from this cause was 1.41 per 1,000, which represents a decrease of 0.06 as compared with the rate for 1926, and is 0.50 below the average rate for the previous ten years, 1917–26.

Of the 1,767 deaths from this cause, 786 were of males and 981 of females, the corresponding rates being 1.30 and 1.52 per 1,000 of the male and female estimated populations respectively.

From Table 5 it will be seen that tuberculous diseases have been responsible for more than 500 deaths in every 1,000, between the ages of 15 and 25, and 400 deaths in every 1,000 between 25 and 35. Further, from Abstract VII it appears that one half of the deaths from all forms of tuberculous disease during 1927 occurred between the ages of 15 and 35.

From 1918 to 1927 the trend of the tuberculosis mortality rate has been in a markedly downward direction. Each year a decrease has been recorded, with the exception of 1924 and 1925, when the rate took a slight upward turn. The rates for 1927 from this disease for persons, males and females, are the lowest recorded in Northern Ireland in the past ten years.

Of the 1,767 deaths from tuberculosis, 1,300, or 78.6 per cent., were due to tuberculosis of the respiratory system.

**TABLE 8.—Northern Ireland : Deaths and Death Rates from Tuberculosis (All Forms), 1917-27.**

YEAR.	MALES.		FEMALES.		TOTAL.	
	Number of Deaths.	Rate per 1,000 of the estimated Male population.	Number of Deaths.	Rate per 1,000 of the estimated Female population.	Number of Deaths.	Rate per 1,000 of the estimated population.
1917 ...	1,311	2.33	1,703	2.64	3,014	2.50
1918 ...	1,362	2.41	1,722	2.66	3,084	2.54
1919 ...	1,231	2.03	1,573	2.44	2,804	2.24
1920 ...	1,048	1.71	1,481	2.29	2,529	2.01
1921 ...	1,016	1.67	1,228	1.90	2,244	1.78
1922 ...	970	1.57	1,137	1.75	2,107	1.66
1923 ...	941	1.55	1,096	1.69	2,037	1.62
1924 ...	936	1.54	1,119	1.72	2,055	1.63
1925 ...	961	1.58	1,139	1.76	2,100	1.67
1926 ...	849	1.40	992	1.53	1,841	1.47
Average, 1917-26	1,063	1.77	1,319	2.04	2,382	1.91 ✓
1927 ...	786	1.30	981	1.52	1,767	1.41

The abstracts of causes of death give particulars regarding the sexes and ages of the persons who died from the various forms of tuberculous disease during the year, and the rural and urban areas to which such deaths were allocated. Table 8 affords comparison of the summarised figures for 1927 with those for each of the ten preceding years. Table 9 shows comparisons of the summarised figures for each of the six counties of Northern Ireland and Belfast County Borough.

**TABLE 9.—Northern Ireland : Death Rates per 1,000 of the 1926 Census Population from Tuberculosis (All Forms) by Counties, 1917-27.**

YEAR.	ANTRIM.	ARMAGH.	BELFAST COUNTY BOROUGH.	DOWN.	FERMANAGH.	LONDONDERRY COUNTY AND COUNTY BOROUGH.	TYRONE.
1917	2.45	2.37	2.89	2.18	1.14	2.20	1.90
1918	2.48	2.21	3.03	2.30	1.40	1.98	2.03
1919	2.19	2.33	2.47	2.33	1.52	1.99	1.89
1920	2.21	2.02	2.19	2.03	1.14	2.83	1.69
1921	1.86	1.85	1.90	1.89	1.17	1.65	1.52
1922	1.87	1.99	1.67	1.79	1.43	1.41	1.38
1923	1.82	1.83	1.65	1.67	1.17	1.52	1.29
1924	1.60	1.74	1.88	1.62	1.02	1.45	1.33
1925	1.42	1.65	1.86	1.51	1.40	1.72	1.77
1926	1.29	1.38	1.74	1.43	0.98	1.29	1.38
1927	1.25	1.25	1.59	1.55	1.12	1.30	1.17

*NOTE : The figures for the years prior to 1924 have not been corrected for normal residence.*

**Syphilis.**—Deaths from syphilis numbered 23, 15 being of males and 8 of females. Of the 23 deaths, 13 were of infants under one year of age.

Deaths from general paralysis of the insane numbered 26; from tabes dorsalis, 9; and from aneurysm, 11. Of the part played by syphilis in the causation of deaths from diseases of the heart and arteries there are no means of judging accurately.

**Cancer.**—Under this heading are included deaths returned as from carcinoma, sarcoma, cancer, malignant disease. Deaths in this group, representing 8.1 per cent. of the deaths from all causes, numbered 1,477, a slight increase, namely 67, or 4.8 per cent., on the number registered in 1926, and is the highest number yet recorded for Northern Ireland. The death rate for 1927 from this disease was 1.18 per 1,000, being 0.06 above the rate for 1926 and 0.14 above the average rate for the ten years 1917-26.

Of the total deaths assigned to cancer, 661 were of males and 816 were of females, the corresponding death rates being 1.09 and 1.26 per 1,000 of the male and female estimated populations respectively.

The death rate from cancer, as compared with the rate for last year, shows an increase for the male and female population of 0.07 and 0.04 respectively.

The most frequent sites of fatal cancer among males during the year were stomach, 198; intestines, 79; liver and gall-bladder, 56; rectum, 48; tongue, 37; prostate, 34; and face, 22. The most frequent sites among females were stomach, 170; breast, 136; uterus, 100; intestines, 91; liver and gall-bladder, 76; rectum, 33; and ovary, 20.

Particulars regarding age, sex and parts affected among the persons whose deaths were registered during the year as from carcinoma, sarcoma, cancer and malignant disease are given in Table 10.

Of the 1,477 deaths from cancer, 895 were ascribed to carcinoma, 61 to sarcoma and 521 to other or unspecified forms of malignant disease.

**Tumours, not returned as Malignant.**—This heading includes all non-malignant tumours, except those of the brain and of the female genital organs. 25 deaths have been ascribed to this cause, 11 being of males and 14 of females.

Deaths from ovarian tumours numbered 7, and from uterine tumours, 10.

TABLE 10.—Northern Ireland, 1927 : Sites of Fatal Cancer.\*

SITES.	Total Males and Females.	MALES.							FEMALES.											
		All Ages.	Un- der 20	20-	30-	40-	50-	60-	65-	75-	All Ages.	Un- der 20	20-	30-	40-	50-	60-	65-	75-	
43	Jaw ...	22	15	.	.	2	3	1	6	3	7	.	1	1	.	1	1	2	1	
	Lip ...	17	.	.	.	3	3	4	7	.	.	.	.	.	1	2	1	1		
	Mouth ...	14	10	.	.	1	1	1	4	3	4	.	.	.	1	2	1	1		
	Tongue ...	41	37	.	.	4	14	6	8	4	4	.	.	.	2	1	.	1		
	Tonsils ...	5	2	.	.	1	1	.	.	3	.	.	.	.	2	1	.	1		
44	Liver, Gall, Bladder ...	132	56	1	1	1	4	7	9	22	11	76	1	1	17	19	7	16	15	
	Oesophagus ...	32	13	.	2	1	3	1	4	2	19	.	.	1	4	4	3	3	4	
	Pharynx ...	8	5	.	.	1	.	2	1	1	1	3	.	.	1	1	.	1	.	
	Pylorus ...	11	8	.	.	3	2	2	1	3	.	.	.	2	1	2	1	.	1	
	Stomach ...	363	193	.	2	3	16	38	36	68	30	170	.	.	4	9	42	27	67	21
45	Intestines ...	170	79	2	.	3	5	20	14	23	12	91	.	.	3	6	27	16	26	13
	Peritoneum ...	4	1	.	1	1	7	11	8	18	3	3	.	1	1	6	5	7	1	5
	Rectum ...	81	48	.	.	.	.	.	.	.	33	.	1	1	1	6	5	7	8	5
46	Ovary ...	20	.	.	.	.	.	.	.	.	20	.	.	3	6	3	3	4	1	
	Uterus ...	100	.	.	.	.	.	.	.	.	100	.	1	11	20	35	16	12	5	
	Vagina ...	3	.	.	.	.	.	.	.	.	3	.	.	1	1	1	2	3	.	
47	Vulva ...	8	.	.	.	.	.	.	.	.	8	.	.	2	3	3	3	3	.	
	Breast ...	137	1	.	.	.	.	.	.	1	136	.	.	8	26	42	14	25	21	
	Ear ...	5	4	.	.	.	.	1	2	1	1	.	.	.	1	.	.	4	9	
48	Face ...	37	22	.	1	.	.	9	3	5	4	15	.	.	2	.	.	4	9	
	Penis ...	1	1	.	.	.	.	1	1	.	2	.	.	.	.	.	1	1	.	
	Scalp ...	4	2	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	
	Scrotum ...	2	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	
	Umbilicus ...	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	
49	Arm, Leg, Hand	25	8	2	.	1	.	1	1	3	1	17	.	.	7	4	2	4	4	
	Axilla ...	6	3	.	.	.	.	2	2	3	1	3	.	.	2	.	1	3	3	
	Bladder ...	27	16	.	.	.	.	2	2	3	3	11	.	.	1	1	1	1	3	
	Brain ...	2	1	.	.	.	.	1	1	1	1	1	.	.	1	1	.	2	1	
	Eye ...	5	2	1	.	.	.	.	1	1	3	3	.	.	1	1	1	.	2	
	Groin ...	5	1	.	.	.	.	1	1	4	4	.	.	1	2	1	2	2	1	
	Kidney ...	10	3	.	.	.	.	2	2	3	1	7	.	.	2	1	2	2	2	
	Larynx, Trachea	16	11	.	.	.	.	2	2	3	2	5	.	1	1	2	1	2	1	
	Lung ...	13	7	1	.	1	3	1	1	6	1	.	.	1	1	2	1	2	1	
	Lymphatic Glands ...	2	1	.	.	.	.	1	1	1	1	.	.	.	2	1	1	1	.	
50	Mediastinum ...	5	2	.	.	.	.	1	1	2	2	6	.	1	.	2	1	1	3	
	Neck ...	17	11	.	.	1	.	3	2	2	2	6	.	1	.	1	1	3	2	
	Pancreas ...	18	12	.	.	.	.	1	2	2	7	6	.	1	.	2	1	.	1	
	Parotid ...	1	.	.	.	.	.	.	.	.	3	.	1	.	1	1	1	1	.	
	Pelvis ...	3	.	.	.	.	.	.	.	.	2	.	1	.	1	1	1	1	.	
	Prostate ...	34	34	.	.	1	2	5	4	16	6	.	.	.	1	.	.	1	.	
	Shoulder ...	1	.	.	.	.	1	1	.	.	.	.	.	.	1	.	.	1	.	
	Spine ...	4	2	.	.	.	1	1	.	.	.	.	.	2	1	.	1	1	.	
	Spleen ...	2	.	.	.	.	1	1	.	.	.	.	2	1	.	.	1	1	.	
	Testes ...	1	1	.	1	.	1	6	1	1	1	2	.	.	2	.	4	4	.	
51	Throat ...	11	9	.	.	1	1	1	1	1	1	8	.	.	.	.	4	4	.	
	Thyroid ...	12	4	.	.	.	1	5	3	1	1	14	1	1	1	4	2	2	2	
	Abdomen ...	25	11	.	.	.	1	1	1	1	1	.	.	1	2	2	2	1		
	Other and Un- defined Sites	14	5	1	1	1	1	.	1	.	9	1	1	.	1	2	2	2	.	
	TOTAL ...	1,477	661	8	9	16	55	152	108	210	103	816	5	8	38	110	221	120	204	110

\* Including Carcinoma, Sarcoma and Cancer, Malignant Disease.

**Other General Diseases.**—Among these were 7 deaths from tetanus, 40 from purulent infection and septicæmia, 90 from rheumatic fever, 87 from chronic rheumatism, osteo-arthritis and gout, 24 from rickets, 120 from diabetes, 134 from pernicious anaemia, 27 from exophthalmic goitre (25 of which were of females) and 5 from alcoholism, 4 being of males and 1 of a female. [See also "cirrhosis of the liver."]

**Diseases of the Nervous System.**—Among these were 6 deaths from encephalitis (not returned as encephalitis lethargica), 107 from meningitis (not returned as tuberculous or cerebro-spinal), 9 from tabes dorsalis, 967 from cerebral haemorrhage and apoplexy, 120 from cerebral thrombosis and embolism, 169 from hemiplegia, 43 from other forms of paralysis, 26 from general paralysis of the insane, 60 from

other forms of insanity, 58 from epilepsy and 135 from convulsions. The deaths of children under one year of age from convulsions numbered 107, this number being equivalent to 79.3 per cent. of the total deaths from this cause, and 5.2 per cent. of the total deaths of infants under one year of age.

**Heart Diseases.**—Deaths from the various forms of heart disease amounted to 2,529, 1,204 being of males and 1,325 of females. This number is equivalent to a rate of 2.02 per 1,000 of the population, or 13.9 per cent. of the total number of deaths from all causes. Of the 2,529 deaths, 12 were caused by pericarditis, 186 by acute endocarditis and myocarditis, 63 by angina pectoris and 2,318 by other diseases of the heart. The 2,529 deaths are 149 less than those for 1926 and 41 less than the average number for the ten years 1917–26.

**Arterial Sclerosis.**—Deaths from arterial sclerosis numbered 204, 113 being of males and 91 of females. This number is 2 more than that for 1926 and 66 more than the average number for the ten years 1917–26.

**Bronchitis.**—Deaths from bronchitis numbered 1,108, 503 being of males and 605 of females. This number is equivalent to a rate of 0.89 per 1,000 of the population, or 6.1 per cent. of the total number of deaths from all causes. The number of deaths assigned to bronchitis in 1926 was 1,212, and the average number for the ten years 1917–26 was 1,630. When making comparisons with the figures for the years preceding 1921, it should be noted that deaths from capillary bronchitis, which were then assigned to bronchitis, are, according to the revised International Classification of Causes of Death, now included with deaths from broncho-pneumonia. Also, prior to 1921, deaths from diseases of the respiratory system, including broncho-pneumonia, pneumonia and bronchitis, when associated with influenza, were classed as deaths from diseases of the respiratory system, while, according to the new classification, such deaths fall to be treated as deaths from influenza.

**Pneumonia.**—Deaths from all forms of pneumonia, including capillary bronchitis (see remarks under the heading "Bronchitis"), numbered 1,253, 666 being of males and 587 of females. This number is equivalent to a rate of 1.00 per 1,000 of the population, or 6.9 per cent. of the total number of deaths from all causes. Of the 1,253 deaths, 616 were classed as due to broncho-pneumonia, 154 to lobar pneumonia and 483 to pneumonia, not otherwise defined. The number of deaths assigned to pneumonia in 1926 was 1,197, and the average number for the ten years 1917–26 was 1,444.

**Pleurisy.**—Deaths from pleurisy, including deaths from empyema, regarding which the originating cause other than pleurisy could not be ascertained, numbered 48, 29 being of males and 19 of females.

**Appendicitis and Typhlitis.**—Deaths in this group numbered 107, 62 being of males and 45 of females. This number is 16 more than that for 1926 and 17 above the average number for the ten years 1917–26.

**Cirrhosis of the Liver.**—Deaths from cirrhosis of the liver numbered 28, 18 being of males and 10 of females. This number is 5 less than that for 1926 and 3 less than the average number for the ten years 1917–26.

**TABLE 11.—Northern Ireland: Deaths of Women in Pregnancy and Childbirth, 1927.**

International List Nos.	CAUSES OF DEATH.	All Ages.	AGES.						
			15-	20-	25-	30-	35-	40-	45 yrs. and up.
<b>Puerperal Diseases and Accidents of Pregnancy and Childbirth.</b>									
143a	Abortion	2	.	1	2	.	.	1	.
143b	Ectopic Gestation	3	.	1	1	2	1	1	.
143c	Other Accidents of Pregnancy	4	.	1	2	2	1	.	.
144	Puerperal Haemorrhage	17	.	4	6	2	5	.	.
145	Other Accidents of Childbirth	11	2	.	2	2	3	2	.
148	Puerperal Sepsis	48	.	6	14	13	10	3	2
147	Puerperal Phlegmasia Alba Dolens	12	.	2	2	4	2	2	.
148	Puerperal Albuminuria & Convulsions	22	3	.	4	5	7	3	.
149	Childbirth (not otherwise defined)	9	.	.	2	3	3	1	.
<b>Non-Puerperal Diseases or Causes combined with Pregnancy and Childbirth.</b>									
11a	Influenza with Pulmonary complications specified	1	.	.	.	.	.	1	.
11b	Influenza without Pulmonary complications specified	6	.	1	1	1	2	1	.
31	Pulmonary Tuberculosis	6	.	2	1	2	1	.	.
50	Tumors, not returned as Malignant	1	.	.	.	1	.	.	.
51	Rheumatic Fever	1	.	.	.	1	.	.	.
57	Diabetes	1	.	.	.	1	.	.	.
58b	Other Anaemias, Chlorosis	2	.	.	.	1	1	.	.
74b	Cerebral Thrombosis and Embolism	1	.	1	.	.	.	.	.
88	Acute Endocarditis and Myocarditis	1	.	.	.	.	1	.	.
90	Other Diseases of the Heart	12	.	2	3	4	2	1	.
99a	Acute Bronchitis	2	.	.	1	.	1	.	.
99b	Chronic Bronchitis	1	.	.	.	.	1	.	.
100	Broncho-Pneumonia	1	.	.	.	.	.	.	.
101a	Lobar Pneumonia	2	.	.	2	.	.	.	.
101b	Pneumonia (not otherwise defined)	3	.	.	1	2	.	.	.
103	Congestion and Infarction of Lung	1	.	1	.	.	.	.	.
111a	Ulcer of the Stomach	2	.	.	.	2	.	.	.
117	Appendicitis and Typhlitis	1	.	.	.	1	.	1	.
153	Cellulitis, Acute Abscess	1	.	.	.	1	.	.	.
TOTAL		174	5	21	42	48	41	15	2

**Acute and Chronic Nephritis.**—Deaths from acute and chronic nephritis numbered 457, 282 being of males and 225 of females. This number comprised 113 deaths from the acute and 344 from the chronic form of the disease. The 457 deaths are 36 more than the number for 1926 and 13 above the average number for the ten years 1917–26.

**TABLE 12.—Northern Ireland: Deaths of Women in Pregnancy and Childbirth, 1917–27.**

YEARS.	Deaths from Puerperal Diseases and Accidents of Pregnancy and Childbirth (classed as Childbirth).		Deaths from Non-Puerperal Diseases or Causes combined with Pregnancy and Childbirth (not classed as Childbirth).		Total Deaths of Women in Pregnancy and Childbirth.	
	No.	Rate per 1,000 Births.	No.	Rate per 1,000 Births.	No.	Rate per 1,000 Births.
1917	128	5.13	21	0.84	149	5.97
1918	124	4.73	48	1.83	172	6.56
1919	127	4.62	33	1.20	160	5.82
1920	224	6.89	32	0.98	256	7.87
1921	154	5.18	18	0.61	172	5.79
1922	139	4.71	34	1.15	173	5.86
1923	148	4.92	34	1.13	182	6.05
1924	129	4.53	25	0.87	154	5.40
1925	123	4.44	28	1.01	151	5.45
1926	158	5.61	17	0.60	175	6.21
Average, 1917–26	145	5.09	29	1.02	174	6.11
1927	128	4.80	46	1.72	174	6.52

**Pregnancy and Childbirth.**—The mortality of women during pregnancy and childbirth is classified under two headings, namely—(1) puerperal diseases and accidents of pregnancy and childbirth and (2) non-puerperal diseases or causes combined with pregnancy and childbirth. Deaths in the first group numbered 128 and in the second 46, the total number of deaths in the two groups being 174. This number is equivalent to a rate of 6.52 per 1,000 of the total births registered, as compared with 6.21 in 1926, and with the average rate of 6.11 per 1,000 for the ten years 1917–26. The causes of death shown in Table 11 are those to which the various deaths were assigned.

From Table 12 it will be seen that a considerable decrease in the number of deaths and in the death rate per 1,000 births from puerperal diseases and accidents of pregnancy and childbirth has been recorded for 1927, the 128 deaths being 30 less than the number for 1926 and 17 below the average for the ten years 1917–26. The deaths of women from non-puerperal diseases or causes combined with pregnancy and childbirth numbered 46, as against 17 for 1926 and the average number of 29 for the previous ten years.

**Violence.**—Deaths from violence registered during the year numbered 478, as against 434 in 1926. Of these 478 deaths, 11 were assigned to homicide, 80 to suicide and 387 to accidental causes.

The 11 deaths assigned to homicide include 4 of males, 1 of these being an infant under 1 year of age, and 7 of females, of whom 3 were infants under 1 year. All of these 11 deaths were cases of murder.

Of the 80 deaths definitely attributed to suicide, 62 were of males and 18 of females. There were, in addition, cases in which coroners' juries returned "open verdicts." These cases were classed as accidents, but it is possible that a number of them were due to suicide. Among the 39 deaths from drowning, there were 12 of males and 4 of females in which coroners' juries returned a verdict of "found drowned."

The deaths from external causes, other than those classed as homicide and suicide, include 6 caused by poisons or poisonous gases, 3 by food poisoning, 74 by burns and scalds (40 of these were of children under 5 years of age), 6 by accidental mechanical suffocation, 39 by drowning, 8 by firearms, all of which were of males, 84 by fall and 122 by vehicles, of which 88 were caused by motor-driven vehicles.

Of the 6 deaths (2 of males and 4 of females) caused by poisons or poisonous gases, 4 were due to coal gas, 1 to medicinal and 1 to other or unstated poison; while of the 6 deaths caused by mechanical suffocation, 3 were due to overlying.

**III-Defined Causes of Death.**—142 deaths have been allocated to this heading, as against 165 in 1926 and an average of 290 in the ten years 1917–26.

Enquiries were sent to medical practitioners and coroners requesting further information as to 489 indefinitely certified deaths, and 418 replies were received, 357 containing such useful additional particulars as enabled those cases to be classified under definite causes of death.

**Uncertified Causes of Death.**—Of the 18,216 deaths registered, 1,747 were not certified, there having been neither a medical attendant during the last illness nor an inquest held by a coroner. This number represents a slight reduction, namely 38, or 2.1 per cent., on the number registered as uncertified in 1926. 1,222, or 69.9 per cent., of

the uncertified deaths were of persons aged 65 years and upwards, and 205, or 11.7 per cent., were of infants under one year of age. The proportion of uncertified deaths is 9.6 per cent. of the total deaths, as compared with 9.5 per cent. for 1926 and an average of 11.3 per cent. for the ten years 1917–26.

**Inquests.**—The number of inquests held by coroners during the year was 487, or one inquest for every 37 deaths registered. Of the cases referred to the coroner by Registrars, there were 261 in which the coroner decided that inquests were unnecessary. These cases comprised 87 deaths certified by medical practitioners and 174 uncertified deaths.

**TABLE 13.—Northern Ireland: Uncertified Deaths and Inquests, 1927.**

(No correction has been made in this table for normal residence.)

COUNTIES.	TOTAL DEATHS REGISTERED.	Certified			Uncertified.	
		By Medical Practitioners.		By Coroners' Juries.	Not referred to Coroner.	Referred to Coroner; Inquest considered unnecessary.
		Not referred to Coroner.	Referred to Coroner; Inquest considered unnecessary.			
NORTHERN IRELAND	18,216	15,895	87	487	1,573	174
ANTRIM	2,697	2,387	50	74	166	20
ARMAGH	1,857	1,544		34	275	4
BELFAST CO. BOROUGH	5,640	5,322	9	193	8	108
DOWN	3,122	2,815	1	83	222	1
FERMANAGH	833	504	3	17	303	6
LONDONDERRY CO. AND CO. BOROUGH	2,018	1,770	8	44	188	8
TYRONE	2,049	1,553	16	42	411	27

**Ages at Death.**—Deaths of children under 5 years of age numbered 3,001, or 16.5 per cent. of the total deaths registered, the deaths of male children numbering 1,635, or 18.7 per cent. of the total deaths of males, and the deaths of female children 1,366, or 14.4 per cent. of the total deaths of females.

Deaths of persons aged 65 years and upwards numbered 7,579, or 41.6 per cent. of the total deaths registered.

Deaths of persons aged 70 years and upwards numbered 6,052, or 33.2 per cent. of the total deaths.

Deaths of persons aged 95 years and upwards numbered 79, 86 being of males and 43 of females.

Among the deaths registered were 11 of persons whose ages at death were returned as 100 years or upwards. 7 of these deaths were of males and 4 of females. In the absence of complete public records for remote periods, verification of the ages of all very old persons is not possible and no verification has been attempted.

The ages in detail of the persons whose deaths were registered during the year are given by sexes and counties in Abstract VI.

**Infant Mortality.**—Deaths of infants under one year of age numbered 2,074, or 78 per 1,000 births registered, as compared with 85 per 1,000 in 1926, and an average of 88 per 1,000 for the ten years 1917–26.

TABLE 14.—Northern Ireland: Infant Mortality Rates, 1917-27.

Report—1927.

CAUSES OF DEATH.	Deaths of Infants under One Year per 1,000 Births Registered.												YEAR 1927.																
	MALES AND FEMALES.												MALES.						FEMALES.										
	1917	1918	1919	1920	1921	1922	1923	1924	1925	1926	Total.	Under 1 mth.	1-2 mths.	2-3 mths.	3-6 mths.	6-12 mths.	Total.	Under 1 mth.	1-2 mths.	2-3 mths.	3-6 mths.	6-12 mths.	Total.	Under 1 mth.	1-2 mths.	2-3 mths.	3-6 mths.	6-12 mths.	
ALL CAUSES ...	97.0	100.6	95.3	94.3	86.7	77.2	76.5	84.6	86.4	84.9	77.7	30.2	9.3	6.5	12.3	19.4	84.6	33.0	9.8	7.0	14.0	20.8	70.5	27.3	8.9	5.9	10.5	17.9	
Common Infectious Diseases.																													
Small-pox ...	1.3	0.9	0.9	1.7	0.3	0.5	1.6	2.0	1.6	2.6	0.2	.	.	.	.	.	0.2	0.2	.	.	.	.	0.2	0.2	.	.	.	0.2	
Measles ...	0.2	0.1	0.1	0.3	0.1	0.1	0.2	0.2	0.2	0.1	—	.	.	.	.	.	0.1	0.1	.	.	.	.	0.1	0.1	.	.	.	.	
Scarlet Fever ...	0.3	0.2	0.1	0.3	0.2	0.4	0.2	0.2	0.2	0.1	0.1	.	.	.	.	.	0.1	0.1	.	.	.	.	0.1	0.1	.	.	.	.	
Diphtheria ...	2.7	6.5	3.0	3.1	5.9	3.1	5.3	4.8	4.8	2.0	4.3	0.1	0.4	0.6	0.9	2.2	4.5	0.1	0.6	0.9	0.8	2.0	4.1	0.1	0.3	0.3	0.9	2.5	
Whooping-cough ...	0.7	4.6	3.6	1.3	0.6	1.7	0.6	2.0	1.0	0.6	1.8	0.1	0.2	0.1	0.7	0.6	2.0	0.1	0.3	0.2	0.9	0.6	1.6	0.2	0.2	0.1	0.6	0.5	
Influenza ...																													
Diarrhoeal Diseases.																													
Diarrhoea and Enteritis ...	10.3	10.5	8.9	9.2	12.9	6.7	7.6	8.2	10.4	14.6	9.8	0.9	1.7	1.6	3.2	2.4	10.2	1.1	1.8	1.5	3.9	1.8	9.5	0.7	1.6	1.6	2.4	3.2	
Tuberculous Diseases.																													
Tuberculous Meningitis ...	1.6	0.9	1.2	0.9	1.0	0.9	0.7	0.5	1.0	0.9	0.9	.	—	—	0.2	0.6	1.0	.	0.1	0.1	0.1	0.7	0.8	.	.	.	0.2	0.5	
Abdominal Tuberculosis ...	0.5	0.6	0.6	0.6	0.3	0.4	0.4	0.2	0.4	0.4	0.1	.	—	—	0.2	0.1	0.2	0.1	0.2	0.1	0.1	0.2	0.1	.	.	0.1	0.1	0.1	
Other Tuberculous Dis... ...	1.2	0.5	0.8	0.6	0.7	0.5	0.5	0.4	0.8	0.4	0.4	.	—	—	0.2	0.2	0.4	.	0.4	0.1	0.1	0.4	.	.	.	0.1	0.3		
Developmental and Wasting Diseases.																													
Premature Birth ...	12.8	11.9	12.4	11.4	11.6	10.5	11.5	12.0	11.8	13.5	12.3	11.5	0.6	0.1	0.4	13.8	13.2	0.4	0.1	0.1	0.4	10.8	9.8	0.8	0.2	0.2	0.1	0.4	
Congenital Malformations ...	3.5	2.4	3.0	3.4	2.3	3.0	2.7	3.3	3.1	3.9	3.7	2.5	0.4	0.3	0.1	0.4	4.2	2.6	0.6	0.5	0.1	0.4	3.2	2.5	0.2	0.1	0.1	0.4	
Atrophy, Debility, Marasmus ...	24.3	24.7	25.4	25.4	20.7	20.2	21.1	20.8	20.3	19.4	15.4	9.4	2.5	1.3	1.2	0.9	16.3	10.0	2.7	1.4	1.3	0.9	14.6	8.9	2.2	1.3	1.2	1.0	
Other Causes.																													
Erysipelas ...	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.3	.	0.2	.	0.1	0.2		
Syphilis ...	1.0	1.6	1.1	0.8	0.6	0.5	0.7	0.3	0.6	0.2	0.5	.	0.1	0.1	0.2	0.6	0.1	0.1	0.1	0.1	0.2	0.4	.	0.2	0.1	0.1	0.2		
Rickets ...	0.4	0.3	0.2	0.1	0.1	.	0.1	0.1	0.3	0.2	0.2	.	—	—	0.1	0.3	.	.	.	0.3	0.2	.	0.1	.	0.1	.	0.1		
Meningitis (not Tuberculous) ...	1.1	1.1	1.6	1.1	1.1	1.3	0.5	1.2	1.3	1.0	1.1	0.1	0.2	0.1	0.1	0.3	0.5	1.6	0.2	0.4	0.3	0.7	0.6	0.6	0.5	0.6	0.3	0.3	
Convulsions ...	4.8	3.7	4.6	4.2	5.2	4.5	3.5	3.5	4.7	4.3	4.0	1.1	0.4	0.4	0.4	0.9	1.2	3.8	1.0	0.3	0.2	0.9	1.3	4.2	1.2	0.5	0.6	0.8	1.0
Bronchitis ...	10.3	9.3	9.1	7.6	6.8	5.7	3.9	6.6	5.4	4.2	5.2	0.8	1.0	0.6	1.1	1.7	5.8	1.1	1.1	0.7	1.0	1.9	4.5	0.5	0.9	0.5	1.2	1.5	
Pneumonia ...	10.4	11.4	10.2	12.1	9.2	10.9	8.0	11.3	11.0	9.3	10.6	0.6	0.9	0.9	2.2	6.0	11.8	0.5	0.8	0.8	2.6	7.1	9.3	0.8	1.0	0.9	1.8	4.8	
Suffocation (overlying) ...	0.6	0.8	0.3	0.3	0.3	0.3	0.5	0.2	0.2	0.2	0.2	—	—	—	—	0.1	0.1	0.1	0.1	0.1	0.1	0.3	0.1	0.1	0.1	0.1	0.1		
Lack of Care ...	8.9	8.5	8.0	9.8	6.7	0.6	0.6	0.6	0.7	0.5	0.6	0.5	0.5	0.4	0.1	0.9	1.7	8.7	2.3	0.6	0.3	1.4	2.2	4.2	1.8	0.5	0.4	0.5	
Violence ...																													
Other Causes ...																													

NOTE.—A dot (.) indicates that there were no deaths. A dash (—) indicates that the deaths were not sufficiently numerous to give a rate of 0.1.

**TABLE 15.—Infant Mortality Rates for the aggregates of Urban and of Rural Areas in Northern Ireland, 1924-27.**

* CAUSES OF DEATH.	1924.	1925.	1926.	Deaths of Infants under One Year per 1,000 Births Registered.																		
				YEAR 1927.																		
				MALES AND FEMALES.						MALES.						FEMALES.						
				Total.	Under 1 Mth.	1-2 Mths.	2-3 Mths.	3-6 Mths.	6-12 Mths.	Total.	Under 1 Mth.	1-2 Mths.	2-3 Mths.	3-6 Mths.	6-12 Mths.	Total.	Under 1 Mth.	1-2 Mths.	2-3 Mths.	3-6 Mths.	6-12 Mths.	
<b>ALL URBAN AREAS.</b>																						
Common Infectious Diseases	10.0	9.0	5.7	7.6	0.1	0.6	0.7	1.8	4.3	8.1	0.1	0.7	1.1	2.0	4.2	7.1	0.1	0.6	0.3	1.7	4.4	
Diarrhoeal Diseases	12.6	15.3	22.2	15.3	1.4	2.8	2.6	4.8	3.8	15.8	1.5	3.0	2.6	6.2	2.4	14.8	1.3	2.5	2.5	3.2	5.2	
Tuberculous Diseases	1.3	2.7	2.0	1.9	.	0.1	0.1	0.5	1.2	2.1	.	0.1	0.1	0.7	1.2	1.7	.	.	.	0.4	1.3	
Developmental and Wasting Diseases	39.9	36.8	40.5	32.3	24.1	3.5	2.0	1.4	1.3	35.1	26.7	3.8	2.3	1.3	0.9	29.2	21.3	3.1	1.7	1.4	1.7	
Other Causes	38.2	37.4	31.8	34.6	5.7	3.6	3.3	7.5	14.4	39.4	6.8	3.8	3.4	8.2	17.2	29.4	4.7	3.4	3.1	6.8	11.4	
<b>ALL CAUSES</b>	<b>...</b>	<b>102.0</b>	<b>101.2</b>	<b>102.2</b>	<b>91.7</b>	<b>31.4</b>	<b>10.6</b>	<b>8.6</b>	<b>16.1</b>	<b>25.0</b>	<b>100.5</b>	<b>35.1</b>	<b>11.5</b>	<b>9.5</b>	<b>18.4</b>	<b>25.9</b>	<b>82.2</b>	<b>27.4</b>	<b>9.6</b>	<b>7.6</b>	<b>13.6</b>	<b>24.0</b>
<b>ALL RURAL AREAS.</b>																						
Common Infectious Diseases	8.2	5.8	5.0	5.0	0.4	0.7	0.8	1.4	1.6	5.5	0.3	1.1	1.1	1.5	1.5	4.4	0.5	0.3	0.5	1.4	1.7	
Diarrhoeal Diseases	2.9	4.2	5.1	3.2	0.3	0.4	0.3	1.2	0.8	3.3	0.7	0.3	0.2	1.1	1.0	3.0	.	0.5	0.5	1.4	0.7	
Tuberculous Diseases	1.1	1.5	1.2	0.9	.	.	.	0.2	0.7	1.1	.	.	.	0.3	0.8	0.7	.	.	.	0.2	0.5	
Developmental and Wasting Diseases	31.3	33.2	32.0	30.6	22.8	3.5	1.6	1.3	1.3	33.4	24.8	3.6	1.8	1.6	1.6	27.6	20.8	3.4	1.4	1.0	1.0	
Other Causes	19.7	22.9	19.8	21.2	5.2	3.2	1.2	3.5	8.2	21.8	4.7	2.6	0.8	4.1	9.6	20.7	5.8	3.7	1.5	2.9	6.8	
<b>ALL CAUSES</b>	<b>...</b>	<b>63.2</b>	<b>67.6</b>	<b>63.1</b>	<b>60.9</b>	<b>28.8</b>	<b>7.8</b>	<b>3.9</b>	<b>7.7</b>	<b>12.6</b>	<b>65.2</b>	<b>30.5</b>	<b>7.7</b>	<b>3.9</b>	<b>8.6</b>	<b>14.5</b>	<b>56.4</b>	<b>27.1</b>	<b>8.0</b>	<b>3.9</b>	<b>6.8</b>	<b>10.7</b>

\* The diseases included under the headings in this column are given in Table 14.

Report—1927.

The deaths of infants under one year of age include 1,159 of males and 915 of females, the former number being equivalent to 85 per 1,000 births of males and the latter to 70 per 1,000 births of females. The corresponding rates for 1926 were 94 and 75, respectively.

In 1927 and 1926 the rates for deaths of infants under one year of age were 70 and 70 per 1,000 births, respectively, for England and Wales, 89 and 83 for Scotland and 71 and 74 for the Irish Free State.

The infant mortality rate for the aggregate of the Urban Districts of Northern Ireland in 1927 was 92 per 1,000 births registered, and the rate for the aggregate of the Rural Districts was 61 per 1,000, the corresponding rates for 1926 being 102 and 63 respectively.

**TABLE 16.—Northern Ireland : Mortality among Illegitimate Children, 1927.**

CAUSES OF DEATH.	Numbers of Deaths Registered at Ages						Rate per 1,000 Illegitimate Births Registered.
	Under 1 mth.	1-2 mths.	2-3 mths.	3-6 mths.	6-12 mths.	Under 1 year.	
<b>Common Infectious Diseases.</b>							
Small-pox	...	...	...	...	...	...	...
Measles	...	...	...	...	...	...	...
Scarlet Fever	...	...	...	...	1	1	0.8
Diphtheria	...	...	...	2	1	1	3.2
Whooping-cough	...	...	...	1	1	4	1.6
Influenza	...	...	...	1	1	2	...
<b>Diarrhoeal Diseases.</b>							
Diarrhoea and Enteritis	2	12	9	13	7	43	34.1
<b>Tuberculous Diseases.</b>							
Tuberculous Meningitis	...	...	...	...	3	3	2.4
Abdominal Tuberculosis	...	...	...	...	...	...	...
Other Tuberculous Diseases	...	...	...	...	...	...	...
<b>Developmental and Wasting Diseases.</b>							
Premature Birth	30	3	...	...	...	33	26.1
Congenital Malformations	2	2	...	...	...	4	3.2
Atrophy, Debility, Marasmus	23	18	15	7	9	72	57.1
<b>Other Causes.</b>							
Erysipelas	...	...	1	1	2	1	7.1
Syphilis	...	...	1	1	...	1	0.8
Rickets	...	...	...	...	...	...	...
Meningitis (not Tuberculous)	1	...	...	...	2	3	2.4
Convulsions	...	2	1	1	2	6	12
Bronchitis	...	1	...	3	1	2	5.5
Pneumonia	...	2	2	1	7	9	21
Suffocation (overlying)	1	...	...	...	...	1	0.8
Lack of Care—							
Desertion	...	9	...	...	...	9	7.1
Other	...	4	...	...	...	4	3.2
Violence	...	3	...	1	1	4	3.2
Other Causes	...	5	...	1	8	2	12.6
<b>ALL CAUSES</b>	...	86	40	34	42	47	197.3
<b>RATE PER 1,000 ILLEGITIMATE BIRTHS REGISTERED.</b>							
<b>ALL CAUSES</b>	...	68.2	31.7	26.9	33.3	37.2	197.3
							—

Table 14 gives the infant mortality rates for Northern Ireland as a whole for each of the eleven years 1917-27, by causes of death, and, in the case of the last of these years, by sexes and age-periods. It will be noticed that the "all causes" infant mortality rate for Northern Ireland has, on the whole, shown a decline over the past ten years, which is largely due to the fall in the rates from atrophy, debility and marasmus, and from bronchitis.

Table 15 affords comparison between infant mortality rates for the aggregates of the urban and of the rural areas in Northern Ireland.

The differences usually found between urban and rural rates and between male and female rates are marked. With very few exceptions the urban rates are appreciably in excess of the corresponding rural rates. Also, in nearly all cases, the male rates are higher than the corresponding female rates.

Deaths of illegitimate children under one year of age numbered 249 in 1927, which is equivalent to a rate of 197.3 per 1,000 of the illegitimate births registered, as compared with 222.4 in 1926. The corresponding rate for legitimate children in 1927 is 71.8 per 1,000. Table 16 shows the deaths of illegitimate children by the principal causes, together with the equivalent mortality rates. Most of these rates are considerably in excess of the corresponding rates for all children; particularly, the rates for diarrhoea and enteritis, premature birth, atrophy, debility and marasmus, lack of care, violence and syphilis. It should, however, be noted that the rates for some of the causes are based on very small numbers of deaths.

The deaths of illegitimate children under one year of age in the Irish Free State represent a rate of 288 per 1,000 illegitimate births registered.

In conclusion, I beg to acknowledge the valuable assistance rendered by the Chief Medical Officer of the Ministry of Home Affairs, who has perused and advised on the medical aspects of this Report, and to record my appreciation of the courtesy shown by the Registrars-General of England and Wales, Scotland and the Irish Free State, in kindly furnishing information relating to the respective areas under their administration.

I have the honour to be, Sir,

Your most obedient Servant,

L. A. BULLWINKLE,

*Registrar-General of Births, Deaths and  
Marriages for Northern Ireland.*



**ABSTRACTS**  
**OF**  
**MARRIAGES, BIRTHS AND DEATHS**  
**REGISTERED IN**  
**NORTHERN IRELAND**  
**DURING THE YEAR**  
**1927**



**ABSTRACT I.—Northern Ireland: Births and Deaths Registered, 1927.**

(See Index to Poor Law Unions on page 69.)

COUNTIES, AND URBAN AND RURAL AREAS.	AREA in Statute Acres, exclusive of the larger Rivers, Lakes and Tideways.	Popula- tion, 1926.	BIRTHS (Including Illegiti- mate Births).				ILLEGITIMATE BIRTHS.				DEATHS.				Excess of Births over Deaths • (corrected for transfers).
			Registered in Area.	Transferred from Area.	Transferred to Area.	Net Number.	Registered in Area.	Transferred from Area.	Transferred to Area.	Net Number.	Registered in Area.	Transferred from Area.	Transferred to Area.	Net Number.	
			P	M	F		P	M	F		P	M	F		
NORTHERN IRELAND ...	3,351,444	{ P M F 608,088 648,473 13,693 12,983	1,256,561 26,676 — — 26,676	1,262 633 629	1,262 633 629	18,216 8,721 9,495	— — —	— — —	— — —	— — —	18,216 8,721 9,495	— — —	— — —	8,460 4,972 3,488	8,460 4,972 3,488
COUNTIES.															
ANTRIM ... ...	702,851	{ M F 92,596 99,047 1,981	1,992 24 47 2,005	18 24 48 2,005	99 110 4 13	112 1,410 122 31	1,287 31 37 1,416	44 37 37 589	55 37 37 589	1,298 1,416 723	— — —	— — —	— — —	— — —	— — —
ARMAGH ... ...	312,767	{ M F 53,609 56,461 1,113	1,178 19 15 1,109	33 54 6 1	20 54 1 49	43 49 6 49	5 49 1 49	44 972 48 48	48 20 20 944	885 48 17 165	— — — —	864 944 311 165	— — — —	— — — —	— — — —
BELFAST CO. BORO'	14,797	{ M F 195,539 219,612 4,748	5,064 131 131	131 28 4,645	2,960 42 41	245 217 3	42 179 3	203 179 33	2,741 2,899 33	103 72 139	2,777 2,942 2,183	— — —	— — —	— — —	— — —
DOWN ... ...	608,861	{ M F 101,202 108,026 1,892	2,000 15 76	27 76 1,953	79 77 1	71 1 19	15 95 19	85 95 95	1,457 1,665 1,665	119 109 109	74 77 77	1,412 1,633 640	— — —	— — —	— — —
FERMANAGH ...	417,912	{ M F 30,102 27,882 516	534 6 8	5 6 518	537 8 22	33 3 2	3 1 1	33 21 435	398 21 435	2 14 14	15 449 449	411 69 126	— — —	— — —	— — —
LONDONDERRY CO. AND CO. BOROUGH	514,693	{ M F 67,904 71,789 1,510	1,613 10 17	12 1,517	24 83	1,625 2 6	81 87 87	91 1,061 1,061	957 11 11	10 14 7	961 1,057 1,057	664 460 —	— — —	— — —	— — —
TYRONE ... ...	779,563	{ M F 67,136 65,656 1,223	1,312 10 23	5 23	26 1,236	1,333 66	61 2 10	6 65 76	996 1,053 1,053	17 12 13	29 1,008 1,054	325 182 —	— — —	— — —	— — —
URBAN AND RURAL AREAS.															
CO. ANTRIM.															
Ballycastle ... U.D.	689.	{ M F 885 1,101	30 20	8 5	.	22 15	3 1	2 1	.	1 19	8 24	1 1	12 17	— —	10 2
Ballyclare ... U.D.	1,725	{ M F 1,621 1,741	46 39	1 2	2 1	47 38	3 .	3 .	.	3 17	— 15	— 5	20 20	27 18	—
Ballymena ... U.D.	1,219	{ M F 5,455 6,418	154 147	6 13	3 1	151 135	11 22	2 9	1 1	10 14	122 159	51 41	3 4	74 122	77 13
Ballymoney ... U.D.	518	{ M F 1,479 1,689	25 45	3 5	1 1	28 41	3 6	4 4	1 1	3 3	32 39	10 12	2 2	22 29	6 12
Carrickfergus U.D.	148	{ M F 2,270 2,479	60 41	2 4	3 4	61 45	1 2	2 2	.	1 4	14 33	.	5 2	19 35	42 10
Larne ... U.D.	600	{ M F 4,424 5,290	101 118	1 2	102 120	3 5	3 1	1 1	4 6	55 55	1 1	14 14	69 68	33 52	—
Lisburn ... U.D.	1,136	{ M F 5,726 6,680	156 151	16 22	7 5	147 134	4 4	2 3	6 7	116 130	36 36	12 5	92 99	55 35	—
Portrush ... U.D.	494	{ M F 1,116 1,837	23 19	1 4	1 1	22 16	.	.	.	15 21	.	5 1	15 25	7 -9	—
Whitehead ... U.D.	379	{ M F 572 771	13 3	1 1	1 4	14 4	.	.	.	3 5	.	2 5	5 5	9 -1	—
Antrim ... R.D.	115,500	{ M F 12,457 12,655	251 234	4 7	9 12	256 239	16 15	2 3	18 18	191 181	24 14	6 1	173 168	83 71	—
Ballycastle ... R.D.	101,954	{ M F 4,909 4,538	70 83	2 2	6 4	74 85	1 7	2 .	3 7	61 73	.	8 7	69 80	5 5	—

\* A minus sign (-) before the numbers in this column denotes that the births were less than the deaths to the extent stated.

**ABSTRACT I.—(Continued).—Northern Ireland: Births and Deaths Registered, 1927.**

(See Index to Poor Law Unions on page 69.)

COUNTIES, AND URBAN AND RURAL AREAS.	AREA in Statute Acres, exclusive of the larger Rivers, Lakes and Tideways.	Popula- tion, 1926.	BIRTHS (including Illegiti- mate Births).				ILLEGITIMATE BIRTHS.				DEATHS.				Excess of Births over Deaths* (corrected for transitors).
			Registered in Area.	Transferred from Area.	Transferred to Area.	Net Number.	Registered in Area.	Transferred from Area.	Transferred to Area.	Net Number.	Registered in Area.	Transferred from Area.	Transferred to Area.	Net Number.	
<b>Co. ANTRIM.—Contd.</b>															
Ballymena ... R.D.	160,082 {M F 16,359 16,898	359	4 9	364	24	1	2	26	199	41	240	124	80		
Ballymoney ... R.D.	120,497 {M F 10,064 10,241	218	8 4	214	15	1	1	16	131	17	148	66	82		
Belfast ... R.D.	22,112 {M F 6,638 7,219	129	1 10	139	2	.	4	6	94	28	14	80	59		
Larne ... R.D.	116,914 {M F 10,203 10,553	209	4 9	214	11	.	1	12	128	14	142	72	83		
Lisburn ... R.D.	58,884 {M F 8,418 8,937	148	6 24	166	2	1	1	3	90	1	29	118	48		
<b>Co. ARMAGH.</b>															
Armagh ... U.D.	339 {M F 3,568 3,832	81	6 14	89	.	.	3	3	67	25	8	50	39		
Keady ... U.D.	211 {M F 607 734	13	1 1	13	.	.	1	1	9	.	1	9	4		
Lurgan ... U.D.	854 {M F 5,667 6,833	168	26	146	14	8	1	7	124	48	2	78	68		
Portadown ... U.D.	765 {M F 5,530 6,461	182	43	145	4	1	1	4	58	17	75	70	40		
Tanderaggee ... U.D.	697 {M F 590 730	14	1 5	18	.	.	1	1	4	21	104	11	2		
Armagh ... R.D.	146,074 {M F 15,968 15,680	282	11 16	287	15	4	1	16	265	15	22	272	15		
Lurgan ... R.D.	38,724 {M F 6,744 7,126	150	5 23	168	3	2	6	9	97	1	22	118	50		
Newry No. 2 ... R.D.	107,793 {M F 13,154 13,182	256	5 8	259	5	2	1	4	232	27	10	215	44		
Tanderaggee ... R.D.	17,310 {M F 1,781 1,883	32	1 8	40	2	.	2	2	29	4	30	10	-6		
<b>BELFAST.</b>															
Belfast Co. Borough	14,797 {M F 195,539 219,612	5,064	131	27 4,960	245	42	3	203	2,741	103	139	2,777	2,183		
<b>Co. DOWN.</b>															
Banbridge ... U.D.	769 {M F 2,260 2,594	70	10 7	67	3	1	1	3	32	10	5	27	40		
Bangor ... U.D.	1,882 {M F 5,641 7,670	96	3 8	101	3	.	3	3	64	2	11	73	28		
Donaghadee ... U.D.	638 {M F 1,122 1,412	15	.	16	1	.	1	1	14	.	1	15	1		

\* See Note on page 29.

**ABSTRACT I.—(Continued).—Northern Ireland: Births and Deaths Registered, 1927.**

(See Index to Poor Law Unions on page 69.)

COUNTIES, AND URBAN AND RURAL AREAS.	AREA in Statute Acres, exclusive of the larger Rivers, Lakes and Tideways.	Popula- tion, 1926.	BIRTHS (including Illegiti- mate Births).					ILLEGITIMATE BIRTHS.					DEATHS.					Excess of Births over Deaths (corrected for transfers).
			Registered in Area.	Transferred from Area.	Transferred to Area.	Net Number.	Registered in Area.	Transferred from Area.	Transferred to Area.	Net Number.	Registered in Area.	Transferred from Area.	Transferred to Area.	Net Number.	Net Number.	Net Number.		
<b>Co. DOWN.—Contd.</b>																		
Downpatrick U.D.	262 {M F 1,478 1,669	48 35	8 4	4 3	44 34	3	1	3	3	2	33 28	19 11	7 4	21 21	23 13			
Dromore ... U.D.	262 {M F 1,030 1,199	21 22	.	1	21 23	3	.	.	.	1 3	17 23	1 1	4 2	21 24	-1			
Holywood ... U.D.	360 {M F 2,195 2,628	50 34	3 .	10 6	57 40	.	.	2 2	2 2	33 34	.	1 3	34 37	23 3				
Newcastle ... U.D.	1,256 {M F 899 1,220	15 18	1 i	3 .	18 17	.	.	.	.	8 5	.	1 .	9 5	9 12				
Newry ... U.D.	702 {M F 5,612 6,614	162 166	12 9	4 4	154 161	4 2	i	1 i	4 2	71 104	3 12	19 14	87 106	67 55				
Newtownards U.D.	476 {M F 4,728 5,421	128 140	8 9	1 6	121 137	16 13	3 5	2 2	13 10	76 104	16 18	5 3	65 89	56 48				
Warrenpoint U.D.	578 {M F 929 1,303	22 20	1 3	1 1	22 18	.	.	.	.	14 18	.	1 i	1 1	15 18	7 .			
Banbridge ... R.D.	106,166 {M F 11,686 12,258	195 217	5 3	16 16	206 230	8 5	.	6	8 11	153 195	1 .	14 19	166 214	40 16				
Castlereagh ... R.D.	12,249 {M F 3,773 3,532	71 72	i 1	9 6	80 77	1	.	1	1 1	27 35	1 .	1 3	27 38	53 39				
Downpatrick R.D.	131,629 {M F 16,471 15,720	318 281	6 7	16 14	328 288	10 17	2	2	10 21	231 251	22 23	16 14	225 242	103 46				
Hillsborough R.D.	71,351 {M F 10,180 10,585	166 150	8 4	10 18	168 164	5 5	.	2	7 7	220 215	104 92	12 15	128 138	40 26				
Kilkeel ... R.D.	80,698 {M F 7,591 7,687	147 136	2 .	8 8	153 144	4 2	.	1	5 6	117 106	3 .	4 11	118 117	35 27				
Moira ... R.D.	27,260 {M F 4,620 4,877	85 69	3 1	2 1	84 69	4 .	.	1	5 .	59 83	.	13 11	72 94	-12 -25				
Newry No. 1 ... R.D.	64,743 {M F 6,646 6,665	130 120	5 3	10 7	135 124	3 2	.	4	7 4	105 92	3 1	14 17	116 108	19 16				
Newtownards R.D.	107,580 {M F 14,341 14,972	261 244	4 3	20 22	277 263	8 11	.	4	12 5	183 212	2 2	12 22	193 232	84 31				
<b>CO. FERMANAGH.</b>																		
Enniskillen ... U.D.	315 {M F 2,451 2,432	51 54	1 2	5 1	55 53	3 2	1	2	4 2	19 28	.	10 11	29 39	26 14				
Enniskillen ... R.D.	156,828 {M F 9,269 8,529	163 158	9 4	3 3	157 157	10 8	5 2	2	7 7	152 147	22 22	8 5	138 130	19 27				
Irvinestown ... R.D.	116,359 {M F 7,280 6,567	107 122	.	8 3	115 125	2 3	.	4	6 3	77 94	.	12 10	89 104	26 21				
Lisnaskea ... R.D.	144,410 {M F 11,102 10,354	213 182	5 3	2 4	210 183	18 9	3 1	1	16 9	150 166	.	5 10	155 176	55 7				

\* See Note on page 29.

**ABSTRACT I.—(Continued).—Northern Ireland: Births and Deaths Registered, 1927.**

(See Index to Poor Law Unions on page 69.)

COUNTIES, AND URBAN AND RURAL AREAS.	AREA in Statute Acres, exclusive of the larger Rivers, Lakes and Tideways.	Popula- tion, 1926.	BIRTHS (including Illegiti- mate Births).			ILLEGITIMATE BIRTHS.			DEATHS.			Excess of Births over Deaths (corrected for transfers).	
			Registered in Area.	Transferred from Area.	Transferred to Area.	Net Number.	Registered in Area.	Transferred from Area.	Transferred to Area.	Net Number.	Registered in Area.	Transferred from Area.	
Co. LONDONDERRY.													
Coleraine ... U.D.	1,006 {M F 3,685 4,393	87	2 2 3	1 6 1	79 88	10 6 1	2 1 . .	8 5 . .	52 74 9	3 3 3	52 68	26 20	
Limavady ... U.D.	573 {M F 1,318 1,483	35	3 6	3 . .	42 29	4 7 5	2 1 . .	3 2 . .	20 29 2	3 4 1	21 28	21 1	
L'derry Co. Borough	2,199 {M F 20,785 24,374	593 534	14 10 4	8 4 5	587 528	26 20 4	2 2 1	26 17 1	322 373 30	25 3 . .	300 343	287 185	
Portstewart ... U.D.	1,271 {M F 658 1,006	18	16	1	17 21	1	1 . .	1	13 10 1	2 1 1	12 10	5 11	
Coleraine ... R.D.	116,616 {M F 9,650 9,682	203 190	4 7	7 9	206 192	14 18 1	1 3 1	18 20 132	125 4 12	5 7 12	127 140	79 52	
Limavady ... R.D.	152,385 {M F 7,839 7,406	163 169	1 3	6 8	168 174	9 10	1 . .	2 6 16	105 87 16	1 6 8	111 95	57 79	
Londonderry R.D.	83,410 {M F 7,476 7,197	154 152	2 1	6 6	158 157	4 6	2 4	2 4	80 10 83	5 12 . .	87 10 93	71 64	
Magherafelt ... R.D.	157,233 {M F 16,493 16,248	363 325	2 2	8 5	369 328	13 16	1 1	5 1	240 17 273	11 7 . .	251 280	118 48	
Co. TYRONE.													
Cookstown ... U.D.	264 {M F 1,601 1,954	44 27	1	6	50 26	1	1	2	24 27 . .	5 2 . .	29 29	21 -3	
Dungannon ... U.D.	224 {M F 1,749 2,013	29 37	1	2	31 40	1 1	1 2	2	9 33 . .	9 6 . .	18 39	13 1	
Omagh ... U.D.	1,019 {M F 2,458 2,665	66 69	14 11	2 3	54 61	10 7	7 2	3 2	94 74 37	51 2 2	48 39	6 22	
Strabane ... U.D.	1,852 {M F 2,423 2,733	62 71	11 12	3 . .	54 59	10 13	8 7	2	51 36 11	14 3 2	40 27	14 32	
Castlederg ... R.D.	91,833 {M F 5,145 5,003	111 91	3 . .	2	108 93	4 5	2 . .	2	86 81 . .	9 5 . .	95 86	13 7	
Clogher ... R.D.	89,336 {M F 6,485 6,027	132 107	3	3	135 107	2 3	1 2	4	90 75 . .	11 5 . .	101 80	34 27	
Cookstown ... R.D.	96,679 {M F 8,820 8,336	170 149	2	4	172 151	6 6	1 . .	1	108 132 . .	8 9 . .	116 141	56 10	
Dungannon ... R.D.	110,151 {M F 12,598 12,252	228 231	8 7	10 8	230 232	11 8	4 3	2	207 220 7	13 12 10	206 223	24 9	
Omagh ... R.D.	252,995 {M F 16,788 15,702	264 276	3	17	278 285	8 16	1 . .	8	24 235 109	25 29 . .	226 234	52 51	
Strabane ... R.D.	135,210 {M F 9,069 8,971	206 165	15	15	221 182	9 7	1 . .	9	18 140 16	20 16 . .	129 156	92 26	

\* See Note on page 29.

**ABSTRACT II.—Northern Ireland : Method of Celebration of Marriages Registered, 1927.**

COUNTIES.	TOTAL MARRIAGES.	Church of Ireland.		Presbyterian.		Registered Buildings.		Roman Catholic.	By Licence.	By Special Licence.	In Presence of Registrar.	Society of Friends.	Jews.
		By Licence.	After Banns.	By Licence.	By Special Licence.	By Licence.	By Special Licence.						
NORTHERN IRELAND	7,175	1,941	185	24	2,002	72	2,091	389	13	452	2	4	.
ANTRIM ...	1,052	226	4	4	508	22	176	48	2	62	.	.	.
ARMAGH ...	635	206	2	4	75	1	273	29	1	43	1	.	.
BELFAST CO. BOROUGH	2,878	839	168	11	680	31	640	236	6	263	.	.	4
DOWN ...	1,095	292	11	2	408	13	292	35	1	41	.	.	.
FERMANAGH ...	214	88	.	2	9	.	95	11	.	9	.	.	.
LONDONDERRY CO. AND CO. BOROUGH	727	147	.	1	201	4	328	23	2	21	.	.	.
TYRONE ...	674	143	.	.	121	1	287	7	1	13	1	.	.

**ABSTRACT III.—Northern Ireland : Marriages Registered in each Quarter, Conjugual Condition of Persons Married and Number of Minors, 1927.**

COUNTIES.	Total Marriages Registered in the Quarter ended the last day of				MARRIAGES								
	March.	June.	September.	December.	Contracted between				Of	Of Persons not of Full Age		.	
NORTHERN IRELAND	1,487	1,823	1,979	1,886	6,382	135	497	161	658	296	165	787	.
ANTRIM ...	224	298	267	263	956a	15	63	18	81	33	30	143	.
ARMAGH ...	166	158	155	155	565	9	51b	10	61	19	13	78	.
BELFAST CO. BOROUGH	517	693	889	799	2,526c	62	206	84	290	146	79	306	.
DOWN ...	216	301	283	295	977	24	68	26	94	50	21	125	.
FERMANAGH ...	51	58	62	43	190d	6	15	3	18	9	1	17	.
LONDONDERRY CO. AND CO. BOROUGH	151	176	212	188	655	8	53	11	64	19	12	69	.
TYRONE ...	162	139	130	143	613a	11	41	9	50	20	9	50	.

(a) Including 1 Divoré and Spinster.

(b) " 1 Widower and Divorcée.

(c) " 1 Bachelor and Divorcée and 1 Divoré and Spinster.

(d) " 1 Bachelor and Divorcée.

**ABSTRACT IV.—Northern Ireland: Births Registered in each of the Four Quarters, 1927  
(exclusive of Still-born).**

COUNTIES.	MALES AND FEMALES.					MALES.					FEMALES.				
	Total.	Registered in the Quarter ended the last day of				Total.	Registered in the Quarter ended the last day of				Total.	Registered in the Quarter ended the last day of			
		March.	June.	Sept.	Dec.		March.	June.	Sept.	Dec.		March.	June.	Sept.	Dec.
NORTHERN IRELAND ...	26,676	6,738	7,291	6,803	6,044	13,693	3,460	3,763	3,374	3,096	12,983	3,278	3,528	3,229	2,948
ANTRIM ... ... ...	4,026	1,002	1,110	967	947	2,021	512	555	488	466	2,005	490	555	479	481
ARMAGH ... ... ...	2,274	604	578	510	1,165	302	314	300	249	1,109	280	290	278	261	
BELFAST CO. BOROUGH ...	9,605	2,469	2,689	2,355	2,092	4,960	1,269	1,389	1,214	1,088	4,645	1,200	1,300	1,141	1,004
DOWN ... ... ...	4,005	975	1,125	1,009	896	2,052	506	571	512	463	1,953	469	554	497	433
FERMANAGH ... ... ...	1,055	273	264	256	262	537	141	132	121	143	518	132	132	135	119
LONDONDERRY CO. AND CO. BOROUGH ...	3,142	810	818	805	709	1,625	404	431	411	379	1,517	406	387	394	330
TYRONE ... ... ...	2,569	627	681	633	628	1,333	326	371	328	308	1,236	301	310	305	320

Abstracts, 1927—Births and Deaths.

**ABSTRACT V.—Northern Ireland : Deaths Registered in each of the Four Quarters, 1927.**

COUNTIES.	MALES AND FEMALES.					MALES.					FEMALES.				
	Total.	Registered in the Quarter ended the last day of				Total.	Registered in the Quarter ended the last day of				Total.	Registered in the Quarter ended the last day of			
		March.	June.	Sept.	Dec.		March.	June.	Sept.	Dec.		March.	June.	Sept.	Dec.
NORTHERN IRELAND ...	18,216	5,317	4,984	3,840	4,275	8,721	2,573	2,372	1,757	2,019	9,495	2,744	2,612	1,883	2,256
ANTRIM ... ... ...	2,714	795	737	568	616	1,298	383	340	291	284	1,416	412	397	275	332
ARMAGH ... ... ...	1,798	522	526	318	432	854	247	241	151	215	944	275	285	167	217
BELFAST CO. BOROUGH ...	5,719	1,738	1,450	1,154	1,377	2,777	847	708	578	644	2,942	891	742	576	733
DOWN ... ... ...	3,045	932	833	594	686	1,412	439	384	283	306	1,633	493	449	311	380
FERMANAGH ... ... ...	860	228	267	164	201	411	114	130	65	102	449	114	137	99	99
LONDONDERRY CO. AND CO. BOROUGH ...	3,018	545	540	426	507	961	251	271	195	244	1,057	294	269	231	263
TYRONE ... ... ...	2,062	557	631	418	456	1,008	292	298	194	224	1,054	265	333	224	232

## **ABSTRACT VI.—Northern Ireland : Deaths at different Age-Periods, 1927.**

		AGES AT DEATH.																												
COUNTIES.		TOTAL BIRTHS.	DEAVERS.	Under 1-	2-	3-	4-	Under 5-	5-10-	10-15-	15-20-	20-25-	25-30-	30-35-	35-40-	40-45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95-	and upwards,			
NORTHERN IRELAND	Persons	26,676	18,216	2,074	502	2061	133	86	3,001	266	208	94	506	443	505	197	563	759	997	1,094	1,388	1,527	2,311	1,622	1,138	697	235			
	Males	13,693	8,721	1,159	266	97	68	45	1,635	128	86	68	280	153	212	230	248	335	477	514	679	771	1,016	502	315	101	79			
	Females	12,983	9,495	916	109	109	65	41	1,866	138	122	246	286	28	293	267	321	334	520	580	709	756	1,286	848	636	352	134			
ANTRIM	Persons	4,026	2,714	273	46	33	13	12	377	31	32	15	16	35	24	59	83	71	105	117	152	203	266	324	138	47	19			
	Males	2,005	1,416	1,298	198	136	17	7	180	16	17	33	41	26	35	49	50	67	70	107	129	170	226	294	350	167	59	16		
	Females	... Persons	2,274	1,798	164	44	24	13	6	241	26	22	42	55	38	43	54	68	87	93	147	135	248	197	139	71	34	10		
ARMAGH	Males	1,165	954	88	22	10	5	3	113	14	13	25	25	24	27	18	30	35	47	62	63	126	102	60	43	18	4	6		
	Females	1,109	944	66	22	14	8	3	113	14	13	25	25	24	27	18	30	35	46	85	72	122	95	79	28	16	6	6		
	Persons	9,605	5,719	952	262	76	52	36	1,378	84	69	128	170	167	196	174	235	285	381	418	470	438	507	322	177	93	29	4		
BELFAST CO. BOROUGH	Males	4,960	2,944	544	325	28	19	17	761	47	23	58	76	72	87	55	103	116	182	204	227	218	257	137	76	31	11	4		
	Females	... Persons	4,645	2,944	403	127	41	24	17	617	37	46	70	94	65	109	89	126	139	189	214	243	214	260	185	103	62	18	3	
	Males	... Persons	2,652	1,633	260	50	29	16	11	366	51	49	95	86	82	33	73	71	116	171	179	206	265	438	320	214	145	12		
DOWN	Females	2,018	1,865	143	27	14	7	4	195	17	18	28	35	32	32	33	39	47	72	106	130	196	169	100	70	14	7	5		
	Persons	1,055	860	52	8	4	5	2	71	6	17	15	25	22	28	50	35	60	85	85	137	99	85	50	50	16	6	6	6	
	Males	537	411	24	6	3	2	1	32	3	6	8	12	9	18	20	18	28	46	69	50	43	24	42	26	11	3	3	3	
FERMANAGH	Females	518	449	28	2	3	4	2	39	4	3	11	13	16	9	13	15	9	30	17	32	39	68	49	42	26	11	3	3	3
	Persons	3,142	2,018	186	57	26	22	9	298	34	28	51	47	57	39	51	61	76	106	99	144	172	280	189	144	86	31	19	19	
	Males	1,625	1,047	981	105	32	14	6	178	18	21	20	26	24	28	45	43	64	94	121	141	184	164	114	80	42	14	10	10	
L'DERRY CO. & CO. BOROUGH	Females	1,517	1,037	86	32	11	5	4	178	16	18	21	28	36	19	31	37	48	61	56	80	78	139	105	80	42	14	10	10	
	Persons	2,669	2,062	198	35	15	12	10	270	28	17	42	48	41	60	39	61	85	118	158	188	347	229	153	84	35	9	5	5	
	Males	1,333	1,068	117	15	7	6	4	152	19	23	14	19	29	35	46	54	82	91	156	111	86	44	20	9	5	5	4		
TYRONE	Females	1,236	1,064	81	20	8	5	4	118	9	19	25	27	41	17	24	26	39	64	76	97	118	87	40	15	4	4	4	4	

**ABSTRACT VII.—Northern Ireland : Causes**

NOTE.—International List Numbers, representing Causes of Death, have been registered during the year. The headings omitted

International List Nos.	CAUSES OF DEATH.	ALL AGES.	AGES AT										
			Under 1 mth.	1-2 mths.	2-3 mths.	3-6 mths.	6-12 mths.	Total under 1 year.	1-	2-	3-	4-	Total under 5 years.
	TOTAL DEATHS (All Causes) {M F	8,721 9,495	452 354	134 115	96 77	192 136	285 233	1,159 915	266 236	97 109	68 65	45 41	1,635 1,366
1-42	I. Epidemic, Endemic and Infectious Diseases ... {M F	1,418 1,677	7 5	14 11	18 6	34 26	59 55	132 103	81 69	37 45	30 19	12 20	292 256
43-69	II. General Diseases, not Included above ... {M F	915 1,158	3 .	i 2	1 1	6 2	10 6	9 5	3 4	1 4	2 2	23 21	
70-86	III. Diseases of the Nervous System and Sense Organs ... {M F	883 1,039	17 16	9 8	4 8	18 15	29 17	77 64	22 18	8 5	5 6	2 2	114 95
87-96	IV. Diseases of the Circulatory System ... {M F	1,343 1,447	.	.	.	.	.	.	1	1	3 2	1 1	5 4
97-107	V. Diseases of the Respiratory System ... {M F	1,324 1,296	23 18	27 25	21 18	53 41	131 91	255 193	107 95	29 32	13 18	12 5	416 343
108-127	VI. Diseases of the Digestive System ... {M F	573 524	20 12	27 22	24 22	64 34	37 42	172 132	31 24	10 9	4 4	8 4	225 173
128-142	VII. Non-Venereal Dis. of the Genito-Urinary System and Annexa ... {M F	398 292	i .	.	.	.	2 1	2 2	1 3	2 2	1 1	1 1	5 9
143-150	VIII. The Puerperal State ... F	128	.	.	.	.	.	.	.	.	.	.	.
151-154	IX. Diseases of the Skin and Cellular Tissue ... {M F	52 66	2	1	.	1	1	3 5	2	.	.	.	5 5
155-158	X. Diseases of the Bones and Organs of Locomotion ... {M F	26 9	1 .	1 1	.	.	.	2 1	.	.	i	.	2 2
159	XI. Malformations ... {M F	63 53	36 32	8 2	7 1	2 1	5 5	58 41	1 5	1 1	4	1	61 51
160-163	XII. Diseases of Early Infancy ... {M F	441 354	344 264	46 42	21 20	18 16	12 13	441 354	.	.	.	.	441 354
164	XIII. Old Age ... {M F	905 1,212	.	.	.	.	.	.	.	.	.	.	.
165-203	XIV. External Causes... {M F	311 167	1 4	2	1	2	1 6	3 14	8 9	8 8	11 4	8 6	38 41
204, 205	XV. Ill-defined Causes ... {M F	69 73	.	1	.	1	2	4 .	3 8	1 2	2	.	8 12

**of Death at different Age-Periods, 1927.**

omitted from this Abstract in cases where no deaths from such causes have for this reason are given at the end of this Abstract.

DEATH.																				International List Nos.
5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and up- wards.		
128 138	86 122	168 226	220 286	195 278	212 293	230 287	248 321	355 384	477 520	514 580	679 709	771 756	1,075 1,236	774 848	502 636	315 352	101 134	36 43		
48 61	22 63	89 143	128 199	94 149	91 137	84 98	92 83	75 76	76 62	69 66	56 62	62 49	60 85	44 45	20 26	8 14	4 3	M } 1-42 F }		
4 4	11 7	16 9	11 19	14 15	10 26	22 40	24 56	53 93	95 141	112 156	131 165	138 127	127 145	70 73	41 39	10 19	1 2	2 1	M } 43-69 F }	
5 12	6 5	7 15	13 8	20 14	14 10	27 19	21 33	45 40	63 72	52 89	92 126	98 135	148 174	77 93	50 61	25 26	6 8	4	M } 70-86 F }	
6 8	10 18	10 19	8 20	11 16	23 32	18 25	33 50	57 73	89 106	108 121	177 147	210 190	277 295	166 184	75 82	48 45	11 10	1 2	M } 87-96 F }	
24 17	14 10	14 15	21 13	11 26	22 24	28 18	28 32	49 39	64 53	75 76	101 105	112 127	147 180	101 88	56 85	33 32	6 11	2 3	M } 97-107 F }	
18 17	9 9	9 11	17 4	15 12	18 10	15 13	19 24	18 20	31 28	30 26	40 34	28 36	50 50	18 25	6 19	5 9	1 3	1 1	M } 108-127 F }	
4 4	1 3	3 4	7 7	8 6	12 14	9 17	12 18	23 26	25 35	33 22	37 43	63 31	68 33	48 13	23 3	14 3	2 1	1 .	M } 128-142 F }	
.	.	5	14	33	31	31	12	2	.	.	.	.	.	.	.	.	.	.	F 143-150	
.	2	2	.	.	1	1	1	1	1	3	4	8	9	11	2	2	1	2	M } 151-154 F }	
3 3	5 .	3 .	1 .	.	1	1	i	.	4	1	1	2	1	1	.	.	.	M } 155-158 F }		
.	i	.	.	1	i	.	.	.	.	.	1	.	.	.	.	.	.	M } 159 F }		
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M } 160-163 F }		
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M } 164 F }		
15 12	6 4	15 4	13 2	21 8	18 5	23 4	18 8	33 7	24 11	19 8	21 6	13 8	17 11	7 15	7 7	3 6	69 97	25 29	M } 165-203 F }	
1 .	.	2	1	1	.	2	1	2	1	1	10	13	21	2	1	1	.	.	M } 204, 205 F }	

**ABSTRACT VII.—(Continued).—Northern Ireland: Causes**

## of Death at different Age-Periods, 1927.

DEATH.																			International List Nos.	
5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and up- wards.		
i	2	5	1 3	2 2	1 2	1	2 3	4	1	2	3 2	3	.	.	.	.	.	.	M } F }	1a
.	.	1	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	M } F }	1b
.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	M } F }	2	
.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	M } F }	5	
1	1	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	M } F }	7	
3	1	3	2	2	1	2	2	1	2	.	1	1	.	.	.	.	.	M } F }	8	
3	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M } F }	9	
11	3	2	1	1	1	.	.	.	1	.	1	.	.	.	.	.	.	M } F }	10	
13	7	1	1	1	1	.	.	.	1	7	10	20	11	20	16	2	4	1	M } F }	11a
1	2	2	2	2	1	7	4	9	7	5	7	10	15	18	17	10	2	2	M } F }	11b
1	3	6	6	8	12	1	8	2	8	14	9	8	10	15	26	31	24	18	M } F }	13
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	60	21	16	3	M } F }	15
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M } F }	16	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M } F }	21	
.	1	1	1	1	1	1	1	1	1	3	2	2	3	2	1	2	.	1	M } F }	22
.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M } F }	23	
1	1	1	2	1	1	2	1	1	2	1	2	3	1	1	1	.	.	M } F }	24	
1	.	2	.	.	1	1	.	.	.	1	.	.	.	.	.	.	.	M } F }	25	
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M } F }	27	
.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M } F }	29	
1	.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	M } F }	30	
3	7	5	54	85	55	68	60	63	45	43	30	15	14	5	2	.	.	M } F }	31	
9	10	5	5	1	1	2	5	5	1	3	1	1	1	1	.	.	.	M } F }	32	
6	6	4	5	5	6	6	3	3	5	5	3	2	1	1	1	.	.	M } F }	33	
.	.	1	2	3	1	1	1	3	1	1	2	2	1	1	1	2	.	M } F }	34	
.	.	1	1	2	3	1	1	2	1	2	1	1	1	1	1	.	.	M } F }	35	
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	M } F }	36a		

**ABSTRACT VII.—(Continued).—Northern Ireland: Causes**

## of Death at different Age-Periods, 1927.

DEATH.																			International List Nos.	
5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and up- wards.		
.	2	2	3	3	1	2	3	.	i	.	1	2	i	.	.	.	.	.	M F}	36b
.	.	.	i	i	.	.	i	.	.	.	1	.	.	i	.	.	.	M F}	36c	
1	.	.	i	4	.	1	i	1	i	.	1	.	.	.	.	.	.	M F}	36d	
.	.	.	.	.	.	.	.	1	i	.	.	.	.	.	.	.	.	M F}	36e	
4	2	i	3	15	7	3	6	2	4	5	2	.	1	2	.	.	.	M F}	37	
1	i	.	.	1	.	.	i	i	2	2	1	.	.	.	.	.	M F}	38		
.	.	.	i	.	.	.	.	.	.	.	.	.	.	.	.	.	.	40		
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M F}	41	
.	2	i	1	1	2	5	1	1	1	3	1	2	3	1	1	i	.	M F}	41	
.	.	.	1	4	2	6	8	22	48	53	62	62	68	63	35	22	4	i	1	43-9
.	3	4	1	3	1	1	2	2	1	4	5	5	4	2	1	2	3	.	.	.
.	.	.	2	1	2	3	5	14	20	27	45	33	45	25	25	8	2	1	1	50
.	1	5	6	2	2	2	3	3	2	2	2	2	2	2	6	4	5	M F}	51	
3	2	6	2	8	4	3	3	3	2	2	2	2	2	2	6	6	1	M F}	52	
.	.	1	.	.	.	.	.	1	2	3	4	1	13	15	.	.	.	M F}	56	
.	.	.	i	.	.	.	.	.	.	.	.	.	.	.	.	.	M F}	57		
.	1	3	2	1	2	3	2	3	3	6	6	8	10	3	3	5	1	M F}	58a	
i	2	.	.	i	1	1	5	1	5	4	9	10	12	7	15	5	1	M F}	58b	
.	i	i	1	2	1	2	4	i	.	2	2	1	3	.	.	.	.	M F}	59	
.	.	.	i	1	1	3	2	i	5	2	3	1	2	2	.	.	.	M F}	60a	
.	.	.	i	1	2	1	i	3	2	i	5	2	3	2	.	.	.	M F}	60b	
1	.	.	.	.	.	.	.	i	.	i	i	i	i	i	.	.	i	M F}	61	
.	.	.	.	.	.	i	1	1	1	1	1	1	1	1	.	.	M F}	62		
.	.	.	.	.	.	i	1	1	1	1	1	1	1	1	.	.	M F}	63		

**ABSTRACT VII.—(Continued).—Northern Ireland : Causes**

International List Nos.	CAUSES OF DEATH.	ALL AGES.	AGES AT									
			Under 1 mth.	1-2 mths.	2-3 mths.	3-6 mths.	6-12 mths.	Total under 1 year.	1-	2-	3-	4-
43-69	II. General Diseases, not included in I.—(Contd.)											
64	Diseases of the Spleen	...{M F	3 1	.	.	.	.	.	.	.	.	.
65a	Leukæmia	...{M F	9 6	.	.	.	.	.	.	.	i	i
65b	Lymphadenoma (Hodgkin's Disease)	...{M F	5 5	.	.	.	.	.	i	.	.	i
66	Alcoholism (Acute or Chronic)	...{M F	4 1	.	.	.	.	.	.	.	.	.
69	Other General Diseases	...{M F	8 3	3	.	.	1	4	1	.	.	5
70-86	III. Diseases of the Nervous System and Sense Organs.											
70	Encephalitis	...{M F	2 4	.	.	.	.	.	.	.	.	.
71	Meningitis	...{M F	67 40	3	5	.	4	10	22	10	5	31
72	Tabes Dorsalis (Locomotor Ataxy)	...{M F	6 3	.	.	.	.	.	.	.	.	.
73	Other Diseases of Spinal Cord	...{M F	29 13	.	.	.	.	.	.	.	.	.
74a	Cerebral Haemorrhage, Apoplexy	...{M F	398 569	.	.	.	.	.	i	1	.	1
74b	Cerebral Thrombosis and Embolism	...{M F	50 70	.	.	.	.	.	.	.	.	.
75a	Hemiplegia	...{M F	81 88	.	.	.	.	.	.	.	.	.
75b	Other Forms of Paralysis	...{M F	21 22	.	.	.	.	.	i	.	.	i
76	General Paralysis of the Insane	...{M F	24 2	.	.	.	.	.	.	.	.	.
77	Other Forms of Insanity	...{M F	27 33	.	.	.	.	.	.	.	.	.
78	Epilepsy	...{M F	26 32	.	.	1	.	.	1	.	1	2
79, 80,	Convulsions (Non-Puerperal)	...{M F	66 69	14 16	4 7	3 8	13 11	18 13	52 55	10 7	1 3	1 4
81	Chorea	...{M F	2	.	.	.	.	.	.	.	.	.
82	Hysteria and Neuritis	...{M F	5 5	.	.	.	.	.	.	.	.	.
83	Cerebral Softening	...{M F	8 4	.	.	.	.	.	.	.	.	.
84	Other Diseases of the Nervous System	...{M F	64 70	.	1	.	.	.	i	.	.	i
85	Diseases of the Eye and Annexa	...{M F	1	.	.	.	.	.	.	.	.	.
86	Diseases of the Ear and of the Mastoid Sinus	...{M F	9 12	.	.	.	1	1	2	2	1	5
87-96	IV. Diseases of the Circulatory System.											
87	Pericarditis	...{M F	8 4	.	.	.	.	.	.	.	.	.
88	Acute Endocarditis and Myocarditis	...{M F	64 72	.	.	.	.	.	1	.	i	1

## of Death at different Age-Periods, 1927.

DEATH																			International List Nos.
5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and up- wards	
.	.	.	1	1	.	.	.	.	i	.	.	.	.	.	.	1	.	.	M } 64 F }
i	.	1	1	.	1	.	1	.	1	1	3	2	1	.	.	.	.	.	M } 65a F }
.	.	1	.	1	.	1	i	i	2	2	.	.	.	.	.	.	.	M } 65b F }	
.	.	.	.	.	1	.	1	.	1	.	.	.	1	1	.	.	.	M } 66 F }	
.	.	2	.	i	.	.	1	i	i	.	.	.	.	.	.	.	.	M } 69 F }	
.	i	.	i	1	.	.	.	i	1	.	.	.	i	.	.	.	.	M } 70 F }	
4	.	2	5	3	2	2	2	1	3	.	2	1	1	.	.	.	.	.	M } 71 F }
6	.	3	2	2	2	2	2	2	1	1	.	.	2	.	.	.	.	.	M } 72 F }
.	.	.	.	.	.	1	2	2	1	1	.	.	2	.	.	.	.	M } 73 F }	
.	.	.	1	1	1	.	i	3	6	4	3	3	8	1	1	1	.	M } 74a F }	
.	.	1	.	2	1	2	1	3	12	25	34	56	57	61	95	48	27	19	M } 74b F }
.	.	.	i	1	1	1	1	1	3	5	6	6	4	5	10	8	7	1	M } 75a F }
.	.	.	.	.	1	1	1	1	2	3	2	3	4	9	12	24	13	8	M } 75b F }
2	.	.	.	.	1	1	1	1	2	1	2	1	1	5	3	10	2	1	M } 76 F }
.	.	.	1	1	1	.	7	1	5	1	5	5	.	.	.	.	.	M } 77 F }	
.	.	i	2	2	2	2	3	5	1	1	7	3	2	2	4	.	1	.	M } 78 F }
i	1	3	1	5	1	3	1	5	2	2	3	1	i	2	2	1	1	.	M } 79, 80 F }
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	M } 81 F }	
i	i	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	M } 82 F }	
.	.	.	1	.	i	1	.	i	i	i	i	1	1	.	i	1	.	M } 83 F }	
.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	1	3	2	M } 84 F }	
i	3	2	2	2	5	4	2	3	3	8	9	4	7	3	8	3	2	.	M } 85 F }
.	.	.	.	.	.	1	1	1	1	4	8	11	9	13	4	1	2	.	M } 86 F }
1	2	1	4	i	1	1	1	1	1	1	7	6	7	5	8	3	2	1	M } 87 F }
2	1	3	1	1	3	4	5	8	1	7	8	4	7	5	7	9	3	1	M } 88 F }

**ABSTRACT VII.—(Continued).—Northern Ireland : Causes**

International List Nos.	CAUSES OF DEATH.	ALL AGES.	AGES AT										
			Under 1 mth.	1-2 mths.	2-3 mths.	3-6 mths.	6-12 mths.	Total under 1 year.	1-	2-	3-	4-	Total under 5 years.
87-96	<b>IV. Diseases of the Circulatory System.—(Contd.)</b>												
89	Angina Pectoris ... ...{M F	39 24	.	.	.	.	.	.	.	.	.	.	.
90	Other Diseases of the Heart {M F	1,093 1,225	.	.	.	.	.	.	.	1	3 1	1	4 2
91a	Aneurysm ... ...{M F	7 4	.	.	.	.	.	.	.	.	.	.	.
91b	Arterial Sclerosis ... ...{M F	113 91	.	.	.	.	.	.	.	.	.	.	.
92	Embolism and Thrombosis {M (not Cerebral) ... ...{F	4 9	.	.	.	.	.	.	.	.	.	.	.
93	Diseases of the Veins (Varices, Haemorrhoids, Phlebitis, etc.) ... ...{F	6 7	.	.	.	.	.	.	.	.	.	.	.
94	Diseases of the Lymphatic System (Lymphangitis, etc.) ... ...{F	3	.	.	.	.	.	.	.	.	.	.	.
95	Haemorrhage (not otherwise defined) ... ...{F	1	.	.	.	.	.	.	.	.	.	.	.
96	Other Diseases of the Circulatory System ... ...{F	6 10	.	.	.	.	.	.	.	.	.	.	.
97-107	<b>V. Diseases of the Respiratory System.</b>												
97	Diseases of the Nasal Fossæ {M F	2 2	.	.	.	.	.	.	.	.	.	.	.
98	Diseases of the Larynx ... ...{M F	16 8	.	.	.	1	4	5	4 1	.	2 1	1	12 6
99a	Bronchitis, Acute ... ...{M F	215 281	15	15	7	9	18	64	11 4	3 4	1 2	.	79 57
99b	Bronchitis, Chronic ... ...{M F	201 201	.	.	.	1	1	2	1	.	1	.	3 4
99c, d	Bronchitis (not otherwise defined) ... ...{F	87 123	.	.	3	4	7	14	1 1	1 1	.	.	15 13
100	Broncho-Pneumonia (including Capillary Bronchitis) ... ...{F	323 293	6	6	8	28	79	127	62 56	16 20	7 8	6 1	218 182
101a	Lobar Pneumonia ... ...{M F	82 72	1	2	1	1	2	4	4 2	1 4	4	1	10 14
101b	Pneumonia (not otherwise defined) ... ...{M F	261 222	2	3	3	8	17	31	14 24	6 2	1 3	3	55 51
102	Pleurisy ... ...{M F	29 19	.	.	.	.	1	1	1	.	1	.	2
103	Congestion and Haemorrhagic Infarction of the Lung ... ...{F	46 43	1	1	.	2	3	7	11 4	2 1	2	.	22 13
105	Asthma ... ...{M F	55 27	.	.	.	.	.	.	.	.	.	.	.
107a	Chronic Interstitial Pneumonia ... ...{M F	1 3	.	.	.	.	.	.	.	.	.	.	.
107c	Other Diseases of the Respiratory System (Tuberculosis excepted) ... ...{F	6 2	.	.	1	.	i	i	.	.	.	.	i
108-127	<b>VI. Diseases of the Digestive System.</b>												
108	1. Diseases of the Teeth and Gums ... ...{M F	8 2	.	.	.	.	.	.	2	1	.	.	3
	2. Other Diseases of the Buccal Cavity ... ...{M F	3 .	.	.	.	.	.	.	.	1	.	.	1

## of Death at different Age-Periods, 1927.

DEATH.																			International List Nos.
5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and upwards.	
.	.	.	.	1	.	1	2	3	6	7	5	3	6	4	2	2	1	.	M } 89
4	9	8	7	7	20	12	21	49	66	79	145	177	232	139	62	41	10	1	F } 90
5	13	16	13	15	24	19	38	63	91	106	128	163	253	160	71	35	9	1	M } 91a
.	.	.	.	.	.	.	.	2	2	1	1	1	.	1	1	.	.	F } 91b	
.	.	.	.	.	.	.	1	4	1	4	8	15	20	29	21	11	7	1	M } 92
.	.	.	.	.	.	.	2	1	1	2	1	1	1	.	.	.	.	F } 93	
.	.	.	.	.	.	3	.	.	1	2	2	1	1	1	.	.	.	.	M } 94
.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.	.	M } 95	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	M } 96	
.	.	.	.	.	.	.	.	.	1	.	.	2	1	2	2	3	1	.	M } 97
.	.	.	.	.	.	1	1	.	1	1	.	.	.	.	.	.	.	F } 98	
3	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	M } 99a
2	1	.	.	1	4	1	4	2	4	1	5	4	5	20	21	28	20	14	M } 99b
2	2	1	.	1	2	1	2	1	3	10	12	13	23	31	46	31	12	9	M } 99c, d
1	2	1	.	1	1	1	1	1	1	10	7	19	29	35	45	21	15	8	M } 100
8	4	5	3	2	5	4	4	6	4	9	11	11	11	16	9	3	4	2	M } 101a
3	1	4	3	6	5	2	7	3	9	11	11	11	19	4	6	4	2	.	M } 101b
6	2	4	2	3	6	5	7	3	5	7	3	5	4	5	3	3	2	.	M } 102
1	4	5	3	6	6	7	3	2	5	14	18	20	23	20	25	24	9	4	M } 103
4	6	5	9	4	5	6	7	8	9	10	14	14	10	22	22	21	10	1	M } 105
7	3	5	5	6	6	7	8	9	10	13	14	14	10	22	22	21	10	1	M } 106
.	1	2	.	.	1	2	2	2	4	5	4	1	2	2	1	2	.	.	M } 107a
.	1	1	.	.	1	1	1	2	1	2	3	2	3	4	3	3	5	5	M } 107c
.	1	1	.	.	1	1	1	2	1	1	2	1	1	2	1	1	1	.	M } 108

**ABSTRACT VII.—(Continued).—Northern Ireland: Causes**

## of Death at different Age-Periods, 1927.

## DEATH.

	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and up- wards.	International List Nos.
i	:	1	1	:	1	1	1	1	2	1	1	1	1	1	1	1	1	1	M } 109 F }	
.	.	2	1	4	3	3	3	3	2	4	8	6	9	6	1	1	1	1	M } 111a F }	
.	.	2	.	6	1	4	2	1	1	2	4	1	1	2	1	1	1	1	M } 111b F }	
2	1	1	1	1	1	1	1	1	2	4	3	5	4	1	1	1	1	1	M } 112 F }	
6	1	2	2	1	4	3	1	1	2	3	5	4	3	6	9	3	7	2	M } 113-114 F }	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M } 116 F }		
7	6	5	10	4	3	4	4	4	2	5	2	1	2	1	2	1	1	1	M } 117 F }	
13	5	5	2	3	4	4	2	4	2	1	1	1	1	1	1	1	1	1	M } 118a F }	
.	.	1	.	2	.	1	1	1	1	2	1	1	1	1	1	1	1	1	M } 118b F }	
.	1	1	2	1	2	1	1	2	4	3	4	1	4	5	5	8	6	1	M } 119 F }	
.	.	.	.	.	1	.	1	.	1	.	1	.	1	2	1	2	1	1	M } 120 F }	
.	.	.	.	.	.	1	1	1	2	1	1	1	5	3	2	2	2	1	M } 122 F }	
.	.	.	.	.	.	1	1	1	2	1	1	1	1	1	1	1	1	1	M } 123 F }	
1	.	.	.	.	.	1	1	1	1	2	1	1	1	1	1	1	1	1	M } 124 F }	
.	.	.	1	.	.	.	1	4	1	4	3	3	2	2	4	4	3	1	M } 125 F }	
2	.	i	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	i	M } 126 F }	
1	2	1	2	2	4	3	4	5	1	2	3	10	7	5	5	1	2	3	M } 128 F }	
3	.	i	2	5	4	3	6	4	8	11	17	19	14	20	27	24	19	8	M } 129 F }	
.	.	i	1	2	1	1	1	1	2	1	1	3	1	6	4	4	1	1	M } 131 F }	
.	.	.	.	.	.	1	1	1	1	2	1	1	4	3	3	10	8	1	M } 132 F }	
.	.	.	.	.	.	1	1	1	1	2	1	1	1	4	2	1	10	6	M } 133 F }	
.	.	.	.	.	.	1	1	1	1	2	1	1	1	4	9	15	31	16	M } 134a F }	
.	.	.	.	.	.	.	.	.	.	1	1	1	2	1	2	1	8	8	M } 135 F }	
.	.	.	.	.	.	.	.	.	.	1	1	1	2	1	2	1	1	1	F } 137	

**ABSTRACT VII.—(Continued).—Northern Ireland: Causes**

International List Nos.	CAUSES OF DEATH.	AGES AT											
		ALL AGES.	Under 1 mth.	1-2 mths.	2-3 mths.	3-6 mths.	6-12 mths.	Total under 1 year.	1-	2-	3-	4-	Total under 5 years.
128-142	VII. Non-Venereal Diseases of the Genito-Urinary System and Annexa.—(Contd.)												
138	Pelvic Abscess, Salpingitis ... F	6	.	.	.	.	.	.	.	.	.	.	
139	Tumours of the Uterus (Non-Malignant) ... F	10	.	.	.	.	.	.	.	.	.	.	
140	Uterine Hæmorrhage (Non-Puerperal) ... F	1	.	.	.	.	.	.	.	.	.	.	
141	1. Metritis ... F	5	.	.	.	.	.	.	.	.	.	.	
	2. Other Diseases of the Female Genital Organs (Non-Puerperal) ... F	3	.	.	.	.	.	.	.	.	.	.	
143-150	VIII. The Puerperal State.												
143a	Abortion ... ... F	2	.	.	.	.	.	.	.	.	.	.	
143b	Ectopic Gestation ... ... F	3	.	.	.	.	.	.	.	.	.	.	
143c	Other Accidents of Pregnancy F	4	.	.	.	.	.	.	.	.	.	.	
144	Puerperal Hæmorrhage ... F	17	.	.	.	.	.	.	.	.	.	.	
145	Other Accidents of Childbirth F	11	.	.	.	.	.	.	.	.	.	.	
146	Puerperal Sepsis ... ... F	48	.	.	.	.	.	.	.	.	.	.	
147	Puerperal Phlegmasia Alba Dolens ... ... F	12	.	.	.	.	.	.	.	.	.	.	
148	Puerperal Albuminuria and Convulsions ... ... F	22	.	.	.	.	.	.	.	.	.	.	
149	Childbirth (not otherwise defined) ... ... F	9	.	.	.	.	.	.	.	.	.	.	
151-154	IX. Diseases of the Skin and Cellular Tissue.												
151	Gangrene ... ... ♂{M F	27 34	.	.	.	.	.	.	.	.	.	.	
152	Carbuncle, Boil ... ... ♂{M F	3 2	.	.	.	.	.	.	.	.	.	.	
153	Cellulitis, Acute Abscess ... ♂{M F	14 14	.	.	.	1	1	2	1	.	.	3	
154	Other Diseases of the Skin and Cellular Tissue ... ♂{M F	8 16	2	1	1	i	i	1	1	.	.	2	
154	Other Diseases of the Skin and Cellular Tissue ... ♂{M F	8 16	2	1	1	i	i	1	1	.	.	4	
155-158	X. Diseases of the Bones and Organs of Locomotion.												
155	Diseases of the Bones (Tuberculosis and Rickets ♂{M F excepted) ... ... ♂{M F	21 6	:	:	:	:	:	:	:	i	:	i	
156	Diseases of the Joints (Tuberculosis and Rheumatism excepted) ... ♂{M F	4 3	1	1	1	1	1	2	1	.	.	2	
158	Other Diseases of the Organs of Locomotion ... ♂{M F	1	.	.	.	.	.	.	.	.	.	.	
159	XI. Malformations.												
159	Congenital Malformations (still-births excepted) ... ♂{M F	63 53	36 32	8 2	7 1	2 1	5 5	58 41	1 5	1 1	4 1	1 1	61 51

### **of Death at different Age-Periods, 1927.**

DEATH.																	International List Nos.	
5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and upwards.
.	.	1	1	1	1	.	.	1	1	.	.	.	.	.	.	.	.	F 138
.	.	.	.	.	1	.	2	2	1	1	1	1	1	.	.	.	.	F 139
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	F 140
.	.	1	.	1	.	.	.	1	.	1	.	1	.	.	.	.	.	F 141
.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.
.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F 143a
.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	F 143b
.	.	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	F 143c
.	.	4	6	2	5	.	.	.	.	.	.	.	.	.	.	.	.	F 144
.	.	2	.	2	3	2	.	.	.	.	.	.	.	.	.	.	.	F 145
.	.	6	14	13	10	3	2	.	.	.	.	.	.	.	.	.	.	F 146
.	.	2	2	4	2	2	.	.	.	.	.	.	.	.	.	.	.	F 147
.	.	3	.	4	5	7	3	.	.	.	.	.	.	.	.	.	.	F 148
.	.	.	.	2	3	3	1	.	.	.	.	.	.	.	.	.	.	F 149
.	.	.	.	.	1	.	.	.	1	2	4	8	8	1	2	1	M} 151 F}	
.	.	.	.	.	.	1	.	.	1	1	1	1	1	.	.	.	M} 152 F}	
.	1	.	.	.	2	1	.	1	2	2	3	1	1	1	1	1	M} 153 F}	
.	1	.	.	.	.	1	.	1	2	3	1	1	1	2	1	1	M} 154 F}	
3	4	3	1	.	1	1	i	.	3	1	1	1	2	1	.	.	M} 155 F}	
.	.	.	.	.	.	.	.	.	1	1	1	1	1	.	.	.	M} 156 F}	
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M} 158 F}	
.	1	.	.	.	1	i	.	.	.	.	1	.	.	.	.	.	M} 159 F}	

**ABSTRACT VII.—(Continued).—Northern Ireland: Causes**

## of Death at different Age-Periods, 1927.

DEATH.																			International List Nos.
5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and up- wards.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M } 160
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F } 161	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M } 162	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	F } 163	
.	.	.	.	.	.	.	.	.	.	.	i	2	5	17	168	230	222	M } 164	
.	.	.	.	.	.	.	.	.	.	1	1	5	26	248	304	305	196	F } 29	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M } 165-174	
.	.	1	2	6	2	3	9	2	5	7	3	11	2	5	8	3	1	M } 175	
.	.	.	.	.	.	.	.	.	.	i	i	.	.	.	i	.	.	M } 177	
.	.	i	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	M } 178	
i	.	1	.	.	.	i	.	.	.	.	.	.	.	.	.	.	.	M } 179	
2	7	2	.	1	2	2	1	i	1	1	.	.	1	1	2	1	2	M } 180	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	M } 181	
2	1	1	2	1	1	2	1	4	.	3	1	2	2	4	1	1	2	M } 182	
.	.	1	2	1	1	2	1	2	.	2	2	1	2	1	1	2	1	M } 183	
.	.	i	1	2	1	1	2	2	2	5	1	4	5	3	2	8	13	M } 185	
.	.	3	.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	M } 186	
11	2	4	5	5	10	10	8	5	12	5	4	6	5	4	1	2	3	M } 188	
.	.	1	1	.	1	.	3	1	1	1	1	2	1	1	1	1	1	M } 189	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	i	.	.	M } 192		
.	.	.	.	.	i	.	.	.	.	.	1	.	1	.	.	.	.	M } 193	

**ABSTRACT VII.—(Continued).—Northern Ireland : Causes**

International List Nos.	CAUSES OF DEATH.	AGES AT											
		ALL AGES.	Under 1 mth.	1-2 mths.	2-3 mths.	3-6 mths.	6-12 mths.	Total under 1 year.	1-	2-	3-	4-	Total under 5 years.
165-203	XIV. External Causes.—(Contd.)												
197-199	Homicide ... ... ... {M F	3 4	:	:	:	:	:	:	:	1	:	1	1
200	Infanticide (Murder of Infants less than one year of age) ... ... {M F	1 3	1 3	:	:	:	:	3	:	:	:	1	3
201	Fracture (cause not specified) ... ... {M F	2 2	:	:	:	:	:	:	:	:	:	1	1
202	Other Accidental Violence... {M F	8 1	:	:	:	1	:	1	1	1	1	2	1
204, 205	XV. Ill-defined Causes.												
204	Sudden Death (not otherwise defined) ... ... {M F	14 9	:	:	1	1	2	:	:	:	:	3	1
205	Cause of Death Unstated {M or Ill-defined ... ... {F	55 64	:	1	:	1	2	3	1	2	2	6	12

**Causes of Death omitted from ABSTRACT VII.**

No deaths from these causes were registered during the year.

International List Nos.	CAUSES OF DEATH.	International List Nos.	CAUSES OF DEATH.
3	Relapsing Fever.	107b	Diseases of the Mediastinum.
4	Mediterranean Fever.	110	Diseases of the Oesophagus.
6	Small-pox.	115	Ankylostomiasis.
12	Miliary Fever.	121	Hydatid Tumour of the Liver.
14	Asiatic Cholera.	127	Other Diseases of the Digestive System.
17	Plague.	130	Chyluria.
18	Yellow Fever.	134b	Other Diseases of the Urethra.
19	Spirochaetosis-ictero-haemorrhagica.	136	Non-Venereal Diseases of the Male Genital Organs.
20	Leprosy.	142	Non-Puerperal Diseases of the Breast.
26	Glanders.	150	Puerperal Diseases of the Breast.
28	Rabies.	157	Amputations.
39	Soft Chancres.	176	Poisoning by Venomous Animals.
42	Other Infectious Diseases.	184	Injury by Cutting or Piercing Instruments.
53	Scurvy.	188	Wounds of War.
54	Pellagra.	190	Execution of Civilians by Belligerent Armies.
55	Beri-beri.	191	Excessive Heat.
67	Chronic Poisoning by Mineral Substances.	194	Lightning.
68	Chronic Poisoning by Organic Substances.	195	Electricity (Lightning excepted).
91c	Other Diseases of the Arteries.	196	Violence (cause unknown).
104	Gangrene of the Lung.		
106	Pulmonary Emphysema.	203	

## of Death at different Age-Periods, 1927.

DEATH.																			International List Nos.
5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and upwards.	
:	:	:	:	:	:	:	:	1	2	i	:	:	:	1	:	:	:	M } 197-199 F }	
:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	M } 200 F }	
i	:	:	:	1	:	:	:	:	:	:	1	:	1	:	:	:	:	M } 201 F }	
:	:	:	1	:	:	2	:	:	:	2	1	:	:	:	:	:	:	M } 202 F }	
1	1	1	1	2	1	4	1	4	6	7	12	18	1	1	:	i	:	M } 204 F }	
.	.	.	.	1	1	4	4	6	5	11	17	1	1	i	:	:	:	M } 205 F }	

**ABSTRACT VIII.—Northern Ireland : Deaths from Principal Causes**

(See Index to Poor Law Unions on page 69.)

International List Nos.	CAUSES OF DEATH, ETC.	NORTHERN IRELAND.	NORTHERN IRELAND.				COUNTIES.		
			TOTAL URBAN AREAS.		TOTAL RURAL AREAS.		ANTRIM.		
	ALL CAUSES ...	M. 8,721	F. 9,495	M. 4,240	F. 4,728	M. 4,481	F. 4,767	M. 1,298	F. 1,416
1	Enteric Fever ...	24	20	8	8	12	11	5	2
2	Typhus ...	1	1	.	1	1	.	.	.
6	Small-pox ...	.	.	.	.	.	.	.	.
7	Measles ...	13	9	12	6	1	3	.	.
8	Scarlet Fever ...	23	23	12	4	11	19	.	4
9	Whooping-cough ...	105	115	74	81	31	34	7	15
10	Diphtheria ...	37	48	26	27	11	21	5	6
11	Influenza ...	334	411	122	173	212	238	45	68
16	Dysentery ...	1	.	.	.	1	.	.	.
23	Encephalitis Lethargica	17	11	13	10	4	1	1	2
24	Meningococcal Meningitis	6	2	4	1	2	1	1	1
31	Tuberculosis of Respiratory System ...	553	747	315	415	238	332	76	106
32-7	Other Tuberculosis ...	233	234	125	121	108	113	32	26
43-9	Cancer, Malignant Disease	661	816	320	403	341	413	101	130
57	Diabetes ...	57	63	21	29	36	34	15	12
74	Cerebral Haemorrhage ...	448	639	216	303	232	336	73	120
87-90	Heart Disease ...	1,204	1,325	568	675	636	650	157	160
91b	Arterial Sclerosis ...	113	91	60	59	53	32	23	17
99	Bronchitis ...	503	605	252	301	251	304	75	76
100-1	Pneumonia (all forms) ...	666	587	397	358	269	229	80	49
97-8	Other Diseases of Respiratory System ...	155	104	88	54	67	50	24	21
102-7	Ulcer of Stomach or Duodenum ...	81	51	41	22	40	29	14	10
111	Diarrhoea and Enteritis (under 2 years) ...	160	143	136	122	24	21	14	10
113	Appendicitis and Typhilitis	62	45	23	25	39	20	10	8
117	Cirrhosis of Liver ...	18	10	7	6	11	4	5	4
122	Acute and Chronic Nephritis ...	232	225	108	114	124	111	46	36
128-9	Puerperal Diseases and Accidents of Pregnancy and Childbirth ...	—	128	—	61	—	67	—	18
143-150	Congenital Malformations and Debility, Premature Birth ...	475	382	269	213	206	169	64	78
159-161	Suicide ...	62	18	30	13	32	5	10	4
165-174	Other Deaths from Violence ...	249	149	129	72	120	77	43	26
175-203	Other Defined Diseases... Causes Ill-defined or Unknown ...	2,159	2,420	833	1,029	1,326	1,391	366	399
204-6	Deaths under one year of age ...	1,159	915	759	582	400	333	138	135
	.. 65 years and upwards ...	3,574	4,005	1,180	1,582	2,394	2,423	606	694
	Uncertified Deaths ...	801	946	104	108	697	838	85	101
	Number of Births ...	13,693	12,983	7,534	7,077	6,139	5,906	2,021	2,005
	Population (Census 1926) ...	608,088	648,473	298,071	340,991	310,017	307,482	92,596	99,047

**and Uncertified Deaths by Counties and Urban and Rural Areas, 1927.**

(See Index to Poor Law Unions on page 69.)

COUNTIES.													Inter-national List Nos.
ARMAGH.		BELFAST CO. BOROUGH.		DOWN.		FERMANAGH.		LONDONDERRY CO. & CO. BORO'		TYRONE.			
M. 854	F. 944	M. 2,777	F. 2,942	M. 1,412	F. 1,633	M. 411	F. 449	M. 961	F. 1,057	M. 1,008	F. 1,054		
1	2	2	6	2	3	6	5	2	1	6	1	1	
.	.	.	.	.	.	.	.	.	1	1	.	2	
.	.	.	1	.	.	.	1	12	7	.	.	6	
1	1	8	3	2	.	1	.	2	1	9	14	8	
1	2	59	69	17	14	1	.	6	1	14	14	9	
6	7	18	15	2	6	2	4	2	6	2	4	10	
32	48	61	72	67	86	25	13	49	62	55	62	11	
.	.	.	.	.	.	1	.	.	.	.	.	16	
1	1	12	7	2	.	1	.	.	1	.	.	23	
.	.	2	1	.	.	.	.	1	.	2	.	24	
43	48	229	280	86	140	25	29	47	75	47	69	31	
18	29	75	77	49	50	6	5	30	30	23	17	32-7	
56	88	203	241	118	140	30	37	68	102	85	78	43-9	
7	8	12	20	9	9	.	1	4	8	10	5	57	
51	57	143	177	72	121	18	19	58	78	33	67	74	
130	128	385	451	229	248	41	59	128	123	134	156	87-90	
13	7	32	28	28	26	.	4	13	9	4	.	91b	
75	76	165	186	72	95	23	35	51	58	42	79	99	
64	66	247	220	82	95	26	31	86	64	81	62	100-1	
												{ 97-8	
12	15	59	41	14	12	13	6	16	5	17	4	102-7	
8	1	28	11	6	12	3	1	9	7	13	9	111	
10	5	109	100	10	6	1	.	10	17	6	5	113	
9	5	8	14	10	7	2	2	7	4	16	5	117	
1	1	2	2	5	2	1	.	1	.	3	1	122	
19	18	78	70	37	51	3	5	26	29	23	16	128-9	
—	18	—	36	—	15	—	8	—	17	—	16	143-150	
43	32	193	152	68	53	10	9	44	26	53	32	159-161	
1	1	26	8	14	2	2	.	3	1	6	2	165-174	
22	15	73	36	49	21	10	11	23	24	29	16	175-203	
222	262	532	605	346	409	154	153	258	291	281	301	—	
7	3	16	13	16	10	6	11	5	9	13	19	204-5	
88	66	544	408	143	117	24	28	105	80	117	81	—	
416	418	690	874	676	761	240	238	453	468	493	552	—	
128	152	65	50	109	114	134	175	96	100	184	254	—	
1,165	1,109	4,960	4,645	2,052	1,953	537	518	1,625	1,517	1,333	1,236	—	
53,609	56,461	195,539	219,612	101,202	108,026	30,102	27,882	67,904	71,789	67,136	65,656	—	

**ABSTRACT VIII.—(Continued).—Northern Ireland : Deaths from Principal Causes**

(See Index to Poor Law Unions on page 69.)

Inter-national List Nos.	CAUSES OF DEATH, ETC.	CO. ANTRIM.									
		Ballycastle U.D.		Ballyclare U.D.		Ballymena U.D.		Ballymoney U.D.		Carrickfergus U.D.	
		M. 12	F. 17	M. 20	F. 20	M. 74	F. 122	M. 22	F. 29	M. 19	F. 35
	ALL CAUSES ...										
1	Enteric Fever ...	.	.	.	.	1	.	.	.	1	.
2	Typhus ...	.	.	.	.	.	.	.	.	.	.
6	Small-pox ...	.	.	.	.	.	.	.	.	.	.
7	Measles ...	.	.	.	.	.	.	.	.	.	.
8	Scarlet Fever ...	.	.	.	.	.	.	.	.	.	.
9	Whooping-cough ...	.	.	2	.	1	1	.	.	1	3
10	Diphtheria ...	.	.	.	.	1	.	.	.	.	1
11	Influenza ...	1	1	.	1	.	2	.	.	3	5
16	Dysentery ...	.	.	.	.	.	.	.	.	.	.
23	Encephalitis Lethargica	.	.	.	.	.	1	.	.	.	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System ...	1	1	1	2	4	9	.	1	1	.
32-7	Other Tuberculosis ...	.	.	1	.	1	4	1	.	.	.
43-9	Cancer, Malignant Disease	2	1	.	3	9	9	2	5	1	2
57	Diabetes ...	.	1	.	.	.	1	1	.	.	1
74	Cerebral Haemorrhage ...	.	1	.	1	3	8	.	2	.	4
87-90	Heart Disease ...	2	2	4	4	9	8	2	2	2	2
91b	Arterial Sclerosis ...	.	.	.	.	4	4	1	.	.	.
99	Bronchitis ...	.	.	1	2	3	9	.	2	.	7
100-1	Pneumonia (all forms) ...	1	.	1	1	10	9	2	1	2	.
97-8	Other Diseases of Respiratory System ...	.	.	.	.	4	3	.	.	.	.
102-7}	Ulcer of Stomach or Duodenum ...	.	.	.	.	.	2	.	.	.	1
111	Diarrhoea and Enteritis (under 2 years) ...	.	.	.	.	4	1	.	1	.	.
113	Appendicitis and Typhilitis ...	.	.	.	.	2	.	1	.	.	1
117	Cirrhosis of Liver ...	.	.	.	.	.	.	.	1	.	.
122	Acute and Chronic Nephritis ...	.	.	1	2	1	2	3	.	.	3
128-9	Puerperal Diseases and Accidents of Pregnancy and Childbirth ...	.	.	.	.	.	.	.	1	.	.
143-150	Congenital Malformations and Debility, Premature Birth ...	.	1	2	1	2	3	.	.	.	.
159-161	Suicide ...	.	.	2	.	4	5	2	2	2	2
165-174	Other Deaths from Violence ...	.	.	.	.	1	1	.	.	.	1
175-203	Other Defined Diseases... Causes Ill-defined or Unknown ...	5	9	4	5	10	36	8	11	3	2
—	Deaths under one year of age ...	.	1	4	1	13	11	4	3	5	6
204-5	.. 65 years and upwards ...	7	11	5	7	20	55	12	14	5	12
	Uncertified Deaths ...	1	3	.	.	2	8	1	.	.	.
	Number of Births ...	22	15	47	38	151	135	28	41	61	45
	Population (Census 1926) ...	885	1,101	1,621	1,741	5,455	6,418	1,479	1,689	2,270	2,479

**and Uncertified Deaths by Counties and Urban and Rural Areas, 1927.**

(See Index to Poor Law Unions on page 69.)

CO. ANTRIM.														International List Nos.	
Larne U.D.		Lisburn U.D.		Portrush U.D.		Whitehead U.D.		Antrim R.D.		Ballycastle R.D.		Ballymena R.D.			
M. 69	F. 68	M. 92	F. 99	M. 15	F. 25	M. 5	F. 5	M. 173	F. 168	M. 69	F. 80	M. 240	F. 261		
.	.	1	.	.	.	.	.	.	.	.	.	1	1	1	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	6	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	7	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	8	
.	.	.	2	.	.	.	.	.	4	.	.	1	3	9	
1	1	1	2	.	.	.	.	1	.	.	1	.	.	10	
5	5	1	2	.	1	.	.	9	5	.	1	8	20	11	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	16	
.	.	1	1	.	.	.	.	.	.	.	.	.	.	23	
.	.	.	.	.	.	.	.	.	.	.	.	.	1	24	
2	9	6	10	1	2	2	.	8	15	5	3	14	18	31	
3	4	4	.	1	.	.	.	3	2	.	1	8	1	32-7	
5	7	10	13	1	2	.	.	8	10	5	6	21	32	43-9	
3	.	.	.	.	.	.	.	2	.	3	1	2	4	57	
6	2	4	7	1	2	.	.	1	6	20	4	7	25	21	74
6	9	6	10	.	3	.	.	1	28	22	10	8	34	30	87-90
1	2	.	2	3	.	.	.	1	1	2	.	3	1	91b	
7	5	10	4	1	.	.	.	8	5	4	2	10	15	99	
6	3	3	3	1	.	.	.	10	9	5	2	15	5	100-1	
3	1	.	2	1	.	.	.	2	4	.	2	5	4	97-8	
1	.	1	1	.	.	.	.	1	1	.	.	3	3	111	
.	1	4	.	1	.	.	.	2	.	1	.	.	.	113	
.	1	1	1	1	.	.	.	1	2	.	.	1	.	117	
1	.	.	1	.	.	.	.	3	.	.	.	1	.	122	
.	1	3	2	.	.	.	.	8	3	2	.	4	6	128-9	
—	.	—	1	—	.	—	.	—	4	—	1	—	2	143-150	
2	1	5	7	.	1	.	.	9	9	4	6	9	9	159-161	
1	.	1	.	.	1	.	.	1	.	1	.	1	.	165-174	
4	1	5	3	.	2	1	.	4	2	1	2	5	5	175-203	
12	15	24	27	6	8	2	3	56	50	23	34	68	76	—	
.	.	1	.	.	.	.	.	2	.	.	2	1	4	204-5	
6	5	11	11	.	1	.	.	16	16	5	8	19	14	—	
26	30	29	37	8	12	2	4	90	75	43	56	125	156	—	
.	.	1	1	1	.	.	.	5	7	18	20	18	25	—	
102	120	147	134	22	16	14	4	256	239	74	85	364	341	—	
4,424	5,290	5,726	6,680	1,116	1,837	572	771	12,457	12,655	4,909	4,538	16,359	16,898	—	

**ABSTRACT VIII.—(Continued).—Northern Ireland : Deaths from Principal Causes**

(See Index to Poor Law Unions on page 69.)

International List Nos.	CAUSES OF DEATH, ETC.	CO. ANTRIM.—(Contd.)								CO. ARMAGH.	
		Ballymoney R.D.		Belfast R.D.		Larne R.D.		Lisburn R.D.		Armagh U.D.	
		M. 148	F. 145	M. 80	F. 69	M. 142	F. 141	M. 118	F. 132	M. 50	F. 68
	ALL CAUSES ...										
1	Enteric Fever ...	1	1	.	.	.	.	.	.	.	.
2	Typhus ...	.	.	.	.	.	.	.	.	.	.
6	Small-pox ...	.	.	.	.	.	.	.	.	.	.
7	Measles ...	.	.	.	.	.	.	.	.	.	.
8	Scarlet Fever ...	.	2	.	1	.	.	.	1	.	.
9	Whooping-cough ...	.	.	1	.	.	.	1	2	.	2
10	Diphtheria ...	.	.	.	.	.	.	1	1	.	1
11	Influenza ...	2	10	1	3	8	7	7	5	.	.
16	Dysentery ...	.	.	.	.	.	.	.	.	.	.
23	Encephalitis Lethargica	.	.	.	.	.	.	.	.	.	.
24	Meningococcal Meningitis	.	.	.	.	.	.	1	.	.	.
31	Tuberculosis of Respiratory System ...	7	14	5	3	9	9	10	10	6	5
32-7	Other Tuberculosis ...	6	2	1	4	1	6	2	2	2	2
43-9	Cancer, Malignant Disease	7	8	10	6	5	12	15	14	2	4
57	Diabetes ...	1	1	.	1	1	.	2	2	.	.
74	Cerebral Haemorrhage ...	7	12	5	7	8	8	4	17	4	4
87-90	Heart Disease ...	17	14	11	6	13	22	13	17	5	7
91b	Arterial Sclerosis ...	6	3	1	.	2	2	.	1	.	.
99	Bronchitis ...	7	5	10	3	9	12	5	5	4	8
100-1	Pneumonia (all forms) ...	6	8	5	1	7	1	6	6	7	9
97-8	Other Diseases of Respiratory System ...	2	.	.	1	5	4	2	.	1	1
102-7	Ulcer of Stomach or Duodenum ...	2	1	2	1	2	.	2	.	2	.
111	Diarrhoea and Enteritis (under 2 years) ...	1	1	1	1	2	2	.	2	1	.
113	Appendicitis and Typhlitis	1	1	1	1	1	.	1	1	.	.
117	Cirrhosis of Liver ...	.	.	.	1	.	1	.	.	1	.
122	Acute and Chronic Nephritis ...	4	4	10	6	8	4	3	2	1	2
128-9	Puerperal Diseases and Accidents of Pregnancy and Childbirth ...	—	4	—	.	—	2	—	1	—	1
143-150	Congenital Malformations and Debility, Premature Birth ...	7	8	4	9	6	9	8	10	2	3
159-161	Suicide ...	1	.	.	.	.	1	3	.	.	1
165-174	Other Deaths from Violence ...	2	5	2	1	9	1	3	1	3	.
175-203	Other Defined Diseases... Causes Ill-defined or Unknown ...	60	41	10	13	46	37	29	32	9	18
204-5	Deaths under one year of age ...	11	16	14	12	15	17	15	13	4	11
	,, 65 years and upwards ...	85	76	31	17	70	70	48	62	17	19
	Uncertified Deaths ...	27	21	2	1	4	9	5	6	4	12
	Number of Births ...	214	227	139	149	214	224	166	192	89	77
	Population (Census 1926) ...	10,064	10,241	6,638	7,219	10,203	10,553	8,418	8,937	3,568	3,832

## and Uncertified Deaths by Counties and Urban and Rural Areas, 1927.

(See Index to Poor Law Unions on page 69.)

CO. ARMAGH.														International List Nos.	
Keady U.D.		Lurgan U.D.		Portadown U.D.		Tanderagee U.D.		Armagh R.D.		Lurgan R.D.		Newry No. 2 R.D.			
M. 9	F. 8	M. 78	F. 103	M. 75	F. 104	M. 7	F. 11	M. 272	F. 241	M. 118	F. 127	M. 215	F. 253		
.	.	.	.	1	1	.	.	.	.	.	.	.	.	1	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	
.	.	.	.	.	.	.	.	1	.	.	.	.	.	6	
.	.	1	.	.	.	.	.	.	.	.	.	.	.	7	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	8	
.	.	3	.	.	.	.	.	2	2	1	1	.	1	9	
1	.	2	9	3	12	1	.	8	7	6	8	10	12	10	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	11	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	16	
.	.	.	.	.	.	.	.	.	1	1	.	.	.	23	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	24	
.	1	1	6	7	11	1	.	11	14	9	6	6	4	31	
.	5	6	.	1	.	.	.	4	11	.	3	7	5	32-7	
.	1	7	8	3	12	.	1	22	19	4	19	17	23	43-9	
.	1	.	.	1	.	.	3	4	2	1	1	2	57		
.	2	8	3	1	10	.	3	17	16	6	1	12	15	74	
3	.	7	13	11	7	1	1	47	50	24	12	29	35	87-90	
2	.	.	1	.	.	.	7	4	.	.	1	3	91b		
.	1	10	13	13	7	.	.	23	23	12	6	23	26	99	
.	2	1	2	1	1	1	.	17	11	7	15	8	9	100-1	
.	2	1	2	1	1	.	3	.	2	.	1	9	.	{ 97-8	
.	2	1	2	1	1	.	2	.	.	.	4	1	111	{ 102-7	
.	.	.	.	.	.	.	.	.	.	.	.	.	.		
1	.	3	.	.	2	.	1	1	3	3	1	1	2	113	
.	.	1	.	.	.	1	1	5	3	1	.	1	1	117	
.	.	.	.	.	.	.	.	.	.	.	.	.	1	122	
1	.	3	5	2	2	.	.	6	4	.	1	5	4	128-9	
—	.	—	1	—	3	—	.	—	6	—	2	—	4	143-150	
.	1	9	5	2	4	.	.	15	5	3	5	11	8	159-161	
.	.	.	.	.	.	.	.	.	.	.	.	1	.	165-174	
.	2	3	3	2	.	.	5	70	55	2	1	6	4	175-203	
1	2	11	25	16	22	1	5	70	55	35	45	66	78	—	
.	.	.	.	.	.	.	.	2	1	.	.	4	2	204-5	
.	1	19	9	8	8	.	.	24	13	10	7	20	16	—	
7	3	21	37	31	31	2	5	141	121	62	63	117	120	—	
2	.	.	.	.	2	.	.	50	56	6	22	60	56	—	
13	16	146	135	145	144	18	13	287	307	168	136	259	258	—	
607	734	5,667	6,833	5,530	6,461	590	730	15,968	15,680	6,744	7,126	13,154	13,182	—	

**ABSTRACT VIII.—(Continued).—Northern Ireland: Deaths from Principal Causes**

(See Index to Poor Law Unions on page 69.)

International List Nos.	CAUSES OF DEATH, ETC.	CO. ARMAGH. (Contd.)		CO. DOWN.							
		Tanderagee R.D.	Banbridge U.D.	Bangor M.B.		Donaghadee U.D.		Downpatrick U.D.			
	ALL CAUSES ...	M. 30	F. 29	M. 27	F. 31	M. 73	F. 100	M. 15	F. 19	M. 21	F. 21
1	Enteric Fever ...	.	.	.	.	.	.	.	.	.	.
2	Typhus ...	.	.	.	.	.	.	.	.	.	.
6	Small-pox ...	.	.	.	.	.	.	.	.	.	.
7	Measles ...	.	.	.	.	.	.	.	.	.	.
8	Scarlet Fever ...	.	.	.	.	.	.	.	.	.	.
9	Whooping-cough ...	.	.	1	.	1	1	.	.	1	1
10	Diphtheria ...	.	.	.	.	.	.	.	.	.	.
11	Influenza ...	1	.	2	3	3	4	2	.	.	3
16	Dysentery ...	.	.	.	.	.	.	.	.	.	.
23	Encephalitis Lethargica	.	.	.	.	.	.	.	.	.	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System ...	2	1	3	2	5	2	1	1	3	3
32-7	Other Tuberculosis ...	.	1	.	.	2	3	.	1	.	2
43-9	Cancer, Malignant Disease	1	1	2	4	7	11	2	1	1	2
57	Diabetes ...	.	.	.	.	1	1	.	.	.	.
74	Cerebral Haemorrhage ...	3	3	1	.	2	9	.	1	3	1
87-90	Heart Disease ...	3	3	2	5	10	11	2	2	4	5
91b	Arterial Sclerosis ...	2	.	.	.	5	9	.	1	1	.
99	Bronchitis ...	.	2	3	1	5	3	.	1	1	.
100-1	Pneumonia (all forms) ...	2	1	1	2	4	6	3	8	.	4
97-8 }	Other Diseases of Respiratory System ...	.	3	1	1	.	.	.	.	.	.
102-7 }	Ulcer of Stomach or Duodenum ...	.	.	.	.	2	1	.	.	.	.
111	Diarrhoea and Enteritis (under 2 years) ...	.	.	.	.	.	.	.	.	.	.
113	Appendicitis and Typhlitis ...	.	.	.	.	1	.	.	.	.	.
117	Cirrhosis of Liver ...	.	.	.	.	2	.	.	.	.	.
122	Acute and Chronic Nephritis ...	1	.	1	1	1	5	1	.	1	.
123-9	Puerperal Diseases and Accidents of Pregnancy and Childbirth ...	—	1	—	1	—	3	—	.	—	.
143-150	Congenital Malformations and Debility, Premature Birth ...	1	1	1	1	1	1	1	.	1	.
159-161	Suicide ...	.	.	.	.	.	.	.	.	.	.
165-174	Other Deaths from Violence ...	.	.	1	.	5	3	.	1	1	.
175-203	Other Defined Diseases... Causes Ill-defined or Unknown ...	13	12	8	9	13	27	2	2	3	.
—	Deaths under one year of age ...	3	1	3	3	8	7	4	1	1	2
204-5	.. 65 years and upwards ...	18	19	9	15	31	51	4	14	6	8
	Uncertified Deaths ...	6	4	.	2	3	2	.	.	1	.
	Number of Births ...	40	23	67	52	101	91	16	21	44	34
	Population (Census 1926) ...	1,781	1,883	2,260	2,594	5,641	7,670	1,122	1,412	1,478	1,669

## and Uncertified Deaths by Counties and Urban and Rural Areas, 1927.

(See Index to Poor Law Unions on page 69.)

CO. DOWN.															International List Nos.
Dromore U.D.		Holywood U.D.		Newcastle U.D.		Newry U.D.		Newtownards U.D.		Warrenpoint U.D.		Banbridge R.D.			
M. 21	F. 24	M. 34	F. 37	M. 9	F. 5	M. 87	F. 106	M. 65	F. 89	M. 15	F. 18	M. 166	F. 214	—	
.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1
.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
.	.	.	.	.	.	.	.	.	.	.	.	.	.	6	.
.	.	.	.	.	.	.	.	.	.	.	.	.	.	7	.
1	.	.	.	.	.	.	.	2	.	.	.	.	.	8	.
1	.	.	.	.	.	.	1	.	.	.	.	.	2	3	9
.	2	.	1	.	.	12	10	1	7	1	.	4	11	1	10
.	.	.	.	.	.	.	.	.	.	.	.	.	.	11	.
.	.	.	.	.	.	.	.	.	.	.	.	.	.	16	.
.	.	.	.	.	.	.	.	.	.	.	.	.	.	23	.
.	.	.	.	.	.	.	.	.	.	.	.	.	.	24	.
1	1	3	5	1	.	4	11	3	6	2	1	9	14	31	31
.	.	2	2	1	.	2	2	4	.	.	.	5	9	32-7	32-7
2	1	4	2	.	.	7	12	8	7	1	3	12	10	43-9	43-9
.	.	.	.	.	.	.	.	.	.	.	.	1	1	57	57
1	4	2	2	1	1	5	7	2	7	2	3	8	12	74	74
3	6	10	7	4	.	18	17	11	9	2	2	29	33	87-90	87-90
1	.	1	1	1	1	1	4	2	.	.	.	.	2	91b	91b
1	.	1	1	.	.	5	4	7	15	.	.	13	11	99	99
5	2	2	1	.	1	4	4	2	4	.	1	9	20	100-1	100-1
.	1	.	.	.	.	1	.	1	.	.	.	1	2	97-8	97-8
.	1	.	.	.	.	1	.	1	2	.	.	2	1	111	102-7
.	1	.	.	.	.	1	.	1	2	.	.	2	1	111	111
.	.	.	.	1	.	.	2	1	1	.	.	1	1	113	113
1	.	.	1	.	.	.	1	1	2	.	.	1	1	117	117
.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	122
.	.	2	3	1	1	1	3	.	2	.	1	6	4	128-9	128-9
—	—	1	—	.	—	—	2	—	.	—	.	—	2	143-150	143-150
2	.	1	1	.	.	3	5	4	3	.	1	12	11	159-161	159-161
.	.	.	.	.	.	1	1	.	.	.	.	2	1	165-174	165-174
.	5	9	9	1	.	3	2	2	2	.	.	5	4	175-203	175-203
.	.	.	.	.	.	18	19	12	21	5	6	42	58	—	—
.	.	.	.	.	.	.	.	2	2	2	.	1	1	204-5	204-5
5	2	4	2	.	.	11	12	13	9	.	1	22	18	—	—
5	14	12	17	7	2	32	37	20	42	7	10	94	90	—	—
1	.	1	.	.	.	4	1	5	4	3	.	19	34	—	—
21	23	57	40	18	17	154	161	121	137	22	18	206	230	—	—
1,030	1,199	2,195	2,628	899	1,220	5,612	6,614	4,728	5,421	929	1,303	11,686	12,258	—	—

**ABSTRACT VIII.—(Continued).—Northern Ireland : Deaths from Principal Causes**

(See Index to Poor Law Unions on page 69.)

International List Nos.	CAUSES OF DEATH, ETC.	CO. DOWN.—(Contd.)									
		Castlereagh R.D.		Downpatrick R.D.		Hillsborough R.D.		Kilkeel R.D.		Moira R.D.	
		M. 27	F. 38	M. 225	F. 242	M. 128	F. 138	M. 118	F. 117	M. 72	F. 94
1	Enteric Fever ...	.	.	1	1	.	.	.	.	.	.
2	Typhus ...	.	.	.	.	.	.	.	.	.	.
6	Small-pox ...	.	.	.	.	.	.	.	.	.	.
7	Measles ...	.	.	.	.	.	.	.	.	.	.
8	Scarlet Fever ...	.	.	.	.	1	.	.	.	.	.
9	Whooping-cough ...	.	.	3	2	.	.	.	2	2	3
10	Diphtheria ...	.	.	.	.	.	2	.	.	.	.
11	Influenza ...	2	1	10	15	5	2	8	5	1	5
16	Dysentery ...	.	.	.	.	.	.	.	.	.	.
23	Encephalitis Lethargica	.	.	.	.	.	.	.	.	1	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System ...	1	4	14	24	5	14	5	9	2	10
32-7	Other Tuberculosis ...	1	2	11	10	2	3	5	5	3	3
43-9	Cancer, Malignant Disease	4	7	18	23	12	13	9	8	8	5
57	Diabetes ...	.	.	2	.	1	1	1	1	.	.
74	Cerebral Haemorrhage ...	2	2	16	23	5	13	4	7	4	11
87-90	Heart Disease ...	2	5	46	41	17	20	15	21	17	21
91b	Arterial Sclerosis ...	.	.	7	3	2	.	2	.	.	.
99	Bronchitis ...	4	2	10	16	6	7	7	2	.	14
100-1	Pneumonia (all forms) ...	2	4	10	7	4	8	4	5	5	9
97-8	Other Diseases of Respiratory System ...	.	.	1	2	2	4	1	1	1	2
102-7	Ulcer of Stomach or Duodenum ...	.	.	.	2	.	.	.	1	.	.
111	Diarrhoea and Enteritis (under 2 years) ...	1	.	1	.	2	.	1	.	.	1
113	Appendicitis and Typhilitis	.	.	2	2	.	1	1	1	2	.
117	Cirrhosis of Liver ...	.	.	.	.	1	.	1	.	.	.
122	Acute and Chronic Nephritis ...	.	.	.	.	.	1	.	.	.	.
128-9	Nephritis ...	2	.	6	11	2	1	5	3	3	.
143-150	Puerperal Diseases and Accidents of Pregnancy and Childbirth ...	—	2	—	3	—	.	—	.	—	.
159-161	Congenital Malformations and Debility, Premature Birth ...	2	2	7	8	4	3	4	2	3	3
165-174	Suicide ...	.	.	3	.	5	.	1	.	.	.
175-203	Other Deaths from Violence ...	3	.	6	4	6	1	7	1	.	1
—	Other Defined Diseases ...	1	6	47	45	42	46	35	43	18	8
204-5	Causes Ill-defined or Unknown ...	.	.	3	.	2	2	2	1	1	.
Deaths under one year of age ...		4	6	18	17	6	5	7	3	5	9
,, 65 years and upwards ...		17	14	117	119	66	65	69	57	40	34
Uncertified Deaths ...		.	2	11	15	8	8	21	15	4	2
Number of Births ...		80	77	328	288	168	164	153	144	84	69
Population (Census 1926) ...		3,773	3,532	16,471	15,720	10,180	10,585	7,591	7,687	4,620	4,877

**and Uncertified Deaths by Counties and Urban and Rural Areas, 1927.**

(See Index to Poor Law Unions on page 69.)

CO. DOWN—(Contd.)				CO. FERMANAGH.								CO. DERRY.		International List Nos.
Newry No. 1 R.D.	Newtownards R.D.	Enniskillen U.D.	Enniskillen R.D.	Irvinestown R.D.	Lisnaskea R.D.	Coleraine U.D.								International List Nos.
M. 116	F. 108	M. 193	F. 232	M. 29	F. 39	M. 138	F. 130	M. 89	F. 104	M. 155	F. 176	M. 52	F. 68	
.	.	.	1	1	2	1	1	3	.	1	2	1	.	1
.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
.	.	.	.	.	.	1	.	.	.	.	.	.	.	6
1	.	.	.	.	.	1	.	1	.	.	.	.	.	7
1	1	3	1	.	.	.	.	1	.	.	.	1	.	8
1	1	.	1	.	1	1	1	.	.	1	2	.	.	9
7	7	9	10	2	3	3	2	5	2	15	6	1	4	10
.	.	.	.	.	.	.	.	.	.	1	.	.	.	11
.	.	1	.	.	.	1	.	.	.	.	.	.	.	16
.	.	.	.	.	.	.	.	.	.	.	.	.	.	23
.	.	.	.	.	.	.	.	.	.	.	.	.	.	24
7	8	17	25	.	2	11	11	5	8	9	8	1	4	31
3	3	10	5	1	.	1	.	2	3	2	2	1	3	32-7
5	9	16	22	3	6	10	5	9	11	8	15	5	10	43-9
2	2	1	3	.	.	.	.	.	.	.	.	1	2	57
3	4	12	14	2	.	5	7	6	4	5	8	4	5	74
20	12	17	31	1	6	13	14	13	15	14	24	8	8	87-90
2	3	4	2	.	1	2	.	1	.	1	.	1	.	91b
2	5	8	13	2	4	7	10	5	11	9	10	.	4	99
10	2	17	7	3	3	9	10	1	5	13	13	6	.	100-1
.	1	1	2	.	1	6	2	1	1	6	2	1	1	{ 97-8 102-7
1	3	.	.	.	.	1	.	1	1	1	.	.	.	111
1	.	.	1	.	.	.	.	.	.	1	.	.	.	113
1	.	1	.	.	.	1	1	1	.	1	.	.	.	117
.	1	.	.	.	.	.	.	1	.	.	.	.	.	122
2	10	3	6	.	.	2	1	.	4	1	.	2	.	128-9
—	.	—	1	—	.	—	2	—	1	—	5	—	.	143-150
6	5	13	7	1	.	1	.	1	3	7	6	1	3	159-161
.	.	2	.	.	.	1	.	.	.	1	.	.	.	165-174
3	38	6	2	3	2	2	2	.	3	5	4	4	1	175-203
.	28	51	77	10	8	57	52	32	29	55	64	13	23	—
.	3	2	.	.	.	4	6	2	2	.	3	1	.	204-5
11	7	21	13	5	3	5	8	3	7	11	10	4	5	—
53	57	87	115	12	17	79	68	61	54	88	99	19	31	—
21	19	7	10	2	4	40	49	28	42	64	80	.	5	—
135	124	277	263	55	53	157	157	115	125	210	183	78	88	—
6,646	6,665	14,341	14,972	2,451	2,432	9,269	8,529	7,280	6,567	11,102	10,354	3,685	4,393	—

**ABSTRACT VIII.—(Continued).—Northern Ireland: Deaths from Principal Causes**

(See Index to Poor Law Unions on page 69.)

International List Nos.	CAUSES OF DEATH, ETC.	CO. LONDONDERRY.—(Contd.)									
		Limavady U.D.		Londonderry Co. Boro'.		Portstewart U.D.		Coleraine R.D.		Limavady R.D.	
		M. 21	F. 28	M. 300	F. 343	M. 12	F. 10	M. 127	F. 140	M. 111	F. 95
	ALL CAUSES ...										
1	Enteric Fever ...	.	.	1	.	.	.	.	.	.	.
2	Typhus ...	.	.	.	1	.	.	.	.	.	.
6	Small-pox ...	.	.	.	.	.	.	.	.	.	.
7	Measles ...	.	.	12	5	.	.	.	.	.	1
8	Scarlet Fever ...	1	.	1	.	.	.	.	1	.	.
9	Whooping-cough ...	.	.	2	1	.	.	.	.	.	.
10	Diphtheria ...	.	4	1	.	.	.	.	.	1	1
11	Influenza ...	1	2	11	18	.	.	1	11	10	7
16	Dysentery ...	.	.	.	.	.	.	.	.	.	.
23	Encephalitis Lethargica ...	.	.	.	1	.	.	.	.	.	.
24	Meningococcal Meningitis ...	.	.	.	.	.	.	1	.	.	.
31	Tuberculosis of Respiratory System ...	3	1	16	26	.	.	3	7	6	9
32-7	Other Tuberculosis ...	1	1	17	9	.	.	2	4	2	2
43-9	Cancer, Malignant Disease ...	1	3	23	23	1	1	7	11	9	12
57	Diabetes ...	1	.	.	2	.	.	.	.	.	.
74	Cerebral Haemorrhage ...	1	2	15	26	.	2	11	8	9	7
87-90	Heart Disease ...	2	1	33	46	1	2	20	21	12	8
91b	Arterial Sclerosis ...	.	1	2	4	2	.	3	2	3	.
99	Bronchitis ...	1	.	18	27	.	.	3	3	2	4
100-1	Pneumonia (all forms) ...	2	.	41	36	.	.	7	7	8	6
97-8	Other Diseases of Respiratory System ...	2	.	4	.	3	.	1	.	4	.
102-7	Ulcer of Stomach or Duodenum ...	.	.	5	2	.	.	2	.	.	.
111	Diarrhoea and Enteritis (under 2 years) ...	.	1	8	13	.	.	1	1	.	.
113	Appendicitis and Typhlitis ...	.	.	2	3	.	.	1	.	1	.
117	Cirrhosis of Liver ...	.	.	1	.	.	.	.	.	.	.
122	Acute and Chronic Nephritis ...	.	1	4	6	.	.	3	5	5	4
128-9	Puerperal Diseases and Accidents of Pregnancy and Childbirth ...	—	2	—	4	—	.	—	1	—	2
143-150	Congenital Malformations and Debility, Premature Birth ...	.	1	4	6	.	.	3	5	5	4
159-161	Suicide ...	.	.	16	9	.	1	5	4	6	5
165-174	Other Deaths from Violence ...	.	.	.	.	.	.	1	.	.	.
175-203	Other Defined Diseases ...	.	2	7	9	1	.	5	3	.	1
—	Causes Ill-defined or Unknown ...	5	7	58	71	4	2	40	52	34	30
204-5	Deaths under one year of age ...	.	2	52	43	.	1	9	12	11	7
	,, 65 years and upwards ...	8	13	76	97	7	6	75	74	67	52
	Uncertified Deaths ...	.	1	5	5	.	1	16	23	22	15
	Number of Births ...	42	29	587	528	17	21	206	192	168	174
	Population (Census 1926) ...	1,318	1,483	20,785	24,374	658	1,006	9,650	9,682	7,839	7,406

**and Uncertified Deaths by Counties and Urban and Rural Areas, 1927.**

(See Index to Poor Law Unions on page 69.)

CO. LONDONDERRY. (Contd.)				CO. TYRONE.								International List Nos.		
Londonderry R.D.	Magherafelt R.D.	Cookstown U.D.	Dungannon U.D.	Omagh U.D.		Strabane U.D.		Castlederg R.D.						
M. 87	F. 93	M. 251	F. 280	M. 29	F. 29	M. 18	F. 39	M. 48	F. 39	M. 40	F. 27	M. 95	F. 86	
.	1	.	.	.	.	.	.	2	.	.	.	.	1	1
.	.	.	.	.	.	.	.	.	.	.	.	.	2	—
.	1	.	.	.	.	.	.	.	.	.	.	.	6	—
.	.	.	.	.	.	.	.	.	.	.	.	.	7	—
.	.	3	.	2	.	.	1	1	.	.	.	3	1	8
.	1	.	.	.	.	.	1	.	.	.	.	3	3	9
2	4	16	20	1	1	.	1	3	2	4	1	13	5	10
.	.	.	.	.	.	.	.	.	.	.	.	.	.	11
.	.	.	.	.	.	.	.	.	.	.	.	.	.	16
.	.	.	.	.	.	.	.	2	.	.	.	.	.	23
.	.	.	.	.	.	.	.	.	.	.	.	.	.	24
7	12	11	16	1	5	1	4	5	3	.	1	7	9	31
3	5	4	6	.	2	.	.	.	2	3	.	4	1	32-7
2	10	20	32	1	4	.	1	2	2	5	1	4	12	43-9
.	1	2	3	.	.	.	1	1	.	.	.	.	.	57
6	8	12	20	3	3	1	1	1	1	1	1	6	4	74
13	5	39	32	2	.	5	15	6	11	1	2	13	8	87-90
.	2	2	.	.	1	.	.	2	1	.	.	.	.	91b
11	5	16	15	.	2	1	.	2	1	2	4	2	5	99
7	1	15	14	6	4	7	9	3	4	5	2	7	2	100-1
.	2	1	2	1	.	.	1	.	.	.	2	1	.	{ 97-8
.	1	2	4	.	.	.	1	.	.	.	.	1	111	102-7
.	1	1	1	1	.	.	.	1	.	1	.	1	.	113
.	3	1	1	1	.	.	.	3	2	.	.	1	.	117
.	.	.	.	.	.	.	1	.	.	.	.	.	.	122
1	1	11	12	.	.	.	.	1	1	1	.	1	1	128-9
—	2	—	6	—	.	—	.	—	.	—	3	—	1	143-150
5	2	11	2	1	.	1	.	4	2	5	3	7	.	159-161
1	.	1	1	.	.	.	.	.	.	.	.	.	.	165-174
1	4	5	4	.	.	.	.	1	.	2	.	3	1	175-203
28	24	76	82	9	7	1	5	8	8	9	7	18	29	—
.	.	.	7	.	1	.	.	.	.	1	1	.	1	204-5
9	4	20	6	7	2	5	4	10	4	9	3	13	3	—
45	38	156	157	10	14	7	15	10	17	16	11	48	48	—
14	11	39	39	1	2	.	1	.	2	1	2	15	26	—
158	157	369	328	50	26	31	40	54	61	54	59	108	93	—
7,476	7,197	16,493	16,248	1,601	1,954	1,749	2,013	2,458	2,665	2,423	2,733	5,145	5,003	—

**ABSTRACT VIII.—(Continued).—Northern Ireland : Deaths from Principal Causes and Uncertified Deaths by Counties and Urban and Rural Areas, 1927.**

(See Index to Poor Law Unions on page 69.)

International List Nos.	CAUSES OF DEATH, ETC.	CO. TYRONE.—(Contd.)									
		Clogher R.D.		Cookstown R.D.		Dungannon R.D.		Omagh R.D.		Strabane R.D.	
		M. 101	F. 80	M. 116	F. 141	M. 206	F. 223	M. 226	F. 234	M. 129	F. 156
	ALL CAUSES ...										
1	Enteric Fever ...	.	.	.	.	1	.	2	.	1	.
2	Typhus ...	.	.	.	.	.	.	1	.	.	.
6	Small-pox ...	.	.	.	.	.	.	.	.	.	.
7	Measles ...	.	.	.	.	.	.	.	.	.	.
8	Scarlet Fever ...	2	3	.	1	.	.	2	5	1	3
9	Whooping-cough ...	.	.	1	.	4	4	3	4	1	2
10	Diphtheria ...	.	.	1	1	2	.	.	.	.	1
11	Influenza ...	4	6	6	16	9	10	13	12	2	8
16	Dysentery ...	.	.	.	.	.	.	.	.	.	.
23	Encephalitis Lethargica ...	.	.	.	.	.	.	.	.	.	.
24	Meningococcal Meningitis ...	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System ...	3	6	5	3	9	13	9	17	7	8
32-7	Other Tuberculosis ...	1	2	3	.	6	7	2	2	4	1
43-9	Cancer, Malignant Disease	13	7	11	7	21	16	16	10	12	18
57	Diabetes ...	.	.	.	1	1	2	4	2	4	.
74	Cerebral Haemorrhage ...	5	2	1	11	7	17	6	13	2	14
87-90	Heart Disease ...	14	7	14	19	35	52	32	30	12	12
91b	Arterial Sclerosis ...	.	.	2	.	1	.	.	.	.	.
99	Bronchitis ...	2	4	4	15	11	16	10	21	8	11
100-1	Pneumonia (all forms) ...	3	2	10	5	18	10	8	14	14	19
97-8	Other Diseases of Respiratory System ...	2	.	4	1	1	.	4	2	2	.
102-7	111 Ulcer of Stomach or Duodenum ...	2	.	1	1	4	1	5	2	.	4
113	Diarrhoea and Enteritis (under 2 years) ...	.	1	1	.	.	1	.	.	1	3
117	Appendicitis and Typhilitis ...	3	.	2	.	2	.	4	1	.	2
122	Cirrhosis of Liver ...	.	.	1	.	.	.	2	.	.	.
128-9	Acute and Chronic Nephritis ...	1	1	3	4	5	1	6	7	5	1
143-150	Puerperal Diseases and Accidents of Pregnancy and Childbirth ...	—	1	—	2	—	4	—	3	—	2
159-161	Congenital Malformations and Debility, Premature Birth ...	4	2	5	4	7	4	7	8	12	9
165-174	Suicide ...	.	.	1	1	1	.	1	1	3	.
175-203	Other Deaths from Violence ...	3	1	2	3	8	3	8	6	2	2
—	Other Defined Diseases...	37	34	38	41	51	60	77	72	33	38
204-5	Causes Ill-defined or Unknown ...	2	.	1	5	2	2	4	2	3	7
	Deaths under one year of age ...	8	6	10	11	19	11	16	20	20	17
	,, 65 years and upwards ...	54	45	61	85	99	117	133	133	55	67
	Uncertified Deaths ...	36	24	24	41	36	59	44	58	27	39
	Number of Births ...	135	107	172	151	230	232	278	285	221	182
	Population (Census 1926) ...	6,485	6,027	8,820	8,336	12,598	12,252	16,788	15,702	9,069	8,971

**ABSTRACT IX.—Northern Ireland: Deaths in Institutions, 1927.***(Not corrected for normal residence.)*

COUNTIES.	Total Number of Deaths.	Number of Persons who Died				
		In Infirmaries and General and Special Hospitals.	In Public Lunatic Asylums.	In Work-houses and Workhouse Hospitals.	In District Hospitals.	At their own Homes, etc.
NORTHERN IRELAND	18,216	1,137	344	1,837	353	14,545
ANTRIM ... ... ...	2,697	110	41	2	306	2,238
ARMAGH ... ... ...	1,857	60	31	254	.	1,512
BELFAST CO. BOROUGH ...	5,640	619	.	1,053	.	3,968
DOWN ... ... ...	3,122	172	166	135	13	2,636
FERMANAGH ... ... ...	833	24	.	91	.	718
LONDONDERRY CO. AND CO. BOROUGH ...	2,018	90	37	160	.	1,731
TYRONE ... ... ...	2,049	62	69	142	34	1,742

**ABSTRACT X.—Northern Ireland: Population (including the Armed Forces and Merchant Seamen on shore and in Port) at each of the nine Censuses, 1841-1926.**

YEAR.	PERSONS.		MALES.		FEMALES.	
	Number.	Percentage of Population of Ireland.	Number.	Percentage of Male Population of Ireland.	Number.	Percentage of Female Population of Ireland.
1841	1,648,945	20.1	799,711	19.8	849,234	20.4
1851	1,442,517	21.9	697,842	21.7	744,675	22.2
1861	1,398,453	24.1	667,935	23.5	728,518	24.6
1871	1,359,190	25.1	647,285	24.5	711,905	25.7
1881	1,304,816	25.2	620,839	24.5	683,977	25.9
1891	1,236,056	26.3	590,352	25.5	645,704	27.1
1901	1,236,952	27.7	589,955	26.8	646,997	28.6
1911	1,250,531	28.5	602,539	27.5	647,992	29.5
1926	1,256,561	29.7	608,088	28.8	648,473	30.7

**ABSTRACT XI.—Northern Ireland: Estimated Population in the middle of each of the years 1911-27.**

Middle of the Years.	ESTIMATED POPULATION.			Middle of the Years.	ESTIMATED POPULATION.		
	Persons.	Males.	Females.		Persons.	Males.	Females.
1911	1,249,000	601,000	648,000	1920	1,258,000	612,000	646,000
1912	1,248,000	601,000	647,000	1921	1,258,000	610,000	648,000
1913	1,243,000	598,000	645,000	1922	1,269,000	619,000	650,000
1914	1,242,000	598,000	644,000	1923	1,259,000	609,000	650,000
1915	1,210,000	565,000	645,000	1924	1,258,000	608,000	650,000
1916	1,205,000	559,000	646,000	1925	1,257,000	608,000	649,000
1917	1,208,000	562,000	646,000	1926	1,254,000	607,000	647,000
1918	1,214,000	566,000	648,000	1927	1,251,000	605,000	646,000
1919	1,250,000	605,000	645,000				

NOTE.—The populations include the military serving in Northern Ireland.

**ABSTRACT XII.—Northern Ireland: Ages of the Population according to the Census of 1926.**

AGES	Persons	Males	Females	AGES	Persons	Males	Females	AGES	Persons	Males	Females
Under 1 yr.	25,074	12,850	12,224	20-25	109,229	52,516	56,713	60-65	43,489	21,284	22,205
1- 2	24,498	12,508	11,990	25-30	98,991	45,866	53,125	65-70	39,052	18,773	20,279
2- 3	25,832	13,150	12,682	30-35	82,294	38,017	44,277	70-75	31,620	13,764	17,856
3- 4	25,802	13,095	12,707	35-40	76,379	35,317	41,062	75-80	17,581	7,542	10,038
4- 5	26,573	13,380	13,193	40-45	70,026	32,749	37,277	80-85	8,787	3,673	5,114
5-10	116,937	59,350	57,587	45-50	70,040	33,478	36,562	85-90	3,652	1,504	2,148
10-15	119,689	60,325	59,364	50-55	65,595	32,279	33,316	90-95	880	356	524
15-20	119,879	59,411	60,468	55-60	54,418	26,803	27,615	95 up	244	98	146
								ALL AGES	1,256,561	608,088	648,473

**INDEX to Poor Law Unions or Superintendent Registrars' Districts.**

(C.B. = County Borough, M.B. = Municipal Borough, U.D. = Urban County District,  
R.D. = Rural County District, M.D.D. = Medical Dispensary or Registrar's District.)

Union or Superintendent Registrar's District.	Urban and Rural Districts contained in the Union.	Union or Superintendent Registrar's District.	Urban and Rural Districts contained in the Union.
ANTRIM ...	Ballyclare ... U.D. Antrim ... R.D.	KILKEEL ...	Newcastle ... U.D. Kilkeel ... R.D.
ARMAGH ...	Armagh ... U.D. Keady ... U.D. Armagh ... R.D.	LARNE ...	Carrickfergus ... U.D. Larne ... U.D. Whitehead ... U.D. Larne ... R.D.
BALLYCASTLE	Ballycastle ... U.D. Ballycastle ... R.D.	LIMAVADY ...	Limavady ... U.D. Limavady ... R.D.
BALLYMENA	Ballymena ... U.D. Ballymena ... R.D.	*LISBURN ...	Lisburn ... U.D. Lisburn ... R.D.
BALLYMONEY	Ballymoney ... U.D. Portrush ... U.D. Ballymoney ... R.D.		(excepting Aghalee M.D.D.) Hillsborough ... R.D.
BANBRIDGE	Banbridge ... U.D. Dromore ... U.D. Tanderagee ... U.D. Banbridge ... R.D. Tanderagee ... R.D.	LISNASKEA ...	Lisnaska ... R.D.
BELFAST ...	Belfast ... C.B. Holywood ... U.D. Belfast ... R.D. Castlereagh ... R.D.	LONDONDERRY ...	Londonderry ... C.B. Londonderry ... R.D.
CASTLEDERG	Castlederg ... R.D.	*LURGAN ...	Lurgan ... U.D. Portadown ... U.D. Lurgan ... R.D. Lisburn ... R.D. (part of, comprising Aghalee M.D.D.) Moira ... R.D.
CLOGHER	Clogher ... R.D.	MAGHERAFELT ...	Magherafelt ... R.D.
COLERAINE	Coleraine ... U.D. Portstewart ... U.D. Coleraine ... R.D.	NEWRY ...	Newry ... U.D. Warrenpoint ... U.D. Newry No. 1 ... R.D. Newry No. 2 ... R.D.
COOKSTOWN	Cookstown ... U.D. Cookstown ... R.D.	NEWTOWNARDS ...	Bangor ... M.B. Donaghadee ... U.D. Newtownards ... U.D. Newtownards ... R.D.
DOWNPATRICK	Downpatrick ... U.D. Downpatrick ... R.D.	*OMAGH ...	Omagh ... U.D. Omagh ... R.D. (excepting Trillick M.D.D.)
DUNGANNON	Dungannon ... U.D. Dungannon ... R.D.	STRABANE	Strabane ... U.D. Strabane ... R.D.
ENNISKILLEN	Enniskillen ... U.D. Enniskillen ... R.D.		
*IRVINESTOWN	Irvinestown ... R.D. Omagh ... R.D. (part of, comprising Trillick M.D.D.)		

\* It is not possible to compile the numbers of births or deaths for these four Unions, since they do not contain complete Rural Districts.

