

PARLIAMENT OF NORTHERN IRELAND

Forty-seventh
Annual Report of
the Registrar General
1968

Presented pursuant to
Section 56 of the Marriages (Ireland) Act, 1844
Section 16 of the Registration of Marriages (Ireland) Act, 1863
Section 49 of the Registration of Births and Deaths (Ireland) Act, 1863

Ordered by The House of Commons to be Printed
1st July 1969

BELFAST
HER MAJESTY'S STATIONERY OFFICE
PRICE £1 5s 6d [£1.27½p] NET
H.C. 1983

General Register Office
Fermanagh House
Ormeau Avenue
Belfast BT2 8HX
26th June 1969

To THE RIGHT HONOURABLE
HERBERT V. KIRK, B.COM.SC., F.C.A.,
J.P., M.P.,
Minister of Finance for Northern Ireland

Sir,

I have the honour to submit the Forty-seventh Annual Report on the Births, Still-births, Deaths, and Marriages registered in Northern Ireland, together with Abstracts of the particulars of such registrations. The Report relates to the year ended 31st December 1968. The Abstracts have been prepared for presentation to Parliament, pursuant to the provisions of statutes governing the registration system. The Report draws attention to the salient features of the vital statistics contained in the Abstracts, and information is given relating to notification of infectious diseases, congenital abnormalities, migration and the weather.

I have the honour to be, Sir,

Your obedient Servant,

J. Y. MALLEY,
Registrar General of Births, Deaths, and
Marriages for Northern Ireland

TABLE OF CONTENTS

TEXT	
	<i>Page</i>
GENERAL NOTES	8
SUMMARY	9
SERIAL STATISTICS FOR NORTHERN IRELAND	10
COMPARATIVE STATISTICS, NORTHERN IRELAND, ENGLAND AND WALES, SCOTLAND AND THE IRISH REPUBLIC	11
POPULATION	12
MARRIAGES	
Number and rate	13
Ages at marriage	13
Method of celebration	13
LIVE BIRTHS	
Number and rate	15
Proportion of males to females	17
Illegitimate births	17
Multiple births	17
STILL-BIRTHS	
Number and rate	18
DEATHS	
Number and rate	20
Area mortality comparisons	22
Deaths in hospitals	22
Cause of death	22
Proportion of deaths from the principal causes	22
Deaths from the principal epidemic diseases	23
Influenza	24
Tuberculosis	24
Cancer	25
Cerebral haemorrhage, etc.	27
Heart diseases	27
Bronchitis	28
Pneumonia	28
Pregnancy and childbirth	28
Infant mortality	31
Neonatal mortality	31
Perinatal deaths	33
Mortality among illegitimate children	34
Violent deaths	35
CERTIFICATION OF DEATHS	38
LIFE TABLE	38
CONGENITAL MALFORMATIONS	40
.Migrations	41
METEOROLOGY	42
ADMINISTRATION	
Introductory	46
Buildings licensed or registered for marriages	46
State of registration	46
Legitimacy Acts (N.I.), 1928 to 1961	46
Adoption of Children Act (N.I.), 1950	46
Searches and certificates	46
Verifications	47

ABSTRACTS

Abbreviations:—N.I.=Northern Ireland; Urb/Rur.=administrative urban and rural aggregates; Co.=county; C.B.=county borough; A.A.=administrative area of county.

<i>Abstract</i>	<i>Subject of abstract</i>	<i>Area for which statistics are given</i>	<i>Page</i>
1	Ages of the population according to the 1966 census	N.I., C.B.'s, Co.'s.	51
2	Marriages, by month of registration, 1968	N.I., C.B.'s, Co.'s.	52
3	Conjugal condition of persons contracting marriages, 1968	N.I., C.B.'s, Co.'s	52
4	Ages of men at marriage, 1968	N.I., C.B.'s, Co.'s.	53
5	Ages of women at marriage, 1968	N.I., C.B.'s, Co.'s.	53
6	Ages and conjugal conditions of persons married, 1968	N.I.	54
7	Ages in combination of men and women at marriage, 1968	N.I.	58
8	Live births, by sex, by quarters, 1968	N.I., C.B.'s, Co.'s.	59
9	Deaths, by sex, by quarters, 1968	N.I., C.B.'s, Co.'s.	59
10	Still-births, by sex, cause and period of gestation, 1968	N.I.	60
11	Details of births, still-births and deaths, by sex, in each administrative area, 1968, showing 1966 census population	C.B.'s, Co.'s, A.A.	62
12	Causes of death at different age-periods by detailed list numbers, 1968	N.I.	70
13	Deaths, by month of registration, by abbreviated list numbers, 1968	N.I.	148
14	Deaths, by sex at each year of age, by conjugal condition, 1968	N.I.	150
15A	Deaths, by sex and age-groups, by abbreviated list numbers, 1968	N.I.	152
15B	Distribution of deaths by cause per 1,000 deaths in certain age groups, by sex, 1968	N.I.	156
15C	Death rates per million living by sex and age, from principal cause, 1968	N.I.	158
16	Death rates, by sex and age-groups, 1926, 1937, 1949-1968	N.I.	160
17	Causes of death, by sex and age-periods, by abbreviated list numbers, 1968, and standardised mortality ratios	N.I., Urb/Rur., C.B.'s, Co.'s.	161
18	Deaths and death rates, at different age-periods, 1968	N.I.	184

<i>Abstract</i>	<i>Subject of abstract</i>	<i>Area for which statistics are given</i>	<i>Page</i>
19	Deaths from violent causes, by nature of injury, external cause, and sex 1968	N.I.	185
20	Deaths from non-transport accidents by age and sex, (a) by place of occurrence (b) while working, 1968	N.I.	186
21	Deaths from cancer, by sex and site, 1968	C.B.'s, Co.'s.	188
22	Infant mortality, by sex and age, 1965-1968	N.I., Urb/Rur., C.B.'s, Co.'s.	189
23	Illegitimate infant mortality, by sex and age, 1965-1968	N.I., Urb/Rur., C.B.'s, Co.'s.	189
24	Infant mortality, by cause, age and sex, also illegitimate infant mortality, by cause, 1968	N.I.	190
25	Infant mortality, by cause, sex and month of registration, 1968	N.I.	196
26	Nature of congenital malformations, by sex, type of birth and number of other children born to mother, 1968	N.I.	198
27	Nature of congenital malformations, by age of mother, 1968	N.I.	200
28	Children born (live and still) with congenital malformations, by sex, age of mother and number of other children born to mother, 1968	N.I.	203
29	Nature of congenital malformations, by month of birth, 1968	N.I.	204
30	Nature of congenital malformations, 1968	N.I., C.B.'s, Co.'s.	205
31A } 31B }	Notifications of certain infectious diseases, 1968	N.I., C.B.'s, Co.'s. A.A.'s.	206

DIAGRAMS

(Rates shown for Northern Ireland, England and Wales, Scotland and the Irish Republic.)

		<i>Page</i>
1	Marriage rates per 1,000 population	14
2	Live birth rates per 1,000 population	16
3	Death rates per 1,000 population	21
4	Death rates from cancer per 100,000 population	26
5	Maternal mortality rates per 1,000 live births	30
6	Infant mortality rates per 1,000 live births	32

GENERAL NOTES

The figures contained in this Report may be regarded as superseding the provisional figures already published for the year 1968 in the Registrar General's weekly and quarterly returns.

The value of the statistical information concerning deaths contained in the Registrar General's Annual Reports and other publications is to a large extent dependent on the degree of care and accuracy with which the members of the medical profession enter the required particulars on the form of medical certificate of the cause of death.

Throughout the Report, births and deaths have been recorded according to date of registration and not to date of occurrence. They have also been allocated to the district of normal residence, if in Northern Ireland, births having been assigned to the districts containing the normal residence of the parents, and deaths to the districts containing the normal residence of the deceased persons. Events occurring in Northern Ireland relating to persons whose normal residence is outside Northern Ireland have been assigned to the district of occurrence.

Rates are assessed per 1,000 of the estimated home population as at the 30th June unless otherwise stated. Marriage rates relate to the number of marriages solemnised, not to the number of persons married.

Comparisons with rates (births, deaths, etc.) recorded in other parts of the British Isles are included in several tables and diagrams. These comparisons are substantially correct but it should be remembered that (with the exception of Diagram 3) they are crude rates only and take no account of changes in or differences between the age and sex structure of the populations.

Generally speaking, the classifications adopted for the purposes of this Report are the Detailed and Abbreviated Lists contained in the "Manual of the International Statistical Classification of Diseases, Injuries and Causes of Death, 1965."

The term cancer, where used, refers to all malignant neoplasms and neoplasms of the lymphatic and haematopoietic tissues, except Hodgkin's disease, leukaemia and aleukaemia (I.S.C. Nos. 201, 204-207).

Where more than one cause of death is reported, the death is classified according to the underlying cause, i.e. the disease or injury which initiated the train of morbid events leading directly to death. This method of classification is followed even if the deceased may have recovered from the underlying cause long before the date of death.

In the text and tables the term "neonatal mortality" relates to deaths of children under 4 weeks of age and the term "infant mortality" to deaths of all children (including neonatal) under 1 year of age. Perinatal deaths are deaths of infants under one week plus still-births.

In general in the tables and abstracts, dots (·) are used to indicate "none", and dashes (—) are used to indicate that information cannot be given or that the headings are not applicable.

REPORT 1968

SUMMARY

The rates for marriage and deaths were higher and the rates for live and still-births lower than in 1967.

The following figures indicate the general trend of marriages, births and deaths over the past thirty years. More detailed comparisons will be found in Tables A and A1.

		1938	1958	1967	1968
Estimated population		1,286,000	1,402,300	1,491,000	1,502,000
Marriages	Number	8,617	9,257	10,924	11,240
	Rate	6.7	6.6	7.3	7.5
Live births	Number	25,742	30,301	33,415	33,173
	Rate	20.0	21.6	22.4	22.1
Illegitimate live births	Number	1,150	709	1,205	1,245
Still-births	Number	*	*	594	541
	Rate†	*	*	17	16
Deaths	Number	17,649	15,132	14,671	15,933
	Rate	13.7	10.8	9.8	10.6
Perinatal	Number	*	*	1,066	992
	Rate†	*	*	31	29
Neo-natal	Number	897	579	545	522
	Rate‡	35	19	16	16
Infant	Number	1,933	850	785	796
	Rate‡	75	28	23	24
Maternal	Number	137	17	8	9
	Rate	5.32‡	0.6	0.2†	0.3†
Deaths from					
Heart disease (all forms)		3,618	5,452	5,459	5,707
Cerebral haemorrhage etc.		1,357	2,149	2,077	2,324
Cancer (all sites)		1,700	2,253	2,346	2,672
Lung cancer		79§	314	474	525
Road vehicle accidents (E810-845)		*	158	228	224
Accidents in the home		*	172	115	151
Other violent causes		530	152	230	264
Inquests held		505	696	545	564

*Not available. †Rate per 1,000 births (live and still). ‡Rate per 1,000 live births. §Including larynx.
||All violent deaths.

TABLE A. Northern Ireland: Population, marriages, live births and deaths, 1956-1968, with quinquennial averages from 1911.

YEAR	Estimated mid-year population	Marriages	Live births (total)	Illegitimate live births	Deaths	Deaths of infants under 1 year of age	Still-Births
1911-15	1,238,000	7,535	29,675	1,296	21,929	3,030	—
1916-20	1,227,000	8,250	27,560	1,258	22,128	2,620	—
1921-25	1,260,000	7,873	29,104	1,248	19,594	2,392	—
1926-30	1,246,000	7,328	26,418	1,249	18,403	2,083	—
1931-35	1,258,000	7,806	25,098	1,259	18,026	1,966	—
1936-40	1,287,000	9,073	25,533	1,178	18,369	1,970	—
1941-45	1,304,000*	10,751	29,592	1,560	17,478*	2,169	—
1946-50	1,350,000*	9,396	29,764	1,124	16,039*	1,423	—
1951-55	1,383,000	9,359	28,798	838	15,557	1,054	—
1956	1,396,600	9,359	29,489	790	14,858	850	—
1957	1,398,500	9,391	30,108	731	15,187	869	—
1958	1,402,300	9,257	30,301	709	15,132	850	—
1959	1,407,700	9,610	30,809	744	15,403	875	—
1960	1,419,800	9,881	31,989	815	15,296	870	—
1956-60	1,405,000	9,500	30,539	758	15,175	863	—
1961	1,427,400	9,861	31,915	786	16,108	877	727
1962	1,435,400	9,842	32,565	774	15,226	864	745
1963	1,446,000	10,155	33,414	879	15,899	902	663
1964	1,458,000	10,614	34,345	1,015	15,354	904	680
1965	1,469,000	10,452	33,890	995	15,551	849	660
1961-65	1,447,000	10,185	33,226	890	15,628	879	695
1966	1,478,000	10,735	33,228	1,028	16,441	849	550
1967	1,491,000	10,924	33,415	1,205	14,671	785	594
1968	1,502,000	11,240	33,173	1,245	15,933	796	541

TABLE A1. Northern Ireland: Annual marriage, birth and death rates and death rates of infants under 1 year per 1,000 live births, 1956-1968 with quinquennial averages from 1911.

YEAR	Rates per 1,000 of estimated population			Illegitimate live births per cent. of total live births	Death rates of infants under 1 year of age per 1,000 live births	Still-birth rates per 1,000 births (live and still)
	Marriages	Live births	Deaths			
1911-15	6.1	24.0	17.7	4.37	102	—
1916-20	6.7	22.5	18.0	4.56	95	—
1921-25	6.3	23.1	15.6	4.29	82	—
1926-30	5.9	21.2	14.8	4.73	79	—
1931-35	6.2	20.0	14.3	5.02	78	—
1936-40	7.1	19.8	14.3	4.61	77	—
1941-45	8.2	22.7	13.4*	5.27	73	—
1946-50	7.0	22.0	11.9*	3.78	48	—
1951-55	6.8	20.8	11.3	2.91	37	—
1956	6.7	21.1	10.6	2.68	29	—
1957	6.7	21.5	10.9	2.43	29	—
1958	6.6	21.6	10.8	2.34	28	—
1959	6.8	21.9	10.9	2.41	28	—
1960	7.0	22.5	10.8	2.55	27	—
1956-60	6.8	21.7	10.8	2.48	28	—
1961	6.9	22.4	11.3	2.46	27	22
1962	6.9	22.7	10.6	2.38	27	22
1963	7.0	23.1	11.0	2.63	27	19
1964	7.3	23.6	10.5	2.96	26	19
1965	7.1	23.1	10.6	2.94	25	19
1961-65	7.0	23.0	10.8	2.67	26	20
1966	7.3	22.5	11.1	3.09	26	16
1967	7.3	22.4	9.8	3.61	23	17
1968	7.5	22.1	10.6	3.75	24	16

*Statistics of population and deaths for the years 1941-49 relate to civilians only.

TABLE B. Comparative statistics for Northern Ireland, England and Wales, Scotland, and the Irish Republic, 1926, 1937, 1951, 1961, 1964-1968.

MARRIAGE RATES PER 1,000 OF POPULATION					
Years	Northern Ireland	England and Wales	Scotland	Irish Republic	
1926	5.8	7.2	6.4		4.6
1937	6.7	8.8	7.7		5.0
1951	6.9	8.2	8.1		5.4
1961	6.9	7.5	7.8		5.4
1964	7.3	7.6	7.7		5.7
1965	7.1	7.8	7.8		5.9
1966	7.3	8.0	8.1		5.8
1967	7.3	8.0	8.1		6.1
1968	7.5	8.4*	8.4*		6.5*

LIVE BIRTH RATES PER 1,000 OF POPULATION					
Years	Northern Ireland	England and Wales	Scotland	Irish Republic	
1926	22.5	17.8	21.1		20.6
1937	19.8	14.9	17.6		19.2
1951	20.7	15.4	17.7		21.2
1961	22.4	17.6	19.5		21.2
1964	23.6	18.4	20.0		22.4
1965	23.1	18.1	19.3		22.3
1966	22.5	17.7	18.6		21.6
1967	22.4	17.2	18.6		21.1
1968	22.1	16.9*	17.4*		21.0*

DEATH RATES PER 1,000 OF POPULATION					
Years	Northern Ireland	England and Wales	Scotland	Irish Republic	
1926	15.0	11.6	13.1		14.1
1937	15.1	12.4	13.9		15.3
1951	12.8	12.5	12.9		14.3
1961	11.3	12.0	12.3		12.3
1964	10.5	11.3	11.7		11.4
1965	10.6	11.5	12.1		11.5
1966	11.1	11.7	12.3		12.1
1967	9.8	11.2	11.5		10.8
1968	10.6	11.9*	12.2*		11.4*

PERINATAL, NEONATAL, AND INFANT MORTALITY RATES											
Years	Northern Ireland			England and Wales			Scotland			Irish Republic	
	†Peri-natal	§Neo-natal	§Infant	†Peri-natal	§Neo-natal	§Infant	†Peri-natal	§Neo-natal	§Infant	§Neonatal	§Infant
1926	—	34	85	—	32	70	—	36	83	27	74
1937	—	36	77	60	30	58	—	38	80	30	73
1951	—	25	41	38	19	30	44	22	37	25	46
1961	38	19	27	32	15	21	36	18	26	21	31
1964	35	18	26	28	14	20	32	16	24	17	27
1965	35	18	25	27	13	19	31	16	23	17	25
1966	31	17	26	26	13	19	29	15	23	16	25
1967	31	16	23	25	13	18	27	14	21	16	24
1968	29	16	24	25*	12*	18*	26*	13*	21*	14*	21*

*Provisional.

†Per 1,000 births (live and still)

§ Per 1,000 live births.

POPULATION

The population of Northern Ireland estimated as at 30th June, 1968 was 1,502,000 persons, an increase of 11,000 over the mid 1967 figure. This estimate, comprising civilians and members of H.M. Forces stationed in Northern Ireland, is based on the census taken on 9th October, 1966 (1,484,775 persons) revised to allow for natural increase and net migration. During the year ended 30th June, 1968, the natural increase of 17,300 (approx.) was off-set by net migration of 7,000 (approx.) Further details regarding migration are shown on page 41.

TABLE C. Populations of counties, county boroughs and urban and rural areas as recorded at the censuses of 1901, 1926, 1951 and 1966, and as estimated at mid-year 1968.

AREA	Census 1901	Census 1926	Census 1951	Census 1966	Mid-year estimate 1968
Northern Ireland . . .	1,236,952	1,256,561	1,370,921	1,484,775	1,502,000
Total urban areas . . .	530,576	637,719	728,297	789,881	800,180
Total rural areas . . .	706,376	618,842	642,624	694,894	701,820
Belfast County Borough .	349,180	415,151	443,671	398,405	390,700
Londonderry County Borough .	39,892	45,159	50,092	55,694	55,100
Counties:					
Antrim . . .	196,090	191,643	231,149	313,991	326,400
Armagh . . .	125,392	110,070	114,254	125,164	127,000
Down . . .	205,889	209,228	241,181	286,631	295,300
Fermanagh . . .	65,430	57,984	53,044	49,886	50,100
Londonderry† . . .	104,512	94,534	105,448	118,964	121,300
Tyrone . . .	150,567	132,792	132,082	136,040	136,100

†Excluding County Borough.

N.B.—1966 Census figures by administrative areas are given in Abstract 11.

TABLE C1. Northern Ireland: Sex and age distribution of home population as estimated at 30th June, 1968 and percentage of total population in each age-group.

Age-group	Persons	%	Males	%	Females	%
Years						
0-14	449,000	29.9	231,100	31.5	217,900	28.4
15-64	893,700	59.5	435,900	59.6	457,800	59.4
65+	159,300	10.6	65,600	8.9	93,700	12.2
0-4	162,100	10.8	83,700	11.4	78,400	10.2
5-9	151,400	10.1	77,900	10.6	73,500	9.6
10-14	135,500	9.0	69,500	9.5	66,000	8.6
15-19	125,800	8.4	63,900	8.7	61,900	8.0
20-24	108,500	7.2	53,300	7.3	55,200	7.2
25-29	89,800	6.0	44,100	6.0	45,700	5.9
30-34	84,300	5.6	41,700	5.7	42,600	5.5
35-39	83,800	5.6	40,700	5.6	43,100	5.6
40-44	85,700	5.7	41,500	5.7	44,200	5.7
45-49	87,800	5.8	42,900	5.9	44,900	5.8
50-54	79,200	5.3	38,100	5.2	41,100	5.4
55-59	79,100	5.3	37,800	5.2	41,300	5.4
60-64	69,700	4.6	31,900	4.3	37,800	4.9
65-69	58,900	3.9	25,800	3.5	33,100	4.3
70-74	44,800	3.0	18,500	2.5	26,300	3.4
75-79	29,200	1.9	11,600	1.6	17,600	2.3
80-84	16,600	1.1	6,200	0.8	10,400	1.4
85+	9,800	0.7	3,500	0.5	6,300	0.8
TOTALS	1,502,000	100.0	732,600	100.0	769,400	100.0

The 1966 Census population by age and sex for Northern Ireland and for counties and county boroughs is given in Abstract 1.

MARRIAGES

Number and rate Marriages registered during the year numbered 11,240 giving a rate of 7.48 per 1,000 population. The corresponding number and rate for 1967 were 10,924 and 7.33 respectively. In 10,688 (95.1 per cent.) of the total marriages both contracting parties were single; in 384 (3.4 per cent.) one or both were widowed and in 204 (1.8 per cent.) one or both were divorced. Of every 1,000 persons married, 10 were previously divorced. This rate is one above that for 1967; comparative rates for the years 1958 and 1948 were 7 and 10 respectively. Further details are given in Abstracts 3 and 6.

The number of marriages celebrated in each month in 1968 was as follows:

January	482	April	819	July	1,157	October	1,015
February	745	May	405	August	1,330	November	564
March	1,428	June	1,004	September	1,599	December	692
Qtrs.: 1st	2,655	2nd	2,228	3rd	4,086	4th	2,271

This shows that the period July to September was the most popular quarter for weddings, September heading the monthly totals with 1,599. As usual, May was the least popular month.

Ages at marriage Although the most popular age for marriage was 23 years for men and 21 years for women, the arithmetical average age of men marrying in 1968 was 26.2 and of women 23.8. During 1967 this age was 26.5 among men and 23.9 among women. In 1958, the average age was 28.7 for men and 25.6 for women. The mean age at marriage of persons marrying for the first time in 1968 was 25.3 years for men and 23.2 years for women. Of the contracting parties 12.6 per cent. of the husbands and 30.6 per cent. of the wives were minors, the relative figures for 1958 being 8.0 per cent. and 23.7 per cent. Further statistics will be found in Abstracts 4, 5, 6 and 7.

Method of celebration Table D shows the marriages registered during the years 1927, 1937, 1951 and 1961 to 1968 according to the form of celebration and Table D1 gives further details of marriages in 1968.

Marriages taking place in registrars' offices in the year under review represented 4.6 per cent. of the total marriages as compared with 4.3 in the previous year.

TABLE D. Northern Ireland: Marriages registered according to form of celebration, 1927, 1937, 1951, 1961-1968.

YEAR	Roman Catholic	Presbyterian	Church of Ireland	Methodist	Other denominations	In Registrars' Offices	Total marriages registered	Total marriage rate per 1,000 of estimated population
1927	2,091	2,074	2,150	235	237	388	7,175	5.74
1937	2,396	2,473	2,426	426	255	647	8,623	6.73
1951	2,723	2,975	2,270	446	306	694	9,414	6.86
1961	3,285	2,942	2,258	517	339	520	9,861	6.91
1962	3,249	2,987	2,285	486	354	481	9,842	6.86
1963	3,405	3,031	2,247	534	381	557	10,155	7.02
1964	3,672	3,130	2,343	522	294	653	10,614	7.28
1965	3,574	3,165	2,264	533	369	547	10,452	7.12
1966	3,707	3,207	2,338	582	356	545	10,735	7.26
1967	3,913	3,204	2,328	566	444	469	10,924	7.33
1968	4,107	3,178	2,410	587	438	520	11,240	7.48

DIAGRAM 1. Marriage rates (crude) in Northern Ireland, England and Wales, Scotland and the Irish Republic, 1940-68.
Rate per 1,000 population.




TABLE D1. Northern Ireland: Marriages registered by area and method of celebration, 1968.

AREA	Total Marriages	Roman Catholic	Presbyterian		Church of Ireland		Methodist		In Registrars' Offices		Other denominations	
			By Licence	By Special Licence	After Banns	By Licence	By Special Licence	By Licence or Certificate	By Special Licence	By Licence or Certificate	By Special Licence	By Special Licence
Northern Ireland	11,240	4,107	3,114	64	54	2,336	20	523	64	520	417	21
Belfast Co. Boro'	3,545	1,120	935	21	15	700	7	249	30	262	202	4
L'derry Co. Boro'	471	355	55	1	2	37	1	10	1	7	2	.
Antrim	2,286	642	815	17	8	434	3	106	17	137	105	2
Armagh	852	396	137	2	.	227	3	43	1	14	28	1
Down	2,013	627	704	14	20	441	3	67	13	56	58	10
Fermanagh	319	145	13	.	7	115	.	27	.	9	3	.
*Londonderry	784	315	255	8	2	168	1	4	.	18	10	3
Tyrone	970	507	200	1	.	214	2	17	2	17	9	1

*Excluding Co. Borough.

LIVE BIRTHS

Number and rate Live births registered during 1968 numbered 33,173, 242 fewer than in 1967. The birth rate was 22.1 per 1,000 of the estimated population, being 0.3 below the rate for 1967. For the thirteenth year in succession it was higher than in any other country of the British Isles.

The monthly incidence of births was as follows:

January	. 3,155	April	. 2,833	July	. 2,971	October	. 2,900
February	. 2,570	May	. 2,965	August	. 2,867	November	. 2,494
March	. 2,837	June	. 2,650	September	. 2,615	December	. 2,316
Qtrs.: 1st	. 8,562	2nd .	. 8,448	3rd .	. 8,453	4th .	. 7,710


Compared with 1967, the first and third quarters showed increases of 278 and 16 respectively whilst the second and fourth quarters showed decreases of 528 and 8 respectively.

TABLE E. Northern Ireland: Live births, numbers and rates by area, 1965-1968.

AREA	Number				Rate per 1,000 of the population			
	1965	1966	1967	1968	1965	1966	1967	1968
Northern Ireland	33,890	33,228	33,415	33,173	23.1	22.5	22.4	22.1
All urban areas	18,000	17,607	17,697	17,516	22.9	22.4	22.2	21.9
All rural areas	15,890	15,621	15,718	15,657	23.3	22.6	22.7	22.3
Belfast County Borough	8,447	8,316	7,997	7,630	20.8	20.6	20.1	19.2
Londonderry County Borough	1,677	1,578	1,531	1,493	29.8	28.7	27.5	27.1
County Antrim	7,447	7,301	7,628	7,680	25.0	23.9	24.0	23.5
County Armagh	3,042	2,956	2,896	2,985	25.0	24.1	23.0	23.5
County Down	5,799	5,795	6,029	5,978	20.6	20.4	20.9	20.2
County Fermanagh	1,058	967	992	1,011	20.6	18.7	20.0	20.2
*County Londonderry	3,072	3,032	3,086	3,099	26.2	25.4	25.7	25.5
County Tyrone	3,348	3,283	3,256	3,297	24.4	24.1	24.0	24.2

*Excluding County Borough.

DIAGRAM 2. Birth rates (crude) in Northern Ireland, England and Wales, Scotland and the Irish Republic, 1940-68.
Rate per 1,000 population.



Births registered during 1968, where the normal residence of the parents was outside Northern Ireland, numbered 310 as compared with 285 in 1967. In 165 cases an address in the Irish Republic was given, and of these, 96 births occurred in hospitals: the 1967 figures were 113 and 56 respectively. In 11 cases the parents were itinerants having no fixed abode and all of these births took place in hospitals.

Proportion of males to females Births of males in Northern Ireland in 1968 numbered 17,151 and those of females 16,022, the proportion of male to female births being 1,070 to 1,000. The corresponding proportions for each of the five years 1963-67 were 1,077, 1,053, 1,094, 1,090 and 1,057 respectively.

Illegitimate births The number of illegitimate births was 1,245. This was 40 more than in 1967. The proportion to total live births (3.75 per cent.) was 0.14 above that for the previous year. In England and Wales, Scotland and the Irish Republic, the illegitimate births as percentages of the total live births in the year 1968 were (provisionally) 8.5, 7.4 and 2.6 respectively.

TABLE E1. *Northern Ireland: Illegitimate live births by area, 1965-68.*

AREA	Number of illegitimate births				Illegitimate births as percentage of total live births			
	1965	1966	1967	1968	1965	1966	1967	1968
Northern Ireland . .	995	1,028	1,205	1,245	2.9	3.1	3.6	3.8
All urban areas . .	538	567	695	700	3.0	3.2	3.9	4.0
All rural areas . .	457	461	510	545	2.9	3.0	3.2	3.5
Belfast County Borough .	299	286	352	386	3.5	3.4	4.4	5.1
<i>Londonderry County</i> Borough . .	43	38	52	57	2.6	2.4	3.4	3.8
County Antrim . .	190	221	258	255	2.6	3.0	3.4	3.3
County Armagh . .	81	78	94	82	2.7	2.6	3.2	2.7
County Down . .	138	151	180	168	2.4	2.6	3.0	2.8
County Fermanagh . .	23	40	35	50	2.2	4.1	3.5	4.9
*County Londonderry . .	126	121	110	122	4.1	4.0	3.6	3.9
County Tyrone . .	95	93	124	125	2.8	2.8	3.8	3.8

*Excluding County Borough

Multiple births Up to and including 1960, the birth of one live and one still-born infant was regarded as a single birth and the birth of two live infants and one still-born infant as a twin birth. Since 1961 still-births have been registered and these are now being taken into account to obtain accurate figures for single and multiple births. Of the 33,173 live births, 32,472 were the product of single pregnancies, 686 of twin pregnancies and 15 of triple pregnancies. Table E2 gives the multiplicity of all births.

TABLE E2. *Northern Ireland: Multiple births, 1968.*

Pregnancy	Product	Confinements	Live births	Still-births
Single	1 live born	32,472	32,472	—
"	1 still-born	525	—	525
Twin	2 live born	338	676	—
"	1 live born, 1 still-born	10	10	10
"	2 still-born	3	—	6
Triple	3 live born	5	15	—
"	2 live born, 1 still-born
"	1 live born, 2 still-born
"	3 still-born	—	.
	TOTALS	33,353	33,173	541

STILL-BIRTHS

Number and rate The number of still-births registered in 1968 was 541 giving a rate of 16 per 1,000 births (live and still). The relative numbers and rates for the period 1965-1968 are shown in Table F. Comparative 1968 figures in England and Wales and Scotland were 11,848 and 14 and 1,425 and 15 respectively. Still-birth registration is not in operation in the Irish Republic.

TABLE F. *Northern Ireland: Still-births and rates per 1,000 births (live and still) by area 1965-1968.*

AREA	Number of still-births				Rate per 1,000 live and still-births			
	1965	1966	1967	1968	1965	1966	1967	1968
Northern Ireland . .	660	550	594	541	19	16	17	16
All urban areas . .	341	325	334	311	19	18	19	17
All rural areas . .	319	225	260	230	20	14	16	14
Belfast County Borough	150	164	156	160	17	19	19	21
Londonderry County Borough . .	44	46	31	23	26	28	20	15
County Antrim . .	137	99	135	107	18	13	17	14
County Armagh . .	61	40	47	39	20	13	16	13
County Down . .	131	92	112	106	22	16	18	17
County Fermanagh . .	20	20	18	12	19	20	18	12
*County Londonderry . .	54	43	48	41	17	14	15	13
County Tyrone . .	63	46	47	53	18	14	14	16

*Excluding County Borough.

Abstract 11 shows the numbers of still-births in administrative areas by sex. The number of still-born children who would have been illegitimate had they been born alive was 32 representing 5.9 per cent. of all still-births. Sixteen of the still-births were the product of multiple confinements further particulars of which will be found in Table E2 on page 17. In 371 cases the births occurred after a period of less than 37 weeks gestation or the weight of the foetus was not more than 5½ lbs. Of the 541 still-births 472 were certified by doctors, 68 by mid-wives and 1 by a coroner. Post-mortem examinations were held in 155 cases. Abstract 10 shows still-births by cause, sex and period of gestation. The percentage of still-births which occurred in hospitals in 1968 was 95.6 compared with 92.8 per cent. in 1967.

TABLE F1. *Northern Ireland: Still-births in hospitals etc., and parity* of mother 1968.*

PLACE OF CONFINEMENT	TOTAL STILL-BIRTHS	PARITY OF MOTHER										
		0	1	2	3	4	5	6	7	8	9	10 and over
In hospital . .	517	151	85	76	49	39	35	24	18	15	7	11
In own homes, nursing homes and all other places . .	24	8	4	1	1	3	1	3	1	.	.	.
TOTAL . .	541	159	89	77	50	42	36	27	19	15	7	11
												9

*Parity has been taken to mean the number of children born (live and still) to the mother as the result of previous pregnancies.

Congenital malformations caused 150 still-births (i.e. 27.7 per cent. of the total). This group was also the main cause in 1967 when the corresponding figures were 153 and 25.8 respectively.

TABLE F2. *Northern Ireland: Still-births by age and parity* of mother 1968.*

Age of mother	Total still- births	Parity* of mother										
		0	1	2	3	4	5	6	7	8	9	10 and over
ALL AGES . .	541	159	89	77	50	42	36	27	19	15	7	11
Age unknown . .	4	4
Under 16 years . .	1	1
16 years—
17 years— . .	4	4
18 years— . .	14	13	1
19 years— . .	13	13
20-24 years . .	105	58	25	14	5	1	2
25-29 " . .	130	43	35	22	12	9	7	2
30-34 " . .	135	22	16	30	14	18	11	11	5	3	2	2
35-39 " . .	100	5	11	9	16	12	11	11	8	8	4	4
40-44 " . .	34	.	2	2	3	2	7	3	6	3	1	5
45 years and over . .	1	1	.	.	.

*See definition at foot of table F1.

DEATHS

Number and rate The number of deaths recorded during the year 1968 and the death rate per 1,000 of the population were 15,933 and 10.6 respectively. The comparable figures for 1967 were 14,671 and 9.8.

The monthly incidence of deaths was as follows:

January	1,752	April	1,374	July	. 1,216	October	. 1,209
February	1,490	May	1,379	August	. 1,165	November	1,192
March	1,560	June	1,101	September	1,092	December	1,403
Qtrs.: 1st	4,802	2nd	3,854	3rd	. 3,473	4th	. 3,804

Of the total deaths 8,235 were of males and 7,698 were of females, the equivalent annual death rates being 11.2 and 10.0 per 1,000 of the male and female estimated populations, respectively. The corresponding rates for 1967 were 10.6 and 9.1.

According to the ages stated to registrars, 885 (5.0 per cent.) of the total deaths were of children under 5 years of age and 10,897 (68.4 per cent.) were of persons aged 65 and upwards. There were 125 deaths of persons (39 males and 86 females) aged 95 and upwards and of this number there were two males at 100 years, one at 101 and three females at 100 years, one at 102 and one at 104.

Table G gives a partial analysis of deaths by age for each sex and the percentage of the total deaths in each group.

TABLE G. Northern Ireland: Deaths by sex and certain age-groups and as percentage of total deaths, 1968.


		Total	Under 1 year	1-14 years	15-44 years	45-64 years	65 years and over
Number of deaths	P	15,933	796	191	681	3,368	10,897
	M	8,235	458	105	394	2,033	5,245
	F	7,698	338	86	287	1,335	5,652
Percentage of total deaths	P	100	5.0	1.2	4.3	21.1	68.4
	M	100	5.6	1.3	4.8	24.7	63.6
	F	100	4.4	1.1	3.7	17.3	73.5

TABLE H. Northern Ireland: Deaths and death rates by area, 1965-1968.

AREA	Number of deaths				Death rate per 1,000 of population			
	1965	1966	1967	1968	1965	1966	1967	1968
Northern Ireland . .	15,551	16,441	14,671	15,933	10.6	11.1	9.8	10.6
All urban areas . .	8,588	9,207	8,163	8,868	10.9	11.7	10.2	11.1
All rural areas . .	6,963	7,234	6,508	7,065	10.2	10.5	9.4	10.1
Belfast County Borough . .	4,745	5,083	4,345	4,811	11.7	12.6	10.9	12.3
Londonderry County Borough . .	612	580	512	543	10.9	10.6	9.2	9.9
County Antrim . .	2,825	3,114	2,823	2,907	9.5	10.2	8.9	8.9
County Armagh . .	1,270	1,279	1,258	1,296	10.5	10.4	10.0	10.2
County Down . .	3,017	3,165	2,771	3,132	10.7	11.1	9.6	10.6
County Fermanagh . .	550	602	577	644	10.7	11.7	11.6	12.9
*County Londonderry . .	1,093	1,162	1,051	1,127	9.3	9.7	8.8	9.3
County Tyrone . .	1,439	1,456	1,334	1,473	10.5	10.7	9.9	10.8

*Excluding County Borough.

DIAGRAM 3. Death rates (standardised) in Northern Ireland, England and Wales, Scotland and the Irish Republic, 1940-68
Rate per 1,000 population.



Area mortality comparisons Indices of mortality by sex and principal cause on an age-standardised basis are presented for the first time with the addition of Standardised Mortality Ratios (S.M.R.) to Abstract 17 of this year's Report. The S.M.R. shows the number of deaths registered in each area as a percentage of those which would have been expected in that area had the age-specific death rates of the total Northern Ireland population operated in the corresponding population age-groups of that area.

Deaths in hospitals The number of deaths occurring in hospitals in each of the years 1958–1968 is shown in Table J. Of the deaths registered in 1968, 54.9 per cent. took place in hospitals (3.7 per cent. in mental hospitals). It will be seen from Table J that the proportion of deaths occurring in hospitals has been increasing steadily through the years, with the exception of the years 1963 and 1966. The proportion of deaths occurring in institutions in 1938 amounted to 29.6 per cent. of the total deaths.

TABLE J. *Northern Ireland: Deaths in hospitals, 1959–1968.*

	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968
Number of deaths in:										
Mental hospitals . . .	628	673	721	684	610	442	638	542	515	584
Other hospitals . . .	6,562	6,776	7,261	7,034	7,100	7,603	7,723	8,135	7,530	8,165
Elsewhere . . .	8,213	7,847	8,126	7,508	8,189	7,309	7,190	7,764	6,626	7,184
Total deaths . . .	15,403	15,296	16,108	15,226	15,899	15,354	15,551	16,441	14,671	15,933
Percentage of deaths in hospitals . . .	46.7	48.7	49.6	50.7	48.5	52.4	53.8	52.8	54.8	54.9

Cause of death Where more than one cause of death is reported the death is classified to the underlying cause, i.e., the starting point in the sequence of events leading to death. See General Notes on page 8.

Proportion of deaths from principal causes Abstract 15B sets out the causes of death as proportions per 1,000 of the total deaths in certain age-groups by sex. Heart diseases continued to bear by far the greatest proportion of the total deaths; other diseases having a high proportion were cancer, cerebrovascular disease (mainly cerebral thrombosis and cerebral haemorrhage) and respiratory diseases.

At ages under one year congenital malformations, premature birth, and pneumonia were the principal causes of death.

Between the ages of one and ten the highest proportions were caused by accidents, congenital malformations, cancer, Hodgkin's disease and leukaemia and pneumonia.

Between the ages of ten and twenty-four, accidents caused by far the largest proportion of deaths. The proportions from cancer, congenital malformations and Hodgkin's disease and leukaemia were also high.

Between the ages of twenty-five and forty-four the sequence was cancer, heart diseases, accidents, suicide and cerebrovascular disease.

From age forty-five the pattern was heart diseases followed by cancer, cerebrovascular disease and respiratory diseases.

Table K shows, for each of the principal causes, the numbers of deaths and the death rates for each year since 1965.

Deaths from the principal epidemic diseases A total of 114 deaths (0.08 per 1,000 population) fell within this group. Of these, 77 were caused by influenza, 26 by diarrhoeal diseases of children under 2 years of age, 4 by whooping cough, 3 by measles, 2 by acute poliomyelitis and 2 by dysentery. No deaths resulted from the other diseases comprising this group, viz., diphtheria, smallpox, typhus, typhoid fever, scarlet fever and paratyphoid fever.

The number of deaths from the principal epidemic diseases in 1967 was 78 and the relative rate was 0.05. The higher incidence of deaths from influenza in 1968 accounted for the increase in deaths in this group.

TABLE K. Northern Ireland: Causes of death and death rates per 100,000 of estimated population, 1965–1968.*

Abbreviated List Nos.	CAUSES OF DEATH	Number of deaths				Rate per 100,000 population			
		1965	1966	1967	1968	1965	1966	1967	1968
B1	Cholera
B2	Typhoid fever	.	.	1	2	.	.	0.1	0.1
B3	Bacillary dysentery and amoebiasis	2.3	2.3
B4	Enteritis and other diarrhoeal diseases	27	47	51	35	1.8	3.2	3.4	2.3
B5	Tuberculosis of respiratory system	68	52	51	44	4.6	3.5	3.4	2.9
B6	Other tuberculosis, including late effects	6	5	11	14	0.4	0.3	0.7	0.9
B7	Plague
B8	Diphtheria
B9	Whooping cough	.	2	4	7	4	0.1	0.3	0.5
B10	Streptococcal sore throat and scarlet fever	0.3	0.3
B11	Meningococcal infection	5	7	7	6	0.3	0.5	0.5	0.4
B12	Acute poliomyelitis	.	.	.	2	.	.	.	0.1
B13	Smallpox
B14	Measles	.	4	1	5	3	0.3	0.1	0.3
B15	Typhus and other rickettsioses
B16	Malaria
B17	Syphilis and its sequelae	16	13	16	9	1.1	0.9	1.1	0.6
B18	All other infective and parasitic diseases	33	32	44	52	2.2	2.2	3.0	3.5
B19	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissue
	(a) Cancer	2,417	2,422	2,346	2,672	164.5	163.9	157.3	177.9
	(b) Hodgkin's disease and leukaemia	94	98	113	93	6.4	6.6	7.6	6.2
B20	Benign neoplasms and neoplasms of unspecified nature	39	31	44	28	2.7	2.1	3.0	1.9
B21	Diabetes mellitus	107	121	130	132	7.3	8.2	8.7	8.8
B22	Avitaminoses and other nutritional deficiency	13	7	8	10	0.9	0.5	0.5	0.7
B23	Anaemias	48	65	57	59	3.3	4.4	3.8	3.9
B24	Meningitis	23	16	15	17	1.6	1.1	1.0	1.1
B25	Active rheumatic fever	4	11	5	.	0.3	0.7	0.3	.
B26	Chronic rheumatic heart disease	186	184	168	216	12.7	12.4	11.3	14.4
B27	Hypertensive disease	363	350	319	300	24.7	23.7	21.4	20.0
B28	Ischaemic heart disease	5,241	5,360	5,060	4,229	356.8	362.0	339.3	281.6
B29	Other forms of heart disease	.	.	.	1,077	.	.	.	71.7
B30	Cerebrovascular disease	2,276	2,129	2,077	2,324	154.9	144.0	139.3	154.7
B31	Influenza	29	340	22	77	2.0	23.0	1.5	5.1
B32	Pneumonia	774	1,004	512	687	52.7	67.9	34.3	45.7
B33	Bronchitis, emphysema and asthma	756	973	663	849	51.5	65.8	44.5	56.5
B34	Peptic ulcer	104	122	97	112	7.1	8.3	6.5	7.5
B35	Appendicitis	12	7	13	10	0.8	0.5	0.9	0.7
B36	Intestinal obstruction and hernia	98	96	86	55	6.7	6.5	5.8	3.7
B37	Cirrhosis of liver	50	38	48	33	3.4	2.6	3.2	2.2
B38	Nephritis and nephrosis	110	95	81	69	7.5	6.4	5.4	4.6
B39	Hyperplasia of prostate	55	57	41	44	3.7	3.9	2.7	2.9
B40	Abortion	.	.	.	2	.	.	.	0.1
B41	Other complications of pregnancy, child-birth and puerperium	11	6	8	7	0.7	0.4	0.5	0.5
B42	Congenital anomalies	250	255	217	252	17.0	17.3	14.6	16.8
B43	Birth injury, difficult labour and other anoxic and hypoxic conditions	441	394	391	177	30.0	26.7	26.2	11.8
B44	Other causes of perinatal mortality	.	.	.	174	.	.	.	11.6
B45	Symptoms and ill-defined conditions	79	99	50	58	5.4	6.7	3.4	3.9
B46	All other diseases	1,228	1,345	1,334	1,360	83.6	91.0	89.5	90.5
BE47	Motor vehicle accidents	205	254	223	219	14.0	17.2	15.0	14.6
BE48	All other accidents	316	310	242	301	21.5	21.0	16.3	20.0
BE49	Suicide and self-inflicted injuries	70	82	98	99	4.8	5.5	6.6	6.6
BE50	All other external causes	2	9	10	20	0.1	0.6	0.7	1.3
	ALL CAUSES	1058.6	1112.4	984.0	1060.8

¹See definition on page 8.

* This list of categories has been revised according to the 8th Revision of the International Classification of Diseases. Figures shown for 1965-1967 relate to similar categories in the 7th Revision and should be regarded as approximate.

The notifications of certain infectious diseases for each administrative area in Northern Ireland for the year 1968 are shown in Abstracts 31A and 31B, and the diseases named are those laid down by regulations (issued by the Ministry of Health and Social Services) as compulsorily notifiable throughout Northern Ireland.

Influenza There were 77 deaths from influenza in 1968 as against a total of 22 in 1967. The relative rates per 1,000 of the population were 0.05 (1968) and 0.01 (1967).

Tuberculosis Deaths from this cause numbered 58 compared with 62 in 1967. The rate of 0.04 per 1,000 population is the same as for 1967. Further details of comparable figures over the past years may be seen at a glance in Tables L and L1.

The tuberculosis death rates (provisional) for England and Wales, Scotland and the Irish Republic in 1968 were 0.04, 0.05 and 0.10 respectively.

TABLE L. Northern Ireland: Deaths and death rates from tuberculosis (all forms), 1926, 1937, 1951 and 1961-1968.

YEAR	MALES		FEMALES		TOTAL	
	Number of deaths	Rate per 1,000 of the estimated male population	Number of deaths	Rate per 1,000 of the estimated female population	Number of deaths	Rate per 1,000 of the estimated population
1926	849	1.40	992	1.53	1,841	1.47
1937	627	1.00	624	0.95	1,251	0.98
1951	342	0.51	275	0.39	617	0.45
1961	75	0.11	30	0.04	105	0.07
1962	73	0.10	29	0.04	102	0.07
1963	81	0.11	33	0.04	114	0.08
1964	58	0.08	25	0.03	83	0.06
1965	45	0.06	29	0.04	74	0.05
1966	39	0.05	18	0.02	57	0.04
1967	41	0.06	21	0.03	62	0.04
1968	30	0.04	28	0.04	58	0.04

TABLE L1. Northern Ireland: Death rates per 1,000 of the population from tuberculosis (all forms) by counties and county boroughs, 1926, 1937, 1951 and 1961-1968.

YEAR	Antrim	Armagh	Belfast County Borough	Down	Fermanagh	Londonderry (excluding County Borough)	London-derry County Borough	Tyrone
1926	1.29	1.38	1.74	1.43	0.98	1.25	1.37	1.38
1937	0.81	1.14	1.16	0.85	1.03	0.56	1.11	0.92
1951	0.31	0.34	0.59	0.44	0.41	0.25	0.56	0.46
1961	0.05	0.08	0.10	0.09	0.02	0.04	0.09	0.04
1962	0.07	0.06	0.10	0.06	0.04	0.04	0.06	0.07
1963	0.06	0.05	0.13	0.05	0.12	0.03	0.05	0.07
1964	0.05	0.05	0.10	0.03	0.02	0.03	0.09	0.04
1965	0.04	0.05	0.07	0.06	0.02	0.03	0.04	0.02
1966	0.04	0.01	0.06	0.04	0.02	0.04	.	0.03
1967	0.03	0.02	0.07	0.03	0.06	0.03	0.11	0.02
1968	0.02	0.02	0.07	0.04	0.06	0.02	0.02	0.01

More detailed information about deaths from tuberculosis is given in Abstracts 12 and 17.

Cancer* The number of deaths from cancer in Northern Ireland during 1968 was 2,672 giving a death rate of 1.78 per 1,000 of the population which is 0.21 above the rate for 1968.


The death rates from cancer and tuberculosis were roughly the same in 1931 (i.e. 1.26 for cancer and 1.23 for tuberculosis). Since then the cancer rate has increased by 41.3 per cent. and the tuberculosis rate has decreased by 96.7 per cent.

TABLE M. Northern Ireland: Deaths and death rates from cancer, 1926, 1937, 1951 and 1959-1968.

YEAR	MALES		FEMALES		TOTAL	
	Number of deaths	Rate per 1,000 of the estimated male population	Number of deaths	Rate per 1,000 of the estimated female population	Number of deaths	Rate per 1,000 of the estimated population
1926	619	1.02	791	1.22	1,410	1.12
1937	777	1.25	891	1.36	1,668	1.30
1951	1,041	1.56	993	1.41	2,034	1.48
1959	1,185	1.73	1,073	1.49	2,258	1.60
1960	1,205	1.74	1,096	1.51	2,301	1.62
1961	1,138	1.64	1,048	1.43	2,186	1.53
1962	1,177	1.68	1,039	1.41	2,216	1.54
1963	1,180	1.67	1,072	1.45	2,252	1.56
1964	1,196	1.68	1,096	1.47	2,292	1.57
1965	1,249	1.74	1,168	1.55	2,417	1.65
1966	1,284	1.78	1,138	1.50	2,422	1.64
1967	1,249	1.72	1,097	1.44	2,346	1.57
1968	1,389	1.90	1,283	1.67	2,672	1.78

* See definition on page 8

DIAGRAM 4. Death rates (crude) from cancer in Northern Ireland, England and Wales, Scotland and the Irish Republic.
1940-68. Rate per 100,000 population.



As will be seen from Abstract 12 the most frequent sites of fatal cancer among males during the year were bronchus and lungs, 434; stomach, 174; intestines, 121; prostate, 119; rectum, 79 and pancreas, 69. Among females the most frequent sites were breast, 241; intestines, 213; stomach, 150; bronchus and lungs, 91; uterus, 91; ovary, fallopian tube and broad ligament, 69 and rectum, 61.

For many years cancer of the stomach proved to be the most frequent site of fatal cancer for both sexes and it remained so among females up to 1961 when it took second place to cancer of the breast. Since 1954 however, cancer of the lung has been more prevalent among males. The number of male deaths from this cause increased rapidly each year since 1945, with the exception of 1958, 1960, 1962 and 1964 in each of which years there was a slight decrease compared with the year immediately preceding.

Table M1 shows the numbers and rates of lung cancer deaths by sex for the past ten years. Abstract 12 gives particulars regarding the cancer sites by sex and age-groups and Abstracts 11, 17 and 21 give details of cancer incidence in administrative areas.

TABLE M1. Northern Ireland: Deaths and death rates from lung cancer 1959–1968.

YEAR	Number			Rate per 100,000 population		
	Males	Females	Persons	Males	Females	Persons
1959	278	68	346	41	9	25
1960	276	59	335	40	8	24
1961	317	48	365	46	7	26
1962	296	64	360	42	9	25
1963	354	60	414	50	8	29
1964	330	66	396	46	9	27
1965	352	62	414	49	8	28
1966	374	73	447	52	10	30
1967	393	81	474	54	11	32
1968	434	91	525	59	12	35

Cerebral haemorrhage, apoplexy, etc. The deaths assigned to this group (described as "cerebrovascular disease") numbered 2,324 giving a rate of 1.55 per 1,000 of the population. This rate is 0.16 higher than that for 1967, and is 0.07 above the average rate for the period 1963–1967. The rate per 1,000 of the male population was 1.27 whilst the female rate was 1.81. Details of deaths in this group by ages are shown in Abstract 12.

Heart diseases The deaths from the various forms of heart disease during the year numbered 5,707, the rate per 1,000 of the population being 3.80 which is 0.14 above that for the previous year and is 0.09 below the average for the five years 1963–1967.

TABLE N. Northern Ireland: Deaths and death rates from heart disease (all forms) 1926, 1937, 1951, and 1960-1968.

YEAR	MALES		FEMALES		PERSONS	
	Number of deaths	Rate per 1,000 of the estimated male population	Number of deaths	Rate per 1,000 of the estimated female population	Number of deaths	Rate per 1,000 of the estimated population
1926	1,241	2.04	1,437	2.22	2,678	2.14
1937	1,885	3.02	1,815	2.76	3,700	2.89
1951	2,785	4.16	2,722	3.87	5,507	4.01
1960	2,989	4.32	2,641	3.63	5,630	3.97
1961	3,199	4.60	2,708	3.70	5,907	4.14
1962	3,074	4.39	2,691	3.66	5,765	4.02
1963	3,303	4.69	2,776	3.75	6,079	4.20
1964	3,034	4.27	2,526	3.38	5,560	3.81
1965	3,120	4.36	2,580	3.43	5,700	3.88
1966	3,178	4.41	2,611	3.45	5,789	3.92
1967	2,971	4.09	2,488	3.26	5,459	3.66
1968	3,128	4.27	2,579	3.35	5,707	3.80

Of the total number of deaths from heart diseases, 4,229 (74.1 per cent.) were in the groups known as ischaemic heart disease which includes coronary disease. Chronic rheumatic heart disease accounted for 216 (3.8 per cent.), hypertensive heart disease for 185 (3.3 per cent.) and other forms of heart disease for 1,078 (18.8 per cent.) of all deaths from heart diseases.

International detailed list numbers 393-398, 402, 404, 410-414 and 420-429 as shown in Abstract 12 give the age and sex breakdown of all deaths from heart disease.

Bronchitis The deaths from bronchitis during the year numbered 806, giving a rate of 0.54 per 1,000 of the population, which is 0.10 above the rate for 1967. Bronchitis was also an important contributory factor in 450 deaths though not related to the condition taken to have initiated the sequence of events leading to death.

Pneumonia Deaths from pneumonia numbered 687 during the year 1968, the rate of 0.46 per 1,000 of the population being 0.12 higher than the rate for 1967. The average rate for the five years 1963-1967 was 0.52.

Pregnancy and childbirth The mortality of women during pregnancy and childbirth is classified under two headings, namely—(1) deliveries and complications of pregnancy, childbirth and the puerperium and (2) deaths with mention of pregnancy, childbirth and the puerperium but not classified as maternal. The causes of death shown in detailed list numbers 630-678 of Abstract 12 are those to which the former group were assigned, and Table O below gives details of the latter group.

The 9 deaths from diseases of pregnancy, childbirth and the puerperal state in 1968 yielded a rate of 0.27 per 1,000 births (live and still), which is 0.03 above the rate for 1967.

The 7 deaths shown in Table O gave a rate of 0.21 per 1,000 births (live and still) compared with 0.38 in the previous year. It should be noted that there is no connection in these cases between the underlying causes shown and the maternal condition coincidentally present.

TABLE O. *Northern Ireland: Deaths in which maternal conditions were coincidentally present, 1968.*

Detailed List Numbers	CAUSES OF DEATH	All Ages	Ages						
			15-	20-	25-	30-	35-	40-	45 and upwards
183.0	Malignant neoplasm of ovary	1	.	.	.	1	.	.	.
421.0	Acute and sub-acute bacterial endocarditis	1	.	.	.	1	.	.	.
430.9	Subarachnoid haemorrhage:— Without mention of hypertension	1	.	.	1
485	Bronchopneumonia, unspecified	1	1	.	.
540.0	Acute appendicitis:— With peritonitis	1	1	.	.
560.9	Intestinal obstruction without mention of hernia	1	1
E957	Suicide and self-inflicted injury by jumping from high place	1	1	.	.
	TOTAL	7	1	.	1	2	3	.	.

TABLE O1. *Northern Ireland: Deaths of women in pregnancy, childbirth and the puerperium, 1926, 1937, 1951, and 1960–1968.*

Year	Maternal deaths		Not classed as maternal	
	No.	Rate† per 1,000 births	No.	Rate† per 1,000 births
1926	158	5.61	17	0.60
1937	127	5.00	37	1.46
1951	31	1.09	8	0.28
1960	14	0.44	6	0.19
1961	17	0.52	3	0.09
1962	10	0.30	10	0.30
1963	14	0.41	6	0.18
1964	6	0.17	5	0.14
1965	11	0.32	12	0.35
1966	6	0.18	8	0.24
1967	8	0.24	13	0.38
1968	9	0.27	7	0.21

† Rate per 1,000 live births for years 1926–60. The rates from 1961 are per 1,000 total births (live and still).

DIAGRAM 5. Maternal mortality rates (crude) in Northern Ireland, England and Wales, Scotland and the Irish Republic, 1940-68. Rate per 1,000 live births.




TABLE O2. *Northern Ireland: Maternal deaths in urban and rural areas, and in each county and county borough 1965–1968.*

AREA	Number of deaths				Maternal mortality rate per 1,000 births (live and still)			
	1965	1966	1967	1968	1965	1966	1967	1968
Northern Ireland . .	11	6	8	9	0.32	0.18	0.24	0.27
All urban areas . .	6	1	3	4	0.33	0.06	0.17	0.22
All rural areas . .	5	5	5	5	0.31	0.32	0.31	0.31
Belfast County Borough	2	.	1	1	0.23	.	0.12	0.12
Londonderry County Borough	1	.	.	.	0.66
County Antrim . .	2	3	4	1	0.26	0.41	0.52	0.13
County Armagh . .	2	.	.	.	0.64	.	.	.
County Down . .	3	2	.	4	0.51	0.34	.	0.66
County Fermanagh . .	1	.	1	1	0.93	.	0.99	0.98
*County Londonderry . .	1	.	1	1	0.32	.	0.32	0.32
County Tyrone . .	.	1	1	.	.	0.30	0.30	.

* Excluding County Borough.

Infant mortality Deaths of infants under 1 year of age numbered 796, or 24 per 1,000 live births registered. This rate is 1 higher than that for the previous year. Of these deaths, 458 were of males and 338 of females, the former number being equivalent to 27 per 1,000 live births of males and the latter to 21 per 1,000 live births of females. The corresponding rates for 1967 were 25 and 22 respectively. In 1968 the provisional infant mortality rate in England and Wales was 18, in Scotland 21 and in the Irish Republic 21. Comparative figures for previous years are shown in Table B on page 11.

Neonatal mortality Deaths of infants aged under four weeks numbered 522, representing a rate of 16 per 1,000 live births. This is equivalent to 65.6 per cent. of all deaths of children under 1 year of age. The corresponding figures for 1967 were 545, 16 and 69.4 per cent. respectively. The 1968 rates for England and Wales, Scotland and the Irish Republic were (provisionally) 12, 13 and 14 respectively.

DIAGRAM 6. Infant mortality rates (crude) in Northern Ireland, England and Wales, Scotland and the Irish Republic, 1940-68. Rate per 1,000 live births.

32




TABLE P. Northern Ireland: Neonatal and infant mortality rates per 1,000 live births by area, 1965-1968.

AREA	Neonatal mortality rate per 1,000 live births				Infant mortality rate per 1,000 live births			
	1965	1966	1967	1968	1965	1966	1967	1968
Northern Ireland .	18	17	16	16	25	26	23	24
All urban areas .	19	18	17	17	27	29	25	27
All rural areas .	16	16	16	14	22	23	21	21
Belfast County Borough	18	19	17	18	27	32	28	31
Londonderry County Borough . . .	19	21	22	21	23	30	30	30
County Antrim . . .	19	16	16	13	25	24	21	21
County Armagh . . .	17	16	19	12	23	22	28	18
County Down . . .	16	19	15	15	23	25	20	22
County Fermanagh . . .	17	14	17	17	21	19	22	25
*County Londonderry . . .	16	14	14	16	24	21	20	22
County Tyrone . . .	19	15	16	19	28	21	21	25

* Excluding County Borough.

Perinatal deaths (i.e. deaths of children within the first week of life together with all still-births) numbered 992 giving a rate of 29 per 1,000 live and still-births. Comparative rates in England and Wales and Scotland were (provisionally) 25 and 26 respectively.

TABLE Q. Perinatal deaths and rates per 1,000 births (live and still) by area, 1965-1968.

AREA	1965		1966		1967		1968	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Northern Ireland .	1,192	35	1,039	31	1,066	31	992	29
All urban areas .	640	35	602	34	593	33	554	31
All rural areas .	552	34	437	28	473	30	438	28
Belfast County Borough	287	33	296	35	275	34	278	36
Londonderry County Borough . . .	72	42	76	47	60	38	47	31
County Antrim . . .	259	34	199	27	242	31	188	24
County Armagh . . .	110	35	78	26	94	32	67	22
County Down . . .	210	35	191	32	185	30	185	30
County Fermanagh . . .	37	34	30	30	31	31	28	27
*County Londonderry . . .	100	32	81	26	90	29	88	28
County Tyrone . . .	117	34	88	26	89	27	111	33

* Excluding County Borough.

Abstract 22 gives the number of deaths of children under 1 year of age for Northern Ireland by counties and county boroughs (also for the aggregates of the urban and rural areas) for the years 1965-1968. For the last of these years the numbers are given by sex and age-groups.

Abstract 11 gives the number of infant deaths, together with the number of births, for each administrative area in Northern Ireland.

The numbers of infant deaths for 1968 by age and cause of death are given in Abstract 24, together with the infant mortality rates by causes.

Mortality among illegitimate children Deaths of illegitimate children under 1 year of age numbered 42 in 1968, which is equivalent to a rate of 34 per 1,000 of the illegitimate live births registered and is 10 above the rate for the previous year. The corresponding rates for legitimate children were 23 and 24 per 1,000 legitimate live births during 1967 and 1968, respectively.

TABLE R. Northern Ireland: Illegitimate neonatal and infant mortality rates per 1,000 illegitimate live births by area, 1965-1968.

AREA	Illegitimate neonatal mortality rate per 1,000 illegitimate live births				Illegitimate infant mortality rate per 1,000 illegitimate live births			
	1965	1966	1967	1968	1965	1966	1967	1968
Northern Ireland	20	19	14	27	26	24	24	34
All urban areas .	15	14	10	23	19	21	19	33
All rural areas .	26	26	20	29	35	28	31	35
Belfast County Borough	17	14	9	18	17	17	20	34
Londonderry County Borough	35	.	26	.	35
County Antrim .	21	18	12	24	37	27	19	27
County Armagh .	.	26	32	.	.	38	53	.
County Down .	22	26	6	42	29	26	22	48
County Fermanagh .	43	100	29	40	43	100	29	40
*County Londonderry .	16	8	9	16	32	8	18	16
County Tyrone .	53	11	40	56	53	11	40	64

* Excluding County Borough.

Deaths of illegitimate infants aged under four weeks (illegitimate neonatal mortality) numbered 33, representing 78.6 per cent. of the total deaths of all illegitimate children under 1 year of age. The corresponding figures for 1967 were 17 and 58.6 per cent. respectively.

Abstract 24 gives the number of deaths and mortality rates of illegitimate children under 1 year of age by causes. Most of the rates are considerably in excess of the corresponding rates for all children, but it should be noted that many of the rates relating to the illegitimate live births are based on very small numbers of deaths.

Abstract 23 shows the numbers of deaths of illegitimate children under 1 year of age for Northern Ireland by counties and county boroughs and the numbers in the urban and rural areas for the years 1965-1968. The sex and age distribution is shown for the year 1968.

Violent deaths Deaths from causes other than natural causes are termed violent deaths and are classified according to both the external circumstances giving rise to injury, expressed as the "external cause of injury" and to the nature of the injury sustained, designated as the "nature of injury" (see Abstract 19).

The number of deaths ascribed to violence during the year was 639 (371 males and 268 females) which is 66 less than the number registered in 1967, and is equivalent to 4.0 per cent. of the total deaths registered.

TABLE S. Northern Ireland: Violent deaths by external cause of injury, 1964–1968.

CAUSES OF DEATH	1964	1965	1966	1967	1968
<i>Accidental Causes:</i>					
Drowning	20	29	35	27	24
Falls	136	163	156	121	167
Fire (excl. fire on transport)	31	22	28	19	31
Firearms	7	2	3	3	3
Machinery	7	6	8	5	5
Mechanical suffocation	2	6	3	2	1
Poisons	16	23	15	12	6
Poisonous gases	36	26	17	5	12
Transport:					
Motor vehicles	228	205	254	223	219
Other road vehicles	4	6	4	5	5
Railways	2	1	3	1	1
Aircraft	2	1	1	1	1
Shipping (excl. drowning)	1	1	1	1	1
Other accidental causes (incld. late effects of accidents)	23	31	37	41	45
<i>Suicide:</i>					
Drowning	12	12	15	20	23
Hanging	7	4	5	9	8
Firearms	4	6	6	6	6
Poisons	19	27	23	36	42
Poisonous gases	32	17	27	24	13
Other suicide	5	1	6	3	8
<i>Homicide:</i>					
Poisons	1	.	.	3	2
Assault by firearms	3	1	6	5	5
Assault by other means	3	1	2	2	1
Legal executions	—	—	—	—	12
Operations of war	—	—	—	—	—
Injury undetermined whether accidentally or purposely inflicted	—	—	—	—	—
TOTAL DEATHS FROM VIOLENCE	601	593	655	573	639

Of the 639 deaths, 226 were attributed to transport accidents (E800–E845) (excluding drowning from watercraft (E830, E832)). Road vehicle accidents (E810–E827) accounted for 224 deaths as compared with 228 in 1967. Table S1 affords comparison of numbers of deaths from road vehicle accidents in 1968 with those for the three preceding years by sex and certain age-groups whilst Table S2 shows the various categories of persons killed in motor vehicle accidents and details of other transport accidents.

TABLE S1. Northern Ireland: Deaths from road vehicle accidents (E810–827), 1965–1968.

	All ages	Under 5 years	5–14	15–34	35–54	55–74	75 and over
MALES . .							
1965	156	10	8	51	39	38	10
1966	194	15	18	62	40	39	20
1967	173	12	15	56	42	37	11
1968	166	8	18	60	27	37	16
FEMALES . .							
1965	55	8	10	9	6	17	5
1966	64	7	6	14	11	16	10
1967	55	4	7	16	9	17	2
1968	58	7	9	14	8	14	6

Other accidents accounted for 294 deaths and of these deaths 167 were ascribed to falls, 24 to drowning, 18 to poisons or poisonous gases, 31 to fire and heat, 1 to mechanical suffocation, 5 to machinery and 48 to other accidental causes. A detailed break-down showing non-transport accidents by sex and age-groups is given in Abstract 20.

Deaths from accidents recorded as occurring in the home numbered 151 compared with 115 in 1967 and 163 in 1966. Most accidents in the home are occasioned by falls and it should be noted that in 1968 there were 26 deaths from falls where the place of the accident was unspecified compared with 19 in 1967. Fuller details of these and other accidents (apart from transport accidents) are given in Abstract 20.

During the year there were 99 cases of suicide (51 males and 48 females) compared with 98 (64 males and 34 females) in 1967, 7 deaths from homicide and 1 death from late effects of injuries due to war operations. In addition there were 12 deaths in which it was not possible to determine whether the injuries were accidentally or purposely inflicted.

TABLE S2. *Deaths from transport accidents, by sex and age, 1968.*

International List Numbers	Cause of death	All ages	Under 1 year	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
E810-E823 E940	Motor vehicle accident causing death to:-													
(a) pedestrian	M F	72 27	.	6 5	11 5	3 1	4 3	5 . .	7 2	9 2	4 2	13 3	7 4	3 . .
(b) pedal cyclist	M F	9 1	.	.	.	1	1	3	.	1	1	1	1	.
(c) motor cyclist	M F	14 1	9	3	.	1	1	.	.	.
(d) driver of motor vehicle other than motor cycle	M F	31	10	9	3	.	4	4	1	.
(e) passenger in motor vehicle	M F	32 24	.	2 1	1 2	1 2	12 5	5 4	2 1	2 1	3 6	3 2	3 . .	.
(f) other persons	M F	6 4	.	2 .	.	1	1	1	.	1	.	1	1	1
Other road vehicle accidents	M F	4 1	1	1	.	2	.	1	.
Total road transport accidents	M F	168 58	.	8 7	12 6	6 3	38 8	22 6	15 4	12 4	16 8	22 6	14 5	3 1
Rail, air and water transport accidents	M F	5	2	1	1	.	1	.	.	.
Total transport accidents	M F	173 58	.	8 7	12 6	6 3	40 8	23 6	16 4	12 4	17 8	22 6	14 5	3 1

Deaths in which violence was stated to be the sequel to some other cause are correlated in Table S3. Alcoholism was, as usual, the greatest single factor in this group causing the deaths of 19 people. This figure, however, does not include deaths caused by other people who were in a state of intoxication but who were not themselves killed.

TABLE S3. Northern Ireland: Deaths in which violence was a terminal cause, 1968.

Detailed list numbers	UNDERLYING CAUSES OF DEATH										TOTAL
	M	F	M	F	M	F	M	F	M	F	
250	Diabetes mellitus	M					1
303.9	Alcoholism	M	F	2			19
345.9	Epilepsy	M	F	2			1
402	Hypertensive heart disease	M	F	3			1
	Chronic ischaemic heart disease:—										
412.0	With hypertensive disease	M	F				1
	Angina pectoris:—										
431.0	With hypertensive disease	M	F	1			1
	Acute but ill-defined cerebrovascular disease:—										
436.9	Without mention of hypertension	M	F				1
E876	Accidental poisoning by gases and vapours	M	F				2
E881	Fall on or from ladders or scaffolding	M	F	1			1
E884	Other fall from one level to another	M	F				1
E908	Cataclysm	M	F				1
E917	Striking against or struck accidentally by objects	M	F	1			1
	TOTAL	M	F	2	2	3	1	3	1	3	27

CERTIFICATION OF DEATHS

All deaths must be certified by either a medical practitioner or a coroner and Table T shows the type of certification during the year. The circumstances of 1,910 deaths (12.0 per cent. of all deaths) were considered by the coroners and in 564 of these cases inquests were held. In 673 cases the deaths were certified by coroners after post-mortem examinations had proved inquests to be unnecessary.

TABLE T. Northern Ireland: Deaths by certification, 1968.

AREA	Total deaths	Certified by medical practitioners	Certified by coroners		
			Without inquest		After inquest
			Without post-mortem	After post-mortem	
Northern Ireland . . .	15,933	14,023	673	673	564
Co. Antrim . . .	2,907	2,589	99	103	116
Co. Armagh . . .	1,296	1,152	68	33	43
Co. Down . . .	3,132	2,693	148	172	119
Co. Fermanagh . . .	644	583	15	21	25
Co. Londonderry*	1,127	993	66	25	43
Co. Tyrone . . .	1,473	1,310	55	60	48
Belfast Co. Borough . . .	4,811	4,222	194	243	152
Londonderry County Borough .	543	481	28	16	18
All urban areas . . .	8,868	7,798	380	409	281
All rural areas . . .	7,065	6,225	293	264	283

*Excluding County Borough.

Of the 14,023 deaths certified by medical practitioners the deceased persons were not seen after death by the practitioners in 4,706 cases.

LIFE TABLE

The expectation of life is the average number of years which would be lived by a group of people of given age who are continuously subject to given mortality rates, usually those of a selected year or years.

The abridged life table shown as Table U is based on the mortality rates for 1966-1968 and shows the expectation of life at various age-points together with the number of persons who would survive to given age x out of 10,000 born, if subjected throughout their lives to this mortality experience.

Thus 97 per cent. of males and 98 per cent. of females would survive the first year of life; 96 per cent. of males and 97 per cent. of females would reach the age of 20; 79 per cent. of males and 86 per cent. of females would reach the age of 60 and the men could then expect an average future lifetime of 15 years compared with 19 years for women.

Based on the mortality experience of 1966-1968 the expectation of life at birth was 68.2 years for males and 73.5 years for females; at age one year the expectations were 69.0 years for males and 74.1 years for females. Table U1 affords comparison of these figures with those for certain preceding years.

TABLE U. Northern Ireland: Abridged Life Table, 1966–1968.

Age x	Males		Females	
	l_x	$\circ e_x$	l_x	$\circ e_x$
0	10,000	68.19	10,000	73.45
1	9,739	69.01	9,776	74.13
2	9,723	68.12	9,762	73.23
3	9,714	67.19	9,758	72.26
4	9,707	66.24	9,753	71.30
5	9,700	65.28	9,747	70.34
10	9,677	60.44	9,735	65.43
15	9,656	55.56	9,723	60.50
20	9,618	50.77	9,704	55.62
25	9,567	46.02	9,683	50.73
30	9,520	41.24	9,655	45.87
35	9,460	36.49	9,611	41.07
40	9,372	31.81	9,548	36.33
45	9,216	27.30	9,430	31.75
50	8,969	22.99	9,261	27.28
55	8,559	18.97	9,009	22.98
60	7,878	15.38	8,636	18.86
65	6,883	12.25	8,037	15.08
70	5,555	9.58	7,124	11.69
75	3,998	7.33	5,773	8.84
80	2,452	5.38	4,047	6.54
85	1,101	3.91	2,293	4.64

This abridged life table is constructed from the estimated populations and the total deaths registered during the years 1966–1968.

The column headed l_x shows the numbers who would survive to exact age x out of 10,000 born who were subject throughout their lives to the death probabilities indicated by the mortality records for the years 1966–1968.

Column $\circ e_x$ gives the "expectation of life"—that is the average future lifetime which would be lived by a person aged exactly x if subject to those death probabilities.

TABLE U1. Northern Ireland: Expectation of life at birth, at one year of age and at 65 years of age for certain periods between 1890 and 1968.

Period	Expectation of life					
	At birth		At age one year		At age 65 years	
	Male	Female	Male	Female	Male	Female
1890–92	46.3	45.7	—	—	10.6	10.6
1900–02	47.1	46.7	—	—	10.5	10.4
1910–12	50.7	51.0	—	—	12.1	12.8
1925–27	55.4	56.1	59.9	59.5	11.9	12.7
1936–38	57.8	59.2	—	—	11.6	12.4
1950–52	65.5	68.8	67.5	70.3	12.1	13.5
1959–61	67.4	72.1	68.5	72.9	12.1	14.2
1960–62	67.6	72.4	68.7	73.2	12.2	14.4
1961–63	67.6	72.5	68.7	73.3	12.2	14.5
1962–64	67.9	72.8	68.9	73.6	12.3	14.7
1963–65	67.8	72.9	68.8	73.6	12.2	14.8
1964–66	67.8	73.0	68.7	73.7	12.1	14.8
1965–67	68.1	73.3	68.9	74.1	12.3	15.0
1966–68	68.2	73.5	69.0	74.1	12.3	15.1

The Life Tables for 1901, 1926, 1951 and 1961 are included in Section 1 of the Ulster Year Book, 1969, obtainable from H.M. Stationery Office (price 15s. 0d.).

CONGENITAL MALFORMATIONS

This section which appeared in the Report for the first time in 1964, relates to children born (live or still) with any apparent deformity. The information about these congenital malformations is furnished to the General Register Office by the county and county borough health committees and is classified according to the residence of the parents and not to the place of occurrence.

During the year 944 children were born with congenital malformations compared with 942 in 1967 and 969 in 1966. The Northern Ireland rate for 1968 was 28.0 per 1,000 births (live and still) compared with 27.7 for 1967.

TABLE V. Northern Ireland: Number of congenitally malformed children by area and month of birth, 1968.

AREA	MONTH OF BIRTH												Totals	Rate*
	January	February	March	April	May	June	July	August	September	October	November	December		
Northern Ireland .	89	65	68	73	84	80	99	77	83	78	82	66	944	28.0
Belfast County Borough	26	16	19	21	17	19	22	15	24	28	24	16	247	31.7
Londonderry County Borough .	8	2	2	3	7	5	7	4	6	3	1	4	52	34.3
County Antrim .	12	16	16	11	17	20	18	11	15	17	13	186	23.9	
County Armagh .	6	7	5	7	11	11	5	9	4	7	7	6	85	28.1
County Down .	26	12	16	26	25	14	29	25	23	16	21	18	251	41.3
County Fermanagh .	2	1	1	1	1	1	1	1	1	1	1	1	9	8.8
County Londonderry†	3	4	3	3	2	8	6	3	6	6	7	5	56	17.8
County Tyrone .	8	6	6	2	4	2	10	2	8	2	5	3	58	17.3

*Per 1,000 births (live and still).

†Excluding County Borough.

Of the 944 children born with malformations 184 (19.5 per cent.) were born with more than one abnormality. In all, 1,197 separate abnormalities were recorded. Table VI shows the number of children affected by multiple abnormalities in each county and county borough.

TABLE VI. Northern Ireland: Multiple abnormalities by area, 1968.

AREA	NUMBER OF ABNORMALITIES										All	
	1		2		3		4		5			
	Children	Abnorms.	Children	Abnorms.	Children	Abnorms.	Children	Abnorms.	Children	Abnorms.	Children	Abnorms.
Belfast County Borough	195	195	31	62	17	51	4	16	.	.	247	324
Londonderry County Borough .	48	48	3	6	1	3	152	57
County Antrim .	150	150	30	60	5	15	1	4	.	.	186	229
County Armagh .	70	70	7	14	6	18	2	8	.	.	85	110
County Down .	210	210	28	56	12	36	1	4	.	.	251	306
County Fermanagh .	5	5	2	4	2	6	.	.	1	5	9	15
County Londonderry†	41	41	12	24	2	6	1	4	1	5	56	76
County Tyrone .	41	41	13	26	3	9	58	80
Northern Ireland TOTAL	760	760	126	252	48	144	9	36	1	5	944	1,197

*Excluding County Borough.

In Northern Ireland as a whole 71 (7.5 per cent.) of the congenitally malformed children were born at home, the remainder having been born in hospitals.

In 27 cases the children were twins, the other partner of each having no reported malformation in 21 instances.

Details about the nature of the malformations will be found in Abstracts 26, 27, 29 and 30 and data about the mother's age and the number of other children born to her are in Abstract 28.

MIGRATION

The population figures ascertained at each census enable the net migration during the inter-censal periods to be calculated. Table W shows that during the period of approximately five and a half years between the censuses taken on the 23rd April, 1961 and the 9th October, 1966 there was a net outward movement of 37,701 persons to all countries including other parts of the British Isles.

TABLE W. Northern Ireland: Net migration during inter-censal period 1961-1966.

	Males	Females	Total
Population, Census of 1961	694,224	730,818	1,425,042
Births, 1961-1966	94,508	87,981	182,489
Deaths, 1961-1966	44,570	40,485	85,055
Natural increase*	49,938	47,496	97,434
Population 1961 plus natural increase .	744,162	778,314	1,522,476
Population, Census of 1966	723,884	760,891	1,484,775
Net movement outwards	20,278	17,423	37,701

* The excess of births over deaths.

Table W1 shows the natural increase in the population for each inter-censal period since birth and death registration commenced in 1864, together with the net movement outwards and the percentage of the increase lost by migration.

TABLE W1. Northern Ireland: Inter-censal variations in population, 1871-1966.

Inter-censal period	Population at beginning of period	Natural increase*	Net movement outwards	Percentage of increase lost by migration
1871-1881	1,359,190	104,350	158,724	152
1881-1891	1,304,816	71,910	140,670	196
1891-1901	1,236,056	68,634	67,738	99
1901-1911	1,236,952	78,996	65,417	83
1911-1926	1,250,531	113,603	107,573†	95
1926-1937	1,256,561	80,835	57,651	71
1937-1951	1,279,745	158,443	67,267†	42
1951-1961	1,370,921	146,349	92,228	63
1961-1966	1,425,042	97,434	37,701	39

* Excess of births over deaths.

† Including deaths in H.M. Forces and Mercantile Marine which occurred outside Northern Ireland.

It is estimated that during the year ended 30th June, 1968 the net outward migration amounted to 7,244 persons which represents 41.2 per cent. of the natural increase (17,599) during that period.

METEOROLOGY

The following synopsis of the weather experienced in Northern Ireland during the year 1968 is furnished by the Director-General of the Meteorological Office, through the Climatological Services and Meteorological Public Records Office in Belfast. Where the term "average" is used, it refers to the standard period 1916-1950 for rainfall, but to the period 1931-60 for temperature and sunshine.

Tables on pages 44 and 45 give data in respect of certain stations; Columns 2 and 3 give highest and lowest air temperatures on any date during the month specified, whilst in Columns 4 and 5 the mean daily maximum and minimum temperatures are given. A table on page 45 gives similar data related to Northern Ireland as a whole, based upon a selection of representative stations, appropriate to the Meteorological element, and not necessarily those whose data is published in the preceding tables. This information levels out variations experienced in different parts of Northern Ireland, and therefore gives a general picture. The "highest" and "lowest" temperatures, however, refer to values received from around sixty stations recording temperatures in the Province and again are not restricted to the seven stations for which data is given in the preceding tables. Temperature data is given in degrees Centigrade; to convert actual values to Fahrenheit, multiply by nine and divide by five, then add 32.0. To convert "difference from average temperature" in the Centigrade scale to Fahrenheit $1.0^{\circ}\text{C} = 1.8^{\circ}\text{F}$.

Temperatures over the year as a whole were around normal, though February was cold, as was May, which was the coldest May month this century. Rainfall was 96 per cent of average for the period; the wettest month was September, with a value of 141 per cent of normal, and the driest, July, with only 41 per cent of average. Broadly speaking, the year was a noteworthy one, with a good dry summer; the very wet month of September; the very heavy rainfalls of 31st October and 1st November, when severe flooding occurred in many places throughout the Province. The rain, on 31st Oct./1st Nov., was accompanied by gales, and this in turn led to excessive damage to the New Coast Road Scheme. The month of July was the driest for fifty years in parts of the Province, whilst the heavy rainfall of the 31st October and 1st November was the highest ever recorded in Northern Ireland. Nine inches were recorded at Newcastle during the forty-eight hours. Severe gales occurred on 14th and 15th January and these caused damage to property in places throughout the Province. March had five days on which gale force winds occurred. April to August was quiet, windwise, though there were two occasions of gale force winds in September. During the last quarter of the year, apart from 31st October and 1st November already referred to, there were no further gales worthy of mention. There was one occasion of fog in the last quarter of the year when visibility was reduced to 10 yards or less in and around Belfast leading to the disruption of bus services etc.

Sunshine for the year as a whole was 107 per cent. of average. The sunniest months were August and February, whilst the dullest was January with only 60 per cent of the seasonal average.

A brief summary of general conditions for each month follows. More detailed information appears in the Quarterly Returns.

January: Above average rainfall, dull with sunshine well below normal. Gales 14th and 15th causing damage to property. Temperature above average.

February: Cold and dry with plenty of sunshine. Eighteen occasions of air frost and ground frost practically every night. Rainfall was only 54 per cent of normal.

March: Above average rainfall, five occasions of gales, temperature a little below average. Sunshine normal.

April: Variable amounts of rainfall, sunshine above average. Temperature about normal.

May: Above average rainfall, very cold, the coldest May this century.

June: Rainfall below normal, dry spell 7th-18th (inclusive). Temperatures average.

July: Very dry month, the driest for fifty years in some parts of Province. General value 45 per cent of average. Sunshine well above the seasonal normal. Water shortages.

August: Comparatively dry month. Rainfall 10 per cent of average. Sunshine well above normal.

September: Rainfall above average everywhere, about 1½ times normal. Sunshine just above average. Two occasions of gales.

October: Another wet month, sunshine below normal. Heavy rainfalls, highest ever recorded in Province; at Newcastle over six inches in twenty-four hours. Severe flooding and damage throughout Province (Floods at Newcastle, Ballymena; damage to New Coast Road). Temperatures above normal, very mild.

November: Heavy rainfall on 1st adding further troubles to already flooded and damaged areas. Gales accompanied the rain. A further 2 to 4 inches of rain fell in many places. Temperatures below average. Sunshine 80 per cent of normal.

December: A comparatively dry month. Rainfall 77 per cent of average. Snow fell on four occasions and lay to some extent for about 2 to 4 days. Dense fog on 16th caused some disruption to traffic. Both temperature and sunshine were below normal.

TABLE X. Northern Ireland: Air temperature, rainfall and sunshine recorded at seven stations during the year, 1968 and general values for the Province as a whole (final values*).

MONTH	BALLYKELLY						Rainfall			Sunshine	
	Highest	Lowest	Mean daily maximum	Mean daily minimum	Daily mean	Difference from average	Total	Percentage of average	No. of days	Daily mean	Percentage of average
	°C.	°C.	°C.	°C.	°C.	°C.	mm.	%		hr.	%
January	13.0	-6.2	8.0	4.1	6.1	+1.7	107	119	23	1.25	79
February	9.3	-7.7	6.0	-1.2	2.4	-2.4	39	63	13	3.59	133
March	16.0	-3.0	9.7	3.5	6.6	+0.1	73	138	21	3.23	84
April	17.7	-3.1	12.5	3.8	8.1	-0.1	41	70	16	5.97	114
May	22.0	-0.9	12.8	5.3	9.1	-1.6	69	121	17	5.47	85
June	26.1	4.5	18.1	9.1	13.6	0.0	74	127	17	6.89	122
July	21.1	3.6	17.3	9.4	13.3	-1.3	25	30	8	5.50	125
August	23.6	3.6	19.1	9.2	14.1	-0.6	45	53	11	7.06	152
September	21.1	2.8	16.6	9.5	13.1	+0.2	100	122	22	3.63	92
October	18.8	4.9	15.1	9.6	12.3	+2.1	114	120	22	2.52	90
November	15.0	-5.0	9.4	4.5	6.9	-0.2	53	59	14	1.79	88
December	12.9	-3.2	7.3	2.7	5.0	-0.6	60	64	19	1.15	91
YEAR	26.1	-7.7	12.7	5.8	9.3	-0.1	801	88	203	4.00	108
GARVAGH (Moneydig)											
January	12.9	-7.4	7.3	3.0	5.1	+1.4	118	112	24	—	—
February	8.5	-8.4	5.4	-1.8	1.8	-2.4	48	66	16	—	—
March	15.0	-4.9	9.8	2.4	6.1	+0.1	73	109	18	—	—
April	16.5	-4.9	12.3	2.4	7.3	-0.6	53	77	15	—	—
May	22.1	-2.0	12.5	3.8	8.1	-2.3	82	117	16	—	—
June	24.0	4.0	18.3	7.7	13.0	-0.1	69	100	17	—	—
July	21.9	2.2	17.7	8.1	12.9	-1.6	42	43	9	—	—
August	22.2	3.3	19.1	8.1	13.5	-0.7	76	75	16	—	—
September	20.4	1.1	16.2	7.9	12.1	-0.4	115	121	20	—	—
October	17.9	2.6	14.7	8.5	11.6	+2.1	142	126	23	—	—
November	13.5	-6.4	8.8	3.7	6.3	-0.2	64	60	13	—	—
December	11.2	-3.4	6.3	2.1	4.2	-0.7	74	67	24	—	—
YEAR	24.0	-8.4	12.4	4.7	8.5	-0.5	956	89	211	—	—
KILKEEL											
January	12.9	-3.0	7.8	3.9	5.9	-0.9	116	—	20	1.33	—
February	8.8	-3.3	6.1	1.0	3.5	-1.6	15	—	10	3.43	—
March	12.7	-1.0	9.6	3.7	6.7	+0.4	80	—	16	4.25	—
April	12.5	-2.3	9.6	4.0	6.8	-1.3	61	—	18	5.42	—
May	16.7	1.6	12.0	6.0	9.0	-1.5	73	—	15	5.77	—
June	21.5	6.0	16.5	9.4	12.9	-0.3	84	—	12	7.87	—
July	22.8	6.6	17.1	10.3	13.7	-1.0	39	—	5	5.31	—
August	22.5	6.6	18.4	10.9	14.7	0.0	69	—	11	7.73	—
September	17.9	6.8	15.9	10.6	13.3	+0.4	113	—	23	4.33	—
October	18.4	5.0	14.6	10.4	12.5	+2.1	133	—	23	2.09	—
November	12.4	-1.3	9.9	6.5	8.2	+0.5	137	—	20	0.93	—
December	11.5	-1.3	7.8	3.8	5.8	-0.3	88	—	18	1.27	—
YEAR	22.8	-3.3	12.1	6.7	9.4	-0.1	1,006	—	191	4.14	—
ARMAGH											
January	12.8	-5.0	7.8	2.4	5.1	+1.0	87	105	26	1.08	68
February	8.9	-5.6	5.8	-1.3	2.3	-2.3	34	61	15	3.19	136
March	17.2	-2.2	10.3	2.3	6.3	-0.1	57	114	15	3.25	97
April	17.2	-4.4	12.4	3.3	7.9	-0.4	57	107	17	5.06	109
May	23.3	-0.6	14.0	4.8	9.4	-1.5	53	88	15	5.06	85
June	25.6	5.0	19.5	9.1	14.3	+0.5	66	109	16	7.18	128
July	22.8	5.0	19.2	9.9	14.5	-0.6	24	28	10	4.12	100
August	23.9	6.1	20.4	10.1	15.3	+0.4	54	63	13	5.74	134
September	21.1	3.3	16.9	9.1	13.0	+0.1	87	118	23	3.61	100
October	18.3	3.9	15.0	9.3	12.1	+2.2	94	111	20	1.90	69
November	14.4	-4.4	9.5	4.1	6.8	0.0	94	127	15	1.56	80
December	12.2	-3.3	6.7	1.3	4.0	-1.1	69	87	23	1.05	94
YEAR	2.56	-5.6	13.1	5.4	9.3	-0.1	777	92	208	3.56	103

*Certain values published in Quarterly Returns have been reviewed and corrected values appear in these Tables.

TABLE X. (continued) Northern Ireland: Air temperature, rainfall and sunshine recorded at seven stations during the year, 1968.

ALDERGROVE												
MONTH	Air temperatures						Rainfall			Sunshine		
	Highest °C.	Lowest °C.	Mean daily maximum °C.	Mean daily minimum °C.	Daily mean °C.	Difference from average °C.	Total mm.	Percentage of average %	No. of days	Daily mean hr.	Percentage of average %	
January	12.0	-5.6	7.0	3.0	5.0	+1.3	95	99	21	1.07	73	
February	8.0	-6.1	5.3	-1.2	2.1	-2.1	47	69	14	3.38	148	
March	15.7	-3.2	9.3	2.0	5.7	-0.2	60	105	15	3.06	91	
April	16.3	-3.6	11.9	3.1	7.5	-0.4	47	76	15	6.28	126	
May	21.9	-1.0	12.5	4.6	8.5	-2.0	68	99	18	5.07	80	
June	24.0	4.4	18.5	8.9	13.7	+0.4	52	83	16	6.96	117	
July	22.0	4.4	18.1	9.4	13.7	-1.0	37	44	10	5.79	132	
August	22.9	4.2	19.5	9.7	14.6	+0.1	82	89	12	6.46	148	
September	20.1	4.3	16.0	9.2	12.6	-0.1	97	114	20	3.88	108	
October	17.9	3.2	14.3	9.4	11.9	+2.2	103	102	20	1.85	71	
November	13.4	-5.0	8.7	4.4	6.5	-0.1	75	83	15	1.64	93	
December	11.5	-3.9	6.2	2.1	4.1	-0.8	57	58	17	1.26	114	
YEAR	24.0	-6.1	12.3	5.4	8.9	-0.2	820	84	193	3.89	111	
HILLSBOROUGH												
January	12.8	-4.4	7.4	2.5	4.9	+1.2	78	83	22	1.07	69	
February	7.2	-4.4	4.8	-0.9	1.9	-2.1	27	41	16	3.20	138	
March	14.4	-2.8	8.9	2.0	5.5	-0.1	64	119	18	3.15	97	
April	15.0	-3.3	10.6	3.2	6.9	-0.7	48	86	17	5.35	111	
May	20.0	0.0	11.8	4.5	8.1	-1.9	68	107	14	4.80	78	
June	23.3	5.0	17.6	8.6	13.1	+0.2	67	116	11	7.38	122	
July	21.1	5.6	17.3	9.5	13.7	-0.6	45	57	6	4.85	108	
August	21.7	6.1	18.6	9.6	14.1	-0.1	45	55	10	6.44	147	
September	19.4	5.0	15.8	9.4	12.6	+0.3	95	123	19	3.95	109	
October	17.8	3.9	14.2	9.1	11.7	+2.2	121	131	19	2.12	77	
November	13.3	-2.8	8.8	4.2	6.5	+0.1	83	99	15	1.39	72	
December	11.1	-2.8	6.5	1.4	3.9	-0.9	69	75	14	1.10	92	
YEAR	23.3	-4.4	11.9	5.3	8.6	-0.2	810	90	181	3.73	105	
CASTLE ARCHDALE												
January	12.8	-6.7	7.6	2.6	5.1	+1.0	155	151	26	0.95	58	
February	7.8	-7.2	5.3	-2.7	1.3	-3.2	43	58	14	3.18	130	
March	15.0	-3.3	9.4	2.1	5.7	-0.4	101	161	24	3.25	99	
April	16.1	-5.6	115	3.1	7.3	-0.7	63	101	20	5.03	105	
May	21.1	-1.1	12.8	4.2	8.5	-2.2	62	98	17	5.78	93	
June	25.0	3.9	18.0	8.4	13.2	-0.1	100	143	18	6.79	123	
July	22.2	3.3	17.6	8.1	12.9	-1.7	32	35	9	5.53	129	
August	22.2	2.2	19.3	9.1	14.2	-0.3	65	64	15	6.25	140	
September	20.6	2.2	16.1	8.8	12.5	-0.4	177	191	22	3.86	105	
October	17.2	4.4	14.3	8.9	11.6	+1.8	178	165	23	2.02	75	
November	13.9	-5.6	9.0	3.0	6.0	-0.8	90	87	13	1.31	66	
December	11.7	-6.7	6.4	0.9	3.7	-1.4	111	104	20	1.10	81	
YEAR	25.0	-7.2	12.3	4.7	8.5	-0.7	1,177	113	221	3.75	106	
GENERAL VALUES FOR NORTHERN IRELAND AS A WHOLE												
January	14.0	-11.1	7.5	3.0	5.3	+1.3	126	116	24	1.08	69	
February	9.4	-11.1	5.6	-1.6	2.0	-2.5	40	53	15	3.31	137	
March	17.2	-5.0	9.7	2.5	6.1	-0.1	83	126	18	4.01	95	
April	17.7	-6.1	12.1	3.1	7.6	-0.4	59	89	17	5.54	113	
May	23.7	-3.9	12.9	4.5	8.7	-1.9	78	108	16	5.24	84	
June	27.0	1.1	18.5	8.6	13.5	+0.1	77	108	16	7.04	122	
July	23.5	0.7	18.0	9.0	13.5	-1.2	39	41	9	5.16	119	
August	24.5	1.8	19.5	9.2	14.3	-0.2	74	73	14	6.39	144	
September	21.4	0.0	16.4	8.9	12.7	-0.1	135	141	21	3.78	103	
October	19.4	-0.6	14.7	9.1	11.9	+2.1	143	129	22	2.08	76	
November	15.0	-7.2	9.1	3.9	6.5	-0.3	97	93	15	1.54	80	
December	12.9	-6.7	6.6	1.8	4.2	-0.9	86	77	19	1.13	94	
YEAR	27.0	-11.1	12.5	5.2	8.9	-0.3	1,037	96	206	3.86	107	

ADMINISTRATION

Introductory The administrative functions of the office of the Registrar General comprise the registration of births (live and still), deaths, marriages and adoptions, and the provision or supervision of machinery for dealing with preliminaries to marriages other than those according to the rites of the Roman Catholic Church.

Buildings licensed or registered for marriages The numbers of places of worship (other than those belonging to the Roman Catholic Church) in which marriages could be solemnised, as at 31st December in each of the years 1965, 1966, 1967 and 1968 were as follows:

<i>Denomination</i>	<i>1965</i>	<i>1966</i>	<i>1967</i>	<i>1968</i>
Church of Ireland	414	415	417	417
Presbyterian	512	513	513	515
Methodist	159	160	161	162
Others	269	278	286	300
TOTAL	1,354	1,366	1,377	1,394

State of registration The measures adopted for particulars of births notified under the Notification of Births Act, 1907, to be furnished to registrars in the two county boroughs have continued to be of value in securing the registration of a number of births which had not been registered within the prescribed period of 6 weeks.

Births and deaths not registered within a year of their occurrence can be recorded only with the authority of the Registrar General. During 1968 such authority was granted for the registration of 23 births, as compared with 26 in 1967 and 25 in 1966. The registration of 11 deaths was authorised as compared with 11 in 1967 and 11 in 1966.

Legitimacy Acts (N.I.), 1928 to 1961 Under these Acts an illegitimate child whose parents have married is, subject to certain conditions, legitimised, and the Registrar General is empowered to authorise the re-registration of the birth. During 1968 the re-registration of the births of 152 children was authorised under these Acts, the comparative figures for 1967 and 1966 being 133 and 137 respectively.

Adoption of Children Act (N.I.), 1950 Registers of children adopted under the provisions of the above Act and of the previous Adoption Act of 1929 are kept in the General Register Office, to which the adoption orders made by the Courts are transmitted. A certified copy of an entry in the Adopted Children Register is evidence of adoption, and is also evidence of the date of birth of the adopted child. The children whose adoptions were recorded in the Adopted Children Registers during 1968 numbered 456 whilst the figures for 1967 and 1966 were 424 and 408 respectively.

Searches and certificates The original records of live births, deaths, and marriages registered in Northern Ireland are, in general, in the custody of local registration officers, who issue annually therefrom many thousands of certificates. An indication of the extent to which Government Departments and the public have utilised the facilities for searching in the indexes and obtaining certificates from records in the General Register Office for

Northern Ireland (including the Adopted Children Register) is afforded by the following statement:

YEAR	OFFICIAL		Searches	PAID			Fees Received		
	Searches	Certificates		Certificates					
				Full	Short				
1927	56	29	109	112	—	£ 19 9 0			
1937	94	88	363	290	—	55 2 0			
1951	222	220	1,683	1,609	1,270	317 0 6			
*1957	319	305	2,278	2,498	1,855	702 12 0			
1958	421	382	2,420	2,331	1,678	673 6 6			
1959	536	521	2,405	2,256	1,638	657 1 6			
1960	449	441	2,631	2,783	1,864	779 8 0			
1961	382	375	2,884	2,944	1,907	826 17 0			
1962	439	433	3,098	3,362	2,131	928 3 6			
1963	462	450	2,979	3,505	2,377	955 13 0			
1964	476	472	2,871	3,424	2,459	937 9 6			
1965	498	493	3,198	3,682	2,663	1,017 7 0			
*1966	352	357	3,959	4,456	3,156	1,587 14 0			
1967	281	273	3,992	4,499	3,137	1,730 0 6			
1968	284	279	4,181	4,585	3,596	1,810 14 6			

*Fees for certificates and searches were increased with effect from the 21st April, 1956 and the 1st April 1966.

Verifications Requests for the verification of particulars of events registered are received from Government Departments in connection with claims for pensions, etc. During the year the number of cases dealt with was 9,708 out of which 4,354 were checked from the records in the General Register Office and 5,354 events (where records were not available at that office) were referred to local registration officers.

ABSTRACTS

1968

ABSTRACT 1. Northern Ireland: Ages of the population according to the census of 1966.

AGES	Northern Ireland			Belfast C.B.		Londonderry C.B.		Co. Antrim		Co. Armagh		Co. Down		Co. Fermanagh		Co. Londonderry		Co. Tyrone	
	Persons	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
—1 Yr.	32,563	16,911	15,652	4,095	3,851	711	657	3,784	3,434	1,521	1,382	3,076	2,803	465	484	1,639	1,504	1,620	1,537
1—	32,308	16,874	15,434	4,001	3,640	716	662	3,861	3,499	1,552	1,382	3,060	2,821	527	478	1,519	1,432	1,638	1,520
2—	32,775	16,814	15,961	3,989	3,811	730	702	3,703	3,590	1,542	1,495	3,086	2,882	521	503	1,571	1,423	1,672	1,555
3—	31,964	16,467	15,497	3,876	3,800	725	704	3,713	3,456	1,510	1,379	3,001	2,719	480	499	1,527	1,424	1,635	1,516
4—	30,916	15,969	14,947	3,808	3,693	671	646	3,588	3,297	1,447	1,310	2,917	2,674	484	499	1,436	1,347	1,618	1,481
5-9	146,345	75,110	71,235	18,238	17,433	3,303	3,234	16,446	15,401	6,643	6,196	13,836	13,067	2,483	2,401	6,630	6,335	7,531	7,168
10-14	132,041	67,720	64,321	16,504	15,787	2,942	2,860	14,224	13,525	6,048	5,629	12,452	11,794	2,629	2,401	5,916	5,665	7,005	6,660
15-19	125,701	63,472	62,229	17,019	17,588	2,741	2,656	12,900	12,523	5,450	5,203	11,969	11,320	2,280	2,140	5,139	4,955	5,974	5,844
20-24	106,424	52,405	54,019	15,201	16,122	2,078	2,164	10,709	11,677	4,221	4,281	9,964	9,915	1,589	1,393	4,167	4,216	4,476	4,251
25-29	87,774	43,440	44,334	11,007	11,120	1,582	1,500	10,161	10,616	3,687	3,787	8,188	8,607	1,243	1,210	3,782	3,802	3,790	3,692
30-34	83,792	41,130	42,662	9,940	10,589	1,349	1,520	9,889	10,100	3,510	3,634	8,124	8,628	1,276	1,235	3,405	3,444	3,637	3,512
35-39	84,754	40,857	43,897	10,128	11,248	1,395	1,484	9,592	10,280	3,477	3,643	8,217	8,940	1,281	1,252	3,230	3,376	3,537	3,674
40-44	88,189	42,730	45,459	11,057	12,319	1,338	1,559	9,507	10,018	3,598	3,755	8,682	9,402	1,478	1,420	3,360	3,254	3,710	3,732
45-49	83,571	40,870	42,701	10,645	12,203	1,258	1,588	8,716	8,896	3,260	3,329	8,519	8,759	1,545	1,376	3,121	2,889	3,806	3,661
50-54	83,353	40,151	43,202	11,067	13,247	1,225	1,453	8,020	8,422	3,233	3,483	8,073	8,437	1,600	1,425	3,049	3,053	3,884	3,682
55-59	77,498	36,975	40,523	10,792	13,325	1,122	1,452	7,043	7,681	3,027	3,125	7,302	7,964	1,494	1,208	2,706	2,622	3,489	3,146
60-64	68,641	31,296	37,345	9,415	12,251	950	1,322	5,846	7,037	3,003	6,101	7,259	1,204	1,167	2,278	2,390	2,928	2,916	
65-69	58,161	25,271	32,890	7,273	10,658	690	1,121	4,672	5,972	2,167	2,634	5,040	6,689	1,079	1,025	1,970	2,149	2,380	2,642
70-74	43,133	18,077	25,056	4,824	8,057	484	756	3,284	4,545	1,529	2,030	3,674	5,086	871	822	1,452	1,647	1,959	2,113
75-79	28,812	11,543	17,269	2,745	5,365	306	514	2,106	3,239	1,045	1,340	2,359	3,360	638	592	977	1,246	1,367	1,413
80-84	16,417	6,284	10,133	1,304	2,969	175	353	1,196	1,899	561	769	1,347	2,195	325	401	556	686	820	861
85-89	7,235	2,708	4,527	549	1,285	77	136	564	871	240	335	564	1,048	151	168	217	272	346	412
90-94	2,007	692	1,315	142	341	25	42	141	272	60	100	139	281	49	69	56	99	80	111
95 & over	401	118	283	15	69	2	14	24	52	12	26	31	60	11	15	11	20	12	27
ALL AGES	1,484,775	723,884	760,891	187,634	210,771	26,595	29,099	153,689	160,302	61,914	63,250	139,721	146,910	25,703	24,183	59,714	59,250	68,914	67,126

ABSTRACT 2. Northern Ireland: Marriages by area and month of registration, 1968.

AREA	Year	January	February	March	April	May	June	July	August	Sept-	Oct-	Nov-	Dec-	
		11,240	482	745	1,428	819	405	1,004	1,157	1,330	1,599	1,015	564	692
NORTHERN IRELAND														
BELFAST COUNTY BOROUGH	3,545	135	225	502	218	128	278	364	398	524	352	191	230	
LONDONDERRY COUNTY BOROUGH	471	45	49	36	41	22	34	45	64	52	30	21	32	
ANTRIM	2,286	81	142	326	168	85	216	222	239	319	231	122	135	
ARMAGH	852	41	70	86	57	30	87	114	112	103	59	38	55	
DOWN	2,013	79	116	291	173	66	188	186	225	296	170	95	128	
FERMANAGH	319	17	28	34	19	7	32	38	54	45	29	11	5	
LONDONDERRY*	784	35	52	85	66	31	82	73	83	120	57	44	56	
TYRONE	970	49	63	68	77	36	87	115	155	140	87	42	51	

*Excluding County Borough.

52

ABSTRACT 3. Northern Ireland: Conjugal condition of persons contracting marriages, 1968.

AREA	Rate per 1,000 popula- tion	Total	Marriages contracted between												Marriages of	
			Bachelors and			Widowers and			Divorced Men and							
			Spinsters	Widows	Divorced Women	Spinsters	Widows	Divorced Women	Spinsters	Widows	Divorced Women	Divorced men	Divorced women	Divorced men	Divorced women	
NORTHERN IRELAND	7.5	11,240	10,688	89	71	166	93	16	80	20	17	117	104			
BELFAST COUNTY BOROUGH	9.1	3,545	3,309	35	45	59	35	9	36	8	9	53	63			
LONDONDERRY COUNTY BOROUGH	8.5	471	463			3	1		4			4				
ANTRIM	7.0	2,286	2,188	13	12	32	16	2	14	6	3	23	17			
ARMAGH	6.7	852	824	3	4	13	4		2	1	1	4	5			
DOWN	6.8	2,013	1,898	20	5	35	27	4	16	4	4	24	13			
FERMANAGH	6.4	319	311	2	1	3	1		1			1	1			
LONDONDERRY*	6.5	784	753	7	1	11	6		5	1		6	1			
TYRONE	7.1	970	942	9	3	10	3	1	2			2	4			

*Excluding County Borough.

ABSTRACT 4. Northern Ireland: Ages of men at marriage, 1968.

AREA	Average age	All ages	16—	17—	18—	19—	20—	Under 21 years	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80 and over	Not stated
			16	17	18	19	20	1,420	4,759	3,096	865	382	240	155	99	92	44	49	22	10	6	1
NORTHERN IRELAND	26.19	11,240	10	53	178	463	716	1,420	4,759	3,096	865	382	240	155	99	92	44	49	22	10	6	1
BELFAST COUNTY BOROUGH	25.64	3,545	4	27	74	185	274	564	1,596	842	215	117	60	46	26	33	16	15	10	3	2	.
LONDONDERRY COUNTY BOROUGH	24.61	471	2	8	19	42	71	232	118	29	6	8	2	1	1	1	1	1	1	1	.	.
ANTRIM	23.88	2,286	1	9	39	98	157	304	997	612	183	64	45	24	13	19	10	8	4	2	1	.
ARMAGH	26.33	852	1	5	9	29	44	88	349	248	79	37	19	9	2	1	1	1	1	1	1	.
DOWN	27.05	2,013	3	6	19	66	107	201	810	617	157	65	49	30	23	24	10	19	3	3	2	.
FERMANAGH	27.56	319	—	2	8	10	20	107	112	37	16	10	6	4	3	2	1	1	1	1	1	.
LONDONDERRY*	26.80	784	1	1	13	27	32	74	322	222	71	40	20	11	13	4	2	2	3	1	1	.
TYRONE	26.83	970	—	3	14	31	50	98	346	325	94	37	29	17	10	6	3	3	1	1	1	.

* Excluding County Borough.

53

ABSTRACT 5. Northern Ireland: Ages of women at marriage, 1968.

AREA	Average age	All ages	16—	17—	18—	19—	20—	Under 21 years	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80 and over	Not stated
			16	17	18	19	20	1,055	1,242	3,434	4,698	1,865	533	264	132	114	85	43	35	24	10	2
NORTHERN IRELAND	23.78	11,240	132	338	667	1,055	1,242	3,434	4,698	1,865	533	264	132	114	85	43	35	24	10	2	.	1
BELFAST COUNTY BOROUGH	23.62	3,545	47	124	228	359	429	1,187	1,490	491	150	75	34	44	30	16	12	10	6	1	.	.
LONDONDERRY COUNTY BOROUGH	22.55	471	3	17	32	60	62	174	194	69	19	9	3	1	1	1	1	1	1	1	.	.
ANTRIM	23.46	2,286	35	75	162	224	256	752	960	344	100	46	25	23	17	7	6	6	1	1	.	.
ARMAGH	23.94	852	10	21	37	73	87	228	366	160	37	28	15	10	4	3	1	1	1	1	.	.
DOWN	24.36	2,013	20	48	98	153	227	546	843	372	98	52	28	24	21	7	13	6	3	1	.	.
FERMANAGH	24.07	319	2	2	10	32	36	82	127	75	15	9	4	2	1	1	1	1	1	1	1	.
LONDONDERRY*	24.05	784	8	27	50	66	67	218	320	144	58	15	11	5	5	6	1	1	1	1	1	.
TYRONE	24.11	970	7	24	50	88	78	247	398	210	56	30	12	5	6	3	2	1	1	1	1	.

* Excluding County Borough.

ABSTRACT 6. Northern Ireland: Age and conjugal condition of persons married in the year 1968.

Men

Age last birthday	All men	All bachelors	All widowers	All divorced men	Bachelors who married			Widowers who married			Divorced men who married		
					Spinsters	Widows	Divorced women	Spinsters	Widows	Divorced women	Spinsters	Widows	Divorced women
All Ages	11,240	10,848	275	117	10,688	89	71	166	93	16	80	20	17
16	10	10	.	.	10
17	53	53	.	.	53
18	178	178	.	.	178
19	463	463	.	.	463
20	716	716	.	.	715	.	1
under 21	1,420	1,420	.	.	1,419	.	1
21	1,144	1,144	.	.	1,139	3	2
22	1,222	1,221	.	1	1,219	1	1	1	.
23	1,228	1,228	.	1	1,222	2	4
24	1,165	1,164	.	1	1,151	3	10	.	.	.	1	.	.
21-24	4,759	4,757	.	2	4,731	9	17	.	.	.	1	1	.
25	1,033	1,030	1	2	1,026	2	2	1	.	.	2	.	.
26	720	716	1	3	712	1	3	1	.	.	3	.	.
27	558	551	1	6	548	3	3	1	.	.	6	.	.
28	436	430	2	4	425	3	2	2	.	.	4	.	.
29	349	343	1	5	337	1	5	1	.	.	5	.	.
25-29	3,096	3,070	6	20	3,048	7	15	6	.	.	20	.	.
30	256	249	1	6	243	4	2	.	1	.	6	.	.
31	183	175	3	5	172	3	3	2	1	.	5	.	.
32	170	168	1	1	164	1	3	1	.	.	1	.	.
33	136	129	2	5	127	2	2	2	.	.	4	.	1
34	120	113	3	4	107	5	1	3	.	.	4	.	.
30-34	865	834	10	21	813	10	11	8	2	.	20	.	1
35	91	88	.	3	83	5	2	.	.	.	2	1	.
36	90	82	2	6	77	3	2	2	.	.	6	.	.
37	75	68	2	5	66	1	1	1	.	.	3	2	.
38	65	57	2	6	55	1	1	2	.	.	5	1	.
39	61	53	2	6	52	.	1	1	.	.	5	.	1
35-39	382	348	8	26	333	5	10	6	.	.	21	2	3
40	53	47	5	1	39	6	2	5	.	.	1	.	.
41	53	44	4	5	41	2	1	4	.	.	3	.	2
42	47	38	7	2	35	1	2	6	1	.	1	1	.
43	46	37	5	4	37	2	4	3	1	.	1	2	1
44	41	32	6	3	26	2	4	5	1	.	2	1	.
40-44	240	198	27	15	178	11	9	23	2	.	8	4	3

ABSTRACT 6 (continued). Northern Ireland: Age and conjugal condition of persons married in the year 1968.

Women

Age last birthday	All women	All spinsters	All widows	All divorced women	Spinsters who married			Widows who married			Divorced women who married		
					Bachelors	Widowers	Divorced men	Bachelors	Widowers	Divorced men	Bachelors	Widowers	Divorced men
All Ages	11,240	10,934	202	104	10,688	166	80	89	93	20	71	16	17
16	132	132	.	.	132
17	338	338	.	.	338
18	667	667	.	.	664	2	1
19	1,055	1,055	.	.	1,053	1	1
20	1,242	1,242	.	.	1,240	.	2
under 21	3,434	3,434	.	.	3,427	3	4
21	1,586	1,583	2	1	1,575	2	6	1	.	1	1	.	.
22	1,226	1,224	1	1	1,221	1	2	1	.	1	.	.	.
23	1,011	1,010	.	1	1,002	3	5	.	.	.	1	.	.
24	875	872	.	3	864	4	4	.	.	.	3	.	.
21-24	4,698	4,689	3	6	4,662	10	17	2	.	1	6	.	.
25	686	679	2	5	670	5	4	2	.	.	5	.	.
26	423	422	1	1	416	3	3	.	.	.	1	.	.
27	333	320	2	11	310	2	8	2	.	.	11	.	.
28	237	231	2	4	222	3	6	1	.	.	4	.	.
29	186	176	4	6	170	2	4	4	.	.	4	1	1
25-29	1,865	1,828	10	27	1,788	15	25	9	1	.	25	1	1
30	153	148	2	3	141	3	4	1	1	.	3	.	.
31	119	113	3	3	105	6	2	2	1	1	1	1	1
32	104	96	2	6	91	2	3	2	2	.	4	.	2
33	81	75	3	3	69	4	2	1	1	.	3	.	2
34	76	68	2	6	62	2	4	2	2	.	5	.	1
30-34	533	500	12	21	468	17	15	9	2	1	16	1	4
35	70	60	3	7	52	2	6	2	1	.	5	2	1
36	63	57	4	2	52	4	1	3	1	.	1	1	1
37	46	38	4	4	35	2	1	4	2	.	3	1	1
38	42	37	3	2	31	5	1	2	1	1	1	.	1
39	43	41	1	1	35	4	2	.	1	.	.	.	1
35-39	264	233	15	16	205	17	11	11	3	1	9	4	3
40	39	34	2	3	24	9	1	1	1	1	2	.	1
41	19	12	6	1	10	2	.	6	1	1	2	.	1
42	29	23	3	3	18	5	1	1	1	1	1	1	.
43	19	11	6	2	8	2	1	2	4	1	1	1	1
44	26	18	4	4	14	3	1	1	1	1	2	2	1
40-44	132	98	21	13	74	21	9	10	7	4	6	4	3

45	24	17	2	5	11	6	.	1	1	3	1	1	1	1
46	24	15	3	3	8	9	4	3	3	3	1	1	1	1
47	28	18	7	2	8	4	5	1	2	5	1	1	1	1
48	18	8	8	.	11	3	4	.	2	4	2	.	.	.
49	20	9	9	.	.	5	4	.	3	3	7	.	.	.
45-49	114	67	36	11	39	26	2	.	13	16	7	6	2	3
50	20	9	8	3	2	5	2	2	2	5	1	1	1	1
51	15	5	8	2	3	2	4	.	4	6	2	.	.	.
52	18	6	12	.	1	1	5	.	3	5	1	.	.	.
53	15	6	8	1	3	5	.	.	2	6	.	.	.	1
54	17	8	8	1
50-54	85	34	44	7	11	21	2	16	25	3	3	2	2	2
55	12	8	3	1	3	5	.	.	2	3	.	.	.	1
56	11	8	3	2	2	6	.	.	1	1
57	9	6	3	2	1	4	.	1	1	2
58	6	5	1	.	1	3	.	.	1	1
59	5	.	5	1	4
55-59	43	27	15	1	8	18	1	5	10	1
60	11	4	6	1	1	4	2	.	2	3	1	.	.	.
61	8	3	4	1	1	2	.	.	1	3	1	.	.	.
62	4	4	4	.	2	.	.	.	3	3
63	5	2	3	5	.	2	.	.	2	3
64	7	2	5
60-64	35	11	22	2	3	8	.	8	13	1	.	2	.	.
65	10	4	6	.	2	2	.	1	4	1
66	4	2	2	.	.	2	.	1	1	1
67	1	1	3	.	1	1	.	1	3	1
68	4	1	3	.	1	1	.	1	1	1
69	5	2	3	.	1	1	.	1	1	1
65-69	24	10	14	.	3	7	.	3	9	2
70	5	1	4	.	.	1	.	.	4
71	1	.	1	1
72	1	2
73	1	1	3
74	3	.	3
70-74	10	2	8	.	.	2	.	2	6
75	1	1	1	.	.	1	.	.	1
76	1	.	1
77
78
79
75-79	2	1	1	.	.	1	.	.	1
80 and over
Not stated	1	.	1	1

ABSTRACT 7. Northern Ireland: Ages in combination of men and women at marriage, 1968.

	AGES OF WIVES																			Total husbands	
	Not stated	16—	17—	18—	19—	20—	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80 and over		
AGES OF HUSBANDS	Not stated	1	1	Not stated
	16—	3	4	3	14	5	1	10	16—
	17—	11	11	11	33	21	19	1	53	17—
	18—	19	41	44	33	21	19	1	178	18—
	19—	24	63	121	110	68	73	4	463	19—
	20—	26	67	117	163	149	175	18	1	716	20—
	21—	40	126	307	581	759	2,491	424	28	2	1	2	4,759	21—
	25—	7	24	57	137	208	1,589	916	139	15	2	2	3,096	25—
	30—	1	2	6	16	26	274	328	156	44	10	1	1	865	30—
	35—	.	.	1	3	61	116	110	68	68	18	2	2	1	382	35—
	40—	.	1	.	.	2	9	40	62	68	33	22	2	1	240	40—
	45—	.	.	.	1	.	4	12	20	42	31	30	8	7	155	45—
	50—	1	1	3	13	12	20	19	25	3	1	99	50—
	55—	1	2	2	9	10	23	21	12	8	4	.	.	.	92	55—
	60—	2	2	2	4	6	9	5	11	2	3	.	.	44	60—
	65—	1	1	2	7	14	7	8	8	1	.	.	.	49	65—
	70—	1	1	1	1	3	1	1	2	1	.	22	70—
	75—	1	.	1	1	1	2	1	.	10	75—
	80 and over	1	1	1	1	2	1	.	6	80 and over
Total wives	1	132	338	667	1,055	1,242	4,698	1,865	533	264	132	114	85	43	35	24	10	2	.	11,240	

ABSTRACT 8. Northern Ireland: Live births in each of the four quarters, 1968.

AREA	PERSONS					MALES					FEMALES				
	Total	Quarter ended the last day of				Total	Quarter ended the last day of				Total	Quarter ended the last day of			
		March	June	Sept.	Dec.		March	June	Sept.	Dec.		March	June	Sept.	Dec.
NORTHERN IRELAND	33,173	8,562	8,448	8,453	7,710	17,151	4,446	4,313	4,381	4,011	16,022	4,116	4,135	4,072	3,699
BELFAST COUNTY BOROUGH	7,630	2,050	1,938	1,909	1,733	3,998	1,078	993	1,007	920	3,632	972	945	902	813
LONDONDERRY COUNTY BOROUGH	1,493	369	413	390	321	768	182	230	188	168	725	187	183	202	153
ANTRIM	7,680	1,978	1,931	1,931	1,840	4,010	1,023	994	1,036	957	3,670	955	937	895	883
ARMAGH	2,985	730	788	759	708	1,489	378	374	382	355	1,496	352	414	377	353
DOWN	5,978	1,530	1,504	1,512	1,432	3,060	773	758	761	768	2,918	757	746	751	664
FERMANAGH	1,011	260	257	268	226	538	135	140	141	122	473	125	117	127	104
LONDONDERRY *	3,099	791	776	799	733	1,601	420	400	428	353	1,498	371	376	371	380
TYRONE	3,297	854	841	885	717	1,687	457	424	438	368	1,610	397	417	447	349

*Excluding County Borough.

50

ABSTRACT 9. Northern Ireland: Deaths in each of the four quarters, 1968.

AREA	PERSONS					MALES					FEMALES				
	Total	Quarter ended the last day of				Total	Quarter ended the last day of				Total	Quarter ended the last day of			
		March	June	Sept.	Dec.		March	June	Sept.	Dec.		March	June	Sept.	Dec.
NORTHERN IRELAND	15,933	4,802	3,854	3,473	3,804	8,235	2,460	2,005	1,808	1,962	7,698	2,342	1,849	1,665	1,842
BELFAST COUNTY BOROUGH	4,811	1,501	1,105	1,018	1,187	2,340	727	531	498	584	2,471	774	574	520	603
LONDONDERRY COUNTY BOROUGH	543	154	153	120	116	296	72	90	66	68	247	82	63	54	48
ANTRIM	2,907	810	728	657	712	1,476	400	376	325	375	1,431	410	352	332	337
ARMAGH	1,296	412	328	256	300	711	220	187	142	162	585	192	141	114	138
DOWN	3,132	927	762	706	737	1,606	478	398	367	363	1,526	449	364	339	374
FERMANAGH	644	202	153	123	166	357	117	89	71	80	287	85	64	52	86
LONDONDERRY*	1,127	325	286	251	265	609	173	141	142	153	518	152	145	109	112
TYRONE	1,473	471	339	342	321	840	273	193	197	177	633	198	146	145	144

*Excluding County Borough.

ABSTRACT 10. Northern Ireland: Still-births by sex, cause and period of gestation, 1968.

Detailed List Nos.	Cause of Still-Birth	Total	Not stat-ed	Period of Gestation (Weeks)																	
				28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45 and over
				M	F																
	ALL CAUSES																				
	TOTALS	258	.	4	11	5	18	24	12	22	23	21	16	16	20	28	18	11	2	2	.
		283	.	9	8	21	16	19	19	24	26	14	24	18	33	14	16	4	4	2	2
740	Anencephalus M	26	.	2	1	1	1	2	1	1	8	9	4	3	1	2	1	1	1	.	i
	F	61	.																		
741.0	Spina bifida with hydrocephalus M	6	.	i	.	1	.	1	1	1	1	.	.	1	1	1	1	1	1	1	.
	F	13	.																		
741.9	Spina bifida without mention of hydrocephalus F	3	1	.	.	.	1	.	1
742	Congenital hydrocephalus M	10	1	2	1	1	1	1	2	1	1	2	.	.	.
	F	9	.																		
743	Other congenital anomalies of nervous system F	1	1	.	i
746	Congenital anomalies of heart M	1	i	.	i	2	.	.	.
	F	4	.																		
748	Congenital anomalies of respiratory system F	1	1
750	Other congenital anomalies of upper alimentary tract F	1	i
758	Other and unspecified congenital anomalies F	2	1	2	i	.	.	.	1	.	.
759	Congenital syndromes affecting multiple systems F	6	.	.	1	1	.	1	.	.	1	1	.	1	1	1	1	1	.	.	.
760	Chronic circulatory and genito-urinary diseases in mother F	3	.	2	1	1	1	.	.	1	.	1
761	Other maternal conditions unrelated to pregnancy F	3	1	.	1	.	1	.	2	.	.	i	1	1	.	.

ABSTRACT 11. Northern Ireland: Births, still-births and deaths, by age and sex and by cause, in each administrative area, 1968, together with the census population, 1966. 1968

		POPULATION, BIRTHS, STILL-BIRTHS AND DEATHS		NORTHERN IRELAND		CO. ANTRIM		BALLYCASTLE U.D.		BALLYCLARE U.D.		BALLYMENA M.B.		BALLYMONEY U.D.		CARRICKFERGUS M.B.		LARNE M.B.		LISBURN M.B.		NEW-TOWNSABBAY U.D.		PORTNAH U.D.		WHITEHEAD U.D.		ANTRIM R.D.		BALLYCASTLE R.D.		BALLYMENA R.D.		BALLYMONEY R.D.		LARNE R.D.		LISBURN R.D.		
		Population, Census 1966	M	723,884	153,689	1,265	2,243	7,554	1,657	5,316	8,455	10,161	22,968	1,907	16,322	4,239	16,069	11,159	10,571	32,597	F	760,891	160,302	1,685	2,397	8,353	1,857	5,616	8,877	11,361	24,416	2,450	1,535	16,286	3,834	16,053	10,917	10,576	34,089	
		Live births, total	M	17,151	4,010	34	46	216	53	167	205	318	720	46	340	98	409	257	231	850	F	16,022	3,670	28	42	178	46	155	205	283	663	49	18	318	84	347	218	216	820	
		Illegitimate live births	M	663	143	1	2	9	3	9	7	6	6	19	8	16	6	11	14	3	25	F	582	112	.	3	.	.	1	2	5	14	1	1	12	1	14	12	7	23
62		Still-births, total	M	258	53	1	.	3	1	2	4	3	9	12	.	5	5	4	5	3	14	F	283	54	.	.	.	1	1	5	3	12	1	1	5	7	5	2	14	11
		Illegitimate still-births	M	15	4	1	.	.	1	1	5	5	3	1	.	2	.	1	1	.	F	17	3		
		Deaths, total	M	8,235	1,476	11	39	82	21	67	81	99	177	25	149	47	177	112	129	247	F	7,698	1,431	20	24	76	19	57	85	98	179	30	16	146	43	162	95	124	257	
		Ages at death—																																						
		under 1 week	M	266	45	.	.	1	1	2	2	7	4	1	2	5	8	4	3	10	F	185	36	.	.	3	1	3	2	5	5	.	1	8	4	3	4	3	10	3
		under 4 weeks	M	307	55	.	.	1	1	2	3	7	9	1	3	3	3	7	8	12	F	215	45	.	.	5	3	3	6	1	5	.	8	5	4	3	4	5	12	4
		4 weeks—11 months	M	151	30	.	1	2	1	2	2	2	4	1	2	2	2	9	3	8	F	123	29	.	.	1	1	1	3	1	5	.	3	5	2	1	4	3	8	
		1 year—14 years	M	105	16	1	.	2	1	2	2	4	1	1	2	2	2	1	1	1	F	86	16	.	.	1	1	1	2	2	1	.	1	1	1	1	1	3	5	
		15 years—44 years	M	394	78	1	.	5	.	3	2	5	14	2	7	3	4	8	8	13	F	287	51	.	.	1	1	1	5	2	6	.	8	6	4	6	6	13	9	
		45 years—64 years	M	2,033	353	1	11	21	7	23	23	26	49	6	32	6	4	24	28	60	F	1,335	254	4	4	11	5	13	16	21	34	1	1	30	4	24	18	20	45	
		65 years and over	M	5,245	944	9	27	51	12	35	51	59	97	15	102	38	14	59	92	156	F	5,652	1,036	15	20	57	14	38	59	70	120	25	14	102	36	121	70	90	186	

Deaths from—																		
Infective and parasitic diseases	171	21	.	1	2	.	2	1	3	5	.	.	1	1	1	1	2	1
Neoplasms (a) Cancer*	2,672	497	4	16	21	8	18	27	30	62	16	8	43	20	53	31	37	103
(b) Other neoplasms	121	18	2	.	1	.	.	.	2	4	3	1	.	5
Endocrine, nutritional and metabolic diseases	187	34	.	.	4	1	1	1	2	7	.	.	.	1	7	1	2	7
Diseases of blood and blood-forming organs	66	10	.	.	1	.	.	1	1	1	.	.	1	1	1	3	.	.
Mental disorders	38	4	1	.	2	.	.	1
Diseases of the nervous system and sense organs	223	38	.	1	2	.	1	3	1	6	3	.	6	1	3	2	.	9
Diseases of the circulatory system	8,699	1,656	20	34	94	22	78	100	115	176	22	18	185	45	215	129	149	254
Diseases of the respiratory system	1,745	256	3	4	14	7	10	12	18	47	5	.	21	6	9	11	25	64
Diseases of the digestive system	364	64	.	2	.	.	.	5	8	5	4	2	6	3	6	5	11	7
Diseases of the genito-urinary system	251	45	.	2	4	.	1	1	.	7	1	.	7	5	5	2	5	5
Complications of pregnancy, childbirth and the puerperium	9	1	1
Diseases of the skin and subcutaneous tissue	9
Diseases of the musculoskeletal system and connective tissue	78	12	1	1	1	.	.	1	.	2	.	.	6
Congenital anomalies	252	54	.	.	2	.	1	5	4	16	.	.	5	.	5	1	4	11
Certain causes of perinatal morbidity and mortality	351	65	.	.	4	2	4	2	5	6	1	.	7	1	11	6	6	10
Symptoms and ill-defined conditions	58	9	1	.	1	1	.	.	2	1	1	.	2
Accidents, poisonings and violence (external cause)	639	123	1	3	8	.	8	5	7	11	2	1	11	4	17	13	12	20

*See definition on page 8

ABSTRACT 11 (continued). Northern Ireland: Births, still-births and deaths, by age and sex and by cause, in each administrative area, 1968, together with the census population, 1966. 1968

64

POPULATION, BIRTHS, STILL-BIRTHS AND DEATHS			CO. ARMAGH	Armagh U.D.	Craigavon U.D.	Keady U.D.	Lurgan M.B.	Portadown M.B.	Tandragee U.D.	Armagh R.D.	Newry No. 2 R.D.	Tandragee R.D.	CO. TYRONE	Cookstown U.D.	Dungannon U.D.	Omagh U.D.	Strabane U.D.	Castlederg R.D.	Clogher R.D.	Cookstown R.D.	Dungannon R.D.	Omagh R.D.	Strabane R.D.	
Population Census 1966			M 61,914	5,325	5,727	896	9,828	10,019	723	13,776	14,108	1,512	68,914	2,619	3,544	4,787	4,181	4,291	5,109	7,459	13,268	14,975	8,681	
			F 63,250	5,672	5,752	966	10,845	10,747	781	13,314	13,650	1,523	67,126	3,001	3,791	5,202	4,631	4,084	4,753	6,951	12,812	13,668	8,233	
Live births, total			M 1,489	141	159	16	263	229	11	275	370	25	1,687	71	101	137	134	88	95	168	321	331	241	
			F 1,496	135	144	17	283	245	14	261	377	20	1,610	59	89	139	110	80	92	185	305	352	199	
Illegitimate live births			M 42	3	3	1	7	6	.	9	12	1	68	4	2	2	3	2	1	5	8	11	11	
			F 40	5	4	1	7	6	.	8	8	1	57	6	2	1	1	4	5	6	9	12	11	
Still-births, total			M 17	4	1	1	2	2	1	3	3	.	25	1	4	3	2	1	1	3	5	2	3	
			F 22	.	2	.	5	4	.	5	6	.	28	.	2	4	1	.	1	5	5	8	2	
Illegitimate still-births			M 2	1	.	.	.	1	.	.	1	.	.	1	.	1	1	.	
Deaths, total			M 711	73	71	9	98	111	9	160	162	18	840	17	23	43	43	59	76	102	163	204	110	
			F 585	63	56	6	100	81	7	122	135	15	633	27	36	37	29	45	58	63	123	144	71	
Ages at Death—																								
under 1 week			M 13	2	2	.	3	5	3	1	4	1	28	1	4	1	1	.	2	.	3	3	11	4
			F 15	1	1	.	5	3	.	1	4	.	30	1	.	3	.	.	5	5	6	8	5	
under 4 weeks			M 17	4	4	.	3	6	3	1	4	1	31	1	4	2	2	.	2	.	3	3	12	4
			F 19	1	1	.	6	3	1	2	5	.	30	1	1	3	2	.	2	.	5	6	8	5
4 weeks—11 months			M 14	.	1	.	5	4	1	2	1	.	11	.	.	1	1	.	1	.	3	1	2	1
			F 5	.	.	.	5	4	.	1	5	1	10	.	.	1	3	1	2	4
1 year—14 years			M 12	4	1	.	3	1	.	1	4	1	13	.	.	1	1	.	1	.	3	4	5	.
			F 13	.	1	.	3	1	.	2	5	1	9	.	.	1	1	.	1	.	1	4	2	.
15 years—44 years			M 37	4	1	1	7	12	2	8	3	.	31	1	3	4	3	2	4	2	3	6	3	
			F 22	5	.	.	6	1	.	2	7	.	21	1	2	1	.	4	2	2	2	9	.	
45 years—64 years			M 145	17	16	4	21	25	1	24	33	4	163	5	4	11	14	9	21	18	30	32	19	
			F 107	10	8	1	24	14	.	20	26	4	93	3	6	13	9	8	7	3	10	25	9	
65 years and over			M 486	44	49	5	62	67	5	124	117	13	591	11	11	24	21	47	51	75	118	150	83	
			F 419	47	46	4	61	58	6	96	92	9	470	22	27	21	19	31	49	49	93	107	52	

6

Deaths from—																							
Infective and parasitic diseases	8	.	1	.	1	2	.	1	3	.	11	.	2	1	2	.	1	2	1	2	1	2	.
Neoplasms (a) Cancer*	226	22	12	3	47	43	3	48	45	3	190	4	10	10	14	12	18	27	42	34	19		
(b) Other neoplasms	14	3	.	.	1	2	.	5	3	.	17	.	.	1	1	3	1	3	5	1	2		
Endocrine, nutritional and metabolic diseases	16	.	1	.	5	3	.	3	4	.	22	2	3	3	7	6	1		
Diseases of blood and blood-forming organs	4	.	2	.	.	1	.	.	1	.	7	.	.	.	1	1	.	1	1	.	3		
Mental disorders	2	1	.	.	.	1	1	1		
Diseases of the nervous system and sense organs	24	4	2	2	6	2	.	4	4	.	17	.	1	2	1	.	4	2	1	4	2		
Diseases of the circulatory system	719	84	83	8	86	99	8	160	171	20	824	32	31	45	33	58	73	87	154	205	106		
Diseases of the respiratory system	133	10	13	1	30	24	1	29	20	5	161	2	5	11	12	11	11	14	28	42	25		
Diseases of the digestive system	23	3	1	.	1	4	.	6	8	.	37	.	.	2	2	1	5	6	11	7	3		
Diseases of the genito-urinary system	15	3	2	1	2	.	1	4	2	.	28	2	1	1	1	.	4	6	3	7	3		
Complications of pregnancy, childbirth and the puerperium	
Diseases of the skin and subcutaneous tissue	2	1	.	.	1	.	.		
Disease of the musculoskeletal system and connective tissue	10	.	1	.	.	1	1	1	5	1	7	.	.	.	1	.	.	.	4	1	1	j	
Congenital anomalies	16	2	1	.	2	3	1	3	4	.	30	1	1	1	1	3	1	1	5	9	7		
Certain causes of perinatal morbidity and mortality	23	1	3	.	7	2	.	2	7	1	43	1	3	3	1	1	.	8	8	12	6		
Symptoms and ill-defined conditions	5	.	.	.	1	.	.	4	.	.	16	.	.	.	1	8	3	.	1	3	.		
Accidents poisonings and violence (external cause)	58	3	5	.	9	5	1	12	20	3	60	.	5	3	1	5	9	5	14	15	3		

*See definition on page 8.

ABSTRACT 11 (continued). Northern Ireland: Births, stillbirths and deaths, by age and sex and by cause, in each administrative area, 1968, together with the census population, 1966. 1968

99

POPULATION, BIRTHS, STILL-BIRTHS AND DEATHS		Co. Down	Banbridge U.D.	Bangor M.B.	Donaghadee U.D.	Downpatrick U.D.	Dromore U.D.	Holywood U.D.	Kilkeel U.D.	Newcastle U.D.	Newtownards M.B.	Newry U.D.	Warrenpoint U.D.	Banbridge R.D.	Castleragh R.D.	East Down R.D.	Hillsborough R.D.	Moira R.D.	Newry No. 1 R.D.	North Down R.D.	South Down R.D.
Population, Census 1966	M	139,721	3,142	12,175	1,741	2,074	998	3,661	1,230	1,954	5,639	6,058	1,764	9,918	22,880	16,445	15,680	4,358	7,253	16,087	6,664
	F	146,910	3,408	14,746	1,984	2,217	1,084	4,143	1,367	2,385	6,569	6,871	1,817	9,625	23,603	16,189	16,360	4,435	7,120	16,233	6,754
Live births, total	M	3,060	53	277	28	73	14	85	35	64	144	127	58	193	465	382	364	58	153	343	144
	F	2,918	59	302	27	76	19	80	24	47	156	114	61	180	428	330	346	75	150	305	139
Illegitimate live births	M	74	5	5	1	5	.	3	2	2	4	4	.	4	7	7	12	9	14	9	4
	F	94	2	7	6	4	1	4	1	2	5	9	.	7	8	11	13	2	3	1	5
Still-births, total	M	51	2	4	1	1	2	3	4	.	2	1	1	1	6	11	6	2	3	1	4
	F	55	1	4	.	.	5	4	.	3	1	4	.	1	8	5	7	2	3	2	5
Illegitimate still-births	M	4	1	2	1	2
	F	2	2
Deaths, total	M	1,606	31	184	35	28	13	44	21	29	78	63	42	100	171	216	150	43	85	200	73
	F	1,526	34	208	37	36	15	54	12	33	68	69	18	110	133	188	143	55	59	190	64
Ages at death—																					
Under 1 week	M	45	2	3	1	1	.	2	2	1	5	6	.	2	7	6	2	2	4	4	2
	F	34	.	2	1	.	.	2	.	1	2	3	.	.	3	7	8	.	.	4	1
under 4 weeks	M	49	2	4	2	1	1	.	1	2	5	6	1	2	7	6	2	1	4	6	2
	F	38	.	2	1	.	.	2	.	1	2	3	.	4	7	7	8	.	2	6	1
4 weeks—11 months	M	26	1	3	.	.	.	1	1	1	1	.	1	1	3	4	3	.	1	8	1
	F	16	1	1	1	.	.	1	5	4	1	.	2	.	.
1 year—14 years	M	21	1	.	.	.	1	.	1	1	1	.	.	3	3	3	2	1	5	2	2
	F	11	1	.	.	.	1	.	1	1	1	.	.	1	1	2	3	.	1	2	.
15 years—44 years	M	74	1	4	3	3	2	3	1	.	2	3	1	6	16	14	5	4	8	2	3
	F	56	1	1	.	.	2	3	3	.	1	2	2	2	9	7	8	4	2	9	2
45 years—64 years	M	408	9	53	5	9	5	10	2	8	23	12	9	23	49	49	49	11	13	50	19
	F	258	9	28	6	3	3	11	3	3	14	8	3	30	29	34	21	5	11	31	6
65 years and over	M	1,028	19	120	25	15	8	31	15	21	47	42	32	65	93	140	89	27	60	131	48
	F	1,147	22	177	30	30	9	41	9	29	50	55	12	77	85	134	102	46	44	142	53

Deaths from—																				
Infective and parasitic diseases . . .	28	2	2	3	.	.	.	1	.	1	1	1	3	3	4	4	.	.	2	1
Neoplasms (a) Cancer* . . .	486	6	69	8	10	3	23	5	6	22	18	8	27	75	55	48	11	18	58	16
(b) Other neoplasms . . .	16	.	1	.	.	1	.	.	1	1	1	1	2	1	2	1	1	2	1	
Endocrine, nutritional and metabolic diseases . . .	35	.	3	.	3	.	.	2	.	2	2	1	4	3	3	3	1	2	5	1
Diseases of blood and blood-forming organs . . .	11	1	1	1	1	1	.	2	2	.	1	1	.
Mental disorders . . .	7	1	.	.	1	.	.	1	2	.	.	1	1	.
Diseases of the nervous system and sense organs	31	1	2	2	.	.	2	4	4	7	.	1	3	3	2
Diseases of the circulatory system . . .	1,805	34	239	44	36	19	56	16	45	94	67	38	127	142	244	146	62	86	227	83
Diseases of the respiratory system . . .	310	13	35	4	3	1	6	4	5	14	18	4	23	38	34	28	9	8	48	15
Diseases of the digestive system . . .	78	3	11	4	2	1	2	.	.	2	.	5	7	8	13	3	7	10	.	
Diseases of the genito-urinary system . . .	61	.	9	1	2	1	4	.	2	1	2	1	3	5	10	6	3	3	8	.
Complications of pregnancy, childbirth and the puerperium . . .	4	1	2	1
Diseases of the skin and subcutaneous tissue . . .	3	1	1	1
Diseases of the musculoskeletal system and connective tissue . . .	12	.	1	1	1	.	1	2	2	.	.	1	3
Congenital anomalies . . .	47	.	1	1	1	.	2	.	1	3	2	1	2	9	6	8	2	.	6	2
Certain causes of perinatal morbidity and mortality	54	2	5	2	1	.	2	2	.	4	8	.	1	6	8	4	.	2	5	2
Symptoms and ill-defined conditions . . .	10	.	1	.	1	1	.	2	2	.	.	3	.	
Accidents, poisoning and violence (external cause)	134	3	14	4	4	1	3	.	1	4	9	1	7	8	14	25	5	12	10	9

*See definition on page 8.

ABSTRACT 11 (continued). Northern Ireland: Births, still-births and deaths, by age and sex and by cause, in each administrative area, 1968, together with the census population, 1966

89

POPULATION, BIRTHS, STILL-BIRTHS AND DEATHS				Co. FERMANAGH	Co. LONDONDERRY	Coleraine M.B.	Limavady U.D.	Portstewart U.D.	Coleraine R.D.	Limavady R.D.	Londonderry R.D.	Magherafelt R.D.	LONDONDERRY C.R.	BELFAST C.R.
Population, Census 1966	M	25,703	59,714	6,582	2,369	1,875	9,420	9,797	12,723	16,948	26,595	187,634	
		F	24,183	59,250	7,014	2,471	2,454	9,280	9,013	12,477	16,541	29,099	210,771	
Live births, total	M	538	1,601	141	61	49	231	286	427	406	768	3,998	
		F	473	1,498	129	55	46	224	270	379	395	725	3,632	
Illegitimate live births	M	29	63	6	1	1	22	13	7	13	27	217	
		F	21	59	7	1	3	14	10	8	16	30	169	
Still-births, total	M	5	21	1	.	1	4	5	8	6	10	76	
		F	7	20	2	.	.	.	5	5	4	13	84	
Illegitimate still-births	M	.	2	1	1	.	4	
		F	6	
Deaths, total	M	357	609	62	13	34	102	82	134	182	296	2,340	
		F	287	518	47	17	31	107	73	83	160	247	2,471	
Ages at death—														
under 1 week	M	9	30	4	1	2	4	2	12	6	14	82	
		F	7	17	1	.	.	.	3	9	3	10	36	
under 4 weeks	M	10	32	4	1	2	5	2	12	7	20	93	
		F	7	17	1	.	.	.	3	9	3	11	48	
4 weeks—11 months	M	2	7	2	.	1	1	2	1	2	12	49	
		F	6	11	2	.	.	1	1	2	3	2	44	
1 year—14 years	M	3	8	1	.	.	1	1	2	3	5	27	
		F	3	5	2	.	.	1	1	1	1	5	24	
15 years—44 years	M	17	33	3	2	2	3	3	12	8	17	107	
		F	13	36	6	.	1	5	10	3	11	10	78	
45 years—64 years	M	73	140	21	2	7	25	17	33	35	80	671	
		F	39	81	7	2	5	16	13	11	27	52	451	
65 years and over	M	252	389	31	9	22	67	59	74	127	162	1,393	
		F	219	368	29	14	24	84	44	58	115	167	1,826	

Deaths from—

Infective and parasitic diseases	10	10	2	.	.	1	3	1	3	6	77
Neoplasms (a) Cancer*	87	178	21	3	11	28	27	37	51	88	920
(b) Other neoplasms	2	11	2	.	2	2	2	2	1	6	37
Endocrine, nutritional and metabolic diseases	3	9	.	2	.	2	2	1	2	12	56
Diseases of blood and blood-forming organs	3	5	.	.	1	2	.	1	1	3	23
Mental disorders	1	5	1	.	.	.	1	1	2	.	18
Diseases of the nervous system and sense organs	10	20	1	.	1	3	2	5	8	10	73
Diseases of the circulatory system	382	622	55	16	36	124	84	104	203	257	2,434
Diseases of the respiratory system	75	105	9	5	7	22	14	18	30	74	631
Diseases of the digestive system	15	16	1	1	1	3	3	5	2	18	113
Diseases of the genito-urinary system	6	23	4	1	.	2	.	8	8	10	63
Complications of pregnancy, childbirth and the puerperium	1	1	1	.	.	1	1
Diseases of the skin and subcutaneous tissue	1	3
Diseases of the musculoskeletal system and connective tissue	8	.	.	.	1	3	.	4	2	27
Congenital anomalies	6	23	4	.	2	5	2	7	3	11	65
Certain causes of perinatal morbidity and mortality	13	36	5	1	.	3	4	15	8	21	96
Symptoms and ill-defined conditions	1	7	1	.	.	5	.	.	1	2	8
Accidents, poisonings and violence (external cause)	28	48	3	1	4	6	7	12	15	22	166

*See definition on page 8.

ABSTRACT 12. Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
	TOTAL DEATHS (All cases) . . . {M F 8,235 7,698	307 215	458 338	14 16	15 5	9 15	6 9	34 22	27 19	54 19	
000-136	I Infective and Parasitic Diseases . . . {M F 93 78	5 2	23 16	1 1	2 2	3 2	2 1	1 1	2 1	1 .	1 .
140-200, 202, 203, 208, 209 201, 204- 207, 210- 239	II Neoplasms (a) Cancer . . . {M F 1,389 1,283	.	3 .	1 .	3 2	.	1 .	3 .	2 4	4 2	
	(b) Other Neoplasms . . . {M F 71 50	.	1 .	.	1 .	1 .	.	5 1	4 3	3 .	
240-279	III Endocrine, Nutritional and Metabolic Diseases . . . {M F 76 111	1 .	4 2	.	.	1 .	.	1 .	2 1	1 .	
280-289	IV Diseases of Blood and Blood-forming Organs . . . {M F 25 41	1 .	.	1 1	.	1 .	
290-315	V Mental Disorders . . . {M F 28 10	1 .	
320-389	VI Diseases of the Nervous System and Sense Organs . . . {M F 116 107	4 .	12 3	1 1	2 .	3 .	1 1	4 2	3 2	3 6	
390-458	VII Diseases of the Circulatory System . . . {M F 4,376 4,323	1 1	1 1	1 1	3 2	.	
460-519	VIII Diseases of the Respiratory System . . . {M F 1,001 744	10 5	89 60	3 7	.	.	2 2	2 2	1 1	4 2	
520-577	IX Diseases of the Digestive System . . . {M F 179 185	4 1	8 3	.	.	1 1	1 1	.	1 1	1 1	
580-629	X Diseases of the Genito-Urinary System . . . {M F 141 110	1 .
630-678	XI Complications of Pregnancy, Childbirth and the Puerperium . . . F	9
680-709	XII Diseases of the Skin and Sub-cutaneous Tissue . . . {M F 5 4
710-738	XIII Diseases of the Musculoskeletal System and Connective tissue . . . {M F 19 59	1 .
740-759	XIV Congenital Anomalies . . . {M F 110 142	63 70	94 111	3 5	2 3	3 3	.	5 5	.	.	1 .
760-779	XV Certain Causes of Perinatal Morbidity and Mortality . . . {M F 217 134	216 134	217 134
780-796	XVI Symptoms and Ill-defined Conditions . . . {M F 18 40	1 2	4 .	.	1
E800-E99	XVII Accidents, Poisonings and Violence (External Cause) . . . {M F 371 268	4 .	6 3	5 2	4 .	4 5	3 4	15 8	10 6	34 6	

of death at different age-periods, 1968.

DEATH

	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over	Detailed List Numbers	
	49	44	58	65	124	241	320	609	863	1,126	1,223	1,134	944	542	237	39	M	
	23	24	38	66	117	170	233	375	557	820	1,098	1,250	1,125	870	403	86	F	
.	1	2	2	1	5	2	6	6	7	12	11	5	3	1	2	.	M F	
4	7	11	17	20	64	73	146	206	226	252	185	108	38	12	3	M F	{ 000-136	
4	6	9	21	47	64	85	123	169	171	195	161	121	62	31	6	M F	{ 140-200, 202, 203, 208, 209	
3	1	3	1	2	2	5	1	9	10	7	12	4	3	2	5	.	M F	{ 201, 204- 207, 210- 239
.	1	1	2	2	2	2	3	6	5	11	9	13	9	4	1	.	M F	{ 240-279
1	i	i	1	5	3	4	6	10	3	5	2	i	M F	{ 280-289
.	{ 290-315	
.	1	2	1	2	6	3	5	.	.	1	2	1	i	4	1	.	M F	{ 320-389
1	1	4	1	2	3	9	8	11	7	14	14	8	8	8	i	.	M F	{ 390-458
3	10	11	15	67	112	176	317	471	644	715	675	608	359	161	28	M F	{ 460-519	
5	5	11	11	28	55	91	161	280	471	693	826	752	591	279	60	M F	{ 520-577	
3	1	4	5	7	19	24	55	105	155	136	148	128	74	35	5	M F	{ 580-629	
2	.	1	2	3	1	6	8	13	22	26	22	25	26	12	6	1	M F	{ 630-678
.	1	1	3	5	5	3	7	7	12	9	19	31	19	16	9	2	M F	{ 680-709
.	.	i	i	2	1	1	4	2	3	3	11	3	2	4	2	i	M F	{ 710-738
1	1	i	1	2	4	2	.	1	3	i	i	M F	{ 740-759	
.	M F	{ 760-779	
1	1	.	.	.	2	.	i	.	.	2	4	7	6	9	4	i	M F	{ 780-796
32	21	19	17	18	16	16	24	12	22	29	24	20	25	16	8	2	M F	{ E800
7	6	9	9	9	15	10	22	14	19	19	26	26	31	20	2	.	E999	

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	ALL AGES	Under 4 weeks	Total under one year	AGES AT						
					1-	2-	3-	4-	5-	10-	15-
I. Infective and Parasitic Diseases											
000-009	<i>Intestinal infectious diseases</i>	{ M F 23 16	2 1	15 11	1	2	1	1	.	.	.
000	Cholera . . .	{ M F
001	Typhoid fever . . .	{ M F
002	Paratyphoid fever . . .	{ M F
003	Other Salmonella infections . . .	{ M F 1 1
004	Bacillary dysentery . . .	{ M F 1 1	.	1	1
005	Food poisoning (bacterial) . . .	{ M F
006	Amoebiasis . . .	{ M F
007	Other protozoal intestinal diseases	{ M F
008	Enteritis due to other specified organism . . .	{ M F
009	Diarrhoeal disease . . .	{ M F 21 14	1	14 11	1	2	1	1	.	.	.
010-019	<i>Tuberculosis</i> . . .	{ M F 30 28
010	Silicotuberculosis . . .	{ M F 1 1
011	Pulmonary tuberculosis . . .	{ M F 24 18
012	Other respiratory tuberculosis	{ M F
013	Tuberculosis of meninges and central nervous system . . .	{ M F
014	Tuberculosis of intestines, peri-toneum and mesenteric glands . . .	{ M F 1
015	Tuberculosis of bones and joints . . .	{ M F 1
016	Tuberculosis of genito-urinary system . . .	{ M F 1 3
017	Tuberculosis of other organs . . .	{ M F 1
018	Disseminated tuberculosis . . .	{ M F 3
019	Late effects of tuberculosis . . .	{ M F 3 1
020-027	<i>Zoonotic bacterial diseases</i> . . .	{ M F
020	Plague . . .	{ M F
021	Tularaemia . . .	{ M F

of death at different age-periods, 1968.

DEATH															Detailed List Numbers	
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over	
.	i	.	.	2	1	1	3	.	.	M F } 000-009
.	M F } 000
.	M F } 001
.	M F } 002
.	1	.	i	.	.	.	M F } 003
.	i	M F } 004
.	M F } 005
.	M F } 006
.	M F } 007
.	M F } 008
.	i	.	.	1	1	1	1	.	.	M F } 009
.	i	1	1	1	1	3	3	2	5	4	6	7	3	2	2	M F } 010-019
.	i	.	.	.	1	M F } 010
.	i	1	1	1	2	1	1	2	5	2	5	6	3	2	4	M F } 011
.	M F } 012
.	1	M F } 013
.	M F } 014
.	M F } 015
.	.	.	1	.	.	.	i	.	i	i	M F } 016
.	i	.	i	i	i	.	.	i	.	M F } 017
.	i	.	i	.	.	.	i	.	.	.	M F } 018
.	1	.	i	.	i	2	M F } 019
.	M F } 020-027
.	M F } 020
.	M F } 021

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
022	Anthrax {M F
023	Brucellosis {M F
024	Glanders {M F
025	Melioidosis {M F
026	Rat-bite fever {M F
027	Other zoonotic bacterial diseases . {M F
030-039	Other bacterial diseases . {M F	17 12	2	7 3	.	.	1	.	.	1	1
030	Leprosy {M F
031	Other diseases due to mycobacteria . {M F
032	Diphtheria {M F
033	Whooping cough {M F	2 2	.	2
034	Streptococcal sore throat and scarlet fever {M F
035	Erysipelas {M F
036	Meningococcal infection {M F	4 2	.	2	.	.	1
037	Tetanus {M F	2 2	1	1
038	Septicaemia {M F	9 5	2	3 1
039	Other bacterial diseases . {M F	1
040-046	Poliomyelitis and other enterovirus diseases of central nervous system {M F	4 1	1	1	1	1	.
040	Acute paralytic poliomyelitis {M specified as bulbar F	1	1	.	.
041	Acute poliomyelitis with other paralysis {M F
042	Acute non-paralytic poliomyelitis {M F
043	Acute poliomyelitis, unspecified {M F	1	1	.	.	.
044	Late effects of acute poliomyelitis {M F
045	Aseptic meningitis due to enterovirus {M F	3	1	.	.	1	.
046	Other enterovirus diseases of central nervous system {M F

of death at different age-periods, 1968.

DEATH															Detailed List Numbers		
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over		
:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	M	{ } 022	
:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	F	{ } 023	
:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	M	{ } 024	
:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	F	{ } 025	
:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	M	{ } 026	
:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	F	{ } 027	
:	:	I	:	i	2	:	2	i	3	1	1	i	i	:	M	{ } 030-039	
:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	F	{ } 030	
:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	M	{ } 031	
:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	F	{ } 032	
:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	M	{ } 033	
:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	F	{ } 034	
:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	M	{ } 035	
:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	F	{ } 036	
:	:	:	:	:	:	:	:	:	i	1	i	:	:	M	{ } 037		
:	1	:	i	2	:	i	:	i	2	1	i	i	i	:	F	{ } 038	
:	:	:	:	:	:	:	:	:	i	:	:	:	:	M	{ } 039		
:	:	:	:	:	:	:	:	:	1	:	:	:	:	F	{ } 040-046		
:	:	:	:	:	:	:	:	:	1	:	:	:	:	M	{ } 040		
:	:	:	:	:	:	:	:	:	1	:	:	:	:	F	{ } 041		
:	:	:	:	:	:	:	:	:	1	:	:	:	:	M	{ } 042		
:	:	:	:	:	:	:	:	:	1	:	:	:	:	F	{ } 043		
:	:	:	:	:	:	:	:	:	1	:	:	:	:	M	{ } 044		
:	:	:	:	:	:	:	:	:	1	:	:	:	:	F	{ } 045		
:	:	:	:	:	:	:	:	:	1	:	:	:	:	M	{ } 046		

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT								
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10- 15-
050-057	Viral diseases accompanied by exanthem	{ M F 3 2	.	.	1	.	i	i	.	.
050	Smallpox	{ M F
051	Cowpox	{ M F
052	Chickenpox	{ M F
053	Herpes zoster	{ M F 2
054	Herpes simplex	{ M F
055	Measles	{ M F 1 2	.	.	1	.	i	i	.	.
056	Rubella	{ M F
057	Other viral exanthem	{ M F
060-068	Arthropod-borne viral diseases	{ M F 4 3	1	1
060	Yellow fever	{ M F
061	Dengue	{ M F
062	Mosquito-borne viral encephalitis	{ M F
063	Tick-borne viral encephalitis	{ M F
064	Viral encephalitis transmitted by other arthropods	{ M F
065	Viral encephalitis, unspecified	{ M F 2	1	1
066	Late effects of viral encephalitis	{ M F 2 3
067	Arthropod-borne haemorrhagic fever	{ M F
068	Other arthropod-borne viral diseases	{ M F
070-079	Other viral diseases	{ M F 7 7	i	i	.	.	i	.	1	.
070	Infectious hepatitis	{ M F 5 4	i	.	1	.
071	Rabies	{ M F
072	Mumps	{ M F 1 2
073	Psittacosis	{ M F
074	Specific diseases due to Cocksackie virus	{ M F
075	Infectious mononucleosis	{ M F

of death at different age-periods, 1968.

DEATH

20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over	Detailed List Numbers
:	:	:	:	:	:	:	I	:	:	:	:	:	I	:	M	} 050-057
:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	M	} 050
:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	M	} 051
:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	M	} 052
:	:	:	:	:	:	:	1	:	:	:	:	:	1	:	M	} 053
:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	M	} 054
:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	M	} 055
:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	M	} 056
:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	M	} 057
:	:	:	:	:	:	I	I	I	I	:	:	:	:	:	M	} 060-068
:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	M	} 060
:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	M	} 061
:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	M	} 062
:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	M	} 063
:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	M	} 064
:	:	:	:	:	:	:	1	:	:	:	:	:	:	:	M	} 065
:	:	:	:	:	:	1	1	1	1	:	i	:	:	:	M	} 066
:	:	:	:	:	:	1	1	1	1	1	1	1	1	2	M	} 067
:	:	:	:	:	:	1	1	1	1	1	1	1	1	2	M	} 068
:	:	I	:	:	:	1	1	1	1	1	1	1	1	2	M	} 070-079
:	1	:	:	:	:	1	1	1	1	1	1	1	1	2	M	} 070
:	1	:	:	:	:	1	1	1	1	1	1	1	1	2	M	} 071
:	1	:	:	:	:	1	1	1	1	1	1	1	1	2	M	} 072
:	1	:	:	:	:	1	1	1	1	1	1	1	1	2	M	} 073
:	1	:	:	:	:	1	1	1	1	1	1	1	1	2	M	} 074
:	1	:	:	:	:	1	1	1	1	1	1	1	1	2	M	} 075

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
076	Trachoma, active . . . {M F
077	Late effects of trachoma . . . {M F
078	Other viral diseases of the conjunctiva . . . {M F
079	Other viral diseases . . . {M F	1 1	1	1
080-089	Rickettsioses and other arthropod-borne diseases . . . {M F
080	Epidemic louse-borne typhus . . . {M F
081	Other typhus . . . {M F
082	Tick-borne rickettsiosis . . . {M F
083	Other rickettsiosis . . . {M F
084	Malaria . . . {M F
085	Leishmaniasis . . . {M F
086	American trypanosomiasis . . . {M F
087	Other trypanosomiasis . . . {M F
088	Relapsing fever . . . {M F
089	Other arthropod-borne diseases . . . {M F
090-099	Syphilis and other venereal diseases . . . {M F	5 4
090	Congenital syphilis . . . {M F
091	Early syphilis, symptomatic . . . {M F
092	Early syphilis, latent . . . {M F
093	Cardiovascular syphilis . . . {M F	2 2
094	Syphilis of central nervous system . . . {M F	2 2
095	Other forms of late syphilis, with symptoms . . . {M F
096	Late syphilis, latent . . . {M F
097	Other syphilis and not specified . . . {M F	1
098	Gonococcal infections . . . {M F
099	Other venereal disease . . . {M F

of death at different age-periods, 1968.

DEATH																Detailed List Numbers
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over	
.	M } 076
.	F } 077
.	M } 078
.	F } 079
.	M } 080-089
.	F } 080
.	M } 081
.	F } 082
.	M } 083
.	F } 084
.	M } 085
.	F } 086
.	M } 087
.	F } 088
.	M } 089
.	I	.	I	I	2	I	.	.	.	M } 090-099
.	2	M } 090
.	M } 091
.	M } 092
.	M } 093
.	1	.	1	1	2	.	1	.	.	M } 094
.	M } 095
.	M } 096
.	1	M } 097
.	M } 098
.	M } 099

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
100-104	<i>Other spirochaetal diseases</i> . {M F
100	Leptospirosis . . {M F
101	Vincent's angina . . {M F
102	Yaws . . {M F
103	Pinta . . {M F
104	<i>Other spirochaetal infection</i> . {M F
110-117	<i>Mycoses</i> . . . {M F	i
110	Dermatophytosis . . {M F
111	Dermatomycosis, other and un- specified . . {M F
112	Moniliasis . . {M F	i
113	Actinomycosis . . {M F
114	Coccidioidomycosis . . {M F
115	Histoplasmosis . . {M F
116	Blastomycosis . . {M F
117	<i>Other systemic mycosis</i> . {M F
120-129	<i>Helminthiases</i> . . {M F
120	Schistosomiasis (bilharziasis) . {M F
121	Other trematode infection . {M F
122	Hydatidosis . . {M F
123	Other cestode infection . {M F
124	Trichiniasis . . {M F
125	Filarial infection . {M F
126	Ancylostomiasis . {M F
127	Other intestinal helminthiasis . {M F
128	Other and unspecified helminthi- asis . . {M F
129	Intestinal parasitism, unspecified . {M F

at death at different age-periods, 1968.

DEATH															Detailed List Numbers	
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over	
.	M F } 100-104
.	M F } 100
.	M F } 101
.	M F } 102
.	M F } 103
.	M F } 104
.	M F } 110-117
.	i	M F } 110
.	M F } 111
.	i	M F } 112
.	M F } 113
.	M F } 114
.	M F } 115
.	M F } 116
.	M F } 117
.	M F } 120-129
.	M F } 120
.	M F } 121
.	M F } 122
.	M F } 123
.	M F } 124
.	M F } 125
.	M F } 126
.	M F } 127
.	M F } 128
.	M F } 129

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	ALL AGES	Under 4 weeks	Total under one year	AGES AT						
					1-	2-	3-	4-	5-	10-	15-
130-136	Other infective and parasitic diseases	{M F	4	1
130	Toxoplasmosis	{M F
131	Trichomoniasis urogenitalis	{M F
132	Pediculosis	{M F
133	Acariasis	{M F
134	Other infestation	{M F
135	Sarcoidosis	{M F	3
136	Other and unspecified infective and parasitic diseases	{M F	1	1
II Neoplasms											
140-149	Malignant neoplasm of buccal cavity and pharynx	{M F	31 25
140	Malignant neoplasm of lip	{M F	7 2
141	Malignant neoplasm of tongue	{M F	5 2
142	Malignant neoplasm of salivary gland	{M F	1 1
143	Malignant neoplasm of gum	{M F
144	Malignant neoplasm of floor of mouth	{M F	2 2
145	Malignant neoplasm of other and unspecified parts of mouth	{M F	3 4
146	Malignant neoplasm of oro-pharynx	{M F	2 1
147	Malignant neoplasm of naso-pharynx	{M F	2 3
148	Malignant neoplasm of hypo-pharynx	{M F	2 8
149	Malignant neoplasm of pharynx, unspecified	{M F	7 2
150-159	Malignant neoplasm of digestive organs and peritoneum	{M F	507 555
150	Malignant neoplasm of oesophagus	{M F	46 37
151	Malignant neoplasm of stomach	{M F	174 150
152	Malignant neoplasm of small intestine, including duodenum	{M F	2 3
153	Malignant neoplasm of large intestine, except rectum	{M F	119 210
154	Malignant neoplasm of rectum and rectosigmoid junction	{M F	79 61

of death at different age-periods, 1968.

DEATH

20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over	Detailed List Numbers
.	.	.	.	i	.	i	.	.	i	M F } 130-136
.	M F } 130	
.	M F } 131	
.	M F } 132	
.	M F } 133	
.	M F } 134	
.	M F } 135	
.	.	.	.	i	.	i	.	.	i	M F } 136	
.	.	.	i	3	.	3	4	3	4	3	3	6	2	3	M F } 140-149	
.	1	1	1	1	1	1	3	1	2	M F } 140	
.	1	1	1	1	1	2	1	.	.	M F } 141	
.	1	1	1	1	1	1	1	1	.	M F } 142	
.	1	1	1	1	1	1	1	1	.	M F } 143	
.	.	.	i	.	.	1	1	1	1	1	1	1	1	.	M F } 144	
.	.	.	i	.	.	1	1	1	1	1	1	1	1	.	M F } 145	
.	.	.	i	.	1	1	1	1	1	1	1	1	1	.	M F } 146	
.	.	.	i	.	1	1	1	1	1	1	1	1	1	.	M F } 147	
.	1	1	3	1	3	1	1	1	1	.	M F } 148	
.	.	.	.	i	2	1	1	1	1	1	1	1	1	.	M F } 149	
I	I	4	3	5	6	20	28	55	69	75	104	77	43	14	7 M F } 150-159	
.	.	5	4	6	16	20	38	62	78	100	87	74	39	20	4 M F } 150	
1	1	3	2	1	2	3	8	23	29	32	31	18	14	2	1 M F } 151	
.	.	2	.	.	.	1	1	1	1	1	1	1	1	1	M F } 152	
.	i	2	3	1	2	8	12	14	10	20	31	27	16	14	4 M F } 153	
.	.	3	.	1	3	3	2	5	9	8	15	9	24	8	6 M F } 154	

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
155	Malignant neoplasm of liver and intrahepatic bile ducts specified as primary {M F}	6 7
156	Malignant neoplasm of gallbladder and bile ducts {M F}	8 26
157	Malignant neoplasm of pancreas {M F}	69 55
158	Malignant neoplasm of peritoneum and retroperitoneal tissue {M F}	2 6
159	Malignant neoplasm of unspecified digestive organs {M F}	2
160-163	Malignant neoplasm of respiratory system {M F}	449 97
160	Malignant neoplasm of nose, nasal cavities, middle ear and accessory sinuses {M F}	2 2
161	Malignant neoplasm of larynx {M F}	9 4
	Malignant neoplasm of:-										
162.0	Trachea {M F}
162.1	Bronchus and lung {M F}	434 91
163	Malignant neoplasm of other and unspecified respiratory organs {M F}	4
170-174	Malignant neoplasm of bone, connective tissue, skin and breast {M F}	41 278	.	.	.	1	.	.	1	.	2
170	Malignant neoplasm of bone {M F}	10 7	.	.	1	.	.	1	.	1	2
171	Malignant neoplasm of connective and other soft tissue {M F}	6 1
172	Malignant melanoma of skin {M F}	10 15
173	Other malignant neoplasm of skin {M F}	14 14
174	Malignant neoplasm of breast {M F}	1 241
180-189	Malignant neoplasm of genito-urinary organs {M F}	207 206	.	.	2	.	.	.	1	.	.
180	Malignant neoplasm of cervix uteri {M F}	47
181	Chorionepithelioma {M F}	1
182	Other malignant neoplasm of uterus {M F}	43
183	Malignant neoplasm of ovary, fallopian tube, and broad ligament {M F}	69	1	.	.
184	Malignant neoplasm of other and unspecified female genital organs {M F}	14
185	Malignant neoplasm of prostate {M F}	119
186	Malignant neoplasm of testis {M F}	6

of death at different age-periods, 1968.

DEATH

20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over	Detailed List Numbers
.	.	.	i	.	1	1	1	1	1	1	1	1	1	1	.	M F } 155
.	2	2	7	4	10	5	4	2	4	5	2	M F } 156
i	.	1	.	2	2	7	4	10	6	8	13	12	11	6	4	M F } 157
.	.	i	.	1	1	3	1	.	.	1	.	M F } 158
.	1	1	.	M F } 159
I	i	2	5	9	29	31	12	66	81	84	73	50	15	3	.	M F } 160-163
.	i	1	1	.	1	M F } 160
1	1	1	.	i	1	2	1	2	1	.	.	M F } 161
.	M F } 162.0
.	i	2	5	9	28	30	65	80	80	71	49	13	2	2	.	M F } 162.1
.	1	.	2	.	.	.	1	.	.	M F } 163
i	2	2	15	22	19	1	26	3	7	5	40	29	7	2	3	I M F } 170-174
i	2	.	.	i	.	.	1	1	1	1	1	1	1	1	.	M F } 170
.	1	.	1	3	1	.	1	.	1	.	M F } 171	
.	.	.	2	1	2	2	i	2	2	2	1	1	1	.	M F } 172	
.	1	1	1	1	1	1	3	2	3	1	M F } 173	
.	2	.	14	19	17	25	22	28	40	24	20	1	15	7	7	M F } 174
i	1	3	2	10	16	5	3	9	24	33	43	35	29	14	1	I M F } 180-189
.	1	1	.	3	5	5	5	5	8	7	3	3	1	.	.	F 180
.	.	.	.	1	F 181	
.	.	.	.	1	3	2	8	6	6	7	5	4	1	.	F 182	
1	.	1	1	2	7	5	13	14	9	7	5	2	2	1	.	F 183
.	.	.	.	1	.	1	.	1	.	5	2	2	1	.	F 184	
.	1	3	.	.	1	1	M 185	
.	1	3	.	.	1	1	M 186	

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
187	Malignant neoplasm of other and unspecified male genital organs	2
188	Malignant neoplasm of bladder	50 F 19
189	Malignant neoplasm of other and unspecified urinary organs	30 F 13	.	.	.	2
190-199	<i>Malignant neoplasm of other and unspecified sites</i>	111 F 86	.	3	1	1	.	.	2	2 3	2
190	Malignant neoplasm of eye	1 F
191	Malignant neoplasm of brain	28 F 15	2	1 3	2
192	Malignant neoplasm of other parts of nervous system	9 F 3	.	3	.	1	.	.	.	1	.
193	Malignant neoplasm of thyroid gland	4 F 7
194	Malignant neoplasm of other endocrine glands	2 F 2	.	.	1
195	Malignant neoplasm of ill-defined sites	18 F 12
196	Secondary and unspecified malignant neoplasm of lymph nodes	4 F 2
197	Secondary malignant neoplasm of respiratory and digestive systems	19 F 20
198	Other secondary malignant neoplasm	8 F 8
199	Malignant neoplasm without specification of site	18 F 17
200-209	<i>Neoplasms of lymphatic and haemopoietic tissue</i>	99 F 73	.	1	.	1	1	1	5	4 3	3
200	Lymphosarcoma and reticulosarcoma	17 F 16	1	.	.	1
201	Hodgkin's disease	7 F 9	1	.
202	Other neoplasms of lymphoid tissue	4 F 7
203	Multiple myeloma	20 F 11
204	Lymphatic leukaemia	16 F 7	1	.	.
205	Myeloid leukaemia	17 F 10	.	.	.	1	.	.	2	1 2	2
206	Monocytic leukaemia	3 F 1	1	.
207	Other and unspecified leukaemia	13 F 10	.	1	.	.	1	.	2	2 2	.
208	Polycythaemia vera	1 F
209	Myelofibrosis	1 F 2

of death at different age-periods, 1968.

DEATH																Detailed List Numbers	
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over		
.	1	1	M	187
.	.	i	1	2	3	1	1	3	6	8	14	10	1	2	1	M F	188
.	.	.	1	1	1	.	5	6	3	3	8	4	.	.	.	M F	189
I	2	1	4	1	6	3	10	7	16	19	15	8	11	2	1	M F	190-199
.	1	M F	190	
.	1	.	2	1	2	3	1	4	4	2	3	2	.	1	1	M F	191
i	.	.	1	.	.	i	.	.	2	.	1	.	.	.	M F	192	
.	1	2	i	2	.	1	2	M F	193	
.	1	i	M F	194	
1	.	1	.	.	2	1	1	1	3	3	1	1	6	4	1	M F	195
.	1	1	2	.	.	1	1	M F	196	
.	.	.	1	.	i	2	4	3	8	2	6	1	2	1	M F	197	
.	1	1	i	1	2	.	2	1	1	1	M F	198	
.	i	1	1	5	3	2	4	4	1	M F	199	
2	2	3	1	3	6	1	9	12	12	19	9	5	4	6	M F	200-209	
1	1	1	1	2	2	.	1	3	3	3	1	2	1	1	M F	200	
1	1	1	2	1	.	i	1	1	1	1	1	1	.	1	M F	201	
.	.	i	.	1	.	1	.	i	1	1	1	1	.	.	M F	202	
.	1	2	1	.	5	3	8	2	1	1	M F	203	
.	.	.	1	.	i	.	.	2	1	2	3	2	3	1	M F	204	
.	1	.	.	3	4	3	4	i	1	M F	205	
.	1	.	1	1	1	1	3	2	1	M F	206	
.	1	.	1	1	1	1	1	2	1	M F	207	
.	1	.	1	1	1	1	1	1	1	M F	208	
.	1	.	1	1	1	1	1	1	1	M F	209	

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
210-228	Benign neoplasms . . . {M F	7 9	1
210	Benign neoplasm of buccal cavity {M and pharynx . . . F
211	Benign neoplasm of other parts of {M digestive system . . . F	1
212	Benign neoplasm of respiratory {M system . . . F	1
213	Benign neoplasm of bone and {M cartilage . . . F
214	Lipoma . . . {M F
215	Other benign neoplasm of mus- {M cular and connective tissue . F
216	Benign neoplasm of skin . . . {M F
217	Benign neoplasm of breast . . . {M F
218	Uterine fibroma . . . F	1
219	Other benign neoplasm of uterus . F
220	Benign neoplasm of ovary . . . F	1
221	Benign neoplasm of other female genital organs . . . F
222	Benign neoplasm of male genital M organs
223	Benign neoplasm of kidney and {M other urinary organs . . . F
224	Benign neoplasm of eye . . . {M F
225	Benign neoplasm of brain and {M other parts of nervous system . F	6 5	1
226	Benign neoplasm of endocrine {M glands . . . F	1
227	Haemangioma and lymphangioma {M F
228	Benign neoplasm of other and un- {M specified organs and tissues . F
230-239	Neoplasm of unspecified nature . . . {M F	8 4	1	.
230	Neoplasm of unspecified nature of {M digestive organs . . . F	1
231	Neoplasm of unspecified nature of {M respiratory organs . . . F	1
232	Neoplasm of unspecified nature of {M skin and musculo-skeletal F system
233	Neoplasm of unspecified nature {M of breast . . . F
234	Neoplasm of unspecified nature of uterus . . . F

of death at different age-periods, 1968.

DEATH																	Detailed List Numbers	
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over			
I	.	i	i	i	3	I	I	2	i	I	i	.	i	.	.	M F	210-228	
.	M F	210	
.	M F	211	
.	1	i	.	.	.	M F	212	
.	M F	213	
.	M F	214	
.	M F	215	
.	M F	216	
.	M F	217	
.	1	F	218	
.	1	F	219	
.	F	220	
.	M	221	
.	M F	222	
.	M F	223	
.	M F	224	
I	.	i	i	i	i	1	.	2	i	1	M F	225	
.	i	.	.	.	M F	226	
.	M F	227	
.	M F	228	
I	.	I	I	.	.	.	i	I	2	I	I	M F	230-239	
.	i	M F	230	
.	1	M F	231	
.	M F	232	
.	M F	233	
.	F	234	

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT								
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10- 15-
235	Neoplasm of unspecified nature F of ovary
236	Neoplasm of unspecified nature F of other female genital organs
237	Neoplasm of unspecified nature { M of other genito-urinary organs { F . . .	2
238	Neoplasm of unspecified nature { M of eye, brain and other parts of { F nervous system . . .	5	2	i	.
239	Neoplasm of unspecified nature { M of other and unspecified organs { F
	III. Endocrine, Nutritional and Metabolic Diseases									
240-246	Diseases of thyroid gland . . . { M { F 15	3
240	Simple goitre . . . { M { F
241	Non-toxic nodular goitre . . . { M { F
242	Thyrotoxicosis with or without { M goitre . . . { F 7	2
243	Cretinism of congenital origin . . . { M { F 1
244	Myxoedema . . . { M { F 8
245	Thyroiditis . . . { M { F
246	Other diseases of thyroid gland . . . { M { F
250-258	Diseases of other endocrine glands { M { F 54 83	54	1	.
250	Diabetes mellitus . . . { M { F 51 81	51	1	.
251	Disorders of pancreatic internal secretion other than diabetes { M { F mellitus
252	Diseases of parathyroid gland . . . { M { F 1	1
253	Diseases of pituitary gland . . . { M { F
254	Diseases of thymus gland . . . { M { F
255	Diseases of adrenal glands . . . { M { F 2 2	2
256	Ovarian dysfunction . . . F
257	Testicular dysfunction . . . M
258	Polyglandular dysfunction and other diseases of endocrine glands . . . { M { F

of death at different age-periods, 1968.

DEATH															Detailed List Numbers		
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over		
.	F	235
.	F	236
.	1	.	1	M F	237
1	.	1	1	.	.	.	1	1	.	i	M F	238
.	M F	239	
.	I	i	.	i	4	5	3	.	i	.	M F	240-246	
.	M F	240	
.	M F	241	
.	i	1	3	i	.	.	.	M F	242	
1	M F	243	
.	i	.	.	2	2	2	.	i	.	M F	244	
.	M F	245	
.	M F	246	
.	I	2	2	I	2	4	3	10	8	8	8	3	I	.	M F	250-258	
.	.	2	.	I	.	7	9	14	15	23	8	3	I	.	M F	250	
.	1	2	2	1	1	2	4	3	10	8	8	7	3	1	M F	251	
.	.	.	1	M F	252	
.	M F	253	
.	M F	254	
.	.	.	1	i	i	1	.	.	M F	255	
.	F	256	
.	M	257	
.	M F	258	

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT								
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-15-
260-269	<i>Avitaminoses and other nutritional deficiency</i> {M F	6 4
260	Vitamin A deficiency {M F
261	Thiamine deficiency {M F
262	Niacin deficiency {M F
263	Other vitamin B deficiency {M F	1
264	Ascorbic acid deficiency {M F
265	Vitamin D deficiency {M F	1
266	Other vitamin deficiency states {M F
267	Protein malnutrition {M F
268	Nutritional marasmus {M F	3 2
269	Other nutritional deficiency {M F	3
270-279	<i>Other metabolic diseases</i> {M F	13 9	1	4 2	.	.	1	.	1	1
270	Congenital disorders of amino-acid metabolism {M F
271	Congenital disorders of carbohydrate metabolism {M F
272	Congenital disorders of lipid metabolism {M F
273	Other and unspecified congenital disorders of metabolism {M F	5 6	1	4 2	.	.	1	.	1	1
274	Gout {M F
275	Plasma protein abnormalities {M F	4	1	1
276	Amyloidosis {M F	2
277	Obesity not specified as of endocrine origin {M F	1
278	Other hyperalimentation {M F
279	Other and unspecified metabolic diseases {M F	2
	IV. Diseases of Blood and Blood-Forming Organs									
280-289	<i>Diseases of Blood and Blood-Forming organs</i> {M F	25 41	1	.	1	1
280	Iron deficiency anaemias {M F	3 4

of death at different age-periods, 1968.

DEATH

20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over	Detailed List Numbers	
.	1	.	.	.	3	4	1	.	.	M F	} 260-269
.	M F	} 260	
.	M F	} 261	
.	M F	} 262	
.	M F	} 263	
.	M F	} 264	
.	M F	} 265	
.	M F	} 266	
.	M F	} 267	
.	1	.	.	.	1	2	1	.	M F	} 268	
.	2	1	.	.	M F	} 269	
.	1	1	1	2	1	1	2	.	.	.	M F	} 270-279	
.	1	1	1	2	1	1	2	.	.	.	M F	} 270	
.	M F	} 271	
.	M F	} 272	
.	1	.	.	1	M F	} 273	
.	1	.	.	1	M F	} 274	
.	1	.	1	1	M F	} 275	
.	1	1	1	1	1	1	1	.	.	.	M F	} 276	
.	1	1	1	1	1	1	1	.	.	.	M F	} 277	
.	1	1	1	1	1	1	1	.	.	.	M F	} 278	
.	1	1	1	1	1	1	1	.	.	.	M F	} 279	
1	1	1	1	2	3	4	6	10	3	5	2 M F	} 280-289	
.	1	1	1	2	3	4	6	10	3	5	2 M F	} 280	

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
281	Other deficiency anaemias . . {M F	6 8
282	Hereditary haemolytic anaemias {M F	1
283	Acquired haemolytic anaemias {M F	1
284	Aplastic anaemia . . {M F	7 9	1	.	.
285	Other and unspecified anaemias {M F	5 15
286	Coagulation defects . . {M F	2	1	.	.	1
287	Purpura and other haemorrhagic conditions . . {M F	2 3	1	.	.
288	Agranulocytosis . . {M F
289	Other diseases of blood and blood-forming organs . . {M F
V. Mental Disorders											
290-299	Psychoses {M F	7 9
290	Senile and pre-senile dementia . . {M F	6 6
291	Alcoholic psychosis . . {M F
292	Psychosis associated with intracranial infection . . {M F
293	Psychosis associated with other cerebral condition . . {M F	1 1
294	Psychosis associated with other physical condition . . {M F
295	Schizophrenia . . {M F
296	Affective psychoses . . {M F	1
297	Paranoid states . . {M F
298	Other psychoses . . {M F
299	Unspecified psychosis . . {M F	1
300-309	Neuroses, personality disorders and other non-psychotic mental disorders {M F	21 1	1	.
300	Neuroses {M F
301	Personality disorders . . {M F
302	Sexual deviation . . {M F

of death at different age-periods, 1968.

DEATH

20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over	Detailed List Numbers		
.	1	i	1	2	2	1	.	M F	}	281
.	i	.	.	.	M F	}	282	
.	M F	}	283	
1	1	2	1	2	1	3	1	.	M F	}	284	
.	i	1	2	1	2	2	1	2	3	M F	}	285	
.	i	1	1	1	.	i	.	.	M F	}	286	
.	i	1	1	1	M F	}	287	
.	M F	}	288	
.	M F	}	289	
.	i	i	.	.	1	2	1	i	3	M F	}	290-299	
.	1	.	.	1	2	1	.	2	M F	}	290	
.	1	M F	}	291	
.	M F	}	292	
.	1	M F	}	293	
.	M F	}	294	
.	M F	}	295	
.	i	M F	}	296	
.	M F	}	297	
.	M F	}	298	
.	i	.	.	M F	}	299	
.	.	2	1	2	6	3	4	.	i	1	.	.	.	1	M F	}	300-309	
.	M F	}	300	
.	M F	}	301	
.	M F	}	302	

ABSTRACT 12 (continued) Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
303	Alcoholism . . . { M F	21	1
304	Drug dependence . . . { M F
305	Physical disorders of presumably psychogenic origin . . . { M F
306	Special symptoms not elsewhere classified . . . { M F	1
307	Transient situational disturbances { M F
308	Behaviour disorders of childhood { M F
309	Mental disorders not specified as psychotic associated with physical conditions . . . { M F
310-315	Mental retardation . . . { M F
310	Borderline mental retardation . . . { M F
311	Mild mental retardation . . . { M F
312	Moderate mental retardation . . . { M F
313	Severe mental retardation . . . { M F
314	Profound mental retardation . . . { M F
315	Unspecified mental retardation . . . { M F
VI. Diseases of the Nervous System and Sense Organs											
320-324	Inflammatory diseases of central nervous system . . . { M F	18 7	4	9 2	.	1	i	.	1	.	.
320	Meningitis . . . { M F	12 5	3	7 2	.	1
321	Phlebitis and thrombophlebitis of intracranial venous sinuses . . . { M F	1 1	1	1	.	.	i
322	Intracranial and intraspinal abscess . . . { M F
323	Encephalitis, myelitis, and encephalomyelitis . . . { M F	5 1	.	1	1	.	.
324	Late effects of intracranial abscess or pyogenic infection . . . { M F
330-333	Hereditary and familial diseases of nervous system . . . { M F	6 4	1	1
330	Hereditary neuromuscular disorders . . . { M F	4 2	1
331	Hereditary diseases of the striatal-pallidal system . . . { M F	1 2
332	Hereditary ataxia . . . { M F
333	Other hereditary and familial diseases of nervous system . . . { M F	1	1	.

of death at different age-periods, 1968.

DEATH															Detailed List Numbers		
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over		
.	.	2	1	2	6	3	4	.	.	1	.	.	1	.	.	M F	303
.	M F	304
.	M F	305
.	i	M F	306
.	M F	307
.	M F	308
.	M F	309
.	M F	310-315
.	M F	310
.	M F	311
.	M F	312
.	M F	313
.	M F	314
.	M F	315
.	.	.	i	.	.	1	2	3	1	i	1	M F	320-324
.	1	1	1	1	i	1	M F	320
.	M F	321
.	M F	322
.	1	2	M F	323
.	.	.	i	M F	324
I	1	I	I	1	.	i	.	i	.	.	M F	330-333
1	1	1	.	.	i	M F	330	
.	i	.	1	.	.	.	i	.	.	M F	331	
.	M F	332	
.	M F	333	

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
340-349	<i>Other diseases of central nervous system</i> { M F	91 91	.	3 1	1 1	1 .	2 .	1 .	3 1	2 2	2 5
340	Multiple sclerosis . . . { M F	10 19
341	Other demyelinating diseases of { M central nervous system F	1	.	1
342	Paralysis agitans . . . { M F	27 23
343	Cerebral spastic infantile paralysis { M F	5 3	.	1	1	.	.	1	1	1	1
344	Other cerebral paralysis . . . { M F	24 19
345	Epilepsy { M F	17 17	.	1	1	1	1	.	2	1	1
346	Migraine { M F
347	Other diseases of brain . . . { M F	1 5	.	1	.	.	.	1	.	1	1
348	Motor neurone disease . . . { M F	5 4	1	.
349	Other diseases of spinal cord . . . { M F	1 1
350-358	<i>Diseases of nerves and peripheral ganglia</i> { M F	1 3
350	Facial paralysis . . . { M F
351	Trigeminal neuralgia . . . { M F	1
352	Brachial neuritis . . . { M F
353	Sciatica { M F
354	Polyneuritis and polyradiculitis { M F	2
355	Other and unspecified forms of { M neuralgia and neuritis F
356	Other diseases of cranial nerves { M F
357	Other diseases of peripheral nerves { M except autonomic F	1
358	Diseases of peripheral autonomic { M nervous system F
360-369	<i>Inflammatory diseases of the eye</i> { M F
370-379	<i>Other diseases and conditions of eye</i> { M F
380-389	<i>Diseases of the ear and mastoid process</i> { M F	2	1	.	.
380	Otitis externa { M F
381	Otitis media without mention of { M mastoiditis F	2	1	.	.

of death at different age-periods, 1968.

DEATH																			Detailed List Numbers	
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over	M	F			
i	1 3	4 .3	1 3	2 3	2 1	7 4	5 4	7 11	7 8	13 15	14 7	8 11	8 4	i	i	M	F	340-349		
.	.	2 .2	1 2	1 3	2 1	1 2	1 2	1 7	1 1	i	M	F	340		
.	M	F	341			
.	2 .2	1 .	3 2	6 5	7 9	5 2	3 .	3 1	i	.	M	F	342		
.	1	M	F	343			
.	6 5	8 5	5 3	.	M	F	344			
.	1 1	1 .	.	1 2	4 2	5 2	2	M	F	345			
i	1 2	1 .	1 .	1 .	.	4 2	3 .	1 1	.	i	1 .	2 .	.	.	M	F	346			
.	2	M	F	347			
.	.	1 .	.	.	i	.	.	1 1	.	2 2	M	F	348			
.	i	1 .	i	.	.	1 .	i	.	.	M	F	349			
.	i	.	.	.	M	F	350-358			
.	i	.	.	M	F	350			
.	i	.	.	M	F	351			
.	M	F	352			
.	M	F	353			
.	i	.	i	M	F	354			
.	i	.	i	M	F	355			
.	i	.	i	M	F	356			
.	1	M	F	357			
.	1	M	F	358			
.	M	F	360-369			
.	M	F	370-379			
.	i	M	F	380-389			
.	i	M	F	380			
.	i	M	F	381			

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
382	Otitis media with mastoiditis {M F}
383	Mastoiditis without mention of otitis media {M F}
384	Other inflammatory diseases of ear {M F}
385	Ménière's disease {M F}
386	Otosclerosis {M F}
387	Other diseases of ear and mastoid process {M F}
388	Deaf mutism {M F}
389	Other deafness {M F}
VII. Diseases of the Circulatory System											
390-392	<i>Active rheumatic fever</i> {M F}
390	Rheumatic fever without mention of heart involvement {M F}
391	Rheumatic fever with heart involvement {M F}
392	Chorea {M F}
393-398	<i>Chronic rheumatic heart disease</i> {M F} 81 135
393	Diseases of pericardium {M F}
Diseases of mitral valve:—											
394.0	Specified as rheumatic {M F} 2 23
394.9	Not specified as rheumatic {M F} 21 42
Diseases of aortic valve:—											
395.0	Specified as rheumatic {M F} 5 3
395.9	Not specified as rheumatic {M F} 20 14
Diseases of mitral and aortic valves:—											
396.0	Specified as rheumatic {M F} 5 5
396.9	Not specified as rheumatic {M F} 3 2
397	Diseases of other endocardial structures {M F} 3 7
398	Other heart disease, specified as rheumatic {M F} 22 39
400-404	<i>Hypertensive disease</i> {M F} 141 159	1	.	.

of death at different age-periods, 1968.

DEATH

	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over	Detailed List Numbers
.	M F	} 382
.	M F	} 383
.	M F	} 384
.	M F	} 385
.	M F	} 386
.	M F	} 387
.	M F	} 388
.	M F	} 389
.	M F	} 390-392
.	M F	} 390
.	M F	} 391
.	M F	} 392
2	2	4	2	1	7	6	3	10	10	11	15	3	9	5	2	I M F	} 393-398
.	M F	} 393
.	.	2	1	.	2	4	4	3	5	2	1	1	1	1	1	M F	} 394.0
2	.	.	1	.	3	1	2	2	4	4	8	1	4	3	2	I M F	} 394.9
.	1	1	1	2	1	1	.	1	1	1	1	M F	} 395.0
.	1	.	.	2	1	1	3	3	4	2	1	3	1	1	1	M F	} 395.9
.	1	1	.	1	1	1	2	1	1	1	1	1	1	1	1	M F	} 396.0
.	1	1	1	1	1	M F	} 396.9
.	.	1	1	1	1	1	2	1	1	1	1	1	1	1	1	M F	} 397
2	2	1	2	3	1	6	2	4	3	5	6	2	1	2	1	I M F	} 398
.	1	1	2	1	7	8	11	18	18	13	29	20	42	13	10	M F	} 400-404

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
400	Malignant hypertension . . {M F 21 12								i		
401	Essential benign hypertension . . {M F 28 34										
402	Hypertensive heart disease . . {M F 84 101										
403	Hypertensive renal disease . . {M F 8 12										
404	Hypertensive heart and renal dis- . . {M ease F										
410-414	<i>Ischaemic heart disease</i> . . {M F 2,491 1,738										
	Acute myocardial infarction:—										
410.0	With hypertensive disease . . {M F 151 158										
410.9	Without mention of hypertensive disease . . {M F 1,705 978										
	Other acute and sub-acute forms of ischaemic heart disease:—										
411.0	With hypertensive disease . . {M F										
411.9	Without mention of hypertensive disease . . {M F 2										
	Chronic ischaemic heart disease:—										
412.0	With hypertensive disease . . {M F 62 45										
412.9	Without mention of hypertensive disease . . {M F 571 556										
	Angina pectoris:—										
413.0	With hypertensive disease . . {M F										
413.9	Without mention of hypertensive disease . . {M F 1										
	Asymptomatic ischaemic heart disease:—										
414.0	With hypertensive disease . . {M F										
414.9	Without mention of hypertensive disease . . {M F										
420-429	<i>Other forms of heart disease</i> . . {M F 472 605								i		
420	Acute pericarditis, non-rheumatic . . {M F 2 1										
421	Acute and sub-acute endocarditis . . {M F 9 2										
422	Acute myocarditis {M F 1 3								1		
423	Chronic disease of pericardium, non-rheumatic . . {M F										
424	Chronic disease of endocardium . . {M F 11 16										

of death at different age-periods, 1968.

DEATH																	Detailed List Numbers
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over		
.	.	1 1	2 .	1 1	6 1	3 2	2 2	1 1	1 2	2 1	1 .	.	1 .	.	.	M F	} 400
.	1 .	1 .	2 .	5 6	4 2	6 6	3 10	3 4	2 3	1 3	.	M F	} 401
.	1 1	4 2	5 3	12 2	13 8	19 22	14 31	9 18	7 7	1 6	.	M F	} 402
.	1	.	.	.	1 .	1 .	2 2	2 2	1 1	2 1	2 1	1 2	1 1	1 .	.	M F	} 403
.	M F	} 404	
.	2 .	6 .	11 1	49 9	85 20	123 43	230 82	328 135	428 246	425 291	340 324	271 251	131 227	53 89	9 20	M F	} 410-414
.	.	.	.	2 1	7 6	7 8	12 11	32 21	32 28	30 30	17 25	10 17	2 8	3 .	.	M F	} 410.0
.	2 .	5 .	7 .	35 6	63 14	96 29	182 54	252 85	319 172	289 189	222 175	154 130	56 90	20 28	3 6	M F	} 410.9
.	M F	} 411.0	
.	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	M F	} 411.9	
.	.	.	.	2 .	.	4 .	5 3	5 6	9 4	13 9	9 10	7 5	3 6	2 .	.	M F	} 412.0
.	.	1 .	2 1	12 2	11 .	14 6	31 14	39 23	68 42	93 62	92 114	100 99	70 123	32 56	6 14	M F	} 412.9
.	M F	} 413.0	
.	i	M F	} 413.9	
.	M F	} 414.0	
.	M F	} 414.9	
i	i	i	3	.	2	4	10	18	21	39	47	76	104	84	55	M F	} 420-429
.	1	.	1	.	i	M F	} 420	
.	.	1	.	.	.	1	3	.	1	2	.	.	.	1	M F	} 421	
.	i	1	1	1	M F	} 422	
.	M F	} 423	
.	.	i	.	i	i	.	i	2	2	1	3	1	4	1	2	M F	} 424

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT								
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10- 15-
425	Cardiomyopathy . . . {M F	2	:	:	:	:	:	:	:	:
426	Pulmonary heart disease . . {M F	34 17	:	:	:	:	:	:	:	:
	Symptomatic heart disease:—									
427.0	Congestive heart failure . . {M F	121 196	:	:	:	:	:	:	:	:
427.1	Left ventricular failure . . {M F	28 43	:	:	:	:	:	:	:	:
427.2	Heart block . . . {M F	10 5	:	:	:	:	:	:	:	:
427.9	Other disorders of heart rhythm . . {M F	39 41	:	:	:	:	:	:	:	:
428	Other myocardial insufficiency . . {M F	212 272	:	:	:	:	:	:	:	:
429	Ill-defined heart disease . . {M F	5 7	:	:	:	:	:	:	:	:
430-438	Cerebrovascular disease . . {M F	930 1,394	:	1	:	:	:	:	2 1	:
	Subarachnoid haemorrhage:—									
430.0	With hypertension (benign) . . {M F	2 9	:	:	:	:	:	:	:	:
430.9	Without mention of hypertension {M F	33 62	:	:	:	:	:	:	2 1	:
	Cerebral haemorrhage:—									
431.0	With hypertension (benign) . . {M F	86 143	:	:	:	:	:	:	:	:
431.9	Without mention of hypertension {M F	159 224	:	1	:	:	:	:	:	:
	Occlusion of pre-cerebral arteries:—									
432.0	With hypertension (benign) {M F	·	:	:	:	:	:	:	:	:
432.9	Without mention of hypertension {M F	6	:	:	:	:	:	:	:	:
	Cerebral thrombosis:—									
433.0	With hypertension (benign) . . {M F	30 60	:	:	:	:	:	:	:	:
433.9	Without mention of hypertension {M F	353 526	:	:	:	:	:	:	:	:
	Cerebral embolism:—									
434.0	With hypertension (benign) . . {M F	2	:	:	:	:	:	:	:	:
434.9	Without mention of hypertension {M F	5 9	:	:	:	:	:	:	:	:
	Transient cerebral ischaemia:—									
435.0	With hypertension (benign) . . {M F	·	:	:	:	:	:	:	:	:
435.9	Without mention of hypertension {M F	·	:	:	:	:	:	:	:	:

of death at different age-periods, 1968.

DEATH																Detailed List Numbers		
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85	90-	95 and over	M	F	
.	1	M	F	} 425
.	1	.	.	.	2	1	4	8	7	4	3	2	3	1	.	M	F	} 426
.	.	.	.	2	1	1	4	8	14	11	19	31	17	12	2	M	F	} 427.0
.	1	1	1	3	4	2	7	8	2	3	M	F	} 427.1
.	1	1	1	1	1	2	2	3	2	1	M	F	} 427.2
.	1	2	1	3	4	12	5	12	7	5	M	F	} 427.9
1	.	.	.	1	1	3	4	2	8	19	39	50	51	31	4	M	F	} 428
.	1	1	.	1	1	1	1	1	1	1	1	1	1	1	.	M	F	} 429
1	2	1	1	8	6	26	40	72	113	162	181	173	94	39	8	M	F	} 430-438
.	1	1	2	3	.	.	1	1	.	.	M	F	} 430.0
1	2	1	1	5	4	5	3	2	3	6	3	2	6	.	.	M	F	} 430.9
.	.	.	.	1	1	2	8	9	13	9	13	15	9	8	2	M	F	} 431.0
1	.	1	1	1	1	3	4	9	14	19	25	34	32	14	7	M	F	} 431.9
.	M	F	} 432.0	
.	1	.	1	1	2	1	M	F	} 432.9
.	1	2	1	3	4	7	8	6	5	7	M	F	} 433.0
.	1	1	5	5	21	43	66	71	70	19	M	F	} 433.9
.	1	1	1	4	11	42	71	121	86	2	M	F	} 434.0
.	1	.	.	.	1	.	M	F	} 434.9
.	3	2	1	1	1	.	M	F	} 435.0
.	2	3	1	1	1	.	M	F	} 435.9

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	ALL AGES	Under 4 weeks	Total under one year	AGES AT						
					1-	2-	3-	4-	5-	10-	15-
	Acute but ill-defined cerebrovascular disease:—										
436.0	With hypertension (benign) {M F	23 35	:	:	:	:	:	:	:	:	:
436.9	Without mention of hypertension {M F	120 146	:	:	:	:	:	:	:	:	:
	Generalized ischaemic cerebrovascular disease:—										
437.0	With hypertension (benign) {M F	2 2	:	:	:	:	:	:	:	:	:
437.9	Without mention of hypertension {M F	95 149	:	:	:	:	:	:	:	:	:
	Other and ill-defined cerebrovascular disease:—										
438.0	With hypertension (benign) {M F	11 12	:	:	:	:	:	:	:	:	:
438.9	Without mention of hypertension {M F	5 15	:	:	:	:	:	:	:	:	:
440-448	Diseases of arteries, arterioles and capillaries {M F	213 240	i	i	:	:	:	:	:	i	:
440	Arteriosclerosis . . . {M F	117 162	:	:	:	:	:	:	:	:	:
441	Aortic aneurysm (non-syphilitic) {M F	43 23	:	:	:	:	:	:	:	:	:
442	Other aneurysm . . . {M F	4 2	:	:	:	:	:	:	:	:	:
443	Other peripheral vascular disease {M F	2 .	:	:	:	:	:	:	:	:	:
444	Arterial embolism and thrombosis {M F	15 27	i	i	:	:	:	:	:	:	:
445	Gangrene . . . {M F	31 19	:	:	:	:	:	:	:	:	:
446	Polyarteritis nodosa and allied conditions {M F	1 7	:	:	:	:	:	:	:	i	:
447	Other diseases of arteries and arterioles {M F	.	:	:	:	:	:	:	:	:	:
448	Diseases of capillaries {M F	.	:	:	:	:	:	:	:	:	:
450-458	Diseases of veins and lymphatics, and other diseases of circulatory system {M F	48 52	:	:	:	:	:	:	:	:	:
450	Pulmonary embolism and infarction {M F	19 13	:	:	:	:	:	:	:	:	:
451	Phlebitis and thrombophlebitis {M F	2 4	:	:	:	:	:	:	:	:	:
452	Portal vein thrombosis {M F	.	:	:	:	:	:	:	:	:	:
453	Other venous embolism and thrombosis {M F	21 29	:	:	:	:	:	:	:	:	:
454	Varicose veins of lower extremities {M F	2 1	:	:	:	:	:	:	:	:	:

of death at different age-periods, 1968.

DEATH																	Detailed List Numbers	
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95- and over			
.	.	.	.	1	.	1	6	5	3	4	1	2	1	.	.	M	436.0	
.	3	3	5	8	12	22	23	29	27	20	7	F	436.9	
.	1	.	1	.	1	.	M	437.0	
1	2	3	5	2	13	19	27	13	9	F	437.9	
.	1	1	2	4	2	4	4	3	1	M	438.0	
.	1	1	2	2	3	4	3	2	1	F	438.9	
.	.	.	3	2	3	1	4	5	16	23	27	43	42	32	8	M	440-448	
.	1	4	8	16	25	33	24	5	22	F	440	
.	1	2	9	15	24	41	43	22	1	M	441	
.	.	.	i	.	.	2	3	6	7	12	8	1	4	1	i	F	442	
.	2	2	1	2	2	.	.	1	.	M	443		
.	.	.	i	2	2	1	2	2	3	4	4	2	1	2	i	F	444	
.	3	2	2	5	2	7	6	4	3	M	445	
.	.	.	i	1	1	1	1	1	1	1	1	1	2	1	1	F	446	
.	M	447		
.	F	448		
.	1	1	1	.	1	2	1	5	4	8	12	10	6	9	6	M	450-458	
.	1	1	1	.	1	3	2	1	5	2	2	13	10	4	2	F	450	
.	2	1	1	2	1	6	4	3	2	1	M	451	
.	i	.	.	.	1	2	.	1	.	M	452		
.	i	1	2	2	3	6	7	5	4	2	1	F	453	
.	.	i	.	.	.	1	2	2	3	6	7	5	4	2	1	M	454	

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	ALL AGES	Under 4 weeks	Total under one year	AGES AT						
					1-	2-	3-	4-	5-	10-	15-
455	Haemorrhoids {M F
456	Varicose veins of other sites {M F	4
457	Non-infective disease of lymphatic channels {M F
458	Other diseases of circulatory system {M F	4
	VIII. Diseases of the Respiratory System										
460-466	Acute respiratory infections (except influenza) {M F	13 22	.	3 1	1
460	Acute nasopharyngitis (common cold) {M F	1
461	Acute sinusitis {M F
462	Acute pharyngitis {M F
463	Acute tonsillitis {M F
464	Acute laryngitis and tracheitis {M F	1	.	.	1
465	Acute upper respiratory infection of multiple or unspecified sites {M F	3 5
466	Acute bronchitis and bronchiolitis {M F	9 16	.	3 1
470-474	Influenza {M F	27 50	.	2	.	.	1
470	Influenza unqualified {M F	15 15
471	Influenza with pneumonia {M F	12 30	.	2	.	.	1
472	Influenza with other respiratory manifestations {M F	5
473	Influenza with digestive manifestations {M F
474	Influenza with nervous manifestations {M F
480-486	Pneumonia {M F	315 372	10 5	82 57	2 6	.	.	1	.	2	1
480	Viral pneumonia {M F	9 6	1	8 4	1
481	Pneumococcal pneumonia {M F	22 34
482	Other bacterial pneumonia {M F	3 6	.	1
483	Pneumonia due to other specified organism {M F	1 1
484	Acute interstitial pneumonia {M F	18 8	.	17 7
485	Bronchopneumonia, unspecified {M F	227 278	6	48 41	2 5	.	.	1	.	2	1

of death at different age-periods, 1968.

DEATH

20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over	Detailed List Numbers
.	M F } 455
.	.	i	i	.	.	2	M F } 456
.	M F } 459	
.	1	1	.	.	.	1	i	1	.	.	M F } 458
I	i	1	2	1/4	3/5	2/2	1/5	2	.	M F } 460-466
.	1	.	.	.	M F } 460	
.	M F } 461	
.	M F } 462	
.	M F } 463	
.	M F } 464	
1	i	i	.	1/3	.	M F } 465	
.	i	1	1	3/4	1/2	2	2	.	M F } 466	
.	.	I	.	I	.	2	I	2	5	3/4	4/9	3/14	7/12	3/3	.	M F } 470-474
.	.	1	.	1	.	2	1	i	.	2	2/3	1/3	3/7	2/1	.	M F } 470
.	5	1/3	2/6	2/8	4/5	1/2	.	M F } 471
.	i	.	i	.	3	.	.	M F } 472	
.	M F } 473	
.	M F } 474	
I	I	i	2	.	2	4	5	6	39/25	26/26	43/52	46/69	33/64	19/37	4/13	M F } 480-486
.	1	1	.	M F } 480	
.	.	i	i	.	.	2	1	1/3	7/5	1/5	4/7	4/4	2/5	1	2	M F } 481
.	i	1/2	.	i	1/1	1	.	M F } 482	
.	i	.	.	1	M F } 483	
.	1	.	.	.	1	.	M F } 484	
1	1	.	i	.	2	2	2	5	27/16	19/18	34/36	36/57	27/53	16/32	3/11	M F } 485

ABSTRACT 12 (continued) Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	ALL AGES	Under 4 weeks	Total under one year	AGES AT						
					1-	2-	3-	4-	5-	10-	15-
486	Pneumonia, unspecified . . . {M F	35 39	3 1	9 4
490-493	Bronchitis, emphysema and asthma . . . {M F	597 252	.	1 1	1	1	.	.	1	1	1
490	Bronchitis, unqualified . . . {M F	22 35	.	1	1	.	.	1	1	.	.
491	Chronic bronchitis . . . {M F	535 189	.	1
492	Emphysema . . . {M F	14 5
493	Asthma {M F	26 23	1	1	.
500-508	Other diseases of upper respiratory tract {M F	2
500	Hypertrophy of tonsils and adenoids {M F	1
501	Peritonsillar abscess {M F
502	Chronic pharyngitis and nasopharyngitis {M F	1
503	Chronic sinusitis {M F
504	Deflected nasal septum {M F
505	Nasal polyp {M F
506	Chronic laryngitis {M F
507	Hay fever {M F
508	Other diseases of upper respiratory tract {M F
510-519	Other diseases of respiratory system {M F	47 48	.	1 1	1	1	.
510	Empyema {M F	3 1
511	Pleurisy {M F	3 2
512	Spontaneous pneumothorax {M F	1
513	Abscess of lung {M F	2 1	.	1
514	Pulmonary congestion and hypostasis {M F	10 15	.	1	1	.
515	Pneumoconiosis due to silica and silicates {M F	3
516	Other pneumoconioses and related diseases {M F	2 1
517	Other chronic interstitial pneumonia {M F	8 5
518	Bronchiectasis {M F	12 15	1	.

of death at different age-periods, 1968.

DEATH

	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over	Detailed List Numbers
:	:	:	:	:	1	2	4	2	4	3	6	4	5	2	3	1	M F } 486
2	2	2	5	8	16	7	16	12	47	17	86	112	103	95	68	29	M F } 490-493
:	1	1	1	1	1	1	2	3	7	4	3	5	5	4	2	2	M F } 490
:	2	3	13	4	13	6	37	76	106	28	96	88	63	27	10	1	M F } 491
:	1	3	5	2	4	2	4	1	1	3	1	2	1	1	1	1	M F } 492
2	1	3	2	2	4	7	5	3	1	2	5	1	1	1	1	1	M F } 493
:	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	M F } 500-508
:	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	M F } 500
:	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	M F } 501
:	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	M F } 502
:	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	M F } 503
:	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	M F } 504
:	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	M F } 505
:	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	M F } 506
:	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	M F } 507
:	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	M F } 508
1	1	3	1	2	1	2	3	2	1	12	3	4	2	3	8	4	M F } 510-519
:	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	M F } 510
:	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	M F } 511
:	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	M F } 512
:	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	M F } 513
:	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	M F } 514
:	1	1	1	1	1	1	1	1	1	1	2	1	2	2	2	1	M F } 515
:	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	M F } 516
:	1	1	1	1	1	1	1	1	1	1	2	1	2	2	2	1	M F } 517
1	1	2	1	1	1	1	1	1	1	3	2	2	3	3	2	1	M F } 518

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	ALL AGES	Under 4 weeks	Total under one year	AGES AT						
					1-	2-	3-	4-	5-	10-	15-
519	Other diseases of respiratory system {M F	4 7	:	:	:	:	:	:	:	:	:
	IX. Diseases of the Digestive System										
520-529	Diseases of oral cavity, salivary glands and jaws {M F										
520	Disorders of tooth development and eruption {M F										
521	Diseases of hard tissues of the teeth {M F										
522	Diseases of pulp and periapical tissues {M F										
523	Periodontal diseases {M F										
524	Dento-facial anomalies including malocclusion {M F										
525	Other diseases and conditions of the teeth and supporting structures {M F										
526	Diseases of the jaws {M F										
527	Diseases of the salivary glands {M F										
528	Diseases of the oral soft tissues, excluding gingiva and tongue {M F										
529	Diseases of the tongue and other oral conditions {M F										
530-537	Diseases of oesophagus, stomach and duodenum {M F	80 49								i	
530	Diseases of oesophagus {M F	8 4									
531	Ulcer of stomach {M F	20 20									
532	Ulcer of duodenum {M F	41 20								i	
533	Peptic ulcer, site unspecified {M F	7 4									
534	Gastrojejunal ulcer {M F	1									
535	Gastritis and duodenitis {M F	1									
536	Disorders of function of stomach {M F										
537	Other diseases of stomach and duodenum {M F	2									
540-543	Appendicitis {M F	3 7						i			
540	Acute appendicitis {M F	2 6						i			
541	Appendicitis, unqualified {M F	1									
542	Other appendicitis {M F										

of death at different age-periods, 1968.

DEATH															Detailed List Numbers			
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over	M	F	519
.	1	2	.	i	2	1	2	.	M	F	519
.	M	F	520-529	
.	M	F	520	
.	M	F	521	
.	M	F	522	
.	M	F	523	
.	M	F	524	
.	M	F	525	
.	M	F	526	
.	M	F	527	
.	M	F	528	
.	M	F	529	
.	.	.	.	1	4	3	6	12	10	10	13	10	8	3	M	F	530-537	
.	.	.	.	1	1	1	1	1	4	1	1	1	1	1	M	F	530	
.	.	.	.	1	1	1	2	3	2	2	3	4	3	2	M	F	531	
.	.	.	.	1	2	2	2	7	7	8	3	5	4	2	M	F	532	
.	.	.	.	1	1	1	1	1	1	1	1	1	1	2	M	F	533	
.	.	.	.	1	1	1	1	1	1	1	1	1	1	1	M	F	534	
.	.	.	.	1	1	1	1	1	1	1	1	1	1	1	M	F	535	
.	.	.	.	1	1	1	1	1	1	1	1	1	1	1	M	F	536	
.	.	.	.	1	1	1	1	1	1	1	1	1	1	1	M	F	537	
.	.	.	.	i	1	1	1	1	1	1	1	1	1	1	M	F	540-543	
.	.	.	.	i	1	1	1	1	1	1	1	1	1	1	M	F	540	
.	.	.	.	i	1	1	1	1	1	1	1	1	1	1	M	F	541	
.	.	.	.	i	1	1	1	1	1	1	1	1	1	1	M	F	542	

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT								
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10- 15-
543	Other diseases of appendix . . {M F
550-553	Hernia of abdominal cavity . . {M F	9 15	1 1	2 3
550	Inguinal hernia without mention {M of obstruction . . F
551	Other hernia of abdominal cavity {M without mention of obstruction . . F	4 8	1 1	1 3
552	Inguinal hernia with obstruction . . {M F	4	.	1
553	Other hernia of abdominal cavity {M with obstruction . . F	1 7
560-569	Other diseases of intestine and {M peritoneum . . F	40 62	3	6	i	.
560	Intestinal obstruction without {M mention of hernia . . F	13 18	1	4
561	Gastro-enteritis and colitis except {M ulcerative, of non-infectious {F origin
562	Diverticula of intestine . . {M F	10 17
563	Chronic enteritis and ulcerative {M colitis . . F	2 14
564	Functional disorders of intestines . . {M F
565	Anal fissure and fistula . . {M F
566	Abscess of anal and rectal regions . . {M F	1
567	Peritonitis . . {M F	5 5	1	1
568	Peritoneal adhesions . . {M F	1	i	.
569	Other diseases of intestines and {M peritoneum . . F	10 6	1	1
570-577	Diseases of liver, gallbladder and {M pancreas . . F	47 52	i	.	.	.
570	Acute and subacute necrosis of {M liver . . F	1 1
571	Cirrhosis of liver . . {M F	16 17
572	Suppurative hepatitis and liver {M abscess . . F	2
573	Other diseases of liver . . {M F	2 1
574	Cholelithiasis . . {M F	7 8
575	Cholecystitis and cholangitis, {M without mention of calculi . . F	11 13	i	.	.	.
576	Other diseases of gallbladder and {M biliary ducts . . F	2 2

of death at different age-periods, 1968.

DEATH																			Detailed List Numbers	
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over	M	F			
.	M	F	543	}	
.	i	.	2	2	i	i	2	2	i	M	F	550-553	}	
.	M	F	550	}	
.	1	i	i	i	1	1	1	M	F	551	}	
.	1	1	1	1	.	M	F	552	}	
.	1	3	i	.	.	M	F	553	}	
2	.	1	1	3	i	3	3	2	2	6	5	12	9	2	1	M	F	560-569	}	
i	.	1	.	.	i	1	.	.	2	2	1	4	4	2	1	M	F	560	}	
.	M	F	561	}		
.	.	.	.	1	.	.	2	1	3	1	1	4	4	2	1	M	F	562	}	
i	.	2	.	2	1	i	i	1	4	2	M	F	563	}	
.	M	F	564	}		
.	M	F	565	}		
.	i	.	.	.	M	F	566	}		
.	.	1	.	.	i	1	.	.	i	3	.	1	.	.	1	M	F	567	}	
.	M	F	568	}		
.	2	2	1	1	1	1	1	1	1	3	i	M	F	569	}
.	.	.	1	.	2	2	4	5	13	9	7	7	4	1	2	M	F	570-577	}	
.	.	.	2	.	1	2	2	7	6	6	7	7	5	4	2	M	F	570	}	
.	.	.	2	.	2	i	4	1	6	2	2	3	1	2	.	M	F	571	}	
.	.	.	2	.	1	i	4	2	5	3	1	2	1	1	3	M	F	572	}	
.	.	.	2	.	1	1	1	1	1	1	1	1	1	1	2	M	F	573	}	
.	.	.	2	.	1	1	1	1	1	1	1	1	1	1	2	M	F	574	}	
.	.	.	2	.	1	1	1	1	1	1	1	1	1	1	1	M	F	575	}	
.	.	.	2	.	1	1	1	1	1	1	1	1	1	1	1	M	F	576	}	

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	ALL AGES	AGES AT								
			Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
577	Diseases of pancreas . . . {M F	6 10
	X. Diseases of Genito-Urinary System										
580-584	Nephritis and nephrosis . . . {M F	43 26
580	Acute nephritis . . . {M F	5 3
581	Nephrotic syndrome . . . {M F	3 1
582	Chronic nephritis . . . {M F	33 22
583	Nephritis, unqualified . . . {M F	2
584	Renal sclerosis, unqualified . . . {M F	1
590-599	<i>Other diseases of urinary system</i> . . . {M F	51 79	1
590	Infections of kidney . . . {M F	35 59
591	Hydronephrosis . . . {M F	2 1
592	Calculus of kidney and ureter . . . {M F	1 4
593	Other diseases of kidney and ureter . . . {M F	6 8
594	Calculus of other parts of urinary system . . . {M F	1
595	Cystitis {M F	1 3
596	Other diseases of bladder {M F	1
597	Urethritis (non-venereal) {M F	1
598	Stricture of urethra {M F	1
599	Other diseases of urinary tract {M F	4 4	1
600-607	<i>Diseases of male genital organs</i> . . . M	47
600	Hyperplasia of prostate . . . M	44
601	Prostatitis . . . M	2
602	Other diseases of prostate . . . M	1
603	Hydrocele . . . M
604	Orchitis and epididymitis . . . M
605	Redundant prepuce and phimosis M
606	Sterility, male . . . M
607	Other diseases of male genital organs . . . M

of death at different age-periods, 1968.

DEATH															Detailed List Numbers				
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over				
.	.	.	1	.	.	i	2	1	2	1	2	1	.	.	M F	} 577			
.	1	1	1	2	2	3	1	8	4	1	3	5	6	7	M F	} 580-584			
.	.	.	.	1	.	.	.	1	1	1	1	1	1	1	M F	} 580			
.	1	.	.	1	.	.	1	1	1	M F	} 581			
.	i	.	1	1	2	1	3	6	2	3	4	4	6	6	M F	} 582			
.	*	.	.	.	1	1	1	1	1	1	1	1	1	1	M F	} 583			
.	M F	} 584			
.	.	i	2	2	4	1	1	7	2	5	8	9	7	11	M F	} 590-599			
.	.	1	2	2	3	1	7	3	5	8	5	6	8	7	M F	} 590			
.	.	1	2	2	3	1	7	3	5	8	5	6	11	10	1	M F	} 591		
.	.	.	.	1	1	.	i	1	1	1	1	1	1	1	M F	} 592			
.	i	i	i	1	1	1	2	1	2	1	M F	} 593			
.	1	M F	} 594			
.	3	.	.	.	M F	} 595			
.	1	M F	} 596			
.	M F	} 597			
.	M F	} 598			
.	1	.	i	1	M F	} 599			
.	1	1	5	13	13	8	5	1	M	600-607
.	1	1	5	11	13	7	5	1	M	600	
.	1	.	.	1	.	M	601		
.	1	.	.	.	M	602			
.	1	.	.	M	603			
.	M	604			
.	M	605			
.	M	606			
.	M	607			

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
610-616	<i>Diseases of breast, ovary, fallopian tube and parametrium</i> . . F	3
610	Chronic cystic disease of breast . . F
611	Other diseases of breast . . F
612	Acute salpingitis and oophoritis . . F
613	Chronic salpingitis and oophoritis F
614	Salpingitis and oophoritis, un-qualified . . F	1
615	Other diseases of ovary and fallopian tube . . F	1
616	Diseases of parametrium and pelvic peritoneum (female) . . F	1
620-629	<i>Diseases of uterus and other female genital organs</i> . . F	2
620	Infective diseases of cervix uteri . . F
621	Other diseases of cervix . . F
622	Infective diseases of uterus (except cervix), vagina and vulva . . F	1
623	Uterovaginal prolapse . . F	1
624	Malposition of uterus . . F
625	Other diseases of uterus . . F
626	Disorders of menstruation . . F
627	Menopausal symptoms . . F
628	Sterility, female . . F
629	Other diseases of female genital organs . . F
	XI. Complications of Pregnancy, Childbirth and the Puerperium										
630-634	<i>Complications of pregnancy</i> . . F	2
630	Infections of genital tract during pregnancy . . F
631	Ectopic pregnancy . . F	1
632	Haemorrhage of pregnancy . . F	1
633	Anaemia of pregnancy . . F
634	Other complications of pregnancy F
635-639	<i>Urinary infections and toxæmias of pregnancy and the puerperium</i> F	4
635	Urinary infections arising during pregnancy and the puerperium F	1
636	Renal disease arising during pregnancy and the puerperium F
637	Pre-eclampsia, eclampsia and toxæmia, unspecified . . F	2
638	Hyperemesis gravidarum . . F

of death at different age-periods, 1968.

DEATH															Detailed List Numbers	
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over	
.	I	I	.	.	I	.	F 610-616
.	F 610	
.	F 611	
.	F 612	
.	F 613	
.	1	F 614	
.	1	F 615	
.	1	.	.	.	F 616	
.	I	.	.	.	I	F 620-629	
.	F 620	
.	F 621	
.	1	F 622	
.	1	F 623	
.	F 624	
.	F 625	
.	F 626	
.	F 627	
.	F 628	
.	F 629	
I	.	.	.	I	F 630-634	
.	F 630	
1	F 631	
.	.	.	.	1	F 632	
.	F 633	
.	F 634	
.	.	I	2	I	F 635-639	
.	.	.	.	1	F 635	
.	F 636	
.	.	1	1	F 637	
.	F 638	

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
639	Other toxæmias of pregnancy and the puerperium . . . F	1
640-645	<i>Abortion</i> F	2
640	Abortion induced for medical indications F
641	Abortion induced for other legal indications F
642	Abortion induced for other reasons F	1
643	Spontaneous abortion F	1
644	Abortion not specified as induced or spontaneous F
645	Other abortion F
650-662	<i>Delivery</i> F
650	Delivery without mention of complication F
651	Delivery complicated by placenta praevia or antepartum haemorrhage F
652	Delivery complicated by retained placenta F
653	Delivery complicated by other postpartum haemorrhage F
654	Delivery complicated by abnormality of bony pelvis F
655	Delivery complicated by foeto-pelvic disproportion F
656	Delivery complicated by malpresentation of foetus F
657	Delivery complicated by prolonged labour of other origin F
658	Delivery with laceration of perineum, without mention of other laceration F
659	Delivery with rupture of uterus F
660	Delivery with other obstetrical trauma F
661	Delivery with other complications F
662	Anaesthetic death in uncomplicated delivery F
670-678	<i>Complications of the puerperium</i> . . . F	1
670	Sepsis of childbirth and the puerperium F
671	Puerperal phlebitis and thrombosis F
672	Pyrexia of unknown origin during the puerperium F
673	Puerperal pulmonary embolism F	1
674	Cerebral haemorrhage in the puerperium F

of death at different age-periods, 1968.

DEATH															Detailed List Numbers	
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over	
.	.	.	1	F	639
.	.	.	2	F	640-645
.	F	640
.	F	641
.	.	.	1	F	642
.	.	.	1	F	643
.	F	644
.	F	645
.	F	650-662
.	F	650
.	F	651
.	F	652
.	F	653
.	F	654
.	F	655
.	F	656
.	F	657
.	F	658
.	F	659
.	F	660
.	F	661
.	F	662
.	.	1	F	670-678
.	F	670
.	F	671
.	F	672
.	.	1	F	673
.	F	674

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT								
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10- 15-
675	Puerperal blood dyscrasias . . F
676	Anaemia of the puerperium . . F
677	Other and unspecified complications of the puerperium . . F
678	Mastitis and other disorders of lactation . . F
	XII. Diseases of the Skin and Subcutaneous Tissue									
680-686	<i>Infections of skin and subcutaneous tissue</i> { M F	I
680	Boil and carbuncle . . { M F
681	Cellulitis of finger and toe . . { M F
682	Other cellulitis and abscess . . { M F	I
683	Acute lymphadenitis . . { M F
684	Impetigo . . { M F
685	Pilonidal cyst . . { M F
686	Other local infections of skin and { M subcutaneous tissue F
690-698	<i>Other inflammatory conditions of skin and subcutaneous tissue</i> { M F
690	Seborrhoeic dermatitis . . { M F
691	Infantile eczema and related conditions . . { M F
692	Other eczema and dermatitis . . { M F
693	Dermatitis herpetiformis . . { M F
694	Pemphigus . . { M F
695	Erythematous conditions . . { M F
696	Psoriasis and similar disorders . . { M F
697	Lichen . . { M F
698	Pruritus and related conditions . . { M F
700-709	<i>Other diseases of skin and subcutaneous tissue</i> { M F	4	4
700	Corns and callosities . . { M F
701	Other hypertrophic and atrophic conditions of skin . . { M F

of death at different age-periods, 1968.

DEATH															Detailed List Numbers	
30-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over	
.	F	675
.	F	676
.	F	677
.	F	678
.	1	M F	680-686
.	M F	680
.	M F	681
.	1	M F	682
.	M F	683
.	M F	684
.	M F	685
.	M F	686
.	M F	690-698
.	M F	690
.	M F	691
.	M F	692
.	M F	693
.	M F	694
.	M F	695
.	M F	696
.	M F	697
.	1	1	.	.	.	M F	698
.	1	3	.	.	M F	700-709
.	1	.	.	.	M F	700
.	M F	701

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
702	Other dermatoses . . . {M F
703	Diseases of nail . . . {M F
704	Diseases of hair and hair follicles . {M F
705	Diseases of sweat glands . {M F
706	Diseases of sebaceous glands . {M F
707	Chronic ulcer of skin . {M F	4 4
708	Urticaria . . . {M F
709	Other diseases of skin . {M F
XIII. Diseases of the Musculo-skeletal System and Connective Tissue											
710-718	Arthritis and rheumatism, except {M rheumatic fever F	10 36
710	Acute arthritis due to pyogenic {M organisms F
711	Acute non-pyogenic arthritis . {M F
712	Rheumatoid arthritis and allied {M conditions F	7 27
713	Osteo-arthritis and allied conditions . {M F	2 7
714	Other specified forms of arthritis {M F
715	Arthritis, unspecified . {M F	1
716	Polymyositis and dermatomyositis {M F
717	Other non-articular rheumatism . {M F
718	Rheumatism, unspecified . {M F	2
720-729	Osteomyelitis and other diseases {M of bone and joint F	4 11
720	Osteomyelitis and periostitis . {M F	1 1
721	Osteitis deformans . {M F	2 2
722	Osteochondrosis . . {M F
723	Other diseases of bone . {M F	1 8
724	Internal derangement of joint . {M F

of death at different age-periods, 1968.

DEATH

																	Detailed List Numbers
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over		
.	M F } 702	
.	M F } 703	
.	M F } 704	
.	M F } 705	
.	M F } 706	
.	1	1	.	.	1	.	.	M F } 707	
.	3	.	.	.	M F } 708	
.	1	.	.	M F } 709	
.		
.	1	.	1	1	2	6	7	8	3	4	2	M F } 710-718	
.	1	1	1	1	1	6	7	8	4	3	.	M F } 710	
.	M F } 711	
.	1	1	1	3	6	8	2	2	.	M F } 712	
.	1	1	1	3	6	8	1	1	2	M F } 713	
.	M F } 714	
.	1	.	M F } 715	
.	M F } 716	
.	M F } 717	
.	1	.	M F } 718
.	1	.	1	1	1	1	3	2	4	1	3	M F } 720-729	
.	1	.	1	1	1	1	1	1	1	1	1	M F } 720	
.	1	.	1	1	1	1	1	1	1	1	M F } 721	
.	M F } 722	
.	1	.	1	1	1	1	1	1	1	1	1	M F } 723	
.	1	.	1	1	1	1	1	1	1	1	1	M F } 724	

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT								
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10- 15-
725	Displacement of intervertebral disc {M F
726	Affection of sacro-iliac joint {M F
727	Ankylosis of joint {M F
728	Vertebrogenic pain syndrome {M F
729	Other diseases of joint {M F
730-738	Other diseases of musculoskeletal system {M F	5	12	1
730	Bunion {M F
731	Synovitis, bursitis and tenosynovitis {M F
732	Infective myositis and other inflammatory diseases of tendon and fascia {M F
733	Other diseases of muscle, tendon and fascia {M F	2
734	Diffuse diseases of connective tissue {M F	3	9	1
735	Curvature of spine {M F	1	1
736	Flat foot {M F
737	Hallux valgus and varus {M F
738	Other deformities {M F	1
XIV. Congenital Anomalies										
740-759	Congenital anomalies {M F	110	63	94	3	2	3	.	5	1
740	Anencephalus {M F	11	11	11
741	Spina bifida {M F	17	11	17	2	1
742	Congenital hydrocephalus {M F	4	1	2	1	.
743	Other congenital anomalies of nervous system {M F	4	2	3	1	.
744	Congenital anomalies of eye {M F
745	Congenital anomalies of ear, face and neck {M F
746	Congenital anomalies of heart {M F	37	18	30	2	1	2	.	1	1
747	Other congenital anomalies of circulatory system {M F	3	1	1	2

of death at different age-periods, 1968.

DEATH																Detailed List Numbers
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over	
.	M F } 725
.	M F } 726
.	M F } 727
.	M F } 728
.	M F } 729
.	i	i	1	1	2	1	1	2	i	.	i	M F } 730-738
.	M F } 730
.	M F } 731
.	M F } 732
.	i	i	M F } 733
.	.	.	.	i	1	1	1	2	1	1	1	1	.	.	.	M F } 734
.	i	i	.	1	1	1	1	2	1	1	1	1	.	.	i	M F } 735
.	1	M F } 736
.	M F } 737
.	1	M F } 738
1	1	i	i	1	2	1	4	2	1	3	.	i	i	.	.	M F } 740-759
.	M F } 740
.	M F } 741
1	M F } 742
.	M F } 743
.	M F } 744
.	M F } 745
.	1	i	1	.	.	.	1	i	M F } 746
.	3	M F } 747

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
748	Congenital anomalies of respiratory system . . . {M F}	2 3	1 . .	1 1	1 1	1 . .	1 1	1 . .	1 1	1 . .	1 1
749	Cleft palate and cleft lip . . . {M F}
750	Other congenital anomalies of upper alimentary tract . . . {M F}	3 . .	3 . .	3
751	Other congenital anomalies of digestive system . . . {M F}	8 4	4 2	7 2	1
752	Congenital anomalies of genital organs . . . {M F}
753	Congenital anomalies of urinary system . . . {M F}	9 7	3 2	8 2
754	Clubfoot (congenital) . . . {M F}
755	Other congenital anomalies of limbs . . . {M F}	2 . .	2 . .	2
756	Other congenital anomalies of musculoskeletal system . . . {M F}	3 2	2 . .	3 2
757	Congenital anomalies of skin, hair and nails . . . {M F}	2 . .	1 . .	1 1
758	Other and unspecified congenital anomalies . . . {M F}	1 . .	1 . .	1
759	Congenital syndromes affecting multiple systems . . . {M F}	7 13	3 4	5 9	2 2
760-779	XV. Certain Causes of Perinatal Morbidity and Mortality* . . . {M F}	217 134	216 134	217 134
	XVI. Symptoms and Ill-defined Conditions										
780-789	Symptoms referable to systems or organs . . . {M F}	8 18	. .	1 2
780	Certain symptoms referable to nervous system and special senses . . . {M F}	1	1
781	Other symptoms referable to nervous system and special senses . . . {M F}
782	Symptoms referable to cardiovascular and lymphatic system . . . {M F}	6 11
783	Symptoms referable to respiratory system . . . {M F}
784	Symptoms referable to upper gastro-intestinal tract . . . {M F}	1 1
785	Symptoms referable to abdomen and lower gastro-intestinal tract . . . {M F}	3
786	Symptoms referable to genito-urinary system . . . {M F}	1
787	Symptoms referable to limbs and joints . . . {M F}
788	Other general symptoms . . . {M F}	2	2
789	Abnormal urinary constituents of unspecified cause . . . {M F}

*See Abstract 24 for further details.

at death at different age-periods, 1968.

DEATH

20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over	Detailed List Numbers
.	M F } 741
.	M F } 745
.	M F } 750
.	i	i	M F } 751
.	M F } 752
.	i	3	i	1	M F } 753
.	M F } 754
.	M F } 755
.	M F } 756
.	i	M F } 757
.	M F } 758
.	.	.	.	i	i	M F } 759
.	.	.	.	i	i	M F } 760-775
.	i	1 2	3 2	5	2 3	1 2	i	M F } 780-785
.	M F } 786
.	M F } 787
.	1 1	2 1	4	2 3	1 1	i	M F } 788	
.	M F } 789
.	1	1	M F } 78A
.	i	.	i	.	i	.	.	M F } 78B
.	i	M F } 78C
.	1	M F } 78D
.	i	.	.	i	.	.	M F } 78E
.	i	M F } 78F
.	i	M F } 78G
.	i	M F } 78H

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	ALL AGES	AGES AT								
			Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
790-796	Senility and ill-defined diseases . { M F	10 22	2	2	1
790	Nervousness and debility . { M F	1
791	Headache . . . { M F
792	Uraemia . . . { M F	4 5
793	Observation, without need for further medical care . { M F
794	Senility without mention of psychosis . { M F	3 8
795	Sudden death (cause unknown) . { M F	1 2	i	i
796	Other ill-defined and unknown causes of morbidity and mortality . { M F	2 6	i	i	1
EXVII. Accidents, Poisonings and Violence (External cause)											
E800-E807	Railway accidents . { M F	1
E800	Railway accident involving collision with rolling stock . { M F
E801	Railway accident involving collision with other object . { M F
E802	Railway accident involving derailment without antecedent collision . { M F
E803	Railway accident involving explosion, fire, burning . { M F
E804	Fall in, on, or from train . { M F
E805	Hit by rolling stock . { M F
E806	Other specified railway accident . { M F
E807	Railway accident of unspecified nature . { M F	1
E810-E819	Motor vehicle traffic accidents . { M F	154 56	.	.	1	2	3	2	12	6	18
E810	Motor vehicle traffic accident involving collision with train . { M F
E811	Motor vehicle traffic accident involving collision with street car . { M F
E812	Motor vehicle traffic accident involving collision with another motor vehicle . { M F	38 21	.	.	.	i	i	i	i	6	3
E813	Motor vehicle traffic accident involving collision with other vehicle . { M F	10 2	i	1	2
E814	Motor vehicle traffic accident involving collision with pedestrian . { M F	68 27	.	.	1	1	3	1	11	3	1

of death at different age-periods, 1968.

DEATH

																95 and over		Detailed List Numbers
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-				
<i>I</i>																	M	{ 790-796
<i>I</i>																	F	}
.						M	{ 790
.					F	}	
.					M	{ 791	
.						F	}	
.							M	{ 792	
.							F	}	
.							M	{ 793	
.							F	}	
.							M	{ 794	
<i>I</i>																	F	}
<i>I</i>																	M	{ 795
.							F	}	
.							M	{ 796	
.							F	}	
.							M	{ E800-E807	
.							F	}	
.							M	{ E800	
.							F	}	
.							M	{ E801	
.							F	}	
.							M	{ E802	
.							F	}	
.							M	{ E803	
.							F	}	
.							M	{ E804	
.							F	}	
.							M	{ E805	
.							F	}	
.							M	{ E806	
.							F	}	
.							M	{ E807	
<i>I</i>	<i>I</i>	<i>9</i>	<i>6</i>	<i>8</i>	<i>5</i>	<i>6</i>	<i>8</i>	<i>5</i>	<i>5</i>	<i>12</i>	<i>7</i>	<i>8</i>	<i>3</i>	<i>2</i>	<i>I</i>		M	{ E810-E819
<i>I</i>	<i>I</i>	<i>4</i>	<i>3</i>	<i>2</i>	<i>1</i>	<i>1</i>	<i>2</i>	<i>2</i>	<i>2</i>	<i>3</i>	<i>1</i>	<i>2</i>	<i>2</i>	<i>2</i>	<i>I</i>		F	}
.		M	{ E810	
.		F	}	
.		M	{ E811	
<i>9</i>	<i>4</i>	<i>3</i>	<i>2</i>	<i>1</i>	<i>1</i>	<i>1</i>	<i>2</i>	<i>2</i>	<i>2</i>	<i>3</i>	<i>1</i>	<i>2</i>	<i>2</i>	<i>2</i>	<i>2</i>		M	{ E812
.		F	}	
.		M	{ E813	
<i>2</i>	<i>4</i>	<i>1</i>	<i>2</i>	<i>5</i>	<i>4</i>	<i>3</i>	<i>2</i>	<i>2</i>	<i>2</i>	<i>7</i>	<i>6</i>	<i>5</i>	<i>2</i>	<i>2</i>	<i>2</i>		F	}
<i>2</i>							M	{ E814	

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
E815	Other motor vehicle traffic accident involving collision {M F}	4	3
E816	Non-collision motor vehicle traffic accident due to loss of control {M F}	27	1	6
E817	Non-collision motor vehicle traffic accident while boarding or alighting {M F}	2	1	.	.
E818	Other non-collision motor vehicle traffic accident {M F}	5	.	.	.	1	.	1	.	1	1
E819	Motor vehicle traffic accident of unspecified nature {M F}
E820- E823	<i>Motor vehicle non-traffic accidents {M F}</i>	8	2
E820	Motor vehicle non-traffic accident involving collision with moving object {M F}	1	1
E821	Motor vehicle non-traffic accident involving collision with stationary object {M F}
E822	Motor vehicle non-traffic accident while boarding or alighting {M F}	1
E823	Motor vehicle non-traffic accident of other and unspecified nature {M F}	7	1
E825- E827	<i>Other road vehicle accidents {M F}</i>	4	1
E825	Street car accident {M F}
E826	Pedal cycle accident {M F}	4	1
E827	Other non-motor road vehicle accident {M F}	1
E830- E838	<i>Water transport accidents {M F}</i>	4	2
E830	Accident to watercraft causing submersion {M F}	2	1
E831	Accident to watercraft causing other injury {M F}
E832	Other accidental submersion or drowning in water transport {M F}	1
E833	Fall on stairs or ladders in water transport {M F}
E834	Other fall from one level to another in water transport {M F}
E835	Other and unspecified fall in water transport {M F}
E836	Machinery accident in water transport {M F}	1	1
E837	Explosion, fire, burning, in water transport {M F}
E838	Other and unspecified water transport accident {M F}

of death at different age-periods, 1968.

DEATH																	Detailed List Numbers
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over		
1	M	E815
.	F	
5	5	4	1	1	.	1	1	1	.	.	.	1	.	.	.	M	E816
2	.	1	1	F	E817
.	1	M	E818
.	2	.	.	1	F	E819	
.	M	E820-	
.	.	.	.	I	.	I	.	I	I	I	I	i	.	.	F	E823	
.	.	.	.	I	.	I	.	I	I	I	I	i	.	.	M	E820	
.	F	E821	
.	M	E822	
.	.	.	.	1	.	1	.	1	1	1	1	.	.	.	F	E823	
.	i	I	I	.	.	.	I	.	.	M	E825-	
.	1	1	F	E827	
.	1	.	.	M	E825	
.	F	E826	
.	i	M	E827	
.	.	I	I	F	E830-	
.	.	1	M	E838	
.	F	E830	
.	M	E831	
.	.	.	.	1	F	E832	
.	M	E833	
.	F	E834	
.	M	E835	
.	F	E836	
.	M	E837	
.	F	E838	

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
E840- E845	Air and space transport accidents . {M F
E840	Accident to powered aircraft at {M take-off or landing . F
E841	Accident to powered aircraft, other {M and unspecified . F
E842	Accident to unpowered aircraft . {M F
E843	Fall in, on, or from aircraft . {M F
E844	Other specified air transport {M accidents . F
E845	Accident involving spacecraft . {M F
E850- E859	Accidental poisoning by drugs and {M medicaments . F	I I
E850	Accidental poisoning by anti- {F biotics and other anti-infectives {M
E851	Accidental poisoning by hormones {M and synthetic substitutes . F
E852	Accidental poisoning by primarily {M systemic and haematologic {F agents
E853	Accidental poisoning by analgesics {M and antipyretics . F
E854	Accidental poisoning by other {M sedatives and hypnotics . F	I I
E855	Accidental poisoning by auto- {M nomic nervous system and psy- {F chotherapeutic drugs
E856	Accidental poisoning by other {M central nervous system depres- {F sants and stimulants
E857	Accidental poisoning by cardio- {M vascular drugs . F
E858	Accidental poisoning by gastro- {M intestinal drugs . F
E859	Accidental poisoning by other and {M unspecified drugs and medica- {F ments
E860- E869	Accidental poisoning by other solid {M and liquid substances . F	I 3
E860	Accidental poisoning by alcohol . {M F	I
E861	Accidental poisoning by cleansing {M and polishing agents . F
E862	Accidental poisoning by disin- {M fectants . F
E863	Accidental poisoning by paints and {M varnishes . F
E864	Accidental poisoning by petroleum {M products and other solvents . F

of death at different age-periods, 1968.

DEATH

20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over	Detailed List Numbers
.	M F } E840- F } E845
.	M F } E840
.	M F } E841
.	M F } E842
.	M F } E843
.	M F } E844
.	M F } E845
.	M F } E850- F } E859
.	M F } E850
.	M F } E851
.	M F } E852
.	M F } E853
.	M F } E854
.	1	i	M F } E855
.	M F } E856
.	M F } E857
.	M F } E858
.	M F } E859
.	i	1	i	.	.	i	M F } E860- F } E869
.	i	M F } E860
.	M F } E861
.	M F } E862
.	M F } E863
.	M F } E864

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	ALL AGES	AGES AT								
			Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
E865	Accidental poisoning by pesticides, { M fertilizers or plant foods { F
E866	Accidental poisoning by heavy { M metals and their fumes { F
E867	Accidental poisoning by corrosives { M and caustics not elsewhere classi- fied { F	1
E868	Accidental poisoning by noxious { M foodstuffs and poisonous plants { F
E869	Accidental poisoning by other and { M unspecified solid and liquid sub- stances { F	1
E870- E877	<i>Accidental poisoning by gases and { M vapours { F</i>	7 5	1	.
E870	Accidental poisoning by gas dis- { M tributed by pipe-line { F	3 3
E871	Accidental poisoning by liquefied { M petroleum gas distributed in { F mobile containers
E872	Accidental poisoning by other { M utility gas { F
E873	Accidental poisoning by motor { M vehicle exhaust gas { F
E874	Accidental poisoning by carbon { M monoxide from incomplete com- bustion of domestic fuels { F	2 2
E875	Accidental poisoning by other { M carbon monoxide { F
E876	Accidental poisoning by other { M gases and vapours { F	2	1	.
E877	Accidental poisoning by unspeci- { M fied gases and vapours { F
E880- E887	<i>Accidental falls { M { F</i>	58 109	1	1	1	.	.	1	.	.	.
E880	Fall on or from stairs or steps { M { F	8 5
E881	Fall on or from ladders or scaf- { M folding { F	6	1	.	.
E882	Fall from or out of building or { M other structure { F	4	.	.	.	1
E883	Fall into hole or other opening { M in surface { F
E884	Other fall from one level to another { M { F	6 15	.	1
E885	Fall on same level from slipping, { M tripping or stumbling { F	8 18
E886	Fall on same level from collision, { M pushing or shoving by or with { F other person	1
E887	Other and unspecified fall { M { F	25 71	1	1

of death at different age-periods, 1968.

DEATH

20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over	Detailed List Numbers		
.	M F } E865		
.	M F } E866		
.	i	M F } E867		
.	1	M F } E868		
.	1	M F } E869		
i	.	.	i	.	.	.	i	i	.	2	2	2	1	.	.	M F } E870- E877		
1	i	.	.	i	2	.	.	M F } E870		
.	M F } E871		
.	M F } E872		
.	M F } E873		
.	M F } E874		
.	i	M F } E875		
.	M F } E876		
.	.	.	1	M F } E877		
2	.	i	2	.	i	i	3	5	1	3	12	6	19	13	20	11	27	6 17 2 M F } E880- E887
.	2	1	i	2	1	1	3	1	.	.	M F } E880	
.	.	1	2	.	.	.	1	.	1	M F } E881	
.	1	.	1	1	.	M F } E882	
.	1	.	1	M F } E883	
2	i	i	1	.	.	i	2	1	2	2	i M F } E884	
.	2	.	2	4	2	4	4	3	4	1	M F } E885	
.	2	.	1	M F } E886		
.	i	1	1	3	6	12	3	14	5	21	7 4 15 i M F } E887	

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
E890-E899	Accidents caused by fires and flames . . . {M F}	15 16	.	1 2	1 1	.	1 1	.	1 1	1 1	.
E890	Accident caused by conflagration {M F} in private dwelling . . .	6 8	.	1 2	1 1	.	1 1	.	1 1	1 1	.
E891	Accident caused by conflagration {M F} in other building or structure
E892	Accident caused by conflagration {M F} not in building or structure
E893	Accident caused by ignition of {M F} clothing . . .	1 5	1 1	.	1 1	.
E894	Accident caused by ignition of {M F} highly inflammable material . . .	1
E895	Accident caused by controlled fire {M F} in private dwelling . . .	4 1
E896	Accident caused by controlled fire {M F} in other building or structure . . .	1 1
E897	Accident caused by controlled fire {M F} not in building or structure
E898	Accident caused by other specified {M F} fires or flames . . .	1
E899	Accident caused by unspecified {M F} fire . . .	1 1
E900-E909	Accidents due to natural and environmental factors . . . {M F}	6 8	3	3	1	.
E900	Excessive heat . . . {M F}
E901	Excessive cold . . . {M F}	2
E902	High and low air pressure . . . {M F}
E903	Effects of travel and motion . . . {M F}
E904	Hunger, thirst, exposure and {M F} neglect . . .	4 1	3	3
E905	Bites and stings of venomous {M F} animals and insects . . .	1
E906	Other accidents caused by animals {M F} . . .	1 1
E907	Lightning . . . {M F}
E908	Cataclysm . . . {M F}	1 3	1	.
E909	Accident due to other natural and {M F} environmental factors
E910-E929	Other accidents . . . {M F}	46 7	.	1	3 1	1	.	1 1	2 1	4 1	8
E910	Accidental drowning and sub- {M F} mersion . . .	20 1	.	.	3 1	1	.	.	.	3 1	6
E911	Inhalation and ingestion of food {M F} causing obstruction or suffocation . . .	1	.	1	1 1	1

of death at different age-periods, 1968.

DEATH

	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over	Detailed List Numbers
.	.	.	.	i	.	.	i	2	1	1	2	1	4	1	1	.	M F } E890- E899
.	.	.	i	.	.	.	i	.	.	1	i	2	.	i	.	M F } E890	
.	M F } E891	
.	M F } E892	
.	i	1	i	.	M F } E893	
.	1	M F } E894	
.	i	.	.	.	1	1	1	1	.	M F } E895	
.	1	.	.	.	i	.	.	.	M F } E896	
.	M F } E897	
.	1	M F } E898	
.	1	i	M F } E899	
i	.	.	.	i	i	.	i	1	.	i	i	1	i	i	.	M F } E900- E909	
.	i	M F } E900	
.	i	.	i	M F } E901	
.	M F } E902	
.	M F } E903	
.	i	1	.	.	M F } E904	
.	i	M F } E905	
.	1	.	.	i	M F } E906	
.	M F } E907	
i	.	.	.	i	i	.	.	M F } E908	
.	M F } E909	
3	5	2	3	1	2	i	5	1	2	2	.	1	.	1	.	M F } E910- E929	
2	2	1	i	.	1	1	M F } E910	
.	M F } E911		

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	ALL AGES	Under 4 weeks	Total under one year	AGES AT						
					1-	2-	3-	4-	5-	10-	15-
E912	Inhalation and ingestion of other {M object causing obstruction or {F suffocation
E913	Accidental mechanical suffocation {M {F	1	1	.
E914	Foreign body entering accidentally {M eye and adnexa {F
E915	Foreign body entering accidentally {M other orifice {F
E916	Struck accidentally by falling {M object {F	6	1	1	1	.
E917	Striking against or struck accidentally by objects {M {F	1	2
E918	Caught accidentally in or between {M objects {F
E919	Over-exertion and strenuous movements {M {F
E920	Accident caused by cutting or {M piercing instruments {F
E921	Accident caused by explosion of {M pressure vessel {F
E922	Accident caused by firearm misfires {M {F	3	1
E923	Accident caused by explosive {M material {F	2	1	.	.
E924	Accident caused by hot substance, {M corrosive liquid and steam {F	2
E925	Accident caused by electric current {M {F	7	1	1
E926	Accident caused by radiation {M {F
E927	Vehicle accidents not elsewhere {M classifiable {F	2
E928	Machinery accidents not elsewhere {M classifiable {F	2
E929	Other and unspecified accidents {M {F	1
E930-E936	Surgical and medical complications {M and misadventures {F	1	4
E930	Complications and misadventures {M in operative therapeutic procedures {F	2
E931	Complications and misadventures {M in other and unspecified therapeutic procedures	1	1
E932	Complications and misadventures {M in diagnostic procedures {F	1
E933	Complications and misadventures {M in prophylaxis with bacterial vaccines {F
E934	Complications and misadventures {M in prophylaxis with other vaccines {F

of death at different age-periods, 1968.

DEATH

20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over	Detailed List Numbers
.	M F } E912
.	M F } E913
.	M F } E914
.	M F } E915
.	2	.	.	2	M F } E916
.	1	1	.	.	1	M F } E917
.	M F } E918
.	M F } E919
.	M F } E920
.	M F } E921
.	M F } E922
.	1	M F } E923
.	1	M F } E924
1	1	.	1	1	1	1	.	.	.	M F } E925
.	M F } E926
.	2	M F } E927
.	M F } E928
.	.	.	1	.	.	1	M F } E929
.	.	i	i	i	i	.	.	i	.	i	.	.	.	1	.	M F } E930-E936
.	.	i	i	M F } E930
.	1	.	i	M F } E931
.	.	.	.	1	M F } E932
.	M F } E933
.	M F } E934

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
E935	Complications and misadventures {M in other prophylactic procedures {F
E936	Complications and misadventures {M in other non-therapeutic pro- {F cedures
E940- E949	<i>Late effects of accidental injury</i> {M {F	3
E940	Late effect of motor vehicle acci- {M {F dent .	2
E941	Late effect of other transport {M accident {F
E942	Late effect of accidental poisoning {M {F
E943	Late effect of accidental fall {M {F
E944	Late effect of accident caused by {M fire {F
E945	Late effect of accident due to {M natural and environmental {F factors
E946	Late effect of other accidents {M {F .	1
E947	Late effect of surgical operation {M {F
E948	Late effect of irradiation {M {F
E949	Late effect of other surgical and {M medical procedures {F
E950- E959	<i>Suicide and self-inflicted injury</i> {M {F .	51 48	1 2	.
E950	Suicide and self-inflicted poisoning {M by solid or liquid substances {F .	19 23	1 2
E951	Suicide and self-inflicted poisoning {M by gases in domestic use {F .	6 7
E952	Suicide and self-inflicted poisoning {M by other gases {F
E953	Suicide and self-inflicted injury by {M hanging, strangulation and suffo- {F cation .	8
E954	Suicide and self-inflicted injury by {M submersion (drowning) {F .	10 13
E955	Suicide and self-inflicted injury by {M firearms and explosives {F .	4 1
E956	Suicide and self-inflicted injury by {M cutting and piercing instruments {F .	1
E957	Suicide and self-inflicted injury by {M jumping from high place {F .	2 3
E958	Suicide and self-inflicted injury by {M other and unspecified means {F .	1	1 .	.
E959	Late effect of self-inflicted injury {M {F

of death at different age-periods, 1968.

DEATH																Detailed List Numbers	
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over		
.	M	E935
.	F	E936
.	1	1	.	1	.	.	.	M	E940- E949
.	1	.	1	.	.	.	F	E940
.	M	E941
.	F	E942
.	M	E943
.	F	E944
.	M	E945
.	1	F	E946
.	M	E947
.	F	E948
.	M	E949
8	2	3	4	2	7	7	5	5	2	3	3	1	.	.	.	M	E950- E959
2	2	4	2	6	8	6	6	6	7	1	1	.	.	.	F	E950	
3	2	2	4	1	2	3	1	2	1	3	2	.	.	.	M	E951	
3	2	.	1	3	1	1	.	1	.	.	F	E952	
.	M	E953	
1	.	2	1	4	3	2	2	1	.	.	2	1	.	.	F	E954	
1	1	.	1	.	1	.	1	.	.	1	M	E955	
.	F	E956	
.	.	.	.	i	.	1	i	.	i	.	1	.	.	.	M	E957	
.	1	F	E958	
.	M	E959	
.	F	E959	

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
E960- E969	<i>Homicide and injury purposely inflicted by other persons</i> . {M F}	4 3	i	.	.	.
E960	Fight, brawl, rape . {M F}	1
E961	Assault by corrosive or caustic substance, except poisoning . {M F}
E962	Assault by poisoning . {M F}
E963	Assault by hanging and strangulation . {M F}	i
E964	Assault by submersion (drowning) . {M F}	i	i	.	.	.
E965	Assault by firearms and explosives . {M F}	1 1
E966	Assault by cutting and piercing instruments . {M F}	2
E967	Assault by pushing from high place . {M F}
E968	Assault by other and unspecified means . {M F}
E969	Late effect of injury purposely inflicted by other person . {M F}
E970- E978	<i>Legal intervention</i> . {M F}
E970	Injury due to legal intervention by firearms . {M F}
E971	Injury due to legal intervention by explosives . {M F}
E972	Injury due to legal intervention by gas . {M F}
E973	Injury due to legal intervention by blunt object . {M F}
E974	Injury due to legal intervention by cutting and piercing instruments . {M F}
E975	Injury due to legal intervention by other specified means . {M F}
E976	Injury due to legal intervention by unspecified means . {M F}
E977	Late effect of injuries due to legal intervention . {M F}
E978	Legal execution . {M F}
E980- E989	<i>Injury undetermined whether accidentally or purposely inflicted</i> . {M F}	6 6
E980	Poisoning by solid or liquid substances, undetermined whether accidentally or purposely inflicted . {M F}	1 5
E981	Poisoning by gases in domestic use, undetermined whether accidentally or purposely inflicted . {M F}	1

at death at different age-periods, 1968.

DEATH															95 and over	Detailed List Numbers
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-		
1	i	2	i	:	1	:	:	:	:	:	:	:	:	:	M F	E960- E969
:	:	1	:	:	:	:	:	:	:	:	:	:	:	:	M F	E960
:	:	:	:	:	:	:	:	:	:	:	:	:	:	M F	E961	
:	:	:	:	:	:	:	:	:	:	:	:	:	:	M F	E962	
:	i	:	:	:	:	:	:	:	:	:	:	:	:	M F	E963	
:	:	:	:	:	:	:	:	:	:	:	:	:	:	M F	E964	
:	1	i	:	1	:	:	:	:	:	:	:	:	:	M F	E965	
1	:	:	:	:	1	:	:	:	:	:	:	:	:	M F	E966	
:	:	:	:	:	:	:	:	:	:	:	:	:	:	M F	E967	
:	:	:	:	:	:	:	:	:	:	:	:	:	:	M F	E968	
:	:	:	:	:	:	:	:	:	:	:	:	:	:	M F	E969	
:	:	:	:	:	:	:	:	:	:	:	:	:	:	M F	E970- E978	
:	:	:	:	:	:	:	:	:	:	:	:	:	:	M F	E970	
:	:	:	:	:	:	:	:	:	:	:	:	:	:	M F	E971	
:	:	:	:	:	:	:	:	:	:	:	:	:	:	M F	E972	
:	:	:	:	:	:	:	:	:	:	:	:	:	:	M F	E973	
:	:	:	:	:	:	:	:	:	:	:	:	:	:	M F	E974	
:	:	:	:	:	:	:	:	:	:	:	:	:	:	M F	E975	
:	:	:	:	:	:	:	:	:	:	:	:	:	:	M F	E976	
:	:	:	:	:	:	:	:	:	:	:	:	:	:	M F	E977	
:	:	:	:	:	:	:	:	:	:	:	:	:	:	M F	E978	
:	:	i	i	:	i	i	i	i	i	2	i	i	i	M F	E980- E989	
:	:	i	:	i	1	i	i	i	i	:	i	:	:	M F	E980	
:	:	:	:	:	:	:	:	:	:	1	:	:	:	M F	E981	

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
E982	Poisoning by other gases, undeter- { M mined whether accidentally or { F purposely inflicted
E983	Hanging and strangulation, un- { M determined whether accidentally { F or purposely inflicted
E984	Submersion (drowning), undeter- { M mined whether accidentally or { F purposely inflicted	4 1
E985	Injury by firearms and explosives, { M undetermined whether acciden- { F tally or purposely inflicted
E986	Injury by cutting and piercing in- { M struments, undetermined whet- { F her accidentally or purposely inflicted
E987	Falling from high place, undeter- { M mined whether accidentally or { F purposely inflicted
E988	Injury by other and unspecified { M means, undetermined whether { F accidentally or purposely in- flicted
E989	Late effect of injury, undetermined { M whether accidentally or pur- { F posely inflicted
E990-E999	<i>Injury resulting from operations of { M war { F</i>	1
E990	Injury due to war operations by { M fires and conflagrations { F
E991	Injury due to war operations by { M bullets and fragments { F
E992	Injury due to war operations by { M explosion of marine weapons { F
E993	Injury due to war operations by { M other explosion { F
E994	Injury due to war operations by { M destruction of aircraft { F
E995	Injury due to war operations by { M other and unspecified forms of { F conventional warfare
E996	Injury due to war operations by { M nuclear weapons { F
E997	Injury due to war operations by { M other forms of unconventional { F warfare
E998	Injury due to war operations but { M occurring after cessation of host- { F ilities
E999	Late effect of injury due to war { M operations { F	1

of death at different age-periods, 1968.

DEATH																	Detailed List Numbers			
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over	M	F			
:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	M	F	}		E982
:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	M	F	}		E983
:	:	1	:	:	1	:	:	:	:	1	:	1	i	:	:	M	F	}		E984
:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	M	F	}		E985
:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	M	F	}		E986
:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	M	F	}		E987
:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	M	F	}		E988
:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	M	F	}		E989
:	:	:	:	:	:	:	:	:	:	1	:	:	:	:	:	M	F	}		E990-E999
:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	M	F	}		E990
:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	M	F	}		E991
:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	M	F	}		E992
:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	M	F	}		E993
:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	M	F	}		E994
:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	M	F	}		E995
:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	M	F	}		E996
:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	M	F	}		E997
:	:	:	:	:	:	:	:	:	:	1	:	:	:	:	:	M	F	}		E998
:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	M	F	}		E999

ABSTRACT 13. Northern Ireland: Deaths from the

Abbrs- iated List Nos.	CAUSES OF DEATH	January		February		March		April	
		M	F	M	F	M	F	M	F
B1	Cholera
B2	Typhoid fever
B3	Bacillary dysentery and amoebiasis	1	1	1	2	1	4	1	.
B4	Enteritis and other diarrhoeal diseases	6	2	2	2	1	1	3	1
B5	Tuberculosis of respiratory system
B6	Other tuberculosis, including late effects	1	1	.	1	.	.
B7	Plague
B8	Diphtheria
B9	Whooping cough	1
B10	Streptococcal sore throat and scarlet fever	1	.
B11	Meningococcal infection	1	1	.	.	1
B12	Acute poliomyelitis
B13	Smallpox
B14	Measles	1	1	.	.
B15	Typhus and other rickettsioses
B16	Malaria
B17	Syphilis and its sequelae	2	2	.	1
B18	All other infective and parasitic diseases
B19	Malignant neoplasms, including neoplasms or lymphatic and haemopoietic tissues	1	5	7	1	3	2	3	1
(a) Cancer*		126	137	108	96	115	112	131	113
(b) Hodgkin's disease and leukaemia		5	3	4	2	4	2	6	3
B20	Benign and unspecified neoplasms	2	3	1	1	1	1	2	.
B21	Diabetes mellitus	6	10	4	4	4	10	4	9
B22	Avitaminoses and other nutritional deficiency	1	.	2	.	1	1	.
B23	Anaemias	3	4	.	3	3	4	3	.
B24	Meningitis	1	.	.	1	1	.	1	.
B25	Active rheumatic fever
B26	Chronic rheumatic heart disease	6	10	7	17	12	21	8	13
B27	Hypertensive disease	13	18	13	16	23	15	10	15
B28	Ischaemic heart disease	295	197	210	153	228	174	203	167
B29	Other forms of heart disease	51	75	62	68	56	59	38	65
B30	Cerebrovascular disease with hypertension	89	134	86	121	109	143	84
B31	Influenza	4	12	6	16	6	9	2	5
B32	Pneumonia	40	46	44	44	28	46	32	31
B33	Bronchitis, emphysema and asthma	79	30	78	33	58	36	40	25
B34	Peptic ulcer	15	9	8	6	7	5	6	3
B35	Appendicitis	2	1	1
B36	Intestinal obstruction and hernia	3	1	2	2	1	2	3	1
B37	Cirrhosis of liver	2	1	1	1	2	4	1
B38	Nephritis and nephrosis	7	2	3	2	3	1	5	5
B39	Hyperplasia of prostate	8	—	—	—	6	—	5	—
B40	Abortion	—	.	—	.	—	.	—	1
B41	Other complications of pregnancy, childbirth and puerperium
B42	Congenital anomalies	10	18	5	8	6	13	8	9
B43	Birth injury, difficult labour and other anoxic and hypoxic conditions	9	5	10	4	10	1	7	4
B44	Other causes of perinatal mortality	8	10	4	8	10	5	10	5
B45	Symptoms and ill-defined conditions	4	9	2	1	2	4	1	3
B46	All other diseases	74	80	66	78	53	77	63	63
BE47	Motor vehicle accidents	14	8	20	2	14	3	14	5
BE48	All other accidents	10	13	12	14	15	16	10	8
BE49	Suicide and self-inflicted injuries	5	2	3	5	3	4	6	1
BE50	All other external causes	2	.	2	.	.	2	1	1
TOTALS		901	851	775	715	784	776	716	658

*See definition on page 8.

principal causes by month of registration, 1968.

May		June		July		August		September		October		November		December		Abbreviated List Nos.
M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
.	B1
2	3	1	2	4	3	1	3	2	1	2	3	1	1	3	1	B2
3	3	1	1	3	2	1	1	2	1	3	1	1	1	4	.	B3
.	1	.	2	1	3	1	B4
2	1	2	1	3	1	B5
.	.	.	.	1	2	B6
.	B7
.	B8
.	B9
.	.	.	.	1	1	B10
1	.	.	.	1	1	1	B11
.	.	.	.	1	1	B12
.	.	.	.	1	1	B13
.	.	.	.	1	1	B14
.	.	.	.	1	1	B15
1	.	.	.	1	1	B16
.	.	.	.	1	1	B17
2	2	3	1	3	2	1	2	1	2	2	2	.	.	2	4	B18
.	B19
112	119	115	88	109	109	113	119	116	87	133	98	107	99	104	106	
3	4	2	2	2	4	3	6	2	11	5	7	7	3	3	2	B20
2	2	1	4	3	5	7	2	7	1	3	1	1	1	1	5	B21
2	7	4	3	5	7	2	7	4	6	6	5	3	8	7	5	
.	.	1	1	6	1	5	1	5	1	2	2	1	4	2	3	B22
.	.	1	1	1	1	1	1	2	1	2	2	3	1	2	2	B23
.	.	1	1	1	1	1	1	2	1	2	2	3	1	2	2	B24
.	.	1	1	1	1	1	1	2	1	2	2	3	1	2	2	B25
6	10	8	6	12	14	8	10	5	5	2	8	3	12	4	9	B26
8	11	9	13	14	10	6	6	14	11	10	6	6	15	15	15	B27
220	152	168	123	198	102	186	133	167	112	194	127	209	139	213	159	B28
49	51	31	39	30	40	23	41	35	32	34	44	30	43	33	48	B29
77	124	61	93	61	134	66	84	55	94	68	111	75	113	99	145	B30
2	2	1	2	2	1	1	1	1	2	1	1	4	1	3	1	B31
19	31	28	20	13	23	15	16	22	19	23	28	15	26	36	42	B32
52	22	46	12	34	10	33	10	31	13	29	14	47	21	70	26	B33
5	2	2	3	5	1	1	3	3	4	6	2	7	3	3	2	B34
2	4	4	4	3	6	1	4	1	2	1	3	1	2	1	2	B35
2	2	1	2	1	1	2	2	1	2	1	2	1	3	2	1	B36
6	2	1	1	2	3	2	2	1	1	4	1	1	5	6	2	B37
4	—	3	—	7	—	5	—	1	—	1	—	1	—	3	—	B38
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B39
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B40
—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B41
13	9	12	14	6	3	15	11	12	15	7	10	4	12	12	14	B42
12	7	8	3	15	5	7	8	9	5	17	7	10	5	8	1	B43
9	4	11	6	11	6	4	9	6	5	9	5	7	6	9	9	B44
3	4	1	1	3	3	5	5	1	4	1	3	1	2	2	1	B45
62	68	45	53	39	56	52	59	43	47	50	54	36	50	43	49	B46
12	6	6	2	10	6	16	2	19	6	19	7	7	7	20	14	BE47
9	16	8	10	17	22	23	12	12	15	4	7	7	7	20	14	BE48
2	4	3	2	6	8	6	5	6	5	5	3	2	3	4	6	BE49
.	1	2	1	1	—	1	—	1	1	1	1	1	1	1	2	BE50
705	674	584	517	618	598	602	563	588	504	641	568	601	591	720	683	

ABSTRACT 14. Northern Ireland: Deaths by sex

Ages	MALES					FEMALES				
	Total	Single	Married	Widowed	Divorced	Total	Single	Married	Widowed	Divorced
0	458	458	—	—	—	338	338	—	—	—
1	14	14	—	—	—	16	16	—	—	—
2	15	15	—	—	—	5	5	—	—	—
3	9	9	—	—	—	15	15	—	—	—
4	6	6	—	—	—	9	9	—	—	—
0-4	502	502	—	—	—	383	383	—	—	—
5	11	11	—	—	—	5	5	—	—	—
6	4	4	—	—	—	3	3	—	—	—
7	10	10	—	—	—	7	7	—	—	—
8	3	3	—	—	—	2	2	—	—	—
9	6	6	—	—	—	5	5	—	—	—
5-9	34	34	—	—	—	22	22	—	—	—
10	5	5	—	—	—	2	2	—	—	—
11	3	3	—	—	—	2	2	—	—	—
12	5	5	—	—	—	4	4	—	—	—
13	4	4	—	—	—	5	5	—	—	—
14	10	10	—	—	—	6	6	—	—	—
10-14	27	27	—	—	—	19	19	—	—	—
15	15	15	—	—	—	4	4	—	—	—
16	11	11	—	—	—	4	4	—	—	—
17	7	7	—	—	—	1	1	—	—	—
18	10	10	—	—	—	5	5	—	—	—
19	11	11	—	—	—	5	3	2	—	—
15-19	54	54	—	—	—	19	17	2	—	—
20	14	14	—	—	—	5	5	—	—	—
21	4	4	—	—	—	4	4	—	—	—
22	10	10	—	—	—	7	4	3	—	—
23	6	4	2	—	—	4	1	3	—	—
24	15	12	3	—	—	—	—	—	—	—
20-24	49	44	5	—	—	23	14	9	—	—
25	5	4	1	—	—	5	1	4	—	—
26	11	8	3	—	—	4	2	2	—	—
27	9	5	4	—	—	3	1	3	—	—
28	10	3	7	—	—	4	1	3	—	—
29	9	1	8	—	—	8	3	3	—	2
25-29	44	21	23	—	—	24	7	15	—	2
30	8	5	3	—	—	9	2	7	—	—
31	15	6	9	—	—	5	3	1	—	—
32	8	5	3	—	—	7	3	3	—	—
33	14	6	7	—	—	8	1	8	—	—
34	13	5	8	—	—	9	1	8	—	—
30-34	58	27	30	—	1	38	6	30	2	—
35	10	4	6	—	—	8	2	5	—	1
36	14	7	7	—	—	13	4	9	—	—
37	6	4	2	—	—	13	1	12	—	—
38	17	5	12	—	—	13	3	10	—	—
39	18	7	11	—	—	19	5	13	—	1
35-39	65	27	38	—	—	66	15	49	—	2
40	23	6	16	—	1	21	3	18	—	—
41	16	3	13	—	1	17	6	10	1	—
42	23	7	15	—	1	22	3	19	—	—
43	29	11	17	1	—	27	8	18	1	—
44	33	10	23	—	—	30	10	19	—	—
40-44	124	37	84	1	2	117	30	84	2	1
45	40	12	28	—	—	31	7	23	—	1
46	36	5	31	—	—	28	3	23	2	—
47	55	10	41	3	—	32	6	25	1	—
48	59	10	48	—	1	42	7	28	7	—
49	51	10	39	2	—	37	9	24	3	—
45-49	241	47	187	5	2	170	32	123	13	2

at each year of age and by conjugal condition, 1968.

Ages	Total	MALES				FEMALES				Wid- owed	Divorced
		Single	Married	Wid- owed	Divorced	Total	Single	Married			
50	45	11	31	3	.	38	11	21	6	.	.
51	51	17	33	1	.	39	9	25	5	.	.
52	66	13	49	4	.	44	10	29	5	.	.
53	73	15	53	5	.	48	9	35	4	.	.
54	85	18	63	3	1	64	15	40	8	1	.
50-54	320	74	229	16	1	233	54	150	28	1	.
55	93	22	68	3	.	59	10	42	5	2	.
56	115	24	89	2	.	86	14	56	15	1	.
57	126	27	93	6	.	74	11	48	14	1	.
58	119	25	89	5	.	73	15	44	14	.	.
59	156	21	126	9	.	83	21	46	15	1	.
55-59	609	119	465	25	.	375	71	236	63	5	.
60	153	38	109	5	1	107	21	57	26	3	.
61	146	27	106	12	1	105	21	54	30	.	.
62	167	32	120	15	.	115	34	53	27	1	.
63	179	31	131	17	.	108	29	49	29	1	.
64	218	40	153	25	.	122	28	55	38	1	.
60-64	863	168	619	74	2	557	133	268	150	6	.
65	197	37	136	24	.	136	32	55	49	.	.
66	232	30	171	31	.	128	27	51	49	1	.
67	253	53	165	35	.	177	46	70	60	1	.
68	235	45	154	34	2	191	49	70	72	.	.
69	209	42	137	29	1	188	49	61	77	1	.
65-69	1,126	207	763	153	3	820	203	307	307	3	.
70	217	45	129	42	1	203	53	68	81	1	.
71	229	37	151	41	.	210	58	63	89	.	.
72	258	56	142	60	.	245	54	78	113	.	.
73	277	51	170	56	.	209	47	60	102	.	.
74	242	48	141	53	.	231	55	55	121	.	.
70-74	1,223	237	733	252	1	1,098	267	324	506	1	.
75	228	45	122	61	.	250	54	62	134	.	.
76	231	54	113	63	1	248	59	42	147	.	.
77	238	41	137	60	.	242	57	36	149	.	.
78	232	53	103	76	.	265	73	42	150	.	.
79	205	42	96	67	.	245	54	44	147	.	.
75-79	1,134	235	571	327	1	1,250	297	226	727	.	.
80	226	43	103	80	.	244	71	35	138	.	.
81	162	33	71	58	.	207	62	18	127	.	.
82	195	50	73	72	.	238	68	29	141	.	.
83	178	31	68	79	.	215	58	14	143	.	.
84	183	40	71	72	.	221	49	29	143	.	.
80-84	944	197	386	361	.	1,125	308	125	692	.	.
85	135	24	46	65	.	212	51	12	149	.	.
86	119	26	37	55	1	211	63	13	135	.	.
87	106	21	35	50	.	173	42	15	116	.	.
88	97	17	20	60	.	156	33	3	120	.	.
89	85	11	28	46	.	118	28	2	88	.	.
85-89	542	99	166	276	1	870	217	45	608	.	.
90	69	10	15	44	.	129	35	4	90	.	.
91	58	12	9	37	.	99	28	2	69	.	.
92	46	8	4	34	.	79	18	4	57	.	.
93	32	2	10	20	.	59	12	1	47	.	.
94	32	5	2	23	.	37	11	1	25	.	.
90-94	237	37	40	160	.	403	104	11	288	.	.
95	13	1	2	12	.	27	5	1	21	.	.
96	11	3	2	6	.	30	10	1	19	.	.
97	6	2	4	4	.	12	3	1	8	.	.
98	4	1	3	3	.	6	2	4	4	.	.
99	2	.	1	1	.	6	.	.	6	.	.
95-99	36	7	3	26	.	81	20	3	58	.	.
100 and over	3	1	.	2	.	5	2	.	3	.	.
All Ages	8,235	2,201	4,342	1,678	14	7,698	2,221	2,007	3,447	23	.

ABSTRACT 15A. Northern Ireland: Deaths, by sex and

Abbreviated List Nos.	CAUSES OF DEATH	All ages	Under 4 weeks	Under 1 yr.	1-	2-	3-	4-	5-	10-	15-	
	ALL CAUSES	{ M F	8,235 7,698	307 215	458 338	14 16	15 5	9 15	6 9	34 22	27 19	54 19
B1	Cholera	{ M F
B2	Typhoid fever	{ M F
B3	Bacillary dysentery and amoebiasis	{ M F	1 1	1	1
B4	Enteritis and other diarrhoeal diseases	{ M F	21 14	1	14 11	1	2	1	1	.	.	.
B5	Tuberculosis of respiratory system	{ M F	25 19
B6	Other tuberculosis, including late effects	{ M F	5 9
B7	Plague	{ M F
B8	Diphtheria	{ M F
B9	Whooping cough	{ M F	2 2	.	.	2
B10	Streptococcal sore throat and scarlet fever	{ M F
B11	Meningococcal infection	{ M F	4 2	.	2	.	.	1
B12	Acute poliomyelitis	{ M F	1 1	1	.	1	.
B13	Smallpox	{ M F
B14	Measles	{ M F	1 2	.	.	.	1	.	1	1	.	.
B15	Typhus and other rickettsioses	{ M F
B16	Malaria	{ M F
B17	Syphilis and its sequelae	{ M F	5 4
B18	All other infective and parasitic diseases	{ M F	28 24	3	4 3	.	.	1	.	1	2	1
B19	Malignant neoplasms, including neoplasms of lymphatic and haemopoietic tissue
(a)	Cancer*	{ M F	1,389 1,283	.	3	1	3	.	1	3	2	4
(b)	Hodgkin's disease and leukaemia	{ M F	56 37	.	1	.	1	1	.	5	4	2
B20	Benign neoplasms and neoplasms of unspecified nature	{ M F	15 13	1	.	1
B21	Diabetes mellitus	{ M F	51 81	1	1	.
B22	Avitaminoses and other nutritional deficiency	{ M F	6 4
B23	Anaemias	{ M F	21 38	1	.	.
B24	Meningitis	{ M F	12 5	3	7	.	1
B25	Active rheumatic fever	{ M F
B26	Chronic rheumatic heart disease	{ M F	81 135

* See definition on page 8.

age-groups, by abbreviated list numbers, 1968.

20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 & over	Abbreviated List Nos.	
49 23	44 24	58 38	65 66	124 117	241 170	320 233	609 375	863 557	1,126 820	1,223 1,098	1,134 1,250	944 1,125	542 870	237 403	39 86		
.	B1	
.	B2	
.	B3	
.	B4	
.	.	1	.	1	2	1	2	5	2	7	1	2	4	1	.	B5	
.	1	.	1	1	2	1	1	2	5	3	2	1	1	.	.	B6	
.	B7	
.	B8	
.	B9	
.	B10	
.	1	.	1	B11	
.	B12	
.	B13	
.	B14	
.	B15	
.	B16	
.	B17	
.	.	1	1	3	2	1	2	1	2	5	2	2	1	1	2	.	B18
4 4	7 1	11 9	17 21	20 47	64 64	73 85	146 123	206 169	226 171	252 195	185 161	108 121	38 62	12 31	3 6		B19
1	6	9	21	47	64	85	123	7	6	6	10	4	3	2	4	.	
2	.	2	1	1	1	2	1	1	2	4	9	2	2	1	1	.	B20
.	.	1	1	1	2	1	1	2	4	3	10	8	22	3	1	.	B21
.	1	.	.	14	14	1	4	1	.	B22
1	1	5	2	4	4	3	5	2	.	B23
.	1	1	1	1	1	1	1	.	.	B24
.	1	1	1	1	1	1	1	.	.	B25
2 2	4 4	2 3	1 4	7 3	6 13	3 10	10 22	11 22	15 16	3 14	9 14	5 7	2 4	1 1	.	.	B26

ABSTRACT 15A (continued). Northern Ireland: Deaths, by

Abbreviated List Nos.	CAUSES OF DEATH	All ages	Under 4 weeks	Under 1 yr.	1-	2-	3-	4-	5-	10-	15-
B27	Hypertensive disease . . .	{ M 141 F 159
B28	Ischaemic heart disease . . .	{ M 2,491 F 1,738	i	.	.
B29	Other forms of heart disease . . .	{ M 472 F 605	.	.	1	i	.
B30	Cerebrovascular disease . . .	{ M 930 F 1,394	2	.
B31	Influenza . . .	{ M 27 F 50	.	2	.	.	.	1	.	.	.
B32	Pneumonia . . .	{ M 315 F 372	10 5	82 57	2 6	.	.	.	i	.	2
B33	Bronchitis, emphysema and asthma . . .	{ M 597 F 252	.	1	1	.	.	i	i	.	1
B34	Peptic ulcer . . .	{ M 68 F 44	i
B35	Appendicitis . . .	{ M 3 F 7
B36	Intestinal obstruction and hernia . . .	{ M 22 F 33	2 1	6 3
B37	Cirrhosis of liver . . .	{ M 16 F 17
B38	Nephritis and nephrosis . . .	{ M 43 F 26
B39	Hyperplasia of prostate . . .	{ M 44
B40	Abortion . . .	F 2
B41	Other complications of pregnancy, childbirth and puerperium . . .	F 7
B42	Congenital anomalies . . .	{ M 110 F 142	63 70	94 111	3 5	2 3	3	.	5	.	i
B43	Birth injury, difficult labour and other anoxic and hypoxic conditions . . .	{ M 122 F 55	121 55	122 55	— —						
B44	Other causes of perinatal mortality . . .	{ M 95 F 79	95 79	95 79	— —						
B45	Symptoms and ill-defined conditions . . .	{ M 18 F 40	.	1 2	.	1
B46	All other diseases . . .	{ M 626 F 734	4 1	15 6	2 1	1	1	.	5	4	8
BE47	Motor vehicle accidents . . .	{ M 162 F 57	.	.	1	2	3	2	12	6	20
BE48	All other accidents . . .	{ M 147 F 154	4	6	4	2	1	1	3	6	4
BE49	Suicide and self-inflicted injuries . . .	{ M 51 F 48	.	3	2	.	1	.	2	2	1
BE50	All other external causes . . .	{ M 11 F 9	i	.	.	2

sex and age-groups, by abbreviated list numbers, 1968.

20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 & over	Abbreviated List Nos.
.	1	1	2	1	7	8	11	18	18	29	20	13	10	3	.	B27
.	2	6	11	49	85	123	230	328	428	425	340	271	131	53	9	B28
.	1	1	1	1	2	4	10	18	21	39	47	76	104	84	55	9
i	1	3	1	1	2	4	3	8	16	33	90	106	143	107	71	17
1	2	1	1	8	6	26	40	72	113	162	181	173	94	39	8	B30
2	2	3	2	10	11	29	35	87	140	227	293	264	188	83	17	
.	.	1	.	1	.	2	1	3	4	3	7	3	.	.	.	B31
1	1	2	4	5	2	5	4	9	14	12	3	
.	.	1	2	.	2	3	6	7	25	-26	52	69	64	37	13	
2	.	2	2	5	16	16	47	86	112	103	95	68	29	12	1	B33
.	.	.	.	7	12	17	5	21	39	36	46	30	20	8	2	
.	.	.	.	1	2	3	11	10	10	7	7	10	10	1	.	B34
.	1	5	4	4	1	1	1	2	1	
.	.	.	1	.	.	.	2	1	1	1	3	6	6	6	1	B35
i	2	4	1	1	6	2	3	2	.	.	B36
.	.	2	1	2	1	3	8	4	3	5	7	2	3	1	1	B37
.	1	.	1	3	2	1	2	1	4	4	6	2	4	1	5	B38
.	1	2	1	1	5	13	7	5	1	B39
.	.	2	B40
1	1	2	2	1	2	1	4	2	1	3	1	1	.	.	.	B41
.	1	1	1	.	2	4	2	1	3	1	1	1	.	.	.	B42
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B43
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B44
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B45
1	1	.	.	1	7	1	4	2	.	
1	3	9	7	2	19	27	38	56	62	90	101	79	67	19	3	B46
2	5	3	13	12	15	18	27	44	74	108	111	120	104	41	7	
17	13	9	6	9	5	7	8	6	13	8	9	7	2	1	.	BE47
4	1	4	3	1	3	1	5	3	3	3	3	2	3	1	.	
6	6	4	7	2	2	3	11	4	6	10	10	21	14	7	2	BE48
1	2	1	2	2	3	3	10	3	3	22	22	23	30	19	.	
8	2	3	4	7	7	5	5	2	3	1	1	1	.	.	.	BE49
2	2	4	2	6	8	6	6	7	1	3	1	1	.	.	.	
1	1	3	2	.	2	1	1	1	1	.	.	1	1	.	.	BE50
.	1	.	2	.	1	.	1	

ABSTRACT 15B. Northern Ireland: Distribution of deaths

Abbre-viated List Nos.	CAUSES OF DEATH	All ages		—1		1—		5—		10—	
		M	F	M	F	M	F	M	F	M	F
B1	Cholera
B2	Typhoid fever
B3	Bacillary dysentery and amoebiasis	†	†	2
B4	Enteritis and other diarrhoeal diseases	3	2	31	33	91	22
B5	Tuberculosis of respiratory system	3	2
B6	Other tuberculosis, including late effects	1	1
B7	Plague
B8	Diphtheria
B9	Whooping cough	†	†	4	6
B10	Streptococcal sore throat and scarlet fever
B11	Meningococcal infection	†	†	4	.	23
B12	Acute poliomyelitis	†	†	.	.	23	.	.	45	.	.
B13	Smallpox
B14	Measles	†	†	.	.	23	44
B15	Typhus and other rickettsioses
B16	Malaria
B17	Syphilis and its sequelae	1	1
B18	All other infective and parasitic diseases	3	3	9	9	23	22	29	.	74	.
B19	Malignant neoplasms, including neoplasms of lymphatic and haemopoietic tissue										
	(a) Cancer	169	167	7	3	114	44	88	.	74	211
	(b) Hodgkin's disease and leukaemia	7	5	.	.	45	.	147	.	148	158
B20	Benign neoplasms and neoplasms of unspecified nature	2	2	45	.	.
B21	Diabetes mellitus	6	11	37	.
B22	Avitaminoses and other nutritional deficiency	1	1
B23	Anaemias	3	5	45	.	.
B24	Meningitis	1	1	15	6	23
B25	Active rheumatic fever	10	18
B26	Chronic rheumatic heart disease	17	18	45	.	.
B27	Hypertensive disease	302	226
B28	Ischaemic heart disease	57	79	37	.
B29	Other forms of heart disease	113	181	2	74	53
B30	Cerebrovascular disease	3	6	4
B31	Influenza	38	48	179	169	43	133	.	45	.	.
B32	Pneumonia	72	33	2	3	.	44	.	45	37	.
B33	Bronchitis, emphysema and asthma	8	6
B34	Peptic ulcer	3	4	13	9
B35	Appendicitis	2	2	.	.	.	22
B36	Intestinal obstruction and hernia	5	3
B37	Cirrhosis of liver	5	3
B38	Nephritis and nephrosis	—	—	—	—	—	—	—	—	—	—
B39	Hyperplasia of prostate	—	—	—	—	—	—	—	—	—	—
B40	Abortion	—	—	—	—	—	—	—	—	—	—
B41	Other complications of pregnancy, childbirth and the puerperium. Delivery without mention of complication	—	—	—	—	—	—	—	—	—	—
B42	Congenital anomalies	13	18	205	328	114	244	147	227	—	.
B43	Birth injury, difficult labour and other anoxic and hypoxic conditions	15	7	266	163	—	—	—	—	—	.
B44	Other causes of perinatal mortality	12	10	207	234	—	—	—	—	—	.
B45	Symptoms and ill-defined conditions	2	5	2	12	23
B46	All other diseases	76	95	33	18	91	156	147	136	148	263
BE47	Motor vehicle accidents	20	7	13	9	182	156	353	273	222	158
BE48	All other accidents	18	20	.	.	—	67	88	91	148	105
BE49	Suicide and self-inflicted injuries	6	6	.	.	.	22
BE50	All other external causes	1	1

* To the nearest unit.

† Less than 0.5.

‡ See definition on page 8.

by cause per 1,000 deaths in certain age groups, by sex, 1968*

15—		25—		35—		45—		55—		65—		75—		85 and over		Abbreviated List Nos.								
M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F									
.	B1								
.	B2								
.	.	10	16	5	5	5	10	5	4	4	2	2	1	.	1	B3								
.	.	.	.	5	.	2	5	1	3	1	1	.	1	.	1	B4								
.	B5								
.	.	.	.	5	.	2	5	1	3	1	1	.	1	.	1	B6								
.	B7								
.	B8								
.	B9								
.	1	†	1	B10								
.	†	1	B11								
.	†	1	B12								
.	†	1	B13								
.	†	1	B14								
.	†	1	B15								
.	†	1	B16								
.	†	1	B17								
10	.	10	.	5	16	5	5	3	4	3	3	†	1	2	1	B18								
78	143	176	242	196	372	244	5	370	7	239	9	313	6	203	7	191	6	141	3	119	2	65	73	B19
29	.	10	16	5	11	2	5	10	2	4	5	17	1	8	15	1	7	13	5	1	3	B20		
29	.	10	16	16	11	5	11	2	5	4	3	1	1	†	1	2	6	2	1	6	B21			
10	2	5	1	3	3	1	†	5	3	2	6	1	2	B22			
.	2	5	1	3	3	1	†	5	3	2	6	1	2	B23			
19	48	59	48	42	38	16	57	14	47	8	16	7	9	4	4	4	4	4	4	4	B24			
.	.	10	32	16	11	27	17	20	19	20	20	22	16	28	16	15	15	15	15	15	B25			
.	.	78	317	55	371	156	379	233	363	280	294	242	236	247	247	247	247	247	247	247	B26			
.	.	24	20	65	11	11	25	17	26	26	37	64	87	105	181	143	143	143	143	143	B27			
10	48	29	81	48	66	57	99	76	131	117	191	170	235	172	212	212	212	212	212	212	B28			
.	.	10	5	5	4	4	1	1	2	1	5	3	10	12	11	11	11	11	11	11	B29			
29	24	10	16	11	11	12	12	7	14	28	27	43	51	68	84	84	84	84	84	84	B30			
10	48	20	.	37	55	57	47	90	41	92	39	78	32	51	21	21	14	14	14	14	B31			
.	24	.	.	5	5	5	5	1	2	1	2	2	1	1	1	1	1	1	1	1	B32			
.	24	.	.	5	5	5	5	1	2	1	2	2	1	1	1	1	1	1	1	1	B33			
.	24	.	.	10	16	16	22	9	2	8	3	3	5	4	3	6	1	1	1	1	B34			
.	—	—	—	—	—	11	—	—	—	—	—	—	12	—	—	—	—	—	—	—	B35			
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B36			
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B37			
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B38			
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B39			
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B40			
—	24	—	32	—	5	22	—	2	14	—	3	—	—	—	—	—	—	—	—	—	—	B41		
29	.	10	32	—	5	11	—	2	14	—	3	—	—	—	—	—	—	—	—	—	—	B42		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B43			
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B44			
10	24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B45			
107	262	118	129	74	137	82	82	64	76	65	95	87	97	109	112	112	112	112	112	112	B46			
359	190	216	81	79	22	21	10	10	9	9	3	6	2	4	1	1	1	1	1	1	BE47			
184	24	98	48	48	22	9	14	10	14	3	7	11	15	19	26	38	38	38	38	38	BE48			
87	95	49	97	58	44	21	5	35	5	14	3	1	†	†	†	†	†	†	†	†	BE49			
10	.	29	16	.	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	BE50		

ABSTRACT 15C. Northern Ireland: Death rates per million

Abbre. viated List Nos.	CAUSES OF DEATH	All Ages		—1		—1		5—		10—	
		M	F	M	F	M	F	M	F	M	F
	ALL CAUSES	11,241	10,005	27,262	21,529	658	718	436	299	388	288
B1	Cholera
B2	Typhoid fever
B3	Bacillary dysentery and amoebiasis	1	1	60							
B4	Enteritis and other diarrhoeal diseases	29	18	833	701	60	16				
B5	Tuberculosis of respiratory system	34	25								
B6	Other tuberculosis, including late effects			7	12						
B7	Plague
B8	Diphtheria
B9	Whooping cough	3	3	119	127						
B10	Streptococcal sore throat and scarlet fever										
B11	Meningococcal infection			5	3	119		15			
B12	Acute poliomyelitis	1	1					15			
B13	Smallpox										
B14	Measles	1	3					15	32		
B15	Typhus and other rickettsioses										
B16	Malaria										
B17	Syphilis and its sequelae	7	5								
B18	All other infective and parasitic diseases			38	31	238	191	15	16	13	.
B19	Malignant neoplasms, including neoplasms of lymphatic and haemopoietic tissue							39		29	.
	(a) Cancer	1,896	1,668	179		64	75	32		29	61
	(b) Hodgkin's disease and leukaemia	76	48				30		64	58	45
B20	Benign neoplasms and neoplasms of unspecified nature			20	17					14	.
B21	Diabetes mellitus	70	105							14	.
B22	Avitaminoses and other nutritional deficiency										
B23	Anaemia	8	5								
B24	Meningitis	29	49								
B25	Meningitis	16	6	417	127	15					
B26	Active rheumatic fever										
B27	Chronic rheumatic heart disease	111	175								
B28	Hypertensive disease	192	206								
B29	Ischaemic heart disease	3,400	2,259								
B30	Other forms of heart disease	644	786								
B31	Cerebrovascular disease	1,269	1,819	60						29	15
B32	Influenza	37	65	119				16			
B33	Pneumonia	430	483	4,881	3,631	30	96			14	.
B34	Bronchitis, emphysema and asthma	815	328	60	64		32			14	14
B35	Peptic ulcer	93	57								
B36	Appendicitis	4	9	357	191			16			
B37	Intestinal obstruction and hernia	30	43								
B38	Cirrhosis of liver	22	22								
B39	Nephritis and nephrosis	59	34								
B40	Hyperplasia of prostate	60									
B41	Abortion		3								
B42	Other complications of pregnancy, childbirth and the puerperium. Delivery without mention of complication	9	9								
B43	Congenital anomalies	150	185	5,595	7,070	75	175	64	68		.
B44	Birth injury, difficult labour and other anoxic and hypoxic conditions	167	71	7,262	3,503						
B45	Other causes of perinatal mortality	130	103	5,655	5,032						
B46	Symptoms and ill-defined conditions	25	52	60	255	15					
BE47	All other diseases	854	954	893	382	60	112	64	41	58	76
BE48	Motor vehicle accidents	221	74			120	112	154	82	86	45
BE49	All other accidents	201	200	357	191	120	48	39	27	58	30
BE50	Suicide and self-inflicted injuries	70	62								15
	All other external causes	15	12					16			.

† See definition on page 8.

living by sex and age, from principal causes, 1968

15—		25—		35—		45—		55—		65—		75—		80 and over		
M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
879	359	1,189	702	2,299	2,096	6,926	4,686	21,119	11,783	53,025	32,290	116,742	84,821	233,714	215,714	
.	
.	.	12	11	12	11	37	12	100	.	45	135	56	36	.	.	
.	.	.	.	12	.	12	23	14	38	45	17	71	.	159	.	
.	
.	13	23	17	
.	
.	14	.	45	51	112	36	.	.	
9	.	12	.	12	34	37	23	57	51	158	101	56	107	571	317	
68	51	210	170	23	450	779	1,691	1,733	5,050	3,692	10,790	6,162	16,461	10,071	15,143	15,714
26	.	35	23	.	23	23	37	47	86	13	361	202	393	143	.	635
26	.	12	11	12	36	23	37	12	100	202	406	471	843	1,071	1,143	159
.	635	
9	23	86	38	135	168	337	500	571	1,270
.	29	13	23	34	
17	17	70	34	97	80	111	267	301	556	406	505	787	750	857	794	
.	.	12	23	36	23	185	81	416	228	1,061	724	1,854	2,357	3,714	3,175	
.	9	93	730	115	2,568	733	8,006	2,743	19,255	9,040	34,326	20,536	55,143	53,333	.	
9	17	35	45	24	23	173	81	560	303	1,941	2,071	10,112	8,893	42,286	30,952	
9	17	35	57	109	137	395	465	1,607	1,542	6,208	6,178	19,888	19,893	40,286	45,714	
26	9	12	11	12	23	74	58	158	164	1,467	859	5,000	4,321	16,000	18,095	
9	17	23	.	85	115	395	221	1,908	480	4,853	1,263	9,157	2,714	12,000	4,444	
.	9	.	.	12	11	11	.	23	29	25	45	67	449	429	857	1,429
.	.	.	.	12	11	23	25	23	72	76	135	67	169	107	159	
.	.	.	.	12	11	36	46	62	12	172	38	181	168	506	214	1,429
.	23	.	.	.	135	.	1,348	.	.	3,714	.
17	9	12	23	12	23	46	12	70	14	38	.	17	.	36	.	.
.	
9	9	23	.	12
94	94	140	91	170	286	568	384	1,349	898	3,431	101	449	536	1,714	1,746	
316	68	256	57	182	46	148	47	201	101	474	101	674	8,250	25,429	24,127	
162	9	117	34	109	46	62	70	215	164	361	354	1,742	1,607	857	159	
77	34	58	68	134	92	148	163	100	164	135	17	56	36	6,000	8,095	
9	.	35	11	.	23	37	12	.	25	68	.	56	36	.	159	

ABSTRACT 16. Northern Ireland: Death rates by sex and age-groups, 1926, 1937, 1949-1968.

	All ages	AGES AT DEATH																	85 and over	
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84		
MALES																				
1926	15.1	31.2	3.1	2.1	2.9	4.1	4.4	5.1	5.5	8.1	10.9	16.1	21.5	31.0	40.6	73.6	97.1	141.8	228.8	
1937	15.1	24.3	1.6	1.3	2.5	3.4	3.5	4.6	5.2	7.4	10.9	15.5	19.7	29.5	48.6	83.6	120.0	158.0	254.2	
1949*	12.0	11.9	0.8	0.6	1.4	1.5	1.9	2.1	3.6	4.5	7.7	11.9	17.0	24.3	35.8	69.9	122.4	190.0	295.5	
1950	12.0	10.6	0.8	0.6	0.9	1.2	1.8	2.2	3.2	4.8	8.1	13.5	17.1	26.1	37.4	68.7	124.9	204.6	296.4	
1951	13.3	10.5	0.9	0.7	1.0	1.8	1.4	2.1	3.3	5.5	9.1	14.1	19.0	25.9	38.1	82.6	144.6	235.2	379.3	
1952	11.4	10.6	0.7	0.5	0.8	1.3	1.5	1.9	3.0	3.5	6.5	10.6	15.6	26.0	39.9	62.1	89.2	148.6	224.3	
1953	11.4	10.3	0.7	0.6	0.9	1.3	1.4	1.6	2.5	3.9	6.6	10.8	16.6	25.8	40.1	62.8	88.8	141.3	229.6	
1954	11.5	8.9	0.5	0.6	0.8	0.9	1.3	1.8	2.3	3.3	6.1	10.3	16.3	25.5	41.0	68.4	89.2	145.2	280.0	
1955	11.6	8.3	0.5	0.4	0.8	1.1	1.2	1.7	2.2	3.8	5.4	10.9	17.9	24.1	42.1	66.2	98.3	143.0	317.8	
1956	11.2	7.5	0.4	0.3	0.6	0.8	1.0	1.2	2.4	3.4	5.7	10.8	17.1	26.3	39.1	64.6	97.0	149.4	263.2	
1957	11.6	7.6	0.5	0.4	0.8	1.0	1.3	1.4	2.5	3.5	5.8	10.6	16.4	28.3	44.8	65.6	93.5	141.7	300.4	
1958	11.6	7.7	0.4	0.5	0.8	0.8	1.2	1.3	1.7	3.7	5.6	10.1	17.3	27.3	42.7	66.6	102.1	139.7	295.6	
1959	11.6	7.2	0.3	0.6	0.7	0.9	1.1	1.3	2.3	3.4	5.9	9.9	17.7	26.8	46.1	68.9	101.4	133.2	328.8	
1960	11.4	7.6	0.6	0.4	0.9	1.1	1.1	1.5	1.8	3.3	5.6	10.0	16.3	28.7	39.2	67.2	102.5	135.9	328.8	
1961	12.1	8.0	0.5	0.5	0.8	1.2	1.4	1.5	2.1	3.5	5.0	10.4	17.6	28.7	43.5	65.6	107.0	145.7	259.4	
1962	11.3	6.9	0.5	0.3	0.6	0.7	0.8	1.5	1.8	3.0	5.8	9.8	16.5	28.1	42.5	61.8	93.4	156.1	235.8	
1963	11.8	7.2	0.6	0.4	0.7	1.1	1.2	1.1	2.1	3.4	5.5	10.8	19.4	27.9	43.5	63.0	97.6	158.6	260.6	
1964	11.3	7.4	0.4	0.4	0.8	0.9	1.0	1.4	1.8	3.4	6.0	10.0	16.5	26.2	42.7	65.4	92.9	148.9	233.6	
1965	11.5	6.7	0.7	0.3	0.7	0.8	0.8	1.4	2.3	3.6	5.9	9.0	17.3	28.2	44.1	66.0	93.2	149.4	270.0	
1966	12.0	6.7	0.5	0.4	0.9	1.1	1.1	1.2	2.1	3.7	5.2	9.7	18.4	28.7	46.1	67.5	102.0	159.3	314.0	
1967	10.6	5.9	0.5	0.5	0.7	1.1	0.8	1.2	1.9	3.0	5.5	9.9	15.3	25.2	38.4	43.9	87.9	144.4	218.6	
1968	11.2	6.0	0.4	0.4	0.8	0.9	1.0	1.4	1.6	3.0	5.6	8.4	16.1	27.1	43.6	66.1	97.8	152.3	233.7	
FEMALES																				
1926	14.9	24.8	2.4	2.1	3.6	4.8	5.2	7.1	6.3	8.9	10.9	16.0	20.5	31.2	38.0	66.8	87.1	123.0	188.1	
1937	15.0	21.7	2.1	1.7	2.6	3.7	3.8	4.7	4.8	7.7	9.5	13.3	19.1	28.1	43.5	69.3	110.0	148.5	247.6	
1949*	11.1	10.1	0.4	0.8	1.1	1.7	2.1	2.0	2.8	3.5	6.2	9.1	12.4	20.3	28.6	60.9	94.4	158.0	262.1	
1950	11.1	8.7	0.6	0.5	0.8	1.1	1.9	1.9	2.7	3.4	5.5	8.9	12.6	20.3	28.8	60.2	96.1	186.0	290.9	
1951	12.4	8.9	0.5	0.3	0.6	1.1	1.5	1.8	2.5	4.0	5.2	10.1	13.9	23.4	34.0	66.1	123.0	206.6	324.8	
1952	10.1	7.8	0.5	0.3	0.5	0.9	1.3	1.5	2.3	3.2	4.5	8.0	10.1	18.0	28.3	48.7	72.8	138.2	196.9	
1953	10.1	7.6	0.4	0.4	0.5	0.9	1.4	1.9	1.8	2.8	4.9	7.2	9.4	16.9	30.2	51.1	70.5	124.2	209.5	
1954	10.4	6.9	0.3	0.4	0.4	0.7	0.8	1.5	2.1	2.8	4.4	7.3	10.6	18.0	27.3	52.4	72.0	141.1	244.2	
1955	10.6	7.3	0.4	0.3	0.5	0.7	0.9	1.2	1.9	3.0	4.4	6.7	10.3	17.5	30.2	50.5	78.4	132.6	275.4	
1956	10.1	6.3	0.3	0.3	0.4	0.5	0.8	1.3	1.9	2.6	3.9	6.2	9.5	18.1	27.7	49.1	74.6	128.9	251.4	
1957	10.1	6.7	0.4	0.2	0.5	0.5	0.6	1.1	2.2	2.7	4.1	6.2	9.1	18.0	28.0	49.7	69.1	115.2	278.4	
1958	10.0	6.0	0.2	0.2	0.4	0.3	0.7	0.9	1.7	2.7	3.5	6.7	9.4	16.8	26.4	48.9	76.8	117.0	260.8	
1959	10.3	6.7	0.4	0.4	0.4	0.3	0.5	1.0	1.6	2.5	4.2	6.6	9.4	16.3	27.8	47.2	76.8	115.3	293.8	
1960	10.2	6.2	0.4	0.2	0.3	0.4	0.4	0.7	0.9	1.6	2.6	4.5	6.5	9.3	16.9	25.8	48.6	79.8	112.3	266.0
1961	10.5	5.5	0.3	0.3	0.4	0.5	0.7	1.0	1.5	2.2	3.7	5.9	8.2	15.4	26.8	48.3	78.5	140.0	231.1	
1962	9.9	6.5	0.3	0.2	0.4	0.5	0.6	0.8	1.8	2.2	3.5	5.9	8.4	14.3	24.8	44.8	72.0	127.3	211.5	
1963	10.2	6.1	0.3	0.3	0.3	0.4	0.6	1.0	1.5	2.9	3.7	6.8	9.2	16.0	25.4	47.1	69.5	124.7	223.4	
1964	9.8	5.3	0.4	0.2	0.3	0.4	0.5	0.8	1.5	1.9	4.5	5.6	9.3	15.1	23.6	43.7	70.7	118.8	233.5	
1965	9.8	5.5	0.3	0.2	0.2	0.5	0.5	1.0	1.5	2.4	3.3	6.5	9.1	14.7	21.9	44.1	72.8	115.8	223.1	
1966	10.3	5.7	0.3	0.3	0.5	0.5	0.6	0.8	1.4	2.5	3.9	5.9	8.3	14.6	24.7	45.1	75.8	120.2	254.6	
1967	9.1	5.2	0.2	0.2	0.4	0.3	0.6	1.0	1.1	2.3	3.1	5.1	7.9	13.8	22.8	38.9	64.0	104.1	181.6	
1968	10.0	4.9	0.3	0.3	0.4	0.5	0.5	0.9	1.5	2.6	3.8	5.7	9.1	14.7	24.8	41.7	71.0	108.2	215.7	

*The rates for 1949 relate to civilians only.

ABSTRACT 17. Abbreviated list numbers and equivalent detailed list numbers and causes of death (8th Revision I.C.D.).

Detailed List	Abbreviated List	CAUSE OF DEATH
000	1	Cholera
001	2	Typhoid fever
004-006	3	Bacillary dysentery and amoebiasis
008-009	4	Enteritis and other diarrhoeal diseases
010-012	5	Tuberculosis of respiratory system
013-019	6	Other tuberculosis, including late effects
020	7	Plague
032	8	Diphtheria
033	9	Whooping cough
034	10	Streptococcal sore throat and scarlet fever
036	11	Meningococcal infection
040-043	12	Acute poliomyelitis
050	13	Smallpox
055	14	Measles
080-083	15	Typhus and other rickettsioses
084	16	Malaria
090-097	17	Syphilis and its sequelae
Rem. 000-136	18	All other infective and parasitic diseases
Cancer of:-		
151	19A	stomach
152-154	19B	intestines and rectum
162	19C	trachea, bronchus and lung
174	19D	breast
180-189	19E	genito-urinary organs
Rem. 140-200,	19F	other sites
202, 203, 208, 209	19G	Hodgkin's disease and leukaemia
201, 204-207	20	Benign neoplasms and neoplasms of unspecified nature
210-239	21	Diabetes mellitus
250	22	Avitaminoses and other nutritional deficiency
260-269	23	Anaemias
280-285	24	Meningitis
320	25	Active rheumatic fever
390-392	26	Chronic rheumatic heart disease
393-398	27A	Hypertensive heart disease
402, 404	27B	Other hypertensive disease
400, 401, 403	28A	Ischaemic heart disease with hypertension
Pt. of 410-414	28B	Ischaemic heart disease without hypertension
Rem. of 410-414	29	Other forms of heart disease
420-429	30A	Cerebrovascular disease with hypertension (benign)
Pt. of 430-438	30B	Cerebrovascular disease without hypertension
Rem. of 430-438	46A	Other diseases of circulatory system
440-458	31	Influenza
470-474	32	Pneumonia
480-486	33	Bronchitis, emphysema and asthma
490-493	46B	Other diseases of respiratory system
Rem. 460-519	34	Peptic ulcer
531-533	35	Appendicitis
540-543	36	Intestinal obstruction and hernia
550-553, 560	37	Cirrhosis of liver
571	46C	Other diseases of digestive system
Rem. 520-577	38	Nephritis and nephrosis
580-584	39	Hyperplasia of prostate
600	40	Abortion
640-645	41	Other complications of pregnancy, childbirth and puerperium
630-639, 650-678	42	Congenital anomalies
740-759	43	Birth injury, difficult labour and other anoxic and hypoxic conditions
764-768, 772, 776	44	Other causes of perinatal mortality
760-763, 769-771,		
773-775, 777-779		
780-796	45	Symptoms and ill-defined conditions
Rem. 240-738	46D	All other diseases
E810-E823	47	Motor vehicle accidents
E800-E807,		
E825-E949	48	All other accidents
E950-E959	49	Suicide and self-inflicted injuries
E960-E999	50	All other external causes

ABSTRACT 17. Northern Ireland: Causes of death at different age-periods, 1968.

Abbre-viated List Nos. *	Total deaths	MALES												FEMALES												
		AGED												AGED												
		All ages	under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	All ages	under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	
ALL CAUSES	15,933	8,235	307	116	35	458	44	61	103	291	2,033	2,349	2,896	7,698	215	81	42	338	45	41	42	245	1,335	1,918	3,734	
B1
B2	.	1	1	1	1	1
B3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
B4	35	21	1	10	3	14	4	14	1	7	3	11	1	.	.	.	1	1	1	1
B5	44	25	2	10	9	4	19	2	4	8	5
B6	14	5	1	2	2	2	9	5	1	3	.
B7
B8
B9	4	2	.	2	.	2	2	.	2	.	2
B10
B11	6	4	.	1	1	2	1	2	1	1	1	.
B12	2	1	1	1	1
B13
B14	3	1	1	2	.	.	.	2
B15
B16
B17	9	5	1	2	2	4	3	1	.	.
B18	52	28	3	1	.	4	1	3	1	2	7	7	3	24	1	1	1	3	1	.	.	.	3	6	6	5
B19A	324	174	1	8	67	63	35	150	4	36	52	58
B19B	474	200	4	55	71	70	274	8	74	78	114	
B19C	525	434	16	203	151	64	91	4	47	26	14	
B19D	242	1	1	241	35	92	64	50	
B19E	413	207	2	.	.	8	41	76	80	206	1	1	1	15	95	59	35	
B19F	694	373	.	1	2	3	3	5	7	19	123	117	96	321	.	.	.	2	3	5	17	97	87	110		
B19G	93	56	2	9	3	3	16	16	7	37	.	.	1	1	.	3	.	4	9	12	8	
B20	28	15	3	2	7	3	.	13	.	.	1	1	.	3	5	2	2	.	.	
B21	132	51	1	.	3	10	18	19	81	2	17	28	34	.	

B22	10	6	1	.	5	4	4		
B23	59	21	.	.	3	1	7	1	.	.	2	14	30	18	17	135	.	.	1	1	2	.	.	2	10	67	30	26	
B26	17	12	3	3	1	7	1	.	.	.	2	14	30	18	17	135	.	.	1	1	.	.	.	1	2	10	22	.	
B25	4	23	15	15	58	1	3	17	13	24	
B26	216	81	4	77	84	48	203	1	55	71	76	.	
B27A	185	84	64	689	769	756	1,535	9	225	466	835	.	
B27B	115	57	4	53	86	328	605	1	6	31	123	444	
B28A	416	213	2	48	48	56	263	1	53	95	114	.	
B28B	3,813	2,278	1	4	53	86	328	605	1	6	31	123	444
B29	1,077	472	2	10	96	227	439	1,131	2	16	109	272	731	
B30A	417	154	1	1	2	48	48	56	263	1	2	16	109	272
B30B	1,907	776	.	.	1	.	1	.	.	.	2	1	10	96	227	439	1,131	1	8	22	64	196
B46A	553	261	1	39	80	141	292	1	.	.	1	.	1	.	.	1	.	2	9	38	.
B31	77	27	.	.	2	2	2	3	3	17	50	.	.	.	1	1	1	.	.	1	3	18	51	235	
B32	687	315	10	61	11	82	2	.	.	.	3	1	17	65	145	372	5	35	17	57	6	1	1	1	10	57	75	104	
B33	849	597	.	.	.	1	1	.	.	.	1	1	9	165	215	205	252	.	1	2	1	2	10	10	10	10	10	10	
B46B	132	62	.	2	2	4	1	.	.	3	5	18	8	23	70	.	2	.	2	.	1	1	1	2	8	19	37	.	
B34	112	68	1	21	20	26	44	1	.	1	.	1	4
B35	10	3	1	1	1	7	1	1	.	1	.	1	4
B36	55	22	2	2	2	6	1	2	2	11	33	1	2	.	3	.	.	.	1	.	2	4	4	21	
B37	33	16	7	6	3	17	1	1	1	2	8	4	
B46C	154	70	2	.	.	2	2	18	19	29	84	1	1	1	3	18	25	35
B38	69	43	4	17	8	14	26	5	4	10	7	7	8
B39	44	44	1	6	37	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
B40	2	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2
B41	7	—	—	—	—	—	—	—	—	—	—	—	—	7	1	6	
B42	252	110	63	26	5	94	5	5	2	2	2	2	.	142	70	25	16	111	11	5	.	4	9	1	1	.	.	.	
B43	177	122	121	1	.	122	—	—	—	—	—	—	—	55	55	.	.	55	—	—	—	—	—	—	—	—	—	—	
B44	174	95	95	.	.	95	—	—	—	—	—	—	—	79	79	.	.	79	—	—	—	—	—	—	—	—	—	—	
B45	58	18	.	1	.	1	1	.	1	1	.	1	14	40	2	1	1	4	.	.	1	2	1	6	26	.	.		
B46D	521	233	2	4	3	9	3	9	8	18	65	45	76	288	.	1	2	3	6	5	9	20	56	74	115	.	.	.	
BE47	219	162	8	18	37	37	26	21	15	57	.	3	.	3	3	4	1	7	19	21	96	.	.	.
BE48	301	147	4	.	2	6	8	7	19	19	20	16	52	154	.	3	.	3	3	4	1	7	19	21	96	.	.	.	
BE49	99	51	9	16	19	6	1	48	1	4	14	27	1	1	.	.	.	
BE50	20	11	1	3	3	3	1	9	1	.	3	3	.	2	.	.	.	

*Corresponding detailed list numbers and causes of death appear on page 161.

**ABSTRACT 17. Belfast County Borough: Causes of death at different age-periods
and Standardised Mortality Ratios, by sex, 1968.**

Abbreviated List Nos. *	Total deaths	MALES												FEMALES												S.M.R. [†] (Northern Ireland = 100)		
		AGED												AGED														
		All ages	under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	All ages	under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	M	F	
ALL CAUSES	4,811	2,340	93	36	13	142	17	10	17	90	671	706	687	2,471	48	33	11	92	14	10	6	72	451	649	1,177	113	107	
B1
B2	.	1	1	1	.	2	.	3	1	.	.	.	1	1	4	2	163	146
B3	2	8	.	5	2	7	1	8	1	2	.	3	1	.	.	.	1	1	4	2	244	139
B4	13	8	.	5	2	7	1	8	.	.	.	3	1	.	.	.	1	1	4	2	.	.
B5	24	16	2	1	1	4	2	244	139
B6	4	2	2	.	2	.	2	1	1	4	2	.	.
B7
B8
B9	2	2	.	2	.	2
B10
B11	3	2	1	.	1	.	1	1
B12
B13
B14	1	1	1
B15
B16
B17	7	3	1	1	1	1	4	3	1
B18	21	10	1	.	.	.	1	1	.	1	1	3	2	1	11	49	.	.	1	.	.	3	2	3	2	140	159	
B19A	111	62	1	2	31	18	10	49	2	12	11	24	136	107				
B19B	144	66	3	21	25	17	78	1	20	28	29	129	94				
B19C	223	196	5	94	67	30	27	1	14	9	3	170	98				
B19D	86	1	1	15	20	21	72	10	29	25	21	.	118				
B19E	129	57	1	4	45	42	29	104	1	6	25	23	17	109	116			
B19F	227	123	.	1	.	1	1	1	1	4	4	45	42	29	104	.	.	1	1	1	5	28	33	36	128	108		
B19G	26	9	1	1	4	4	4	.	17	.	.	1	1	1	2	5	5	4	62	156		
B20	11	7	1	1	4	2	4	4	.	.	.	1	1	1	1	1	1	1	174	.		
B21	36	11	2	4	1	4	25	1	5	8	11	86	101				

B22	5	2	2	3	2	3	3	5	7	113	139
B23	22	6	2	1	3	16	3	5	7	113	139	
B24	5	2	2	.	.	3	.	1	.	1	1	1	.	.	.		
B25	2	
B26	90	24	8	7	5	4	66	5	31	20	10	115	162		
B27A	43	15	1	7	4	3	13	4	7	17	70	91				
B27B	28	15	3	21	24	9	55	7	5	1	102	75				
B28A	112	57	19	198	216	163	464	3	76	155	230	102	99			
B28B	1,060	596	3	13	16	46	157	2	9	29	117	70	86				
B29	235	78	2	15	10	10	85	1	20	27	37	94	105				
B30A	122	37	5	37	59	112	386	4	41	86	254	113	113				
B30B	600	214	.	1	.	1	1	10	18	30	85	1	.	.	1	8	19	57	92	97					
B46A	144	59	1	1	.	.	15	1	13	.	100	
B31	18	3	.	.	1	1	5	20	42	42	140	1	17	3	21	1	4	20	94	129	130				
B32	237	97	3	20	5	28	2	5	59	86	71	109	4	27	40	38	145	143				
B33	331	222	.	.	1	1	8	4	7	24	.	1	.	1	1	3	7	12	137	114				
B46B	45	21	.	1	.	1	9	9	4	20	5	3	12	128	134					
B34	42	22	9	9	4	20	3				
B35	3	3	1	3	1	7	.	123			
B36	16	4	.	.	1	1	1	3	1	6	1	3	1	2	118	118				
B37	11	5	5	3	7	26	1	3	8	14	86	102				
B46C	41	15	1	1	2	4	5	1	1	.	3	74	65				
B38	13	8	1	1	2	4	5	1	1				
B39	8	8	2	6	—	—	—	—	—	—	—	79	.				
B40	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—					
B41	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—					
B42	65	28	17	5	2	24	2	1	1	.	.	.	37	18	6	6	30	2	4	.	.	1	111	108			
B43	55	41	41	.	.	41	—	—	—	—	—	—	—	—	—	—	14	14	.	.	14	—	—	—	—	—	—	—	—	—	146	108				
B44	41	29	29	.	.	29	—	—	—	—	—	—	—	—	—	—	12	12	.	.	12	—	—	—	—	—	—	—	—	—	131	65				
B45	8	1	.	1	.	1	7	1	1	1	3	1	.	2	1	.	60					
B46D	174	69	.	2	.	2	1	.	1	3	20	15	27	105	.	1	.	1	3	2	1	8	15	24	51	119	123									
BE47	48	33	4	7	4	5	6	5	2	15	.	.	4	3	1	1	3	2	1	80	96					
BE48	75	32	1	.	1	2	3	1	3	4	3	6	10	43	.	2	.	2	1	1	2	3	12	1	1	1	1	1	135	140						
BE49	37	18	3	8	5	2	.	19				
BE50	6	4	1	1	1	1	1	2				

* Corresponding detailed list numbers and causes of death appear on page 161.

†No S.M.R. is shown when fewer than 5 deaths occurred.

S.M.R. for 5-19 deaths is shown in *italics*.

ABSTRACT 17. Londonderry County Borough: Causes of death at different age-periods and Standardised Mortality Ratios, by sex, 1968.

Abbreviated List Nos. *	Total deaths	MALES												FEMALES												S.M.R. [†] (Northern Ireland =100)		
		AGED												AGED														
		All ages	under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	All ages	under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	M	F	
ALL CAUSES	543	296	20	9	3	32	3	2	2	15	80	75	87	247	11	2	.	13	2	3	2	8	52	63	104	125	99	
B1
B2	
B3	
B4	1	1	1	1	.	1	
B5	
B6	1	1	1	
B7	
B8	
B9	
B10	
B11	1	1	.	1	.	1	
B12	
B13	
B14	1	1	
B15	1	
B16	
B17	
B18	2	1	1	.	.	.	1	
B19A	13	8	1	2	2	3	5	1	4	.		
B19B	11	5	1	6	6	6	6	3	2	1		
B19C	18	13	1	4	3	5	5	1	3	.		
B19D	12	12	5	3	4	.	
B19E	15	8	1	1	3	7	7	6	1	.		
B19F	19	12	.	.	.	1	1	1	1	4	3	2	7	3	3	1	112		
B19G	6	2	1	.	.	.	4	1	1	.	.		
B20	2	3	5	2	1	2	350		
B21	10	5	193	

B22	1	1	1	1	.	1	1	1	.	.	.	
B23	3	2	1	
B24	1	1	1	1	2	.	1	3	2	1	1	1	1		
B25	1	.	2	2		
B26	6	3	2	.	1	3	2	1	1	1	1		
B27A	3	1	2	.	2	2	1	1	1	1		
B27B	6	4	1	2	1	8	1	1	1	1			
B28A	12	4	8	26	26	25	43	1	3	4	122		
B28B	128	85	3	2	8	20	9	16	17	134	89		
B29	33	13	3	1	.	7	1	6	13	101	107		
B30A	11	4	4	3	9	24	2	3	2	.	83		
B30B	40	16	2	2	3	11	3	7	14	75	68		
B46A	18	7	1	8	11	11	19	3	1	7	98	121	
B31	3	2	3	6	1	1	2	.	.	.	
B32	16	10	1	4	.	.	5	1	1	1	1	4	103	.	49	.	
B33	50	31	1	8	11	11	19	1	1	11	187	233	
B46B	5	1	.	.	.	1	1	1	8	11	11	19	2	2	.	.	.
B34	2	2	3	6	1	1	1	.	.	.	
B35	1	1	1	.	2	1	1		
B36	3	1	1	.	.	.	1	1	.	1	1	1		
B37	3	2	1	1	.	1	1	1		
B46C	9	6	1	.	.	.	1	3	1	1	1	3	1	.	1	306	.		
B38	6	5	3	1	1	1	3	1	.	1	410	.		
B39	2	2	2	—	—	—	—	—		
B40	.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
B41	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	103	.		
B42	11	5	3	.	3	1	1	.	6	3	2	5		
B43	12	10	10	.	.	10	—	—	2	2	2	2	.	201	.			
B44	9	5	5	.	.	5	—	—	4	4	4	—	—	153	.			
B45	2	—	—	2	—	—	2	.	—	86	85		
B46D	14	6	.	.	1	1	2	.	1	2	1	8	—	—	1	2	1	2	126			
BE47	10	7	1	2	.	3	1	1	3	1	2	1	4	107	101	
BE48	10	5	—	—	3	1	5	1	4	.	.	.		
BE49	1	—	—	1	1		
BE50	1	1	—	—	1	1		

* Corresponding detailed list numbers and causes of death appear on page 161.

†No S.M.R. is shown when fewer than 5 deaths occurred.

S.M.R. for 5-19 deaths is shown in *italics*.

**ABSTRACT 17. County Antrim: Causes of death at different age-periods
and Standardised Mortality Ratios, by sex, 1968.**

Abbreviated List Nos. *	Total deaths	MALES													FEMALES													S.M.R.† (Northern Ireland =100)			
		AGED													AGED																
		All ages	under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	All ages	under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	M	F				
ALL CAUSES	2,907	1,476	55	25	5	86	7	9	26	52	353	431	513	1,431	45	17	12	74	10	6	10	41	254	341	695	92	95	102	87		
B1	
B2		
B3		
B4	5	2	.	1	.	1	1	.	.	3	.	2	1	3	1	.	1	.	.		
B5	5	3	2		
B6	2	1	1	.	1	1	1	.	1	.	.		
B7		
B8		
B9	1	1	.	1	.	1		
B10		
B11		
B12		
B13		
B14		
B15		
B16		
B17		
B18	8	3	1	2	.	5	.	.	1	1	1	2	1	.	102	87		
B19A	57	32	3	8	12	9	25	.	.	1	1	5	10	10	94	87			
B19B	94	38	1	11	13	13	56	1	16	15	24	99	106			
B19C	91	71	2	35	23	11	20	10	6	4	83	112				
B19D	43	43	5	19	14	5	.	89				
B19E	88	45	1	.	1	6	19	18	43	2	25	7	9	113	106				
B19F	124	57	1	.	1	22	18	15	67	2	4	20	17	24	78	107					
B19G	14	9	1	2	2	.	3	1	.	5	2	.	.	3	.	79	68					
B20	4	2	1	.	1	.	2	1	.	1				
B21	22	10	5	5	12	2	4	6	101	77					

B22			
B23	8	6	1	.	.	1	2	2	1	1	148	.			
B24	8	7	1	3	1	5	1	1	3	3	24	1	1	264	.			
B25	1	3	6	11	6	12			
B26	31	7	1	3	3	24	1	16	3	3	43	90	
B27A	35	23	1	3	2	3	15	1	1	3	8	144	62	
B27B	24	9	19	15	8	34	1	1	3	10	80	132	
B28A	76	42	13	121	142	142	308	9	14	11	102	88		
B28B	726	418	1	10	17	50	121	2	54	91	161	95	105	
B29	199	78	11	8	15	40	1	4	33	83	87	105	
B30A	74	34	2	14	53	71	218	2	17	43	156	95	101	
B30B	358	140	11	18	35	69	1	4	2	16	46	129	123
B46A	133	64	1	1	4		
B31	6	2	1	2	10	20	58	1	7	6	14	2	.	1	.	4	6	31	78	79
B32	107	49	3	11	2	16	1	.	.	2	10	20	58	1	7	6	14	2	.	1	.	4	6	31	78	79	
B33	122	88	1	.	.	2	21	31	34	34	2	8	8	16	77	70	
B46B	21	10	1	.	.	1	1	1	6	11	1	2	8	80	81		
B34	20	14	3	5	6	6	6	107	71	
B35		
B36	9	3	.	1	.	1	1	.	1	6	.	1	.	1	.	.	.	1	.	4	.	.	93	
B37	7	3	1	4	4	4	3	16	2	1	1	1	.	.	
B46C	28	12	1	3	2	6	5	6	5	5	88	98	
B38	11	5	1	6	—	—	—	—	—	—	—	—	2	.	2	2	59	116		
B39	7	7	1	6	—	—	—	—	—	—	—	—	—	—	—	—	85	.		
B40	.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.			
B41	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.			
B42	54	24	16	6	.	22	.	2	30	14	7	4	25	4	1	.	.	.	96	92
B43	24	19	18	1	.	19	.	—	—	—	—	—	—	—	—	5	5	.	5	—	—	—	—	—	—	—	—	—	67	39	
B44	41	17	17	.	.	17	.	—	—	—	—	—	—	—	—	24	24	.	24	—	—	—	—	—	—	—	—	—	77	131	
B45	9	4	1	.	.	1	7	13	7	9	48	.	.	.	1	.	2	4	9	15	15	84	85
B46D	87	39	.	1	1	2	.	1	7	13	7	9	48	.	.	.	2	1	2	4	.	.	1	2	3	5	1	1	110	107	
BE47	51	38	2	4	13	6	6	4	3	13	.	.	.	1	.	2	3	5	1	1	1	1	101	68		
BE48	48	27	.	.	1	1	.	1	4	4	4	4	1	12	21	.	.	.	2	.	1	2	4				
BE49	18	11	2	2	5	2	7	.	1	4	.	.	.	1	.	2	4				
BE50	6	2	1	.	.	1	4	1	.	2	1					

*Corresponding detailed list numbers and causes of death appear on page 161.

†No S.M.R. is shown when fewer than 5 deaths occurred.

S.M.R. for 5-19 deaths is shown in *italics*.

**ABSTRACT 17. County Armagh: Causes of death at different age-periods
and Standardised Mortality Ratios, by sex, 1968.**

Abbreviated List Nos. *	Total deaths	MALES												FEMALES												S.M.R.† (Northern Ireland =100)		
		AGED												AGED														
		All ages	under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	All ages	under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	M	F	
ALL CAUSES	1,296	711	17	12	2	31	4	8	16	21	145	216	270	585	19	4	1	24	6	7	1	21	107	153	266	101	97	
B1
B2	
B3	
B4	3	2	.	2	.	2	1	.	.	1	
B5	2	1	1	.	.	1	
B6	
B7	
B8	
B9	
B10	
B11	
B12	1	1	1	
B13	
B14	
B15	
B16	
B17	1	1	1	.	.	.	1	
B18	1	1	1	
B19A	35	22	1	7	12	2	13	1	2	6	4	151	111	.	.		
B19B	40	16	3	5	8	24	1	10	5	8	94	112	.	.		
B19C	30	25	1	11	11	2	5	4	.	1	69	69	.	.		
B19D	17	17	6	7	2	2	.	89	.	.		
B19E	27	12	3	6	3	15	6	7	2	2	68	92	.	.		
B19F	77	47	1	2	7	19	18	30	.	.	.	1	1	.	17	7	4	149	119	.	.	
B19G	11	6	1	2	.	3	2	5	1	1	1	2	126	168	.	.		
B20	3	3	1	2		
B21	14	7	1	1	2	3	7	1	3	3	3	161	110	.	.		

B22		
B23	3	3	2	1	1	.	.		
B24	1	1	1	.	2	.	4	2	1	1	.	.			
B25		
B26	7	3	1	.	2	.	4	2	1	1	.	70	102		
B27A	13	5	1	4	8	2	6	6	70	102		
B27B	11	6	3	1	2	5	5	5	125	110			
B28A	40	19	6	52	67	74	95	11	6	4	106	132			
B28B	294	<i>199</i>	2	14	38	70	2	8	31	54	103	80		
B29	124	54	3	2	11	27	1	6	17	46	131	151		
B30A	43	16	1	.	10	20	47	77	5	11	11	122	131		
B30B	155	78	2	7	9	14	1	7	20	49	116	88		
B46A	32	18	1	.	2	2	7	2	3	9	80	62		
B31	12	5	1	.	2	2	7	2	5	212	182			
B32	43	23	.	8	1	9	1	.	1	6	6	20	.	.	1	1	.	1	.	5	13	82	68		
B33	68	49	1	.	13	19	16	19	.	.	1	1	2	.	.	1	5	4	6	97	96
B46B	10	6	3	1	2	4	1	3	113	.			
B34	4	3	1	.	2	1	1		
B35	3	1	1	.	2	1	.	1	.	.		
B36	5	1	1	1	1	.	3	1	2	4	1	3	.	.	.			
B37	2	.	2	2	6	4	2	.	83	91		
B46C	11	5	1	.	.	.	1	2	1	.	2	3	2	1	138	.				
B38	8	5	2	.	1	.	2	3	—	—	—	—	.		
B39	—	.	—	—	—	—	—	—	—	—	.			
B40	.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
B41	.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
B42	16	6	2	2	1	5	.	.	1	10	6	1	.	7	1	1	.	.	1	.	.	.	60	78		
B43	10	6	6	.	.	6	.	.	—	—	—	—	—	—	—	—	4	4	.	4	—	—	—	—	—	—	—	53	.			
B44	13	5	5	.	.	5	.	.	—	—	—	—	—	—	—	—	8	8	.	8	—	—	—	—	—	—	—	56	111			
B45	5	1	1	4	4	.	.	.		
B46D	45	20	1	.	.	.	1	.	1	3	3	3	4	3	5	25	2	.	8	8	7	100	110					
BE47	12	8	1	4	.	.	2	1	4	.	.	6	18	.	1	1	1	2	.	1	3	11	133	150		
BE48	35	17	1	.	.	.	1	3	3	2	.	2	3	1	.	3	.	.	.	1	1	.	2	.	1	3	11	133	150			
BE49	11	8	2	2	3	1	.	3	1	1	.	2	.	.	188	.					
BE50			

* Corresponding detailed list numbers and causes of death appear on page 161.

†No S.M.R. is shown when fewer than 5 deaths occurred.

S.M.R. for 5-19 deaths is shown in *italics*.

**ABSTRACT 17. County Down: Causes of death at different age-periods
and Standardised Mortality Ratios, by sex, 1968.**

Abbreviated List Nos. •	Total deaths	MALES												FEMALES												S.M.R.† (Northern Ireland = 100)			
		AGED												AGED															
		All ages	under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	All ages	under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	M	F		
ALL CAUSES	3,132	1,606	49	22	4	75	6	15	22	52	408	458	570	1,526	38	11	5	54	9	2	8	48	258	356	791	95	95		
B1	
B2		
B3		
B4	4	4	.	.	1	1	2	2			
B5	10	4	2	.	2	6	4	2	.		
B6	3	1	1	.	2	1	1	.		
B7		
B8		
B9	1	1	.	.	1	.	1		
B10		
B11		
B12		
B13		
B14	1	1	.	.	.	1			
B15		
B16		
B17		
B18	9	5	1	1	.	2	.	1	1	1	4	.	1	1	1	1	89	.		
B19A	41	17	5	8	4	24	7	6	11	47	76	
B19B	98	47	14	16	17	51	3	10	8	30	113	89	
B19C	95	77	3	34	28	12	18	1	10	6	1	86	96
B19D	41	41	6	15	10	10	.	82	
B19E	79	42	1	1	8	16	16	37	1	4	16	12	4	98	87
B19F	132	72	.	.	.	1	1	.	4	2	7	27	17	14	60	4	17	12	27	94	90		
B19G	12	8	2	.	.	2	2	2	4	2	1	1	1	71	.		
B20	4	2	5	5	14	3	1	1	1	.	82	
B21	27	13	1	.	.	2	5	5	14	4	4	6	123	82			

B22.	1.	1	1	6	.	.	75	
B23	10	4	1	2	1	6	
B24	4	10	4	3	18	
B25	4	10	4	3	18	
B26	39	21	4	10	4	3	18	
B27A	42	16	6	5	5	5	26	1	11	4	2	126	65
B27B	18	8	1	4	2	1	10	3	8	15	92	121	
B28A	87	44	15	17	12	43	7	.	3	68	82	
B28B	846	486	11	156	158	161	360	1	43	90	226	103	111
B29	181	79	8	14	57	102	2	5	19	76	80	79	
B30A	101	32	11	13	8	69	1	4	28	55	131	95	
B30B	373	154	14	53	87	219	1	4	14	42	104	91	
B46A	118	57	8	20	29	61	1	4	14	42	104	98	
B31	10	4	1	.	3	6	2	4	.	4	.	56	
B32	125	51	1	11	1	13	3	9	26	74	2	6	3	11	2	.	.	4	11	46	80	96			
B33	152	119	1	34	39	44	33	9	11	13	96	63		
B46B	23	6	.	1	.	1	1	2	1	.	1	17	3	6	8	47	116		
B34	19	12	1	3	3	5	7	1	1	4	85	75		
B35	3	1	1	.	2	1	.	1	5	179	87	
B36	14	8	.	1	1	2	1	.	1	4	6	1	1	2	.	.		
B37	6	2	2	.	.	4	1	1	2	.	.		
B46C	36	18	1	4	7	6	18	1	3	6	8	124	102	
B38	17	9	5	3	1	8	1	3	4	.	101	148		
B39	9	9	1	1	7	—	—	—	—	—	—	—	—	—	—	—	—	—	97		
B40	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.				
B41	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	1	2		
B42	47	19	10	6	.	16	.	1	2	28	17	4	1	22	2	1	1	.	2	.	94	108	
B43	32	21	21	.	.	21	.	—	—	11	11	.	.	11	—	—	—	—	—	—	—	—	—	93	111			
B44	22	14	14	.	.	14	—	—	—	8	8	.	.	8	—	—	—	—	—	—	—	—	—	79	56			
B45	10	2	1	1	8	1	.	1	2	4	.		
B46D	96	48	1	.	.	1	1	2	2	3	14	7	18	48	.	.	1	1	1	1	2	2	2	1	2	1	2	1	2	100	80			
BE47	43	33	2	2	8	11	5	1	4	10	102	89			
BE48	71	30	1	.	.	1	.	1	6	3	5	2	12	41	1	8	4	27	101	127			
BE49	17	6	1	2	3	.	.	11	5	6	.	.	58	113			
BE50	3	2	2	.	1	1				

* Corresponding detailed list numbers and causes of death appear on page 161.

†No S.M.R. is shown when fewer than 5 deaths occurred.

S.M.R. for 5-19 deaths is shown in *italics*.

**ABSTRACT 17. County Fermanagh: Causes of death at different age-periods
and Standardised Mortality Ratios, by sex, 1968.**

Abbreviated List Nos. •	Total deaths	MALES												FEMALES												S.M.R.† (Northern Ireland = 100)		
		AGED												AGED														
		All ages	under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	All ages	under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	M	F	
ALL CAUSES	644	357	10	1	1	12	.	3	2	15	73	96	156	287	7	3	3	13	.	3	4	9	39	71	148	94	109	
B1
B2	
B3	
B4	3	2	1	1	1	1	.	.	
B5
B6	3	3	2	1	.	.	.	
B7
B8
B9
B10
B11
B12
B13
B14
B15
B16
B17
B18	4	3	1	1	1	1	1	
B19A	9	6	3	1	2	3	3	.	.	78	.	
B19B	23	8	2	4	2	15	1	2	7	5	85	162	
B19C	13	10	1	2	5	2	3	3	.	.	.	53	.		
B19D	8	1	3	2	4	6	3	3	2	.	.	103		
B19E	16	10	1	4	6	1	6	1	1	3	1	.	102	106	
B19F	18	12	1	1	1	1	1	2	2	.	72	56	
B19G	2	2	1	1	
B20	1	1	1	1		
B21	2	1	1	1	1	1		

* Corresponding detailed list numbers and causes of death appear on page 161.

†No S.M.R. is shown when fewer than 5 deaths occurred.

S.M.R. for 5-19 deaths is shown in *italics*.

**ABSTRACT 17. County Londonderry[†]: Causes of death at different age-periods
and Standardised Mortality Ratios, by sex, 1968.**

Abbreviated List Nos. •	Total deaths	MALES												FEMALES												S.M.R. [†] (Northern Ireland =100)		
		AGED												AGED														
		All ages	under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 over	All ages	under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	M	F	
ALL CAUSES	1,127	609	32	3	4	39	2	6	7	26	140	135	254	518	17	6	5	28	2	3	7	29	81	119	249	91	97	
B1
B2	
B3	
B4	4	1	.	1	.	1	3	.	2	1	3	
B5	1	1	1	
B6	1	1	
B7	
B8	
B9	
B10	
B11	
B12	
B13	
B14	
B15	
B16	
B17	1	1	1	1	1	1	
B18	3	2	1	5	5	2	14	1	.	.	
B19A	27	13	1	4	3	6	20	3	6	5	95 138
B19B	33	13	1	9	7	2	8	1	3	8	8 82 108
B19C	27	19	1	2	2	3	56	1	2	2	3 56 131
B19D	25	25	8	11	2	4 . 151
B19E	25	14	1	2	3	8	11	1	8	2	. 84 79
B19F	41	20	1	2	2	2	5	8	21	2	1	6	6 6 67 96		
B19G	8	6	1	1	2	1	1	2	2	.	2	. 132 .	
B20	3	1	1	.	.	2	2	.	.	.
B21	9	2	1	.	7	2	3	2	. 128 .

B22
B23	5	2	1	1	3	.	.	.	1	1	.	1	2	
B24	1	1	1	1	.	.	.	1	1	4	.	2	93	87	.	.	.	
B25	1	1	1	.	.	.	1	1	5	7	179	222	.	.	.		
B26	14	6	2	3	1	8	
B27A	25	12	2	5	5	13	1	2	.	126	.		
B27B	8	3	3	3	5	.	.	.	2	3	1	9	78	96	.	.	.		
B28A	26	13	7	3	3	13	13	28	50	90	88		
B28B	254	163	3	57	48	55	91	3	8	46	144	138	
B29	113	56	4	3	49	57	3	1	3	73	40	
B30A	16	9	1	3	5	7	2	5	22	46	92		
B30B	133	58	1	6	11	40	75	1	1	3	9	90	
B46A	33	19	4	4	11	14	4	
B31	7	3	.	.	.	1	1	2	2	4	1	3	16	86	85		
B32	46	23	.	1	1	2	1	1	6	13	23	.	3	3	.	.	1	3	10	61	81		
B33	43	29	13	9	7	14	1	2	99	.	.		
B46B	9	5	1	2	2	4	1	1	3	9	70		
B34	6	6	2	2	4	III	.	.	
B35	2	2	1	1	
B36	2	1	1	1	1	1	1	
B37	3	2	2	2	3	3	1	1	1	1	.		
B46C	5	2	2	3	3	3	1	1	1	1	.		
B38	8	5	2	3	3	3	1	1	1	1	146		
B39	6	6	6	—	—	—	—	—	—	—	—	—	—	—	—	—	163	.	
B40	.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.	.		
B41	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.	.		
B42	23	13	9	1	2	12	1	—	—	10	4	1	2	7	1	1	.	1	.	.	.	128	78	
B43	20	13	13	.	.	13	—	—	—	—	—	—	—	—	—	—	7	7	.	7	—	—	—	—	—	—	—	113	138	
B44	16	10	10	.	.	10	—	—	—	—	—	—	—	—	—	—	6	6	.	6	—	—	—	—	—	—	—	110	82	
B45	7	3	3	4	3	4	1	2	6	6	4		
B46D	41	21	1	2	6	3	9	20	.	.	1	1	.	1	2	6	6	111	100	
BE47	20	16	4	1	7	1	3	.	4	.	.	.	1	2	1	121	.			
BE48	20	12	1	1	2	4	2	2	8	1	1	.	1	6	99	74		
BE49	7	5	1	2	1	.	1	2	1	2	1	1	1	.	.	124	.			
BE50	1	1	1			

* Corresponding detailed list numbers and causes of death appear on page 161.

† Excluding County Borough.

‡ No S.M.R. is shown when fewer than 5 deaths occurred.

S.M.R. for 5-19 deaths is shown in *italics*.

**ABSTRACT 17. County Tyrone: Causes of death at different age-periods
and Standardised Mortality Ratios, by sex, 1968.**

Abbre- viated List Nos. •	Total deaths	MALES												FEMALES												S.M.R. [†] (Northern Ireland = 100)		
		AGED												AGED														
		All ages	under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	All ages	under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	M	F	
ALL CAUSES	1,473	840	31	8	3	42	5	8	11	20	163	232	359	633	30	5	5	40	2	7	4	17	93	166	304	97	99	
B1	
B2	
B3	
B4	2	1	1	1	.	.	.	1	1	
B5	2	2	2	
B6	
B7	
B8	
B9	
B10	
B11	2	1	.	.	.	1	1	1	1	.	.	.	
B12	1	1	1	
B13	
B14	
B15	
B16	
B17	
B18	4	4	1	.	.	1	.	1	2	
B19A	31	14	1	.	.	1	.	1	6	5	3	17	1	6	6	4	80	138	
B19B	31	7	2	12	4	3	24	10	5	9	33	107	
B19C	28	23	2	12	4	5	5	3	.	2	53	67	
B19D	10	2	3	7	7	15	3	5	2	.	51	
B19E	34	19	1	2	5	3	1	8	4	2	86	89	
B19F	56	30	2	12	7	9	26	.	.	.	2	5	7	10	79	98	
B19G	14	14	1	2	5	3	1	1	4	.	252	.	
B20	3	2	1	1	1	1	10	.	.	.	1	1	4	.	.	151	
B21	12	2	1	1	1	1	10	.	.	.	1	1	4	.	.	.	

B22	3	3	3	5	5	.	.	159	
B23	5	1	1	1	2	2	1	7		
B24	1	1	1	1	1	2	3	2	2	8	2	2	1	2	87	63
B25	1	2	3	3	5	5	3	5	79	97		
B26	14	7	6	10	7	20	1	1	2	155	105		
B27A	15	7	3	56	82	94	129	19	40	70	99	102		
B27B	14	9	9	14	52	51	1	1	2	155	105		
B28A	43	23	6	10	7	20	3	6	11	106	120		
B28B	364	235	1	3	56	82	94	129	19	40	70	99	102		
B29	127	76	9	14	52	51	1	1	2	42	140	102	
B30A	35	13	3	5	5	22	1	2	3	25	47	97	
B30B	162	84	6	22	55	78	1	2	3	13	80	102	
B46A	50	24	1	7	16	26	2	1	6	17	83	108	
B31	13	5	1	4	8	1	3	4	165	194		
B32	74	45	2	5	1	8	1	2	9	25	29	.	1	1	2	1	.	.	.	1	3	6	16	131	92	
B33	63	45	12	15	18	18	1	3	7	7	72	87		
B46B	11	8	.	.	1	1	2	1	4	3	1	.	1	1	123	.		
B34	14	9	2	3	4	5	2	3	2	3	125	138		
B35	1	1	2	1	.	1	.	1	
B36	5	4	1	1	2	1	.	1	.	1	1		
B37	3	2	2	.	.	1	1	.	1	3	147	.		
B46C	15	11	1	2	1	1	
B38	5	5	1	2	1	1	112	.
B39	8	8	1	7	—	—	.	—	—	—	—	—	—	—	—	—	—	—	—	153	.	
B40	.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
B41	.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
B42	30	13	7	3	.	10	1	.	.	1	1	.	.	.	1	1	—	—	17	6	3	3	12	1	1	.	1	2	.	.	123	126		
B43	20	10	10	.	.	10	—	.	.	—	—	.	.	.	—	—	—	—	10	10	.	10	—	—	—	—	—	—	—	84	188			
B44	23	9	9	.	.	9	—	.	.	—	—	.	.	.	—	—	—	—	14	14	.	14	—	—	—	—	—	—	—	96	183			
B45	16	6	1	.	4	1	.	.	6	6	3	30	2	.	8	12	8	284	299		
B46D	50	20	4	1	.	.	5	10	83	126
BE47	25	21	1	1	.	2	1	2	2	9	12	1	1	1	1	137	.				
BE48	30	18	1	1	1	.	2	1	2	2	9	12	1	1	1	5	5	118	94			
BE49	4	2	1	1	2	.	2	2			
BE50	1	1	.	.	1	1			

* Corresponding detailed list numbers and causes of death appear on page 161.

†No S.M.R. is shown when fewer than 5 deaths occurred.

S.M.R. for 5-19 deaths is shown in *italics*.

ABSTRACT 17. All urban areas (excluding Belfast and Londonderry County Boroughs): Causes of death at different age-periods and Standardised Mortality Ratios, by sex, 1968.

Abbreviated List Nos. *	Total deaths	MALES												FEMALES												S.M.R.† (Northern Ireland = 100)				
		AGED												AGED																
		All ages	under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	All ages	under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	M	F			
ALL CAUSES	3,514	1,789	73	30	10	113	4	15	24	69	463	537	564	1,725	51	16	8	75	11	5	8	46	306	408	866	102	94			
B1
B2	
B3	
B4	6	2	.	2	.	2	4	.	4	.	4	
B5	11	5	6	.	6	.	6	94	132	
B6	2	1	1	.	1	.	1	
B7	
B8	
B9	
B10	
B11	2	1	.	.	.	1	1	1	.	1	.	1	
B12	
B13	
B14	1	1	.	1	.	1	.	1	.	1	
B15	
B16	
B17	
B18	14	6	1	.	.	1	1	3	1	.	8	1	.	1	2	.	.	2	2	2	97	139	
B19A	64	36	3	9	18	6	28	6	11	11	98	78	
B19B	117	49	12	17	20	68	2	16	16	34	117	104
B19C	120	100	6	46	35	13	20	10	5	5	108	93	
B19D	44	3	7	17	20	43	6	16	14	8	76	
B19E	91	48	1	5	31	23	19	72	3	27	8	5	110	88
B19F	155	83	.	.	.	1	1	3	1	5	31	23	19	7	4	19	3	29	18	21	104	94		
B19G	18	11	1	2	1	4	1	2	7	1	.	1	1	3	1	1	3	1	90	79	
B20	8	2	1	1	1	1	7	4	19	2	3	1	1	.	192		
B21	32	13	1	1	1	1	7	4	19	1	2	5	11	120	98		

* Corresponding detailed list numbers and causes of death appear on page 161.

[†]No S.M.R. is shown when fewer than 5 deaths occurred.

S.M.R. for 5-19 deaths is shown in *italics*.

**ABSTRACT 17. All rural areas: Causes of death at different age-periods
and Standardised Mortality Ratios, by sex, 1968.**

Abbreviated List Nos. *	Total deaths	MALES														FEMALES														S.M.R.† (Northern Ireland = 100)	
		AGED							AGED																						
		All ages	under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	All ages	under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	M	F				
ALL CAUSES	7,065	3,810	121	41	9	171	20	34	60	117	819	1,031	1,558	3,255	105	30	23	158	18	23	26	119	526	798	1,587	91	98				
B1
B2	
B3	
B4	15	10	.	3	1	4	3	2	1	5	.	1	3	4	1	97	75	.		
B5	9	4	2	2	5	1	62	.	.		
B6	7	1	1	.	6	3	1	2	156	.	
B7	
B8	
B9	2	2	.	2	.	2	
B10	
B11	
B12	2	1	1	
B13	
B14	
B15	
B16	
B17	2	2	1	1	
B18	15	11	1	1	.	2	.	3	4	2	4	.	1	.	1	.	.	.	2	1	.	80	.			
B19A	136	68	2	25	25	16	68	2	17	26	23	79	107		
B19B	202	80	1	22	28	29	122	5	35	32	50	79	105			
B19C	164	125	4	57	43	21	39	2	22	9	6	58	101			
B19D	100	100	19	42	22	17	.	97			
B19E	178	94	1	.	.	3	18	36	36	84	1	6	37	27	13	89	96		
B19F	293	155	1	2	5	9	43	49	46	138	3	4	9	37	33	52	83		
B19G	43	34	1	5	3	1	8	11	5	9	2	4	2	2	123	56			
B20	9	6	2	1	2	1	3	3	1	1	1	1	83	.			
B21	54	22	1	.	3	7	11	32	8	14	10	85	93	.			

B22	3	3	1	.	.	3	4	3	3	13	2	3	8	103	80
B23	24	11	.	1	1	1	3	1	.	1	.	.	3	4	3	13	1	.	.	1	1	
B24	5	4	1	.	.	1	4	17	10	9	52	1	5	27	4	15	102	90		
B25	1	.	.	8	19	16	46	1	3	13	29	101	107			
B26	93	41	1	.	.	1	7	8	9	28	1	4	6	16	88	113				
B27A	89	43	1	.	.	1	34	41	27	91	1	22	27	41	97	106				
B27B	53	25	1	.	.	18	291	354	399	646	3	76	190	377	92	99				
B28A	194	103	1	.	.	1	30	50	219	302	1	15	59	226	121	117				
B28B	1,708	1,062	1	.	.	20	25	33	103	18	37	48	100	92	97					
B29	603	301	1	.	.	4	30	103	236	466	2	8	44	127	285	93					
B30A	181	78	1	.	.	18	39	83	123	1	6	8	30	78	104						
B30B	841	375	1	.	.	1	2	66	68	80	70	2	11	10	23	3	.	.	1	2	10	20	92	88					
B46A	263	140	1	.	.	1	1	14	25	1	6	8	30	78	104						
B31	42	17	.	1	1	1	1	25	.	1	.	.	2	1	7	28	79	151	2	11	10	23	3	.	.	1	2	10	20	92	88					
B32	293	142	3	21	1	1	25	.	.	1	.	.	2	66	68	80	70	1	1	14	19	35	72					
B33	287	217	1	.	.	1	4	9	3	15	28	.	1	.	.	1	.	.	1	1	4	4	16	105	94				
B46B	61	33	1	.	.	1	9	9	17	16	2	4	9	104	.	85					
B34	52	36	1	.	.	1	9	9	17	16	1	.	1	.	1	.					
B35	4	1	1	.	.	2	2	8	14	.	2	.	.	.	1	.	.	.	1	.	1	2	9	124	98				
B36	28	14	.	1	1	1	2	.	.	1	.	.	3	3	1	5	2	2	1	.	88	69						
B37	12	7	1	.	.	8	11	14	37	1	.	1	10	12	13	92					
B46C	70	33	1	.	.	1	9	4	4	15	3	1	8	3	83	134					
B38	33	18	1	.	.	1	3	28	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	136	.				
B39	32	32	1	.	.	1	3	28	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.				
B40	.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	.					
B41	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	1	4	154			
B42	117	46	24	12	2	38	2	2	2	1	1	.	71	33	13	7	53	7	3	.	4	3	1	.	87	105					
B43	68	42	42	.	.	42	—	—	—	—	—	—	—	26	26	.	26	—	—	—	—	—	—	—	—	—	71	98			
B46	89	46	46	.	.	46	—	—	—	—	—	—	—	43	43	.	43	—	—	—	—	—	—	—	—	—	—	98	113		
B45	40	15	1	.	1	.	.	1	12	25	1	.	.	1	1	.	1	4	18	157	144	
B46D	223	107	1	.	1	2	2	6	4	11	33	16	33	116	.	.	2	2	2	3	3	11	25	35	35	91	94			
BE47	124	96	2	10	22	27	13	13	9	28	.	.	1	2	6	5	5	7	2	1	122	109			
BE48	153	86	3	.	1	4	4	2	13	14	10	4	3	35	67	.	1	2	2	2	1	4	9	11	37	116	100			
BE49	35	18	2	4	9	3	.	17	1	1	7	8	.	.	73	80				
BE50	9	3	1	1	.	1	6	3	2	.	.	1	.	149			

* Corresponding detailed list numbers and causes of death appear on page 161.

†No S.M.R. is shown when fewer than 5 deaths occurred.

S.M.R. for 5-19 deaths is shown in *italics*.

ABSTRACT 18. Northern Ireland: Deaths and death rates at different age-periods, 1968.

AREA	TOTAL DEATHS	AGES AT DEATH																						95 and over			
		Under 1 year	1-	2-	3-	4-	Under 5 years	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-		
NORTHERN IRELAND	15,933	796	30	20	24	15	885	56	46	73	72	68	96	131	241	411	553	984	1,420	1,946	2,321	2,384	2,069	1,412	640	125	
	Persons	8,235	458	14	15	9	6	502	34	27	54	49	44	58	65	124	241	320	609	863	1,126	1,223	1,134	944	542	39	
	Males	7,698	338	16	5	15	9	383	22	19	23	24	38	66	117	170	233	375	557	820	1,098	1,250	1,125	870	403	86	
BELFAST COUNTY BOROUGH	4,811	234	9	4	12	6	265	11	9	7	16	22	25	33	82	130	178	341	473	636	719	681	578	410	159	36	
	Persons	2,340	142	7	2	6	2	159	6	4	3	14	12	17	11	50	76	100	203	292	357	349	292	222	118	44	
	Males	2,471	92	2	2	6	4	106	5	5	4	2	10	8	22	32	54	78	138	181	279	370	389	356	292	115	
LONDONDERRY COUNTY BOROUGH	543	45	1	2	1	1	50	3	2	3	1	1	2	6	14	7	26	38	61	60	78	73	63	36	18	1	
	Persons	296	32	1	2	1	1	35	2	1	2	1	1	1	5	8	3	19	20	38	32	43	39	29	10	9	
	Males	247	13	1	.	1	.	15	1	2	1	1	1	1	6	4	7	18	23	28	35	34	34	26	9		
ANTRIM	2,907	159	7	4	5	1	176	7	8	23	13	12	25	17	39	90	91	186	240	364	408	420	385	256	122	25	
	Persons	1,476	85	2	3	2	1	84	1	5	17	9	5	16	22	49	51	108	145	213	218	179	100	51	51	6	
	Males	1,431	74	5	1	3	1	84	1	5	6	4	7	9	8	17	41	40	78	95	151	190	241	208	156	71	
ARMAGH	1,296	55	5	2	1	2	65	10	5	10	7	1	8	14	19	22	26	75	129	178	191	220	163	111	33	9	
	Persons	711	31	2	1	1	1	35	5	3	9	7	1	4	8	8	14	13	46	72	119	97	116	79	54	17	4
	Males	585	24	3	1	1	1	30	5	2	1	.	.	4	6	11	8	13	29	57	59	94	104	84	57	16	
DOWN	3,132	129	3	3	5	4	144	10	7	13	17	15	14	26	45	87	123	183	273	353	461	466	416	289	165	25	
	Persons	1,606	75	3	3	1	2	81	8	7	11	11	13	8	15	16	54	72	125	157	199	259	214	185	107	56	
	Males	1,526	54	3	.	4	2	63	2	.	2	6	2	6	11	29	33	51	58	116	154	202	252	231	182	109	
FERMANAGH	644	25	25	2	4	4	2	2	6	8	8	15	21	26	50	71	96	96	102	60	38	8	
	Persons	357	12	12	2	3	2	2	1	5	6	3	9	12	21	31	37	59	52	51	32	17	
	Males	287	13	13	2	1	2	2	1	1	2	5	6	9	5	19	34	37	44	51	28	21	
S LONDONDERRY	1,127	67	2	1	.	1	71	5	4	6	8	9	8	16	22	35	44	54	88	119	135	180	152	111	50	10	
	Persons	609	39	2	.	1	1	41	3	3	5	2	7	3	6	10	19	26	31	64	72	63	106	73	54	17	
	Males	518	28	.	1	.	1	30	2	1	1	6	2	5	10	12	16	18	23	24	47	72	74	79	57	33	
TYRONE	1,473	82	3	4	.	.	89	8	7	7	8	6	8	11	12	25	44	81	106	165	233	248	210	139	55	11	
	Persons	840	42	1	4	.	.	47	4	4	5	6	4	4	5	7	17	27	55	64	97	135	136	128	67	26	
	Males	633	40	2	.	.	.	42	4	3	2	2	2	4	6	5	8	17	26	42	68	98	112	82	72	29	
NORTHERN IRELAND—																											
Death rate per 1,000 population		10.6	*24.0	0.9	0.6	0.7	0.5	5.5	0.4	0.3	0.6	0.7	0.8	1.1	1.6	2.8	4.7	7.0	12.4	20.4	33.0	51.8	81.6	124.6	222.1		
in each age-group			11.2	*26.7	0.8	0.9	0.5	0.4	6.0	0.4	0.4	0.8	0.9	1.0	1.4	1.6	3.0	5.6	8.4	16.1	43.6	66.1	97.8	152.3	233.7		
Females			10.0	*21.1	1.0	0.3	1.0	0.6	4.9	0.3	0.3	0.3	0.4	0.5	0.9	1.5	2.6	3.8	5.7	9.1	14.7	24.8	41.7	71.0	108.2	215.7	

* Rate per 1,000 live births.
§ Excluding County Borough.

ABSTRACT 19. Northern Ireland: Deaths from violent causes, by nature of injury, external cause and sex, 1968.

581

Intermediate List	NATURE OF INJURY	TOTAL	EXTERNAL CAUSE OF INJURY (INTERMEDIATE LIST)												
			AE138. Motor vehicle accidents	AE139. Other transport accidents	AE140. Accidental poisoning	AE141. Accidental falls	AE142. Accidents caused by fires	AE143. Accidental drowning and submersion	AE144. Accident caused by firearm missiles	AE145. Accidents mainly of industrial type	AE146. All other accidents	AE147. Suicide and self inflicted injury	AE148. Homicide and injury purposely inflicted by other persons; legal intervention	AE149. Injury unintended whether accidentally or purposely inflicted	AE150. Injury resulting from operations of war
AN138	TOTAL M 371 F 268	162													
AN139	Fracture of skull M 94 F 38	72	9	10	9	58	15	20	3	11	51	2	4		
AN140	Fracture of spine and trunk M 34 F 19	23	1	1		109	16	1	3	3	48	1	3		
AN141	Fracture of limbs M 34 F 19	2	2	1		14	1	6	2	4	15	1	2		
AN142	Dislocation without fracture M 7 F 5					31	1	6	2	2	1	1	1		
AN143	Sprains and strains of joints and adjacent muscles M 1 F 1					96	1	6	2	2	1	1	1		
AN144	Intracranial injury (excluding skull fracture) M 32 F 10	22	2	3		4	1	1	1	1	3	1	1		
AN145	Internal injury of chest, abdomen and pelvis M 44 F 10	35	7	3		3	1	1	1	1	1	1	2		
AN146	Laceration and open wound M 6 F 2					1		1	1	1	1	1	1		
AN147	Superficial injury, contusion and crushing with intact skin surface M 1 F 1							10	1	1	1	1	1		
AN148	Foreign body entering through orifice M 1 F 1						11	5	5	3	2	2	2		
AN149	Burn M 13 F 11						10	20	1	7	6	25	2		
AN150	Adverse effects of chemical substances M 40 F 51		3	4	2	7	1	1	1	1	7	18	1	4	
	All other and unspecified effects of external cause M 66 F 24					9		1	1	1	6	13	2	1	

**ABSTRACT 20. Northern Ireland: Deaths from
(a) by place of occurrence**

Age-groups	TOTAL		Home		Farm		Industrial place and premises		Other specified places		Place unspecified		While working	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F

E850-869: Accidental poisoning by solid and liquid substances

All ages	2	4	1	4	1
0—
5—
15—	1	.	1	1
45—	2	1	1	1
65—
75 and over	1	.	1

E870-877: Accidental poisoning by gases and vapours

All ages	7	5	5	5	2
0—
5—
15—	3	.	1	.	2
45—	1	.	1
65—	1	.	1
75 and over	4	3	4	3

E880-887: Accidental falls

All ages	58	109	35	63	.	3	6	.	14	20	3	23	8	1
0—	2	1	2	1	1
5—	1	1
15—	5	.	1	.	.	2	.	.	1	.	.	.	4	.
45—	5	8	1	5	.	2	2	.	2	1	.	.	3	1
65—	9	15	6	10	.	1	.	.	2	4	1	1	1	.
75 and over	36	85	26	47	.	1	.	.	8	15	2	22	.	.

E890-899: Accidents caused by fire and flames

All ages	15	16	12	16	2	.	1	.	1	.
0—	3	4	3	4
5—	2	.	2	1	.	.	.	1	.
15—	1	1	.	1	1
45—	1	3	1	3	1
45—	2	2	1	2	1
75 and over	8	4	8	4

E910: Accidental drowning and submersion

All ages	20	1	19	1	1	.	.	.
0—	4	4
5—	3	3
15—	11	1	10	1	1	.	.	.
45—	2	2
65—
75 and over

E911-912: Inhalation and ingestion of food and other objects causing obstruction and suffocation

All ages	1	1	1	1
0—	1	1	1	1
5—
15—
45—
65—
75 and over

**non-transport accidents (E850-929) by age and sex,
(b) while working, 1968.**

Age-groups														
	TOTAL		Home		Farm		Industrial place and premises		Other specified places		Place unspecified		While working	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F

E913: Accidental mechanical suffocation in bed and cradle and other circumstances

All ages	1	.	1
0—	1	.	1
5—	1	.	1
15—	1	.	1
45—	1	.	1
65—	1	.	1
75 and over	1	.	1

E916: Blow from falling object

All ages	.	.	6	1	.	.	1	1	3	.	2	.	.	3	.
0—	.	.	1	1	.	.	1	1	1	.	1	.	.	1	.
5—	.	.	1	1	.	.	1	1	1	.	1	.	.	1	.
15—	.	.	2	1	.	.	1	1	2	.	1	.	.	2	.
45—	.	.	2	1	.	.	1	1	1	.	1	.	.	1	.
65—	.	.	2	1	.	.	1	1	1	.	1	.	.	1	.
75 and over	.	.	1	1	.	.	1	1	1	.	1	.	.	1	.

E922: Accident caused by firearm

All ages	.	.	3	1	.	1	.	1	1	.	2
0—	.	.	1	1	.	1	.	1	1	.	1	.	.	1	.
5—	.	.	1	1	.	1	.	1	1	.	1	.	.	1	.
15—	.	.	1	1	.	1	.	1	1	.	1	.	.	1	.
45—	.	.	1	1	.	1	.	1	1	.	1	.	.	1	.
65—	.	.	1	1	.	1	.	1	1	.	1	.	.	1	.
75 and over	.	.	1	1	.	1	.	1	1	.	1	.	.	1	.

E925, 927, 928: Accident caused by machinery and electric current

All ages	.	.	11	1	.	1	.	2	1	4	.	4	.	.	5	.
0—	.	.	1	1	.	1	.	1	1	2	.	1	.	.	2	.
5—	.	.	1	1	.	1	.	1	1	2	.	1	.	.	3	.
15—	.	.	6	1	.	1	.	1	1	1	.	1	.	.	2	.
45—	.	.	4	1	.	1	.	1	1	2	.	1	.	.	3	.
65—	.	.	1	1	.	1	.	1	1	1	.	1	.	.	1	.
75 and over	.	.	1	1	.	1	.	1	1	1	.	1	.	.	1	.

Remainder E850-929: Other and unspecified accidents

All ages	.	.	11	11	3	2	2	1	2	.	3	5	1	3	2	1
0—	.	.	3	1	3	1	1	1	1	.	1	1
5—	.	.	1	1	1	1	1	1	1	.	1	1
15—	.	.	3	2	1	1	1	1	1	.	1	1	.	1	1	1
45—	.	.	1	5	1	1	1	1	1	.	1	3	.	1	1	1
65—	.	.	1	1	1	1	1	1	1	.	1	1	.	1	1	1
75 and over	.	.	2	3	1	1	1	1	1	.	1	1	1	2	1	1

E850-929: Total non-transport accidents

All ages	.	.	134	149	59	92	7	5	15	.	47	26	6	26	19	2
0—	.	.	14	6	9	6	5	7
5—	.	.	7	4	3	3	.	1	1	.	16	1	1	1	10	.
15—	.	.	32	4	2	2	4	1	9	.	5	5	2	1	7	2
45—	.	.	16	19	3	11	3	2	5	.	5	5	4	2	1	2
65—	.	.	15	20	7	15	1	1	1	.	9	16	3	24	.	.
75 and over	.	.	50	96	38	55	.	1	1	.	9	16	3	24	.	.

ABSTRACT 21. Northern Ireland: Deaths from cancer* in each county and county borough by sex and site, 1968.

Detailed List Numbers	SITES	CO. BOROUGHS				COUNTIES											
		Belfast		London-derry		Antrim		Armagh		Down		Fermanagh		London-derry (exc. Co. Boro.)		Tyrone	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
140	<i>Buccal cavity and pharynx</i>																
141	Lip	1	2			2	1	1				1		1		2	
142	Tongue	1	1					2							1		
143	Salivary gland																
144	Gum																
145	Floor of mouth		2					1								1	
146	Other and unspecified parts of mouth		1			1	3	1			1		1		1		
147	Oropharynx		1	2		1		1							1		
148	Nasopharynx		1	4		1		1		3		1		1		1	
149	Hypopharynx		2	1		1				3					1	1	
150	<i>Digestive organs and peritoneum</i>																
151	Oesophagus	17	9	1	5	7	9	5	6	9	9	1	4	2	2	2	
152	Stomach	62	49	8	5	32	25	22	13	17	24	6	3	13	14	14	17
153	Small intestine, including duodenum		1	5	1	1	1	1		1							
154	Large intestine, except rectum	46	58	3	5	25	44	7	21	22	35	7	12	5	14	4	21
155	Rectum and rectosigmoid junction	20	19	2	1	12	11	9	3	24	16	1	3	8	14	5	3
156	Liver and intrahepatic bile ducts, specified as primary	2	2	1		1	3			2	1					1	
157	Gallbladder and bile ducts	3	7	1		1	8	2		1	7				1	3	
158	Pancreas	26	19	2	2	13	11	8	4	13	13		1	1	4	6	1
159	Peritoneum and retroperitoneal tissue																
160	<i>Respiratory system</i>																
161	Nose, nasal cavities, middle ear and accessory sinuses														1		
162	Larynx	2	1			1		1		2		3	1	1		1	
163	Trachea, bronchus and lung	196	27	13	5	71	20	25	5	77	18	10	3	19	8	23	5
164	Other and unspecified respiratory organs					1				1							
165	<i>Bone, connective tissue, skin and breast</i>																
166	Bone	1	3			2	3			5					1	1	
167	Connective and other soft tissue	4	6	1		1	4	2	2	1	1				1	2	1
168	Melanoma of skin	2	6			2	2	4		3	4	1	1		1	1	
169	Skin (other than melanoma)	3	6			12		43		17		41		8		25	10
170	Breast	1	85														
171	<i>Genito-urinary organs</i>																
172	Cervix uteri		15		4		10		3		6		2		1		6
173	Chorionepithelioma						1								4		3
174	Other parts of uterus		15			6		6		3		11		1		1	
175	Ovary, fallopian tube, and broad ligament					21	1	17		7		14		2		3	
176	Other and unspecified female genital organs							3	1						2		4
177	Prostate	31	6	4		28		6	1	26	2	6		9	2	9	
178	Testis			1		1				1					2		
179	Other and unspecified male genital organs														1	1	
180	Bladder	16	10	3	1	10	4	4	1	9		1	1	3	1	4	1
181	Other and unspecified urinary organs	10	5		1	5	2	2		6	4	3			4		1
182	<i>Other and unspecified sites</i>																
183	Eye	1														4	4
184	Brain	9	4	2		1	3	3	1	5	2	1	1	3	1		
185	Other parts of nervous system	3	1	1		2	3		1	3							
186	Thyroid gland	2	3			2	3										
187	Other endocrine glands	1				1	1	4									
188	Ill-defined sites	4	4			2	3	4		6		1	1	1	3		1
189	Lymph nodes (secondary and unspecified)	1				1				1					2	1	
190	Respiratory and digestive systems (secondary)	8	6	1		2	3	3	3	2	3	3	1	1	1	1	3
191	Other sites (secondary)	4	3	1		2	1	4	1	1	3			1	1	3	
192	Unspecified sites	6	5	1	3	3	2	3	2	2	5						
193	<i>Lymphatic and haematopoietic tissue</i>																
194	Lymphosarcoma and reticulos-cell sarcoma	4	4	1	1	2	1	2	4	5	2	1	1	2			3
195	Lymphoid tissue (other)	2		1		1		1	1	1	4	1	1	1	2		2
196	Multiple myeloma	11	2			3	3	2	1	1	1	1	1	1	1	1	2
197	Polycythaemia vera					1		1									
198	Myelofibrosis			1													
199																	
200	<i>Total</i>	505	415	46	42	243	254	122	104	255	231	46	41	79	99	93	97

*Excluding Hodgkin's disease and leukaemia (201, 203-207). Deaths from these diseases will be found in Abstract 17.

ABSTRACT 22. Northern Ireland: Deaths of all children under one year in each county and county borough, 1965-68.

AREA													Year 1968														
				MALES and FEMALES						MALES						FEMALES											
	1965	1966	1967	Total	under 1 day	1-6 days	1-3 wks	4 wks-	2 mths-	3-5 mths	6-11 mths	Total	under 1 day	1-6 days	1-3 wks	4 wks-	2 mths-	3-5 mths	6-11 mths	Total	under 1 day	1-6 days	1-3 wks	4 wks-	2 mths-	3-5 mths	6-11 mths
NORTHERN IRELAND .	849	849	785	796	260	191	71	56	39	102	77	458	149	117	41	30	23	63	35	338	111	74	30	26	16	39	42
All urban areas	493	505	449	467	140	103	53	35	22	69	45	287	84	70	32	20	11	44	26	180	56	33	21	15	11	25	19
All rural areas	356	344	336	329	120	88	18	21	17	33	32	171	65	47	9	10	12	19	9	158	55	41	9	11	5	14	23
Belfast County Borough .	232	264	226	234	65	53	23	20	11	38	24	142	44	38	11	9	4	23	13	92	21	15	11	7	15	11	11
Londonderry County Borough .	38	48	46	45	12	12	7	1	2	8	3	32	5	9	6	1	2	6	3	13	7	3	1	2	5	2	1
County Antrim	187	175	157	159	57	24	19	14	9	19	17	85	34	11	10	9	5	11	5	74	23	13	9	5	4	8	12
" Armagh	71	65	81	55	21	7	8	7	2	7	3	31	10	3	4	6	1	5	2	24	11	4	4	1	1	2	1
" Down	132	147	123	129	42	37	8	9	7	17	9	75	23	22	4	5	5	12	4	54	19	15	4	4	2	5	5
" Fermanagh	22	18	22	25	6	10	1	1	1	2	4	12	4	5	1	1	1	1	1	13	2	5	1	1	2	2	3
" Londonderry*	73	63	63	67	26	21	2	3	1	5	9	39	16	14	2	2	1	2	4	28	10	7	3	3	3	5	5
" Tyrone	94	69	67	82	31	27	3	1	6	6	8	42	13	15	3	.	4	4	3	40	18	12	.	1	2	2	5

* Excluding County Borough.

180

ABSTRACT 23. Northern Ireland: Deaths of illegitimate children under one year in each county and county borough, 1965-68.

AREA													Year 1968														
				MALES and FEMALES						MALES						FEMALES											
	1965	1966	1967	Total	under 1 day	1-6 days	1-3 wks	4 wks-	2 mths-	3-5 mths	6-11 mths	Total	under 1 day	1-6 days	1-3 wks	4 wks-	2 mths-	3-5 mths	6-11 mths	Total	under 1 day	1-6 days	1-3 wks	4 wks-	2 mths-	3-5 mths	6-11 mths
NORTHERN IRELAND .	26	25	29	42	19	14	.	1	1	5	2	25	13	7	.	.	1	2	2	17	6	7	.	1	.	3	.
All urban areas	10	12	13	23	9	7	.	1	1	3	2	16	7	4	.	.	1	2	2	7	2	3	.	1	.	1	.
All rural areas	16	13	16	19	10	7	.	.	.	2	.	9	6	3	10	4	4	.	.	.	2	.
Belfast County Borough .	5	5	7	13	4	3	.	1	1	2	2	10	3	2	.	.	1	2	2	3	1	1	.	1	.	.	.
Londonderry County Borough .	1	2	2	3	2	2	.	.	.	1	.	2	2	2	5	1	3	.	.	.	1	.
County Antrim	7	6	5	7	3	3	.	.	.	1	.	2	2	2	2	1	1	.
" Armagh	3	5	5	8	5	2	.	.	.	1	.	6	4	2	1	1	1	.	.	.	1	.
" Down	4	4	4	8	5	2	.	.	.	1	.	1	1	1	1	1	1	.	.	.	1	.
" Fermanagh	1	4	1	2	2	2	.	.	.	1	.	1	1	1	1	1	1	.	.	.	1	.
" Londonderry*	4	1	2	2	2	2	.	.	.	1	.	3	3	5	2	2	.	.	.	1	.
" Tyrone	5	1	5	8	5	2	.	.	.	1	.	3	3	5	2	2	.	.	.	1	.

* Excluding County Borough.

ABSTRACT 24. Northern Ireland: Infant

Detailed List Numbers	CAUSES OF DEATH	Total deaths	DAYS						Total under 1 week	
			under 1 day	1-	2-	3-	4-	5-		
	All causes	{M F 458 338	149 111	49 32	34 19	17 14	10 3	4 4	3 2	266 185
009	Diarrhoeal disease	{M F 14 11
013	Tuberculosis of meninges and central nervous system	{M F
014	Tuberculosis of intestines, peritoneum and mesenteric glands	{M F
010-012, 015-019	Other tuberculous diseases	{M F
032	Diphtheria	{M F
033	Whooping cough	{M F 2 2
034.1	Scarlet fever	{M F
036	Meningococcal infection	{M F 2
040-043	Acute poliomyelitis	{M F
055	Measles	{M F
090-097	Syphilis	{M F
310-315	Mental retardation	{M F
320	Meningitis	{M F 7 2
466.0, 490-491	Bronchitis	{M F 2 1
470-474	Influenza	{M F 2
480-486	Pneumonia	{M F 82 57	i	3	1	.	.	i	.	4 3
740	Anencephalus	{M F 11 15	9	.	1	.	.	1	.	11 14
741.0	Spina bifida with hydrocephalus	{M F 14 19	4	1	2	5 7
741.9	Spina bifida without hydrocephalus	{M F 3 15	1	1	.	i	.	.	.	2 6
742	Congenital hydrocephalus	{M F 2 15	i	1	i	3	.	.	.	5
743	Other congenital anomalies of nervous system	{M F 3 3	i	1	i	1 3
744	Congenital anomalies of eye	{M F
745	Congenital anomalies of ear, face and neck	{M F
746	Congenital anomalies of heart	{M F 30 25	2	2	5	.	1	1	1	11 8
747	Other congenital anomalies of circulatory system	{M F 1 2	.	i	1	1

mortality by cause, age and sex, 1968.

WEEKS	Total under 4 weeks	MONTHS											Mortality rate per 10,000 live births	Deaths of illegitimate infants		Detailed List Numbers		
		1-	2-	3-	4-	5-	6-	7-	8-	9-	10-	11-		No.	Rate per 10,000 illegitimate live births			
23	10	8	307	30	23	27	22	14	13	9	5	4	1	267	25	337		
12	12	6	215	26	16	16	13	10	11	6	9	7	5	211	17	292		
.	.	.	1	1	3	1	3	2	2	1	1	.	1	8	.	.	M } 009	
.	.	.	1	1	3	1	3	2	2	1	1	.	1	7	.	.	F } 013	
.	M } 014	
.	M } 010-012, F } 015-019	
.	M } 032	
.	M } 033	
.	M } 034.1	
.	1	M } 036	
.	M } 040-043	
.	M } 055	
.	M } 090-097	
.	M } 310-315	
1	1	1	3	1	1	1	1	1	1	1	1	1	1	4	.	.	M } 320	
.	1	1	15	M } 466.0, F } 490-491	
.	1	1	1	1	1	1	1	1	M } 470-474	
3	1	2	10	16	14	14	14	3	5	4	1	1	2	48	2	30	M } 480-486	
.	.	.	5	8	6	10	7	4	5	4	2	3	2	36	1	17	F } 480-486	
.	.	.	11	1	1	1	1	1	1	6	1	15	M } 740	
.	.	.	14	1	9	1	17	F } 740	
3	1	1	8	2	3	1	1	2	1	1	1	2	1	8	1	15	M } 741.0	
3	1	1	12	3	1	1	1	1	1	1	1	2	1	12	1	17	F } 741.0	
5	1	2	13	1	1	1	1	1	1	1	1	1	1	2	9	1	17	M } 741.9
.	1	2	.	1	2	2	2	1	2	1	1	1	1	1	9	.	.	M } 742
.	1	1	2	1	1	1	1	1	1	1	1	1	1	2	2	1	15	M } 743
.	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	.	M } 744
.	1	1	M } 745	
5	1	1	18	2	6	2	1	1	2	1	1	1	2	17	3	52	M } 746	
1	1	1	11	4	2	1	1	1	2	1	1	1	2	16	1	1	M } 747	
.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	M } 747	

ABSTRACT 24 (continued). Northern Ireland:

Detailed List Numbers	CAUSES OF DEATH	Total deaths	DAYS						Total under 1 week
			under 1 day	1-	2-	3-	4-	5-	
748	Congenital anomalies of respiratory system {M F}	1 1	1	1
749	Cleft palate and cleft lip {M F}
750	Other congenital anomalies of upper {M F} alimentary tract	3	.	.	2	.	.	.	2
751	Other congenital anomalies of digestive {M F} system	7 2	1	.	1	.	1	1	3
752	Congenital anomalies of genital organs {M F}
753	Congenital anomalies of urinary system {M F}	8 2	2 1	2
754	Clubfoot (congenital) {M F}
755	Other congenital anomalies of limbs {M F}	2	1	1
756	Other congenital anomalies of musculo- {M F} skeletal system	3 2	2	2
757	Congenital anomalies of skin, hair and {M F} nails	1
758	Other and unspecified congenital anomalies {M F}	1	1	1
759	Congenital syndromes affecting multiple {M F} systems	5 9	1 1	1	1	1	.	.	2
760	Chronic circulatory and genito-urinary {M F} diseases in mother
761	Other maternal conditions unrelated to {M F} pregnancy
762	Toxaemia of pregnancy {M F}	7 4	3 3	3	1	1	.	.	7
763	Maternal ante- and intrapartum infection {M F}	1	1	1
764	Difficult labour with abnormality of bones, {M F} organs or tissues	1	1	.	1
765	Difficult labour with disproportion, but no {M F} mention of abnormality of pelvis	1	1	1
766	Difficult labour with malposition of foetus {M F}	1	.	1	1
767	Difficult labour with abnormality of forces {M F} of labour	1	.	1	.	1	.	.	1
768	Difficult labour with other and unspecified {M F} complications	3 1	1 1	1	.	1	.	.	3
769	Other complications of pregnancy and {M F} childbirth	8 6	5 5	1	2	.	.	.	8
770	Conditions of placenta {M F}	6 4	4 2	2	6
771	Conditions of umbilical cord {M F}	2 2	2	2
772	Birth injury without mention of cause {M F}	19 3	10 1	3 1	1	2	.	.	16
773	Termination of pregnancy {M F}	2	2	2

Infant mortality by cause, age and sex, 1968.

WEEKS			Total under 4 weeks	MONTHS											Mortality rate per 10,000 live births	Deaths of illegitimate infants		Detailed List Numbers	
1-	2-	3-		1-	2-	3-	4-	5-	6-	7-	8-	9-	10-	11-	No.	Rate per 10,000 illegitimate live births			
.	.	.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	M } 748	F }	
.	M } 749	F }	
1	.	.	3	2	.	M } 750	F }	
1	i	.	4	2	2	1	1	1	1	1	1	1	1	1	4	1	M } 751	F }	
.	M } 752	F }	
.	1	.	3	2	1	1	1	2	5	1	M } 753	F }	
.	1	.	2	M } 754	F }	
1	.	.	2	1	.	M } 755	F }	
.	.	.	2	1	.	1	1	1	1	1	2	1	M } 756	F }	
.	.	i	i	1	.	M } 757	F }	
.	.	1	1	1	15 M } 758	F }	
.	1	.	3	4	3	1	1	1	i	3	6	M } 759	F }	
.	1	.	4	3	3	1	1	1	M } 760	F }	
.	M } 761	F }	
.	.	.	7	4	4	2	1	15 M } 762	F }
.	.	.	i	1	.	M } 763	F }	
.	.	.	1	1	.	M } 764	F }	
.	.	.	1	1	.	M } 765	F }	
.	.	.	i	1	.	M } 766	F }	
.	.	.	1	1	.	M } 767	F }	
.	.	.	1	1	.	M } 768	F }	
.	.	.	3	1	2	1	.	M } 769	F }
.	.	.	8	6	5	4	1	17 M } 770	F }
.	.	.	6	4	3	2	.	M } 770	F }
.	.	.	2	2	1	1	17 M } 771	F }	
2	.	.	18	1	11	2	1	15 M } 772	F }
.	.	.	2	1	.	M } 773	F }	

ABSTRACT 24 (continued). Northern Ireland:

Detailed List Numbers	CAUSES OF DEATH	Total deaths	DAYS							Total under 1 week
			under 1 day	1-	2-	3-	4-	5-	6-	
774	Haemolytic disease of newborn with kernicterus	{M F 1 1
775	Haemolytic disease of newborn without kernicterus	{M F 9 6	2	4	1	1	1	1	.	9 6
776	Anoxic and hypoxic conditions not elsewhere classified	{M F 97 49	48	20	16	6	4	1	1	96 47
777	Immaturity, unqualified	{M F 56 52	40	6	6	1	1	1	1	56 51
778	Other conditions of foetus or newborn	{M F 3 3	1	.	1	.	.	.	1	1 3
Rem. 000-796	Other natural causes	{M F 31 17	1	.	1	2	.	.	.	4 3
E904	Hunger, thirst, exposure and neglect	{M F 3 .	3	3
E911-912	Inhalation and ingestion of food, etc., causing obstruction or suffocation	{M F 1
E913	Accidental mechanical suffocation	{M F
Rem. E800-999	Other violent deaths	{M F 2 3	1	1

Infant mortality by cause, age and sex, 1968.

WEEKS	Total under 4 weeks		MONTHS											Mortality rate per 10,000 live births	Deaths of illegitimate infants		Detailed List Numbers	
			1-	2-	3-	4-	5-	6-	7-	8-	9-	10-	11-		No.	Rate per 10,000 illegitimate live births		
1	.	.	1	1	1	1	.	M } 774	F }
.	.	.	9	6	5	4	.	M } 775	F }
1	2	.	97	49	57	4	60	M } 776	F }
.	1	.	56	52	33	6	90	M } 777	F }
2	.	.	3	3	2	2	.	M } 778	F }
2	2	3	11	2	4	2	4	3	1	2	2	2	1	18	4	60	M } Rem.	F } 000-796
.	1	1	5	.	4	1	2	.	2	2	2	.	1	11	.	.	M } E904	F }
.	.	.	3	2	1	15	M } E911-912	F }
.	1	.	.	M } E913	F }	
.	.	.	1	2	.	.	1	1	1	15	M } Rem.	F } E800-999	
.	2	1	17	M } E800-999	F }	

ABSTRACT 25. Northern Ireland: Infant mortality by cause, sex and month of registration, 1968.

Detailed List Numbers	CAUSES OF DEATH	Year	January	February	March	April	May	June	July	August	September	October	November	December
009	Diarrhoeal disease	M 14 F 11	1 1	2 2		1 3	2 4		3 1	1 1	1 1	1 1	1 1	3
013	Tuberculosis of meninges and central nervous system	M . F
014	Tuberculosis of intestines, peritoneum and mesenteric glands	M . F
010-012, 015-019 032	Other tuberculous diseases	M . F
033	Diphtheria	M . F
034.1	Whooping cough	M 2 F 2	.	1	.	.	1	2
036	Scarlet fever	M . F
040-043	Meningococcal infection	M 2 F F	.	.	.	1	1
055	Acute poliomyelitis	M . F
090-097	Measles	M . F
310-315	Syphilis	M . F
320	Mental retardation	M . F	1	1	1	1	2	2	1
466.0, 490-491 470-474	Meningitis	M 7 F 2	.	.	1	1
480-486	Bronchitis	M 2 F 2	1	1	.	.	.
740	Influenza	M 2 F 2	1	1	1	1	.
741.0	Pneumonia	M 82 F 57	8	9	5	10	6	5	7	4	6	7	4	11
741.9	Anencephalus	M 11 F 15	1	.	2	2	1	2	1	2	1	1	1	3
742	Spina bifida with hydrocephalus	M 14 F 19	.	1	.	2	2	3	3	1	1	1	2	1
743	Spina bifida without hydrocephalus	M 3 F 15	.	3	4	.	1	1	1	1	1	1	1	1
744	Congenital hydrocephalus	M 2 F 15	3	2	2	1	1	1	1	2	2	1	1	1
745	Other congenital anomalies of nervous system	M 3 F 3	.	.	1
746	Congenital anomalies of eye	M . F
747	Congenital anomalies of ear, face and neck	M . F
748	Congenital anomalies of heart	M 30 F 25	4	1	2	4	1	5	2	4	1	3	2	3
749	Other congenital anomalies of circulatory system	M 1 F 2	.	.	1
750	Congenital anomalies of respiratory system	M 1 F 1
751	Cleft palate and cleft lip	M . F
752	Other congenital anomalies of upper alimentary tract	M 3 F 2	2
753	Other congenital anomalies of digestive system	M 7 F 2	1	.	1	1	1	1	1	1	1	1	1	1
754	Congenital anomalies of genital organs	M . F
755	Congenital anomalies of urinary system	M 8 F 2	.	1	.	.	1	1	1	1	1	1	1	3
756	Clubfoot (congenital)	M . F	1
757	Other congenital anomalies of limbs	M 2 F 1	1	1
758	Other congenital anomalies of musculoskeletal system	M 3 F 2	1	.	.	.	1	1	.	.	1	.	1	.
759	Congenital anomalies of skin, hair and nails	M 1 F 1	1	.	.	1	.	1	.	.
	Other and unspecified congenital anomalies	M 1 F 1	1	.	.	.
	Congenital syndromes affecting multiple systems	M 5 F 9	2	.	1	1	.	.	.	1	2	1	1	2

ABSTRACT 25 (continued). Northern Ireland: Infant mortality by cause, sex and month of registration, 1968.

Detailed List Numbers	CAUSES OF DEATH	Year	January	February	March	April	May	June	July	August	September	October	November	December	
760	Chronic circulatory and genito-urinary diseases in mother	M	
761	Other maternal conditions unrelated to pregnancy	M F	.	.	.	1	2	.	.	1	1	.	.	.	
762	Toxaemia of pregnancy	M F	7 4	2 1	1	1	1	
763	Maternal ante- and intrapartum infection	M F	1	1	
764	Difficult labour with abnormality of bones, organs or tissues of pelvis	M F	1	.	.	.	1	
765	Difficult labour with disproportion, but no mention of abnormality of pelvis	M F	1	1	
766	Difficult labour with mal-position of foetus	M F	1	1	1	.	
767	Difficult labour with abnormality of forces of labour	M F	1	1	.	.	.	
768	Difficult labour with other and unspecified complications	M F	3 1	1	.	1	.	1	.	.	
769	Other complications of pregnancy and childbirth	M F	8 6	1	.	.	1	2	1	1	1	1	1	2	
770	Conditions of placenta	M F	6 4	1	1	1	1	1	2	.	.	.	2	.	
771	Conditions of umbilical cord	M F	2 2	1	1	.	.	.	1	1	
772	Birth injury without mention of cause	M F	19 3	2	.	1	1	2	3	3	1	1	1	2	
773	Termination of pregnancy	M F	2	1	1	
774	Haemolytic disease of newborn with kernicterus	M F	1 1	1	.	.	.	
775	Haemolytic disease of newborn without kernicterus	M F	9 6	1	1	1	1	5	9	4	11	6	9	1	
776	Anoxic and hypoxic conditions not elsewhere classified	M F	97 49	6 5	10 4	9 1	5 4	7 6	3 4	5 6	6 5	14 5	8 5	3 4	1 6
777	Immaturity, unqualified	M F	56 52	6 6	4 4	2 2	6 6	4 4	6 6	6 6	8 3	3 3	4 4	4 4	3 6
778	Other conditions of foetus or newborn	M F	3 3	.	1	.	2	.	.	1	.	.	.	1	
Rem. 000-796	Other natural causes	M F	31 17	4 3	6 3	1 3	3 1	4 1	1 1	3 1	3 2	3 1	2 1	1 1	2
E904	Hunger, thirst, exposure or neglect	M F	3	.	1	.	1	.	1	1	
E911-912	Inhalation and ingestion of food causing obstruction or suffocation	M F	1	.	1	
E913	Accidental mechanical suffocation	M F	
Rem. E800-999	Other violent deaths	M F	2 3	1	.	.	.	1	1	
	TOTAL	M F	458 338	41 37	35 27	32 24	38 26	44 32	37 22	45 26	35 27	36 27	43 27	28 28	44 27

ABSTRACT 26. Northern Ireland: Nature of congenital malformations

List* number	MALFORMATIONS	NUMBER OF							
		Total		0		1		2	
		L	S	L	S	L	S	L	S
	All malformations { Males Females Not Known	490 497 6	85 117 2	153 164 2	42 23 4	104 106 4	16 31 .	70 73 11 2	11 11 11 2
0	Central nervous system { M F NK	99 118 .	50 88 .	35 42 .	22 22 .	20 20 .	9 19 .	11 16 .	9 7 .
	(a) Anencephalus { M F NK	12 15 .	23 60 .	3 6 .	9 17 .	3 4 .	3 11 .	1 .	4 7 .
	(b) Hydrocephalus { M F NK	32 36 .	15 15 .	12 15 .	6 3 .	8 4 .	4 3 .	3 6 .	3 .
	(c) Spina bifida { M F NK	39 52 .	10 13 .	16 18 .	5 2 .	6 8 .	2 5 .	6 7 .	2 .
	(d) Other defects of central nervous system { M F NK	16 15 .	2 3 .	4 3 .	2 4 .	3 4 .	.	1 3 .	.
1	Eye, ear { M F NK	12 5 .	.	1 .	.	1 .	.	.	4 .
2	Alimentary system { M F NK	65 42 .	5 1 .	19 10 .	4 .	18 14 .	.	9 8 .	.
3	Heart and great vessels { M F NK	36 42 .	.	10 17 .	.	5 10 .	1 .	7 3 .	.
	(a) Congenital heart disease N.O.S. { M F NK	25 24 1	.	8 9 1	.	3 6 .	1 1 .	5 1 .	.
	(b) Other defects of heart and great vessels { M F NK	11 18 .	.	2 8 .	.	2 4 .	.	2 2 .	.
4	Respiratory system { M F NK	19 12 .	.	2 5 .	.	3 3 .	.	2 1 .	.
5	Uro-genital system { M F NK	48 6 3	.	16 2 1	1	11 2 .	1 1 .	8 1 1	.
6	Limbs { M F NK	149 192 7	17 66 .	49 .	10 44 .	32 4 .	5 4 .	23 33 .	1 .
	(a) Talipes { M F NK	70 62 .	3 4 .	27 18 .	2 .	16 20 .	2 2 .	10 13 .	.
	(b) Other defects of limbs { M F NK	79 130 1	14 3 .	22 48 .	8 .	16 24 .	5 2 .	13 20 .	.
7	Other skeletal { M F NK	13 21 .	.	4 2 .	.	5 2 .	2 2 .	1 4 .	.
8	Other systems { M F NK	20 21 1	.	8 4 .	3 .	5 7 .	2 2 .	2 3 1	.
9	Other malformations { M F NK	29 38 1	7 9 .	9 7 .	2 1 .	4 5 .	1 2 .	3 4 .	1 1 1
	(a) Mongolism { M F NK	22 33 .	1 5 .	5 6 .	1 .	1 4 .	2 2 .	3 3 .	1 1 1
	(b) Other malformations { M F NK	7 5 .	6 4 .	4 1 .	1 1 .	3 1 .	1 1 .	1 1 2	1 1 1

*Special list numbers adopted by Ministry of Health and Social Services.

by sex, type of birth and number of other children born to mother, 1968.

CHILDREN

3		4		5		6		7		8		9		10+	
L	S	L	S	L	S	L	S	L	S	L	S	L	S	L	S
65	1	46	4	16	7	14	1	10	1	1	1	1	10	1	1
63	11	27	9	15	15	11	8	11	6	13	2	4	10	10	.
.
8	1	12	3	5	3	11	6	1	5	4	1	1	4	1	1
14	10	12	6	5	1	4	2	4	2	1	1	1	.	.	.
.	1	3	3	1	1	4	1	1	2	1	1	1	.	.	.
1	7	3	6	1	1	4	1	1	2	1	1	1	.	.	.
2	2	2	5	1	1	4	3	1	2	1	1	1	1	1	1
4	.	5	.	.	.	1	1	1	1	1	1	1	.	.	.
2	7	1	6	4	3	3	2	1	1	1	1	1	.	.	.
.	1	4	4	3	3	3	2	1	1	1	1	1	.	.	.
1	2	3	3	3	3	1	1	1	1	1	2	2	.	2	.
.	1	2	2	2	2	1	1	1	1	1	1	1	3	1	1
1	3	2	4	1	1	1	1	1	1	1	1	1	.	.	.
13	1	4	1	2	1	1	1	1	1	1	1	1	.	.	.
6	.	1	3	2	1	1	2	1	1	1	1	1	.	.	.
5	.	3	2	1	1	2	1	1	1	1	1	1	.	.	.
8	.	3	2	1	1	1	1	1	1	1	1	1	.	.	.
.	2	6	3	2	1	1	1	1	1	1	1	1	.	.	.
3	2	2	2	1	1	1	1	1	1	1	1	1	.	.	.
.	2	2	2	1	1	1	1	1	1	1	1	1	.	.	.
1	3	2	4	1	1	1	2	1	2	1	1	1	1	2	.
.	1	1	1	1	1	1	1	1	1	1	1	1	1	2	.
18	.	14	8	7	4	1	2	1	6	8	1	1	1	2	.
19	.	8	7	7	7	1	3	1	8	1	1	1	1	2	.
.	6	6	6	2	2	1	2	1	1	2	1	1	1	1	.
12	13	8	7	6	6	1	3	1	5	6	1	1	1	1	.
.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	.
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	.
2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	.
6	7	4	3	2	2	1	1	1	1	1	1	1	1	4	.
.	6	6	4	3	2	1	1	1	1	1	1	1	1	4	.
1	.	1	1	1	1	1	1	1	1	1	1	1	1	1	.

ABSTRACT 27. Northern Ireland: Nature of congenital malformations by age of mother, 1968.

List* number	MALFORMATIONS	AGE OF MOTHER												
		All ages	Not stated	15 years	16 years	17 years	18 years	19 years	20- years	25- years	30- years	35- years	40- years	45 years and over
	All malformations	1,197	.	.	1	13	28	27	316	338	242	141	79	12
0.0	Defects of brain N.O.S.
0.1	Anencephalus	110	.	.	.	1	6	4	24	36	23	12	4	.
0.2	Encephalocele	12	1	4	3	2	2	.	.	.
0.3	Arnold Chiari malformation	2	.	22	19	15	5	.	.
0.4	Hydrocephalus	98	.	.	.	1	4	29	22	2
0.5	Microcephalus	3
0.6	Other defects of brain	2	1	1
0.7	Defects of spinal cord N.O.S.	1	1
0.8	Spina bifida	114	.	.	.	1	4	2	32	26	26	18	4	1
0.9	Other defects of spinal cord	15	5	6	1	2	.	1
1.0	Defects of eye N.O.S.
1.1	Anophthalmos, microphthalmos	1	1
1.2	Buphthalmos
1.3	Cataract	2	1	.	1	.	.
1.4	Corneal opacity
1.5	Other defects of eye	9	1	2	3	1	2
1.6	Defects of ear N.O.S.	1	1
1.7	Defects of ear causing impairment of hearing	1
1.8	Accessory auricle	3	2	.	.	.	1
1.9	Other defects of ear	1	1
2.0	Defects of alimentary system N.O.S.	2	2
2.1	Cleft lip	25	.	.	.	1	.	.	7	9	6	2	.	.
2.2	Cleft palate	31	.	.	.	1	.	1	5	11	8	2	3	.
2.3	Hiatus hernia	5	2	2	1	.	.	.
2.4	Tracheo-oesophageal fistula, oesophageal atresia and stenosis	11	4	3	1	3	1	.
2.5	Intestinal atresia	7	1	4	1	.	.	.
2.6	Hirschsprung's disease	2	1	1	1	1	.
2.7	Rectal and anal atresia	8	1	.	1	2	1	1	2	.
2.8	Defects of liver and biliary tracts	3	1	1	.	2	.	.
2.9	Other defects of alimentary system	19	.	.	1	2	1	.	8	3	4	2	1	.
3.0	Congenital heart disease N.O.S.	52	15	12	15	3	4	.
3.1	Common truncus	1	1	1	.	.	.
3.2	Tetralogy of Fallot	1	1
3.3	Transposition of great vessels	1	1	1
3.4	Defects of aortic arch	1	1
3.5	Interatrial septal defect, persistent foramen ovale	5	1	2	2	.	.

3.6	Interventricular septal defect	8							2	5	1	.	.	.
3.7	Persistent ductus arteriosus	1							1	1	1	.	.	.
3.8	Endocardial fibroelastosis								1	3	1	.	.	.
3.9	Other defects of heart and great vessels	10							2	4	1	.	.	.
4.0	Defects of respiratory system N.O.S.	6							2	1	.	.	.	1
4.1	Defects of nose (anhinia, choanal, atresia or stenosis)	4							1	1	1	1	1	2
4.2	Defects of larynx								1	1	1	1	1	.
4.3	Defects of trachea	5							1	2	2	2	.	.
4.4	Defects of bronchus	2							1	1	1	1	.	.
4.5	Defects of lung	10							1	6	1	.	.	.
4.6	Defects of pleura								1	1	1	.	.	.
4.7	Defects of diaphragm	2							1	1	1	.	.	.
4.8	Defects of mediastinum								2	3	1	.	.	1
4.9	Other defects of respiratory system	4							1	1	1	.	.	.
5.0	Defects of uro-genital system N.O.S.	4							1	1	1	.	.	1
5.1	Renal agenesis	4							1	1	1	.	.	.
5.2	Polycystic kidney, all forms	2							1	1	1	.	.	.
5.3	Obstructive defects of urinary tract (hydro-nephrosis, hydro-ureter)	2							1	1	1	1	1	1
5.4	Other defects of kidney and ureter	3							1	7	1	1	1	1
5.5	Other defects of bladder and urethra	2							2	3	3	4	2	1
5.6	Hypospadias, epispadias	25							1	2	3	3	2	.
5.7	Other defects of male genitalia	12							1	2	3	3	2	.
5.8	Defects of female genitalia (includes female pseudo-hermaphroditism)	3							1	2
5.9	Indeterminate sex (includes true hermaphroditism)	4							1	3	3	.	.	.
6.0	Defects of upper limb N.O.S.	9							1	1	3	3	2	1
6.1	Defects of lower limb N.O.S.	13							1	2	4	4	2	.
6.2	Reduction deformities (amelia, hemimelia, phocomelia, etc.)	8							2	3	2	1	1	.
6.3	Polydactyly	13							1	4	4	4	2	1
6.4	Syndactyly	22							1	5	5	4	3	.
6.5	Dislocation of hip	120							2	31	36	30	15	22
6.6	Talipes	139							4	53	35	23	13	4
6.7	Other defects of shoulder girdle, upper arm, and forearm	7							2	1	4	2	2	1
6.8	Other defects of hand	21							2	7	4	4	2	.
6.9	Other defects of pelvic girdle and lower limb	14							1	7	3	3	1	.
7.0	Defects of skeleton N.O.S.								1	6	7	5	1	.
7.1	Defects of skull and face	21							1	1	6	7	5	1
7.2	Spinal curvature, scoliosis, lordosis	5							1	1	1	3	2	.
7.3	Other defects of spine	5							1	2	1	2	1	.
7.4	Defects of ribs and sternum	3							1	1	1	1	1	.
7.5	Chondrodystrophy	1							1	1	1	1	1	.
7.6	Osteogenesis imperfecta	1							1	1	1	1	1	.

*Special list numbers adopted by Ministry of Health and Social Services.

ABSTRACT 27 (continued). Northern Ireland: Nature of congenital malformations by age of mother, 1968.

List* number	MALFORMATIONS	AGE OF MOTHER												
		All ages	Not stated	15 years	16 years	17 years	18 years	19 years	20- years	25- years	30- years	35- years	40- years	45 years and over
7.9	Other generalised defects of skeleton (including arachnodactyly)
8.0	Branchial cleft, cyst or fistula; pre-auricular sinus
8.1	Other defects of face and neck	4	1	2	.	1	.	.
8.2	Defects of muscles	3	1	1	.	1	.	.
8.3	Vascular defects of skin, subcutaneous tissues, and mucous membranes (including lymphatic defects) (a)	21	8	7	3	2	1	.
8.4	Other defects of skin (including ichthyosis congenita)	8	1	.	1	1	2	2	.	1
8.5	Defects of hair, nails and teeth
8.6	Defects of peripheral vascular system other than in (a) above (including arteriovenous aneurysm, etc.)
8.7	Defects of spleen	2	1	.	1	.	.
8.8	Defects of endocrine glands	1	1
8.9	Exomphalos, omphalocele	12	2	3	2	2	3	.	.
9.0	Congenital malformation N.O.S.	3	2	6	2	2	.	.
9.1	Multiple malformations N.O.S.	13
9.2	Cyclops	1
9.3	Other monster
9.4	Conjoined twins
9.5	Situs inversus	1	9	9	8	12	18	4
9.6	Mongolism	1
9.7	Other chromosomal syndromes	61
9.8	Other specific syndromes	4	2	1	1	.	.	.
9.9	Other	1

*Special list numbers adopted by Ministry of Health and Social Services.

ABSTRACT 28. Northern Ireland: Children born (live and still) with congenital malformations by sex, age of mother and number of other children born to mother, 1968.

AGE OF MOTHER	Total Number of Births	NUMBER OF OTHER CHILDREN BORN TO MOTHER.																				
		0		1		2		3		4		5		6		7		8		9		
TYPE OF BIRTH (LIVE OR STILL)	L	S	L	S	L	S	L	S	L	S	L	S	L	S	L	S	L	S	L	S	L	S
Age not stated {	Males																					
	Females																					
	Not Known																					
15 years	M																					
	F																					
	NK																					
16 years	M																					
	F																					
	NK																					
17 years	M																					
	F																					
	NK																					
18 years	M																					
	F																					
	NK																					
19 years	M																					
	F																					
	NK																					
20 years	M	115	11	61	9	29	5	10	2	7	6	2	1	1	2	1	2	2	1	1	1	1
	F	111	16	65	7	29	5	7	2	8	2	2	1	1	2	1	2	2	1	1	1	1
	NK	1		1																		
25 years	M	111	17	31	6	28	4	22	3	15	1	10	4	1	2	3	2	1	2	1	1	1
	F	116	23	38	8	30	11	26	1	12	2	4	1	1	2	1	2	1	1	1	1	1
	NK	2	1																			
30 years	M	66	12	6	2	16	5	12	1	15	9	10	9	2	3	5	5	2	4	3	1	1
	F	85	20	14	1	19	1	21	4	7	8	9	1	3	3	1	2	1	2	1	1	1
	NK	42	6	5	.	4	1	6	2	14	2	1	1	1	2	1	2	1	1	1	1	1
35 years	M	50	15	3	.	8	1	6	2	14	2	1	1	1	2	1	2	1	1	5	1	1
	F																				3	1
	NK	25	1	2	.	1		3	2	6	.	3	6	1	2	1	2	1	1	2	1	1
40 years	M	27	6	.	.	2	.	2	.	3	2	3	1	1	2	1	2	1	1	2	1	1
	F																				2	6
	NK	5	.	1	.	.	.	1	1	.	1	1
45 years and over	M	3	1
	F																					
	NK
TOTALS	M	388	52	127	21	80	9	56	8	47	1	38	4	14	10	59	10	1	8	1	1	1
	F	412	88	138	21	90	18	63	10	49	9	19	8	12	1	6	9	4	11	2	4	1
	NK	3	1	1	.	2	.	.	1	6	8	.

ABSTRACT 29. Northern Ireland: Nature of congenital malformations by month of birth, 1968.

List* number	MALFORMATIONS	Year	January	February	March	April	May	June	July	August	Sept-ember	Oct-o-ber	Nov-ember	Dec-ember
0	All malformations	1,197	110	89	86	87	102	99	125	100	109	98	107	85
	Central nervous system	355	41	30	26	29	18	26	27	31	34	31	33	29
	(a) Anencephalus	110	13	9	10	9	3	7	8	14	7	10	9	11
	(b) Hydrocephalus	98	7	8	5	8	7	9	8	6	12	9	8	11
	(c) Spina bifida	114	15	9	7	8	6	9	9	9	11	10	14	7
	(d) Other defects of central nervous system	33	6	4	4	4	2	1	2	2	4	2	2	.
1	Eye, ear	17	1	.	2	2	2	1	3	3	2	.	.	1
2	Alimentary system	113	7	6	7	8	15	15	12	14	13	3	8	5
3	Heart and great vessels	81	7	6	11	5	4	13	6	6	7	9	6	1
	(a) Congenital heart disease NOS	52	5	1	5	3	1	11	3	5	6	8	4	.
	(b) Other defects of heart and great vessels	29	2	5	6	2	3	2	3	1	1	1	2	1
4	Respiratory system	33	.	1	4	2	7	3	6	3	1	2	2	2
5	Uro-genital system	61	6	3	5	3	7	4	5	4	7	2	8	7
6	Limbs	366	33	26	17	26	31	26	41	25	31	39	38	33
	(a) Talipes	139	13	14	6	7	16	10	20	8	10	10	14	11
	(b) Other defects of limbs	227	20	12	11	19	15	16	21	17	21	29	24	22
7	Other skeletal	36	3	4	2	5	2	2	2	5	3	4	2	2
8	Other systems	51	6	5	5	4	6	.	7	3	4	3	7	1
9	Other malformations	84	6	8	7	3	40	9	16	6	7	5	3	4
	(a) Mongolism	61	6	7	5	2	6	8	10	4	6	3	2	2
	(b) Other malformations	23	.	1	2	1	4	1	6	2	1	2	1	2

*Special list numbers adopted by Ministry of Health and Social Services.

ABSTRACT 30. Northern Ireland: Nature of congenital malformations in each county and county borough, 1968.

List* number	MALFORMATIONS	Northern Ireland	COUNTY BOROUGHS		COUNTIES					London-derry (exc. Co. Boro')	Tyrone
			Belfast	London-derry	Antrim	Armagh	Down	Fermanagh			
	All malformations	1,197	324	57	229	110	306	15	76	80	
0	Central nervous system	355	109	12	66	35	66	10	25	32	
	(a) Anencephalus	110	29	4	19	10	26	3	7	12	
	(b) Hydrocephalus	98	29	3	22	6	21	3	8	6	
	(c) Spina bifida	114	32	5	23	15	19	3	7	10	
	(d) Other defects of central nervous system	33	19	-	2	4	-	1	3	4	
1	Eye, ear	17	2	-	3	3	8	-	-	-	1
2	Alimentary system	113	25	1	24	7	39	1	9	7	
3	Heart and great vessels	81	25	3	21	2	26	-	4	-	
	(a) Congenital heart disease NOS	52	17	1	12	2	16	-	4	-	
	(b) Other defects of heart and great vessels	29	8	2	9	-	10	-	-	-	
4	Respiratory system	33	3	2	7	1	18	-	2	-	
5	Uro-genital system	61	21	2	13	9	10	-	4	2	
6	Limbs	366	111	27	63	37	85	3	17	23	
	(a) Talipes	139	37	10	17	18	37	2	10	8	
	(b) Other defects of limbs	227	74	17	46	19	48	1	7	15	
7	Other skeletal	36	9	1	4	5	14	-	1	2	
8	Other systems	51	3	5	9	7	21	-	3	3	
9	Other malformations	84	16	4	19	4	19	1	11	10	
	(a) Mongolism	61	10	2	14	4	12	-	9	9	
	(b) Other malformations	23	6	2	5	-	7	-	2	1	

*Special list numbers adopted by Ministry of Health and Social Services.

ABSTRACT 31A. Cases of infectious diseases notified to the Ministry of Health and Social Services during the six months ended 30th June, 1968

COUNTY BOROUGHS, COUNTIES, BOROUGHS, URBAN AND RURAL DISTRICTS	Infectious Diseases														Totals					
	(a) Acute influenzal and acute primary pneumonia	(b) Cerebro-spinal fever	(c) Diphtheria	(d) Dysentery	(e) Erysipelas	(f) Food poisoning (bacterial origin)	(g) Gastro-enteritis (under 2 years)	(h) Infective hepatitis	(i) Measles	(k) Poliomyelitis	(l) Puerperal pyrexia including puerperal fever	(m) Rheumatic fever	(n) Scarlet fever	(o) Typhoid and para-typhoid fevers	(p) Leptospiral jaundice	(q) Whooping cough	(r) Pulmonary tuberculous	(s) Non-pulmonary tuberculous	(t) Other diseases*	
NORTHERN IRELAND	235	22		367	14	14	442	419	3,386		5	6	592		1	408	159	43	76	6,189
Belfast C.B.	70	9		48	10	6	169	168	584		4	3	228			122	63	13	21	1,518
Londonderry C.B.	66	2					100	6	207			1	11			6	8	3	.	410
County Antrim	4	4		75	1	2	49	137	766			1	159			63	29	8	33	1,331
Ballycastle	U.D.												3							71
Ballyclare													3							10
Ballymena	M.B.												1							16
Ballymoney	U.D.												6							1
Carrickfergus	M.B.												1							105
Larne	"												67							86
Lisburn													14							66
Newtownabbey	U.D.	2			8	1		2		16	15	198				14	2	1	2	313
Portrush	"												55							1
Whitehead													6							9
Antrim	R.D.	1		57				11	59	71			7			13	2	1	1	222
Ballycastle	"		2		1				3	39			1							43
Ballymena	"			3					2	23			6							41
Ballymoney	"			4					8	4			6							23
Larne	"				2			15	27	181			10							54
Lisburn	"	1	1										22							270
County Armagh	U.D.	1	6		12	1	5	26	17	405			31			47	13	3	6	575
Armagh				7				1	3	43			1			1	3	1	1	61
Craigavon	"							4		21			2							31
Keady								1	1	25			2							27
Lurgan	M.B.							9	5	90			2							124
Portadown								4		44			5							74
Tandragee	U.D.			3				1	3	10			18			5	4	1	2	26
Armagh	R.D.		2				3	2	108			1			7	3	1	2	144	
Newry No. 2				1				3	2	64			1							87
Tanderagee	"																			1

			5	1	14	1	33	55	979		1	75		124	21	10	12	1,331
County Down			U.D.															
Banbridge	.	M.B.																
Bangor	.	U.D.																
Donaghadee																		
Downderry																		
Dromore	"																	
Holywood	"																	
Kilkeel	"																	
Newcastle	"																	
Newry	"																	
Newtownards		M.B.																
Warrenpoint		U.D.																
Banbridge		R.D.																
Castleraagh	"																	
East Down	"																	
Hillsborough	"																	
Moira	"																	
Newry No. 1	"																	
North Down	"																	
South Down	"																	
County Fermanagh	.																	
County Londonderry																		
Coleraine		M.B.																
Limavady		U.D.																
Portstewart																		
Coleraine		R.D.																
Limavady	"																	
Londonderry	"																	
Magherafelt	"																	
County Tyrone																		
Cookstown		U.D.																
Dungannon																		
Omagh	"																	
Strabane	"																	
Castlederg		R.D.																
Clogher																		
Cookstown	"																	
Dungannon	"																	
Omagh	"																	
Strabane	"																	

Only the first case of measles or whooping cough in a household is required to be notified, unless a period of 2 months intervenes in the case of the former disease and 3 months in the case of the latter.

*Comprising 49 cases of glandular fever, 19 cases of undulant fever and 8 cases of Vincent's Angina.

**ABSTRACT 31B. Cases of infectious diseases notified to the Ministry of Health and Social Services
during the six months ended 31st December, 1968***

COUNTY BOROUGH, COUNTY BOROUGHS, COUNTIES, BOROUGHS, URBAN AND RURAL	Infectious Diseases																		Total						
	Acute Encephalitis	Acute Meningitis	Anthrax	Cholera	Diphtheria	Dysentery	Food Poisoning (All sources)	Gastro-Enteritis (Persons under 2 years of age only)	Infective Hepatitis	Measles	Paratyphoid fever	Plague	Poliomyelitis (Paralytic)	Poliomyelitis (Non-paralytic)	Relapsing fever	Scarlet fever	Smallpox	Tuberculosis (Pulmonary)	Tuberculosis (Non-pulmonary)	Typhoid fever	Typhus	Whooping cough	Yellow fever		
NORTHERN IRELAND	2	75	.	.	.	372	76	824	626	2,436	487	.	116	54	2	.	398	.	5,479	
Belfast C.B.	48	.	.	.	231	11	465	258	659	.	.	196	.	42	15	1	.	179	.	2,111
Londonderry C.B.	5	.	.	.	9	11	153	11	18	.	.	38	.	3	.	.	.	13	.	262
County Antrim	.	U.D.	.	.	.	9	.	.	.	36	6	76	105	421	.	.	3	3	1	855
Ballycastle	.	U.D.	8	5	5	6	.	.	2	2	1	15
Ballyclare	.	M.B.	1	5	6	3	23	.	.	2	1	1	17
Ballymena	.	U.D.	6	3	23	4	1	1	36
Ballymoney	.	U.D.	1	3	2	2	10	.	.	15	1	1	75
Carrickfergus	.	M.B.	5	1	9	39	.	.	.	122	2	1	1	1	.	.	.	24
Larne	1	1	2	2	17	.	.	17	1	1	1	1	.	.	.	42
Lisburn	.	U.D.	.	.	.	1	.	.	.	30	17	122	.	.	.	29	15	1	1	1	1	.	.	.	221
Newtownabbey	.	U.D.	.	.	.	4	.	.	.	5	15	1	1	1	1	.	.	.	4	
Portrush	2	1	1	1	1	.	.	.	75	
Whitehead	10	1	1	1	1	.	.	.	24	
Antrim	.	R.D.	9	7	31	41	.	.	8	1	1	1	1	.	.	.	42	
Ballycastle	5	2	1	4	.	.	8	1	1	1	1	.	.	.	63	
Ballymena	2	2	2	3	37	.	1	1	1	1	1	.	.	.	15	
Ballymoney	2	9	4	37	.	.	3	1	1	1	1	.	.	.	60	
Larne	1	.	.	.	18	20	65	.	.	.	21	1	1	1	1	.	.	.	116	
Lisburn	.	.	3	11	1	18	.	.	.	21	1	1	1	1	.	.	.	157	
County Armagh	.	U.D.	.	.	.	6	.	.	.	18	1	22	26	216	.	.	29	4	13	5	383
Armagh	.	U.D.	.	.	.	1	.	.	.	1	3	7	3	17	.	2	1	3	2	18	
Craigavon	.	.	1	-1	2	3	3	10	.	1	1	2	1	.	.	.	30		
Keady	7	9	7	7	.	.	8	1	1	1	1	.	.	.	12	
Lurgan	.	M.B.	.	.	.	2	.	.	.	7	4	22	.	21	.	1	1	1	1	1	.	.	.	42	
Portadown	.	U.D.	3	3	3	8	21	.	1	1	2	2	2	.	.	.	28	
Tandragee	.	U.D.	.	.	.	1	.	.	.	14	3	6	8	90	.	1	1	2	2	2	.	.	.	22	
Armagh	.	R.D.	2	3	3	6	6	38	.	1	1	1	1	1	.	.	.	133
Newry No. 2	.	.	2	4	.	.	1	1	1	1	1	.	.	.	93	
Tandragee	1	1	1	1	1	.	.	.	5	

* This revised list of diseases came into operation on 1st July, 1968.

Printed in Northern Ireland for Her Majesty's Stationery Office by
Bell, Logan & Carswell, Ltd., Belfast. Dd.474650.K4.1/70.Gp.143