

PARLIAMENT OF NORTHERN IRELAND

Fifty-First
Annual Report of
the Registrar General
1972

Presented pursuant to

Section 56 of the Marriages (Ireland) Act, 1844

Section 16 of the Registration of Marriages (Ireland) X

Section 1(3) of the Births and Deaths Registration Act (Northern Ireland) 1967

X See 1970 Report

+ also p. 3 of 1970 Report.

BELFAST

HER MAJESTY'S STATIONERY OFFICE

PRICE £1.50 NET

TABLE OF CONTENTS

TEXT	Page
GENERAL NOTES	7
SUMMARY	9
SERIAL STATISTICS FOR NORTHERN IRELAND	10
COMPARATIVE STATISTICS, NORTHERN IRELAND, ENGLAND AND WALES, SCOTLAND AND THE IRISH REPUBLIC	11
POPULATION	12
MARRIAGES	
Number and rate	13
Ages at marriage	13
Method of celebration	13
LIVE BIRTHS	
Number and rate	15
Proportion of males to females	17
Illegitimate births	17
Multiple births	17
STILL-BIRTHS	
Number and rate	18
DEATHS	
Number and rate	20
Area mortality comparisons	22
Deaths in hospitals	22
Cause of death	22
Proportion of deaths from the principal causes	22
Deaths from the principal epidemic diseases	23
Influenza	24
Tuberculosis	24
Cancer	25
Cerebral haemorrhage, etc.	27
Heart diseases	27
Bronchitis	28
Pneumonia	28
Pregnancy and childbirth	28
Infant mortality	31
Neonatal mortality	31
Perinatal deaths	33
Mortality among illegitimate children	34
Violent deaths	35
CERTIFICATION OF DEATHS	38
LIFE TABLE	38
CONGENITAL MALFORMATIONS	40
MIGRATION	41
METEOROLOGY	42
ADMINISTRATION	
Introductory	46
Buildings licensed or registered for marriages	46
State of registration	46
Legitimacy Acts (N.I.), 1928 to 1961	46
Adoption Act (N.I.), 1967	46
Searches and certificates	46
Verifications	47

ABSTRACTS

Abbreviations:—N.I.=Northern Ireland; Urb/Rur.=administrative urban and rural aggregates; Co.=county; C.B.=county borough; A.A.=administrative area of county.

<i>Abstract</i>	<i>Subject of abstract</i>	<i>Area for which statistics are given</i>	<i>Page</i>
1	Ages of the population according to the 1971 census	N.I., C.B.'s, Co.'s.	51
2	Marriages, by month of registration, 1972	N.I., C.B.'s, Co.'s.	52
3	Conjugal condition of persons contracting marriages, 1972	N.I., C.B.'s, Co.'s.	52
4	Ages of men at marriage, 1972	N.I., C.B.'s, Co.'s.	53
5	Ages of women at marriage, 1972	N.I., C.B.'s, Co.'s.	53
6	Ages and conjugal conditions of persons married, 1972	N.I.	54
7	Ages in combination of men and women at marriage, 1972	N.I.	58
8	Live births, by sex, by quarters, 1972	N.I., C.B.'s, Co.'s.	59
9	Deaths, by sex, by quarters, 1972	N.I., C.B.'s, Co.'s.	59
10	Still-births, by sex, cause and period of gestation, 1972	N.I.	60
11	Details of births, still-births and deaths, by sex, in each administrative area, 1972, showing 1971 census population	C.B.'s, Co.'s, A.A.	62
12	Causes of death at different age-periods by detailed list numbers, 1972	N.I.	70
13	Deaths, by month of registration, by abbreviated list numbers, 1972	N.I.	148
14	Deaths, by sex at each year of age, by conjugal condition, 1972	N.I.	150
15A	Deaths, by sex and age-groups, by abbreviated list numbers, 1972	N.I.	152
15B	Distribution of deaths by cause per 1,000 deaths in certain age groups, by sex, 1972	N.I.	156
15C	Death rates per million living by sex and age, from principal causes, 1972	N.I.	158
16	Death rates, by sex and age-groups, 1926, 1937, 1953-1972	N.I.	160
17	Causes of death, by sex and age-periods, by abbreviated list numbers, 1972, and standardised mortality ratios	N.I., Urb/Rur., C.B.'s, Co.'s.	161
18	Deaths and death rates, at different age-periods, 1972	N.I.	184

<i>Abstract</i>	<i>Subject of abstract</i>	<i>Area for which statistics are given</i>	<i>Page</i>
19	Deaths from violent causes, by nature of injury, external cause, and sex 1972	N.I.	185
20	Deaths from non-transport accidents by age and sex, (a) by place of occurrence (b) while working, 1972	N.I.	186
21	Deaths from cancer, by sex and site, 1972	C.B.'s, Co.'s.	188
22	Infant mortality, by sex and age, 1969-1972	N.I., Urb/Rur., C.B.'s, Co.'s.	189
23	Illegitimate infant mortality, by sex and age, 1969-1972	N.I., Urb/Rur., C.B.'s, Co.'s.	189
24	Infant mortality, by cause, age and sex, also illegitimate infant mortality, by cause, 1972	N.I.	190
25	Infant mortality, by cause, sex and month of registration, 1972	N.I.	196
26	Nature of congenital malformations, by sex, type of birth and number of other children born to mother, 1972	N.I.	198
27	Nature of congenital malformations, by age of mother, 1972	N.I.	200
28	Children born (live and still) with congenital malformations, by sex, age of mother and number of other children born to mother, 1972	N.I.	203
29	Nature of congenital malformations, by month of birth, 1972	N.I.	204
30	Nature of congenital malformations, 1972	N.I., C.B.'s, Co.'s.	205
31	Notifications of certain infectious diseases, 1972	N.I., C.B.'s, Co.'s. A.A.'s.	206

DIAGRAMS

*(Rates shown for Northern Ireland, England and Wales,
Scotland and the Irish Republic.)*

	<i>Page</i>
1 Marriage rates per 1,000 population	14
2 Live birth rates per 1,000 population	16
3 Death rates per 1,000 population	21
4 Death rates from cancer per 100,000 population	26
5 Maternal mortality rates per 1,000 live births	30
6 Infant mortality rates per 1,000 live births	32

GENERAL NOTES

The figures contained in this Report may be regarded as superseding the provisional figures already published for the year 1972 in the Registrar General's weekly and quarterly returns.

The value of the statistical information concerning deaths contained in the Registrar General's Annual Reports and other publications is to a large extent dependent on the degree of care and accuracy with which the members of the medical profession enter the required particulars on the form of medical certificate of the cause of death.

Throughout the Report, births and deaths have been recorded according to date of registration and not to date of occurrence. They have also been allocated to the district of normal residence, if in Northern Ireland, births having been assigned to the districts containing the normal residence of the parents, and deaths to the districts containing the normal residence of the deceased persons. Events occurring in Northern Ireland relating to persons whose normal residence is outside Northern Ireland have been assigned to the district of occurrence.

Rates are assessed per 1,000 of the estimated home population as at 30 June unless otherwise stated. Marriage rates relate to the number of marriages solemnised, not to the number of persons married.

Comparisons with rates (births, deaths, etc.) recorded in other parts of the British Isles are included in several tables and diagrams. These comparisons are substantially correct but it should be remembered that (with the exception of Diagram 3) they are crude rates only and take no account of changes in or differences between the age and sex structure of the populations.

Generally speaking, the classifications adopted for the purposes of this Report are the Detailed and Abbreviated Lists contained in the "Manual of the International Statistical Classification of Diseases, Injuries and Causes of Death, 1965."

The term cancer, where used, refers to all malignant neoplasms and neoplasms of the lymphatic and haematopoietic tissues, except Hodgkin's disease, leukaemia and aleukaemia (I.S.C. Nos. 201, 204-207).

Where more than one cause of death is reported, the death is classified according to the underlying cause, i.e. the disease or injury which initiated the train of morbid events leading directly to death. This method of classification is followed even if the deceased may have recovered from the underlying cause long before the date of death.

In the text and tables the term "neonatal mortality" relates to deaths of children under 4 weeks of age and the term "infant mortality" to deaths of all children (including neonatal) under 1 year of age. Perinatal deaths are deaths of infants under one week plus still-births.

In general in the tables and abstracts, dots (·) are used to indicate "none", and dashes (—) are used to indicate that information cannot be given or that the headings are not applicable.

REPORT 1972

SUMMARY

The rates for marriage and live births were lower than in 1971, the still-birth rate remained the same and the death rate was higher.

The following figures indicate the general trend of marriages, births and deaths over the past thirty years. More detailed comparisons will be found in Tables A and A1.

		1942	1962	1971	1972
Estimated population		1,296,000	1,435,400	1,534,000 1,537,800	1,549,400 1,551,700
Marriages	Number	11,673	9,842	12,152	11,905
	Rate	9.0	6.9	7.9	7.7
Live births	Number	29,645	32,565	31,765	29,994
	Rate	22.9	22.7	20.7	19.4
Illegitimate live births	Number	1,467	774	1,207	1,263
Still-births	Number	*	745	462	434
	Rate	*	22	14	14
Deaths	Number	17,256	15,226	16,202	17,032
	Rate	13.3	10.6	10.6	11.0
Perinatal	Number	*	1,265	877	790
	Rate†	*	38	27	26
Neo-natal	Number	1,037	591	505	418
	Rate‡	35	18	16	14
Infant	Number	2,265	864	722	616
	Rate‡	76	27	23	21
Maternal	Number	88	10	6	3
	Rate	2.96	0.3	0.2	0.1
Deaths from					
Heart disease (all forms)		3,616	5,764	5,783	6,139
Cerebral haemorrhage etc.		1,393	2,204	2,493	2,528
Cancer (all sites)		1,837	2,216	2,758	2,614
Lung cancer		70	360	580	542
Road vehicle accidents (E810-827)		177	155	293	351
Accidents in the home		*	184	179	218
Other violent causes		654	237	267	464
Inquest held		643	498	659	905

*Not available. †Rate per 1,000 births (live and still).
 ‡All violent deaths.

‡Rate per 1,000 live births.

TABLE A. Northern Ireland: Population, marriages, live births and deaths, 1961-1972, with quinquennial averages from 1911.

YEAR	Estimated mid-year population	Marriages	Live births (total)	Illegitimate live births	Deaths	Deaths of infants under 1 year of age	Still-Births
1911-15	1,238,000	7,535	29,675	1,296	21,929	3,030	—
1916-20	1,227,000	8,250	27,560	1,258	22,128	2,620	—
1921-25	1,260,000	7,873	29,104	1,248	19,594	2,392	—
1926-30	1,246,000	7,328	26,418	1,249	18,403	2,083	—
1931-35	1,258,000	7,806	25,098	1,259	18,026	1,966	—
1936-40	1,287,000	9,073	25,533	1,178	18,369	1,970	—
1941-45	1,304,000*	10,751	29,592	1,560	17,478*	2,169	—
1946-50	1,350,000*	9,396	29,764	1,124	16,039*	1,423	—
1951-55	1,383,000	9,359	28,798	838	15,557	1,054	—
1956-60	1,403,000	9,500	30,539	758	15,175	863	—
1961	1,427,400	9,861	31,915	786	16,108	877	727
1962	1,435,400	9,842	32,565	774	15,226	864	745
1963	1,446,000	10,155	33,414	879	15,899	902	663
1964	1,458,000	10,614	34,345	1,015	15,354	904	680
1965	1,469,000	10,452	33,890	995	15,551	849	660
1961-65	1,447,000	10,185	33,226	890	15,628	879	695
1966	1,478,000	10,735	33,228	1,028	16,441	849	550
1967	1,491,000	10,924	33,415	1,205	14,671	785	594
1968	1,502,000	11,240	33,173	1,245	15,933	796	541
1969	1,512,500	11,587	32,428	1,210	16,338	790	502
1970	1,524,000	12,297	32,086	1,214	16,551	734	465
1966-70	1,501,500	11,357	32,866	1,180	15,987	791	530
1971	1,534,000	12,152	31,765	1,207	16,202	722	462
1972	1,549,400	11,905	29,994	1,263	17,032	616	434

Rev 15 417 00

TABLE A1. Northern Ireland: Annual marriage, birth and death rates and death rates of infants under 1 year per 1,000 live births, 1961-1972 with quinquennial averages from 1911.

YEAR	Rates per 1 000 of estimated population			Illegitimate live births per cent. of total live births	Death rates of infants under 1 year of age per 1,000 live births	Still-birth rates per 1,000 births (live and still)
	Marriages	Live births	Deaths			
1911-15	6.1	24.0	17.7	4.37	102	—
1916-20	6.7	22.5	18.0	4.56	95	—
1921-25	6.3	23.1	15.6	4.29	82	—
1926-30	5.9	21.2	14.8	4.73	79	—
1931-35	6.2	20.0	14.3	5.02	78	—
1936-40	7.1	19.8	14.3	4.61	77	—
1941-45	8.2	22.7	13.4*	5.27	73	—
1946-50	7.0	22.0	11.9*	3.78	48	—
1951-55	6.8	20.8	11.3	2.91	37	—
1956-60	6.8	21.7	10.8	2.48	28	—
1961	6.9	22.4	11.3	2.46	27	22
1962	6.9	22.7	10.6	2.38	27	22
1963	7.0	23.1	11.0	2.63	27	19
1964	7.3	23.6	10.5	2.96	26	19
1965	7.1	23.1	10.6	2.94	25	19
1961-65	7.0	23.0	10.8	2.67	26	20
1966	7.3	22.5	11.1	3.09	26	16
1967	7.3	22.4	9.8	3.61	23	17
1968	7.5	22.1	10.6	3.75	24	16
1969	7.7	21.4	10.8	3.73	24	15
1970	8.1	21.1	10.9	3.78	23	14
1966-70	7.6	21.9	10.6	3.59	24	16
1971	7.9	20.7	10.6	3.80	23	14
1972	7.7	19.4	11.0	4.21	21	14

*Statistics of population and deaths for the years 1941-49 relate to civilians only.

TABLE B. *Comparative statistics for Northern Ireland, England and Wales, Scotland, and the Irish Republic, 1926, 1937, 1951, 1961, 1968-1972.*

MARRIAGE RATES PER 1,000 OF POPULATION				
Years	Northern Ireland	England and Wales	Scotland	Irish Republic
1926	5.8	7.2	6.4	4.6
1937	6.7	8.8	7.7	5.0
1951	6.9	8.2	8.1	5.4
1961	6.9	7.5	7.8	5.4
1968	7.5	8.4	8.4	6.5
1969	7.7	8.1	8.3	6.8
1970	8.1	8.5	8.3	7.1
1971	7.9	8.3	8.1	7.3
1972	7.7	8.6*	8.1*	7.3*

LIVE BIRTH RATES PER 1,000 OF POPULATION				
Years	Northern Ireland	England and Wales	Scotland	Irish Republic
1926	22.5	17.8	21.1	20.6
1937	19.8	14.9	17.6	19.2
1951	20.7	15.4	17.7	21.2
1961	22.4	17.6	19.5	21.2
1968	22.1	16.9	17.4	21.0
1969	21.4	16.3	17.4	21.5
1970	21.1	16.0	16.8	21.0
1971	20.7	16.0	16.6	22.8
1972	19.4 (19.5 Rev)	14.8*	15.1*	22.4*

DEATH RATES PER 1,000 OF POPULATION				
Years	Northern Ireland	England and Wales	Scotland	Irish Republic
1926	15.0	11.6	13.1	14.1
1937	15.1	12.4	13.9	15.3
1951	12.8	12.5	12.9	14.3
1961	11.3	12.0	12.3	12.3
1968	10.6	11.9	12.2	11.4
1969	10.8	11.8	12.3	11.5
1970	10.9	11.7	12.2	11.6
1971	10.6 (10.5 Rev)	11.6	11.8	10.6
1972	11.0	12.1*	12.5*	11.2*

PERINATAL, NEONATAL, AND INFANT MORTALITY RATES											
Years	Northern Ireland			England and Wales			Scotland			Irish Republic	
	†Peri-natal	§Neo-natal	§Infant	†Peri-natal	§Neo-natal	§Infant	†Peri-natal	§Neo-natal	§Infant	§Neonatal	§Infant
1926	—	34	85	—	32	70	—	36	83	27	74
1937	—	36	77	60	30	58	—	38	80	30	73
1951	—	25	41	38	19	30	44	22	37	25	46
1961	38	19	27	32	15	21	36	18	26	21	31
1968	29	16	24	25	12	18	26	13	21	14	21
1969	29	16	24	23	12	18	25	14	21	14	21
1970	28	16	23	23	12	18	25	13	20	13	20
1971	27	16	23	22	12	18	24	14	20	12	18
1972	26	14	21	22*	12*	17*	24*	12*	19*	12*	18*

*Provisional.

†Per 1,000 births (live and still) § Per 1,000 live births.

*154,1700

POPULATION

The population of Northern Ireland estimated as at 30 June, 1972 was 1,549,400 persons, an increase of 15,400 over the mid 1971 figure. This estimate, comprising civilians and members of H.M. Forces stationed in Northern Ireland, is based on the census taken on 25 April, 1971 (1,536,065 persons) revised to allow for natural increase and net migration. During the year ended 30 June, 1972, the natural increase of 14,000 (approx.) was off-set by net migration of 7,500 (approx.) Further details regarding migration are shown on page 41.

TABLE C. *Populations of counties, county boroughs and urban and rural areas as recorded at the censuses of 1901, 1926, 1951, 1966 and 1971 and as estimated at mid-year 1972.*

AREA	Census 1901	Census 1926	Census 1951	Census 1966	Census 1971*	Mid-Year Estimate 1972
Northern Ireland	1,236,952	1,256,561	1,370,921	1,484,775	1,536,065	1,549,400
Total urban areas	530,576	637,719	728,297	789,881	846,286	853,320
Total rural areas	706,376	618,842	642,624	694,894	689,779	696,080
Belfast County Borough	349,180	415,151	443,671	398,405	362,082	362,400
Londonderry County Borough	39,892	45,159	50,092	55,694	52,205	52,500
Counties:						
Antrim	196,090	191,643	231,149	313,991	355,716	361,100
Armagh	125,392	110,070	114,254	125,164	133,969	136,100
Down	205,889	209,228	241,181	286,631	311,876	314,000
Fermanagh	65,430	57,984	53,044	49,886	50,255	50,000
Londonderry†	104,512	94,534	105,448	118,964	130,889	133,300
Tyrone	150,567	132,792	132,082	136,040	139,073	140,000

†Excluding County Borough.

N.B.—1971 Census figures by administrative areas are given in Abstract 11.

TABLE C1. *Northern Ireland: Sex and age distribution of home population as estimated at 30 June, 1972 and percentage of total population in each age-group.*

Age-group	Persons	%	Males	%	Females	%
Years						
0-14	462,800	29.8	238,600	31.2	224,200	28.6
15-64	919,500	59.5	458,500	60.0	461,000	58.7
65+	167,100	10.7	67,700	8.8	99,400	12.7
0-4	156,100	10.0	80,600	10.5	75,500	9.6
5-9	159,800	10.3	82,500	10.8	77,300	9.9
10-14	146,900	9.5	75,500	9.9	71,400	9.1
15-19	132,000	8.5	68,700	9.0	63,300	8.1
20-24	119,100	7.7	62,800	8.2	56,300	7.2
25-29	100,100	6.5	50,300	6.6	49,800	6.3
30-34	85,700	5.5	42,900	5.6	42,800	5.5
35-39	83,300	5.4	41,800	5.5	41,500	5.3
40-44	83,000	5.4	40,500	5.3	42,500	5.4
45-49	84,400	5.4	40,900	5.3	43,500	5.5
50-54	82,900	5.4	40,300	5.3	42,600	5.4
55-59	76,700	5.0	36,600	4.8	40,100	5.1
60-64	72,300	4.7	33,700	4.4	38,600	4.9
65-69	60,900	3.9	26,700	3.5	34,200	4.4
70-74	47,600	3.1	19,500	2.5	28,100	3.6
75-79	31,600	2.0	12,100	1.6	19,500	2.5
80-84	17,600	1.1	6,300	0.8	11,300	1.4
85+	9,400	0.6	3,100	0.4	6,300	0.8
TOTALS	1,549,400	100.0	764,800	100.0	784,600	100.0

The 1971 Census population by age and sex for Northern Ireland and for counties and county boroughs is given in Abstract 1.

1972 M4 figures were revised - see working papers in (973)

MARRIAGES

Number and rate Marriages registered during the year numbered 11,905 giving a rate of 7.68 per 1,000 population. The corresponding number and rate for 1971 were 12,152 and 7.92 respectively. In 11,303 (94.9 per cent.) of the total marriages both contracting parties were single; in 327 (2.7 per cent.) one or both were widowed and in 314 (2.6 per cent.) one or both were divorced. Of every 1,000 persons married, 14 were previously divorced. This rate is the same as that for 1971; comparative rates for the years 1962 and 1952 were 7 and 10 respectively. Further details are given in Abstracts 3 and 6.

The number of marriages celebrated in each month in 1972 was as follows:

January .	679	April .	1,103	July .	1,502	October .	877
February .	589	May .	635	August .	1,510	November	614
March .	759	June .	1,262	September	1,584	December	791
Qtrs.: 1st .	2,027	2nd .	3,000	3rd .	4,596	4th .	2,282

This shows that the period July to September was the most popular quarter for weddings, September heading the monthly totals with 1,584. February was the least popular month.

Ages at marriage Although the most popular age for marriage was 22 years for men and 21 years for women, the arithmetical average age of men marrying in 1972 was 25.5 and of women 23.3. During 1971 this age was 25.7 among men and 23.5 among women. In 1962, the average age was 27.8 for men and 24.9 for women. The mean age at marriage of persons marrying for the first time in 1972 was 24.7 years for men and 22.7 years for women. Of the contracting parties 0.7 per cent. of the husbands and 5.9 per cent. of the wives were minors (the age of majority was lowered from 21 to 18 from 1 January 1970) the relative figures for 1962 being 10.9 per cent. and 28.3 per cent. Further statistics will be found in Abstracts 4, 5, 6 and 7.

Method of celebration Table D shows the marriages registered during the years 1927, 1951 and 1965 to 1972 according to the form of celebration and Table D1 gives further details of marriages in 1972.

Marriages taking place in registrars' offices in the year under review represented 6.8 per cent. of the total marriages as compared with 7.1 per cent. in the previous year.

TABLE D. Northern Ireland: Marriages registered according to form of celebration, 1927, 1937, 1951, 1965-1972.

YEAR	Roman Catholic	Presbyterian	Church of Ireland	Methodist	Other denominations	In Registrars' Offices	Total marriages registered	Total marriage rate per 1,000 of estimated population
1927	2,091	2,074	2,150	235	237	388	7,175	5.74
1937	2,396	2,473	2,426	426	255	647	8,623	6.73
1951	2,723	2,975	2,270	446	306	694	9,414	6.86
1965	3,574	3,165	2,264	533	369	547	10,452	7.12
1966	3,707	3,207	2,338	582	356	545	10,735	7.26
1967	3,913	3,204	2,328	566	444	469	10,924	7.33
1968	4,107	3,178	2,410	587	438	520	11,240	7.48
1969	4,325	3,217	2,399	582	446	618	11,587	7.66
1970	4,678	3,194	2,497	596	451	881	12,297	8.06
1971	4,672	3,138	2,446	563	472	861	12,152	7.92
1972	4,471	3,217	2,366	554	492	805	11,905	7.68

DIAGRAM 1. Marriage rates (crude) in Northern Ireland, England and Wales, Scotland and the Irish Republic, 1948-72.
Rate per 1,000 population.




TABLE D1. *Northern Ireland: Marriages registered by area and method of celebration, 1972.*

AREA	Total Marriages	Roman Catholic	Presbyterian		Church of Ireland		Methodist		In Registrars' Offices	Other denomina- tions		
			By Licence	By Special Licence	After Banns	By Licence	By Special Licence	By Licence or Certificate		By Special Licence	By Licence or Certificate	By Special Licence
Northern Ireland	11,905	4,471	3,103	114	39	2,282	45	469	85	805	472	20
Belfast Co. Boro'	3,086	850	799	36	8	557	11	217	42	363	199	4
L'derry Co. Boro'	468	340	59	.	2	32	1	8	2	18	6	.
Antrim	2,619	777	877	31	7	493	13	91	11	188	121	10
Armagh . .	993	502	136	13	.	217	7	41	3	32	42	.
Down . . .	2,254	748	763	25	20	437	7	71	15	110	54	4
Fermanagh .	396	202	17	.	.	138	1	21	3	9	5	.
*Londonderry .	1,006	429	257	5	1	198	4	13	4	66	28	1
Tyrone . .	1,083	623	195	4	1	210	1	7	5	19	17	1

*Excluding Co. Borough.

LIVE BIRTHS

Number and rate Live births registered during 1972 numbered 29,994, 1,771 fewer than in 1971. The birth rate was 19.4 per 1,000 of the estimated population, being 1.3 below the rate for 1971.

The monthly incidence of births was as follows:

January	2,555	April	2,553	July	2,318	October	2,525
February	2,452	May	2,661	August	2,753	November	2,346
March	2,508	June	2,738	September	2,512	December	2,073
Qtrs.: 1st	7,515	2nd	7,952	3rd	7,583	4th	6,944


Compared with 1971, the first, second, third and fourth quarters showed decreases of 780, 255, 467 and 269 respectively.

TABLE E. *Northern Ireland: Live births, numbers and rates by area, 1969-1972.*

AREA	Number				Rate per 1,000 of the population			
	1969	1970	1971	1972	1969	1970	1971	1972
Northern Ireland	32,428	32,086	31,765	29,994	21.4	21.1	20.7	19.4
All urban areas	18,009	17,945	17,996	16,264	21.4	21.2	21.3	19.1
All rural areas	14,419	14,141	13,769	13,730	21.4	20.9	20.0	19.7
Belfast County Borough	7,173	6,916	6,235	5,355	18.6	18.0	17.3	14.8
Londonderry County Borough	1,402	1,314	1,327	1,076	25.5	23.5	25.5	20.5
County Antrim	7,566	7,651	7,696	7,377	22.7	22.4	21.7	20.4
County Armagh	2,939	2,876	3,002	2,876	22.9	22.2	22.4	21.1
County Down	5,957	6,060	5,961	5,749	19.8	19.9	19.1	18.3
County Fermanagh	933	1,010	1,026	1,018	18.7	20.2	20.5	20.4
*County Londonderry	3,204	3,101	3,274	3,272	26.2	25.2	25.0	24.5
County Tyrone	3,254	3,158	3,244	3,271	23.8	23.1	23.2	23.4

*Excluding County Borough.

DIAGRAM 2. Birth rates (crude) in Northern Ireland, England and Wales, Scotland and the Irish Republic, 1948-72.
Rate per 1,000 population.



Births registered during 1972, where the normal residence of the parents was outside Northern Ireland, numbered 196 as compared with 279 in 1971. In 107 cases an address in the Irish Republic was given, and of these, 80 births occurred in hospitals: the 1971 figures were 163 and 104 respectively. In 13 cases the parents were itinerants having no fixed abode and all of these births took place in hospitals.

Proportion of males to females Births of males in Northern Ireland in 1972 numbered 15,559 and those of females 14,435, the proportion of male to female births being 1,078 to 1,000. The corresponding proportions for each of the five years 1967-71 were 1,057, 1,070, 1,049, 1,064 and 1,081 respectively.

Illegitimate births The number of illegitimate births was 1,263. This was 56 more than in 1971. The proportion to total live births (4.21 per cent.) was 0.41 above that for the previous year. In England and Wales, Scotland and the Irish Republic, the illegitimate births as percentages of the total live births in the year 1972 were (provisionally) 8.6, 8.5 and 2.9 respectively.

TABLE E1. *Northern Ireland: Illegitimate live births by area, 1969-72.*

AREA	Number of illegitimate births				Illegitimate births as percentage of total live births			
	1969	1970	1971	1972	1969	1970	1971	1972
Northern Ireland	1,210	1,214	1,207	1,263	3.7	3.8	3.8	4.2
All urban areas	754	772	760	795	4.2	4.3	4.2	4.9
All rural areas	456	442	447	468	3.2	3.1	3.2	3.4
Belfast County Borough . .	392	398	336	359	5.5	5.8	5.4	6.7
Londonderry County Borough . .	61	51	60	48	4.4	3.9	4.5	4.5
County Antrim	246	259	289	320	3.3	3.4	3.8	4.3
County Armagh	74	75	63	110	2.5	2.6	2.1	3.8
County Down	158	184	175	153	2.7	3.0	2.9	2.7
County Fermanagh	48	42	44	35	5.1	4.2	4.3	3.4
*County Londonderry . . .	123	107	136	121	3.8	3.5	4.2	3.7
County Tyrone	108	98	104	117	3.3	3.1	3.2	3.6

*Excluding County Borough

Multiple births Up to and including 1960, the birth of one live and one still-born infant was regarded as a single birth and the birth of two live infants and one still-born infant as a twin birth. Since 1961 still-births have been registered and these are now being taken into account to obtain accurate figures for single and multiple births. Of the 29,994 live births, 29,347 were the product of single, 637 of twin, 6 of triple, and 4 of quadruple pregnancies. Table E2 gives the multiplicity of all births.

TABLE E2. *Northern Ireland: Multiple births, 1972.*

Pregnancy	Product	Con- finements	Live births	Still-births
Single	1 live born	29,347	29,347	—
„	1 still born	421	—	421
Twin	2 live born	314	628	—
„	1 live born, 1 still born	9	9	9
„	2 still born	2	—	4
Triple	3 live born	2	6	—
„	2 live born, 1 still born
„	1 live born, 2 still born
„	3 still born
Quadruple	4 live born	1	4	—
„	3 live born, 1 still born
„	2 live born, 2 still born
„	1 live born, 3 still born
„	4 still born	—	.
	TOTALS	30,096	29,994	434

STILL-BIRTHS

Number and rate The number of still-births registered in 1972 was 434 giving a rate of 14 per 1,000 births (live and still). The relative numbers and rates for the period 1969-1972 are shown in Table F. Comparative 1972 figures in England and Wales and Scotland were 8,794 and 12 and 1,053 and 13 respectively.

TABLE F. *Northern Ireland: Still-births and rates per 1,000 births (live and still) by area 1969-1972.*

AREA	Number of still-births				Rate per 1,000 live and still-births			
	1969	1970	1971	1972	1969	1970	1971	1972
Northern Ireland	502	465	462	434	15	14	14	14
All urban areas	280	267	260	239	15	15	14	14
All rural areas	222	198	202	195	15	14	14	14
Belfast County Borough	121	119	109	95	17	17	17	17
Londonderry County Borough	16	20	17	17	11	15	13	16
County Antrim	116	99	98	90	15	13	13	12
County Armagh	49	36	44	35	16	12	14	12
County Down	95	87	86	82	16	14	14	14
County Fermanagh	14	15	16	11	15	15	15	11
*County Londonderry	46	41	46	58	14	13	14	17
County Tyrone	45	48	46	46	14	15	14	14

*Excluding County Borough.

Abstract 11 shows the numbers of still-births in administrative areas by sex. The number of still-born children who would have been illegitimate had they been born alive was 34 representing 7.8 per cent. of all still-births. Thirteen of the still-births were the product of multiple confinements further particulars of which will be found in Table E2 above. In 302 cases the births occurred after a period of less than 37 weeks gestation or the weight of the foetus was not more than 5½ lbs. Of the 434 still-births 372 were certified by doctors, 60 by mid-wives and 2 by coroners. Post-mortem examinations were held in 116 cases. Abstract 10 shows still-births by cause, sex and period of gestation. The percentage of still-births which occurred in hospitals in 1972 was 97.9 compared with 98.5 per cent. in 1971.

TABLE F1. Northern Ireland: Still-births in hospitals etc., and parity* of mother 1972.

Place of confinement	Total still-births	Parity of mother											
		0	1	2	3	4	5	6	7	8	9	10 and over	Not stated
In hospital . . .	425	152	59	58	52	25	20	7	7	8	3	6	28
In own homes, nursing homes and all other places . .	9	3	1	.	1	1	.	3
TOTAL . . .	434	155	60	58	53	25	20	7	7	8	4	6	31

*Parity has been taken to mean the number of children born (live and still) to the mother as the result of previous pregnancies.

Congenital malformations caused 129 still-births (i.e. 29.7 per cent. of the total). This group was also the main cause in 1971 when the corresponding figures were 139 and 30.1 respectively.

TABLE F2. Northern Ireland: Still-births by age and parity* of mother 1972.

Age of mother	Total still-births	Parity* of mother											
		0	1	2	3	4	5	6	7	8	9	10 and over	not stated
ALL AGES . . .	434	155	60	58	53	25	20	7	7	8	4	6	31
Age unknown
Under 16 years . . .	1	1
16 years—
17 years— . . .	1	1
18 years— . . .	12	10	.	1	1
19 years— . . .	14	12	2
20-24 years . . .	102	56	20	9	8	9
25-29 .. .	128	46	21	27	15	7	4	1	7
30-34 .. .	82	18	12	12	13	6	8	3	1	2	1	.	6
35-39 .. .	51	8	3	6	8	8	4	3	4	3	2	.	2
40-44 .. .	36	4	3	3	8	3	3	.	1	3	1	5	2
45 years and over . .	7	.	1	.	1	1	1	.	1	.	.	1	1

*See definition at foot of table F1.

DEATHS

Number and rate The number of deaths recorded during the year 1972 and the death rate per 1,000 of the population were 17,032 and 11.0 respectively. The comparable figures for 1971 were 16,202 and 10.6.

The monthly incidence of deaths was as follows:

January	. 1,598	April	. 1,356	July	. 1,195	October	. 1,363
February	. 1,721	May	. 1,484	August	. 1,246	November	1,356
March	. 1,589	June	. 1,322	September	1,236	December	1,566
Qtrs.: 1st	. 4,908	2nd	. 4,162	3rd	. 3,677	4th	. 4,285

Of the total deaths 9,001 were of males and 8,031 were of females, the equivalent annual death rates being 11.8 and 10.2 per 1,000 of the male and female estimated populations, respectively. The corresponding rates for 1971 were 11.4 and 9.8.

According to the ages stated to registrars, 727 (4.3 per cent.) of the total deaths were of children under 5 years of age and 11,661 (68.5 per cent.) were of persons aged 65 and upwards. There were 193 deaths of persons (65 males and 128 females) aged 95 and upwards and this number included 3 males and 6 females at 100 years, 1 male and 3 females at 101, 4 females at 102, 2 females at 103, 1 female at 104 and 1 female at 105.

Table G gives a partial analysis of deaths by age for each sex and the percentage of the total deaths in each group.

TABLE G. Northern Ireland: Deaths by sex and certain age-groups and as percentage of total deaths, 1972.


		Total	Under 1 year	1-14 years	15-44 years	45-64 years	65 years and over
Number of deaths	P	17,032	616	231	874	3,650	11,661
	M	9,001	350	139	591	2,293	5,628
	F	8,031	266	92	283	1,357	6,033
Percentage of total deaths	P	100	3.6	1.4	5.1	21.4	68.5
	M	100	3.9	1.5	6.6	25.5	62.5
	F	100	3.3	1.2	3.5	16.9	75.1

TABLE H. Northern Ireland: Deaths and death rates by area, 1969-1972.

AREA	Number of deaths				Death rate per 1,000 of population			
	1969	1970	1971	1972	1969	1970	1971	1972
Northern Ireland	16,338	16,551	16,202	17,032	10.8	10.9	10.6	11.0
All urban areas	9,428	9,412	9,312	9,807	11.2	11.1	11.0	11.5
All rural areas	6,910	7,139	6,890	7,225	10.3	10.6	10.0	10.4
Belfast County Borough	4,829	4,718	4,430	4,656	12.5	12.3	12.3	12.8
Londonderry County Borough	559	566	526	587	10.2	10.1	10.1	11.2
County Antrim	3,113	3,164	3,152	3,438	9.3	9.3	8.9	9.5
County Armagh	1,361	1,361	1,391	1,406	10.6	10.5	10.4	10.3
County Down	3,245	3,366	3,365	3,468	10.8	11.1	10.8	11.0
County Fermanagh	583	596	610	638	11.7	11.9	12.2	12.8
*County Londonderry	1,164	1,228	1,220	1,222	9.5	10.0	9.3	9.2
County Tyrone	1,484	1,552	1,508	1,617	10.9	11.3	10.8	11.6

*Excluding County Borough.

DIAGRAM 3. Death rates (standardised) in Northern Ireland, England and Wales, Scotland and the Irish Republic, 1948-72
Rate per 1,000 population.



Area mortality comparisons Indices of mortality by sex and principal cause on an age-standardised basis are presented with the addition of Standardised Mortality Ratios (S.M.R.) in Abstract 17 of this year's Report. The S.M.R. shows the number of deaths registered in each area as a percentage of those which would have been expected in that area had the age-specific death rates of the total Northern Ireland population operated in the corresponding population age-groups of that area.

Deaths in hospitals The number of deaths occurring in hospitals in each of the years 1963–1972 is shown in Table J. Of the deaths registered in 1972, 56.7 per cent. took place in hospitals (3.2 per cent. in mental hospitals). It will be seen from Table J that the percentage of deaths occurring in hospitals has been increasing steadily through the years, with the exception of the years 1966 and 1972. The proportion of deaths occurring in institutions in 1942 amounted to 30.0 per cent. of the total deaths.

TABLE J. *Northern Ireland: Deaths in hospitals, 1963–1972.*

	1963	1964	1965	1966	1967	1968	1969	1970	1971	1972
Number of deaths in:										
Mental hospitals . . .	610	442	638	542	515	584	584	591	558	542
Other hospitals . . .	7,100	7,603	7,723	8,135	7,530	8,165	8,591	8,857	8,738	9,113
Elsewhere . . .	8,189	7,309	7,190	7,764	6,626	7,184	7,163	7,103	6,906	7,377
Total deaths . . .	15,899	15,354	15,551	16,441	14,671	15,933	16,338	16,551	16,202	17,032
Percentage of deaths in hospitals . . .	48.5	52.4	53.8	52.8	54.8	54.9	56.2	57.1	57.4	56.7

Cause of death Where more than one cause of death is reported the death is classified to the underlying cause, i.e., the starting point in the sequence of events leading to death. See General Notes on page 8.

Proportion of deaths from principal causes Abstract 15B sets out the causes of death as proportions per 1,000 of the total deaths in certain age-groups by sex. Heart diseases continued to bear by far the greatest proportion of the total deaths; other diseases having a high proportion were cancer, cerebrovascular disease (mainly cerebral thrombosis and cerebral haemorrhage) and respiratory diseases.

At ages under one year congenital malformations, premature birth, and pneumonia were the principal causes of death.

Between the ages of one and ten the highest proportions were caused by accidents, congenital malformations, cancer, Hodgkin's disease and leukaemia and pneumonia.

Between the ages of ten and twenty-four, accidents caused by far the largest proportion of deaths. The proportions from cancer, congenital malformations and Hodgkin's disease and leukaemia were also high.

Between the ages of twenty-five and forty-four the principal causes were cancer, heart diseases, accidents, suicide and cerebrovascular disease.

From age forty-five the pattern was heart diseases followed by cancer, cerebrovascular disease and respiratory diseases.

Table K shows, for each of the principal causes, the numbers of deaths and the death rates for each year since 1969.

Deaths from the principal epidemic diseases A total of 127 deaths (0.07 per 1,000 population) fell within this group. Of these, 107 were caused by influenza and 20 by diarrhoeal diseases of children under 2 years of age. No deaths resulted from the other diseases comprising this group, viz., measles, dysentery, whooping cough, diphtheria, smallpox, typhus, typhoid fever, scarlet fever, paratyphoid fever and acute polio-myelitis.

The number of deaths from the principal epidemic diseases in 1971 was 86 and the relative rate was 0.06. The higher incidence of deaths from influenza in 1972 accounted mainly for the increase in deaths in this group.

TABLE K. Northern Ireland: Causes of death and death rates per 100,000 of estimated population, 1969-1972

Abbreviated List Nos.	CAUSES OF DEATH	Number of deaths				Rate per 100,000 population			
		1969	1970	1971	1972	1969	1970	1971	1972
B1	Cholera
B2	Typhoid fever
B3	Bacillary dysentery and amoebiasis	1	2	2	.	0.1	0.1	0.1	.
B4	Enteritis and other diarrhoeal diseases	64	46	34	33	4.2	3.0	2.2	2.1
B5	Tuberculosis of respiratory system	51	44	26	34	3.4	2.9	1.6	2.2
B6	Other tuberculosis, including late effects	20	21	17	15	1.3	1.4	1.1	1.0
B7	Plague
B8	Diphtheria
B9	Whooping cough	4	.	1	.	0.3	.	0.1	.
B10	Streptococcal sore throat and scarlet fever
B11	Meningococcal infection	3	4	10	11	0.2	0.3	0.6	0.7
B12	Acute poliomyelitis
B13	Smallpox
B14	Measles	4	1	4	.	0.3	0.1	0.3	.
B15	Typhus and other rickettsioses
B16	Malaria
B17	Syphilis and its sequelae	6	4	7	3	0.4	0.3	0.5	0.2
B18	All other infective and parasitic diseases	46	40	50	52	3.0	2.6	3.2	3.4
B19	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissue								
	(a) Cancer	2,694	2,696	2,758	2,614	178.1	176.9	179.8	168.7
	(b) Hodgkin's disease and leukaemia	123	113	104	101	8.1	7.4	6.8	6.5
B20	Benign neoplasms and neoplasms of unspecified nature	36	32	41	45	2.4	2.1	2.7	2.9
B21	Diabetes mellitus	164	156	144	183	10.8	10.2	9.4	11.8
B22	Avitaminoses and other nutritional deficiency	7	6	3	8	0.5	0.4	0.2	0.5
B23	Anaemias	63	55	50	55	4.2	3.6	3.2	3.5
B24	Meningitis	13	18	15	12	0.9	1.2	1.0	0.8
B25	Active rheumatic fever	2	.	.	1	0.1	.	.	0.1
B26	Chronic rheumatic heart disease	250	214	214	195	16.5	14.0	14.0	12.6
B27	Hypertensive disease	303	232	209	302	20.0	15.2	13.6	19.5
B28	Ischaemic heart disease	4,420	4,498	4,507	4,822	292.2	295.1	293.8	311.2
B29	Other forms of heart disease	1,057	930	930	918	69.9	61.0	60.6	59.3
B30	Cerebrovascular disease	2,327	2,450	2,493	2,328	153.9	160.8	162.5	163.2
B31	Influenza	89	262	51	107	5.9	17.2	3.3	6.9
B32	Pneumonia	711	794	860	820	47.0	52.1	56.1	52.9
B33	Bronchitis, emphysema and asthma	938	952	759	890	62.0	62.5	49.5	57.4
B34	Peptic ulcer	100	112	101	98	6.6	7.3	6.6	6.3
B35	Appendicitis	8	8	10	10	0.5	0.5	0.6	0.6
B36	Intestinal obstruction and hernia	51	62	57	66	3.4	4.1	3.7	4.3
B37	Cirrhosis of liver	56	39	47	56	3.7	2.6	3.1	3.6
B38	Nephritis and nephrosis	49	83	64	65	3.2	5.4	4.2	4.2
B39	Hyperplasia of prostate	56	49	1	25	3.7	3.2	3.1	1.6
B40	Abortion	1	.	1	1	0.1	.	0.1	0.1
B41	Other complications of pregnancy, childbirth and puerperium	4	.	5	2	0.3	.	0.3	0.1
B42	Congenital anomalies	246	236	237	205	16.3	15.5	15.4	13.2
B43	Birth injury, difficult labour and other anoxic and hypoxic conditions	165	158	155	145	10.9	10.4	10.1	9.4
B44	Other causes of perinatal mortality	176	185	165	143	11.6	12.1	10.8	9.2
B45	Symptoms and ill-defined conditions	50	49	37	51	3.3	3.2	2.4	3.3
B46	All other diseases	1,333	1,304	1,248	1,383	88.1	85.6	81.4	89.3
BE47	Motor vehicle accidents	234	269	289	344	15.5	17.7	18.8	22.2
BE48	All other accidents	292	330	322	352	19.3	21.7	21.0	22.7
BE49	Suicide and self-inflicted injuries	92	60	53	47	6.1	3.9	3.5	3.0
BE50	All other external causes	29	37	75	290	1.9	2.4	4.9	18.7
	ALL CAUSES	16,338	16,551	16,202	17,032	1080.2	1086.0	1056.2	1,099.2

See definition on page 8.

The notifications of certain infectious diseases for each administrative area in Northern Ireland for the year 1972 are shown in Abstract 31, and the diseases named are those laid down by regulations (issued by the Ministry of Health and Social Services) as compulsorily notifiable throughout Northern Ireland.

Influenza There were 107 deaths from influenza in 1972 as against a total of 51 in 1971. The relative rates per 1,000 of the population were 0.07 (1972) and 0.03 (1971).

Tuberculosis Deaths from this cause numbered 49 compared with 43 in 1971. The rate of 0.03 per 1,000 population is the same as that for 1971. Further details of comparable figures over the past years may be seen at a glance in Tables L and L1.

The tuberculosis death rates (provisional) for England and Wales, Scotland and the Irish Republic in 1972 were 0.03, 0.04 and 0.06 respectively.

TABLE L. Northern Ireland: Deaths and death rates from tuberculosis (all forms), 1926, 1937, 1951 and 1961-1972.

YEAR	MALES		FEMALES		TOTAL	
	Number of deaths	Rate per 1,000 of the estimated male population	Number of deaths	Rate per 1,000 of the estimated female population	Number of deaths	Rate per 1,000 of the estimated population
1926	849	1.40	992	1.53	1,841	1.47
1937	627	1.00	624	0.95	1,251	0.98
1951	342	0.51	275	0.39	617	0.45
1961	75	0.11	30	0.04	105	0.07
1962	73	0.10	29	0.04	102	0.07
1963	81	0.11	33	0.04	114	0.08
1964	58	0.08	25	0.03	83	0.06
1965	45	0.06	29	0.04	74	0.05
1966	39	0.05	18	0.02	57	0.04
1967	41	0.06	21	0.03	62	0.04
1968	30	0.04	28	0.04	58	0.04
1969	51	0.07	20	0.03	71	0.05
1970	39	0.05	26	0.03	65	0.04
1971	30	0.04	13	0.02	43	0.03
1972	30	0.04	19	0.02	49	0.03

TABLE L1. *Northern Ireland: Death rates per 1,000 of the population from tuberculosis (all forms) by counties and county boroughs, 1926, 1937, 1951 and 1961-1972.*

YEAR	Antrim	Armagh	Belfast County Borough	Down	Fermanagh	Londonderry (excluding County Borough)	London- derry County Borough	Tyrone
1926	1.29	1.38	1.74	1.43	0.98	1.25	1.37	1.38
1937	0.81	1.14	1.16	0.85	1.03	0.56	1.11	0.92
1951	0.31	0.34	0.59	0.44	0.41	0.25	0.56	0.46
1961	0.05	0.08	0.10	0.09	0.02	0.04	0.09	0.04
1962	0.07	0.06	0.10	0.06	0.04	0.04	0.06	0.07
1963	0.06	0.05	0.13	0.05	0.12	0.03	0.05	0.07
1964	0.05	0.05	0.10	0.03	0.02	0.03	0.09	0.04
1965	0.04	0.05	0.07	0.06	0.02	0.03	0.04	0.02
1966	0.04	0.01	0.06	0.04	0.02	0.04	.	0.03
1967	0.03	0.02	0.07	0.03	0.06	0.03	0.11	0.02
1968	0.02	0.02	0.07	0.04	0.06	0.02	0.02	0.01
1969	0.03	0.04	0.09	0.03	0.04	0.02	.	0.06
1970	0.02	0.04	0.06	0.04	0.02	0.03	0.05	0.05
1971	0.03	0.01	0.06	0.02	.	0.01	0.04	0.02
1972	0.02	0.03	0.05	0.04	0.02	0.02	0.04	0.02

More detailed information about deaths from tuberculosis is given in Abstracts 12 and 17.

Cancer* The number of deaths from cancer in Northern Ireland during 1972 was 2,614 giving a death rate of 1.69 per 1,000 of the population which is 0.11 below the rate for 1971.

The death rates from cancer and tuberculosis were roughly the same in 1931 (i.e. 1.26 for cancer and 1.23 for tuberculosis). Since then the cancer rate has increased by 34.1 per cent. and the tuberculosis rate has decreased by 97.6 per cent.


TABLE M. *Northern Ireland: Deaths and death rates from cancer, 1926 1937, 1951 and 1959-1972.*

YEAR	MALES		FEMALES		TOTAL	
	Number of deaths	Rate per 1,000 of the estimated male population	Number of deaths	Rate per 1,000 of the estimated female population	Number of deaths	Rate per 1,000 of the estimated population
1926	619	1.02	791	1.22	1,410	1.12
1937	777	1.25	891	1.36	1,668	1.30
1951	1,041	1.56	993	1.41	2,034	1.48
1959	1,185	1.73	1,073	1.49	2,258	1.60
1960	1,205	1.74	1,096	1.51	2,301	1.62
1961	1,138	1.64	1,048	1.43	2,186	1.53
1962	1,177	1.68	1,039	1.41	2,216	1.54
1963	1,180	1.67	1,072	1.45	2,252	1.56
1964	1,196	1.68	1,096	1.47	2,292	1.57
1965	1,249	1.74	1,168	1.55	2,417	1.65
1966	1,284	1.78	1,138	1.50	2,422	1.64
1967	1,249	1.72	1,097	1.44	2,346	1.57
1968	1,389	1.90	1,283	1.67	2,672	1.78
1969	1,416	1.92	1,278	1.65	2,694	1.78
1970	1,411	1.89	1,285	1.65	2,696	1.77
1971	1,463	1.94	1,295	1.66	2,758	1.80
1972	1,362	1.78	1,252	1.60	2,614	1.69

* See definition on page 8

DIAGRAM 4. Death rates (crude) from cancer in Northern Ireland, England and Wales, Scotland and the Irish Republic, 1948-72. Rate per 100,000 population.

26



As will be seen from Abstract 12 the most frequent sites of fatal cancer among males during the year were bronchus and lungs, 431; stomach, 181; intestines, 135; prostate, 112; pancreas, 75 and rectum, 74. Among females the most frequent sites were breast, 241; intestines, 175; stomach, 140; bronchus and lungs, 111; pancreas 58; rectum 54 and ovary, fallopian tube and broad ligament 65.

For many years cancer of the stomach proved to be the most frequent site of fatal cancer for both sexes and it remained so among females up to 1961 when it took second place to cancer of the breast. Since 1954 however, cancer of the lung has been more prevalent among males. The number of male deaths from this cause increased each year since 1945, with the exception of 1958, 1960, 1962, 1964, 1970 and 1972 in each of which years there was a slight decrease compared with the year immediately preceding.

Table M1 shows the numbers and rates of lung cancer deaths by sex for the past ten years. Abstract 12 gives particulars regarding the cancer sites by sex and age-groups and Abstracts 11, 17 and 21 give details of cancer incidence in administrative areas.

TABLE M1. *Northern Ireland: Deaths and death rates from lung cancer, 1961-1972.*

YEAR	Number			Rate per 100,000 population		
	Males	Females	Persons	Males	Females	Persons
1961	317	48	365	46	7	26
1962	296	64	360	42	9	25
1963	354	60	414	50	8	29
1964	330	66	396	46	9	27
1965	352	62	414	49	8	28
1966	374	73	447	52	10	30
1967	393	81	474	54	11	32
1968	434	91	525	59	12	35
1969	442	102	544	60	13	36
1970	435	87	522	58	11	34
1971	479	101	580	63	13	38
1972	431	111	542	56	14	35

Cerebral haemorrhage, apoplexy, etc. The deaths assigned to this group (described as "cerebrovascular disease") numbered 2,528 giving a rate of 1.63 per 1,000 of the population. This rate is the same as that for 1971, and is 0.09 above the average rate for the period 1967-1971. The rate per 1,000 of the male population was 1.36 whilst the female rate was 1.90. Details of deaths in this group by ages are shown in Abstract 12.

Heart diseases The deaths from the various forms of heart disease during the year numbered 6,139, the rate per 1,000 of the population being 3.96 which is 0.19 above that for the previous year and is 0.17 above the average for the five years 1967-1971.

3 | **TABLE N. Northern Ireland: Deaths and death rates from heart disease (all forms) 1926, 1937, 1951, and 1964-1972.**

YEAR	MALES		FEMALES		PERSONS	
	Number of deaths	Rate per 1,000 of the estimated male population	Number of deaths	Rate per 1,000 of the estimated female population	Number of deaths	Rate per 1,000 of the estimated population
1926	1,241	2.04	1,437	2.22	2,678	2.14
1937	1,885	3.02	1,815	2.76	3,700	2.89
1951	2,785	4.16	2,722	3.87	5,507	4.01
1963	3,303	4.69	2,776	3.75	6,079	4.20
1964	3,034	4.27	2,526	3.38	5,560	3.81
1965	3,120	4.36	2,580	3.43	5,700	3.88
1966	3,178	4.41	2,611	3.45	5,789	3.92
1967	2,971	4.09	2,488	3.26	5,459	3.66
1968	3,128	4.27	2,579	3.35	5,707	3.80
1969	3,228	4.38	2,691	3.47	5,919	3.91
1970	3,240	4.35	2,551	3.27	5,791	3.80
1971	3,232	4.28	2,551	3.27	5,783	3.77
1972	3,373	4.41	2,766	3.52	6,139	3.96

Of the total number of deaths from heart diseases, 4,822 (78.5 per cent.) were in the group known as ischaemic heart disease which includes coronary disease. Chronic rheumatic heart disease accounted for 195 (3.2 per cent.), hypertensive heart disease for 204 (3.3 per cent.) and other forms of heart disease for 918 (15.0 per cent.) of all deaths from heart diseases.

International detailed list numbers 393-398, 402, 404, 410-414 and 420-429 as shown in Abstract 12 give the age and sex breakdown of all deaths from heart diseases.

Bronchitis The deaths from bronchitis during the year numbered 819, giving a rate of 0.53 per 1,000 of the population, which is 0.7 above the rate for 1971. Bronchitis was also an important contributory factor in 513 deaths though not related to the condition taken to have initiated the sequence of events leading to death.

Pneumonia Deaths from pneumonia numbered 820 during the year 1972, the rate of 0.53 per 1,000 of the population being 0.03 lower than the rate for 1971. The average rate for the five years 1967-1971 was 0.47.

Pregnancy and childbirth The mortality of women during pregnancy and childbirth is classified under two headings, namely—(1) deliveries and complications of pregnancy, childbirth and the puerperium and (2) deaths with mention of pregnancy, childbirth and the puerperium but not classified as maternal. The causes of death shown in detailed list numbers 630-678 of Abstract 12 are those to which the former group were assigned, and Table O below gives details of the latter group.

There were 3 deaths from diseases of pregnancy, childbirth and the puerperal state in 1972 giving a rate of 0.10 per 1,000 births (live and still). There were 6 such deaths in 1971.

There were no deaths in which maternal conditions were coincidentally present. In 1971 there were 6 such deaths.

TABLE O1. *Northern Ireland: Deaths of women in pregnancy, childbirth and the puerperium, 1926, 1937, 1951, and 1964-1972.*

Year	Maternal deaths		Not classed as maternal	
	No.	Rate† per 1,000 births	No.	Rate† per 1,000 births
1926	158	5.61	17	0.60
1937	127	5.00	37	1.46
1951	31	1.09	8	0.28
1964	6	0.17	5	0.14
1965	11	0.32	12	0.35
1966	6	0.18	8	0.24
1967	8	0.24	13	0.38
1968	9	0.27	7	0.21
1969	5	0.15	4	0.12
1970	.	.	6	0.18
1971	6	0.19	6	0.19
1972	3	0.10	.	.

† Rate per 1,000 live births for years 1926-60. The rates from 1961 are per 1,000 total births (live and still).

DIAGRAM 5. Maternal mortality rates (crude) in Northern Ireland, England and Wales, Scotland and the Irish Republic, 1948-72. Rate per 1,000 live births.




TABLE O2. *Northern Ireland: Maternal deaths in urban and rural areas, and in each county and county borough 1969-1972.*

AREA	Number of deaths				Maternal mortality rate per 1,000 births (live and still)			
	1969	1970	1971	1972	1969	1970	1971	1972
Northern Ireland . . .	5	.	6	3	0.15	.	0.19	0.10
All urban areas . . .	2	.	6	1	0.11	.	0.33	0.06
All rural areas . . .	3	.	.	2	0.20	.	.	0.14
Belfast County Borough	1	.	2	.	0.14	.	0.32	.
Londonderry County Borough
County Antrim . . .	1	.	.	.	0.13	.	.	.
County Armagh	1	.	.	.	0.33	.
County Down . . .	1	.	1	.	0.17	.	0.17	.
County Fermanagh	1	.	.	.	0.97
*County Londonderry . .	2	.	1	1	0.62	.	0.30	0.30
County Tyrone	1	1	.	.	0.30	0.30

* Excluding County Borough.

Infant mortality Deaths of infants under 1 year of age numbered 616, or 21 per 1,000 live births registered. This rate is 2 below that for the previous year. Of these deaths, 350 were of males and 266 of females, the former number being equivalent to 23 per 1,000 live births of males and the latter to 18 per 1,000 live births of females. The corresponding rates for 1971 were 24 and 21 respectively. In 1972 the provisional infant mortality rate in England and Wales was 17, in Scotland 19 and in the Irish Republic 18. Comparative figures for previous years are shown in Table B on page 11.

Neonatal mortality Deaths of infants aged under four weeks numbered 418, representing a rate of 14 per 1,000 live births. This is equivalent to 67.9 per cent. of all deaths of children under 1 year of age. The corresponding figures for 1971 were 505, 16 and 69.9 per cent. respectively. The 1972 rates for England and Wales, Scotland and the Irish Republic were (provisionally) 12, 12 and 12 respectively.

DIAGRAM 6. Infant mortality rates (crude) in Northern Ireland, England and Wales, Scotland and the Irish Republic, 1948-72. Rate per 1,000 live births.




TABLE P. Northern Ireland: Neonatal and infant mortality rates per 1,000 live births by area, 1969-1972.

AREA	Neonatal mortality rate per 1,000 live births				Infant mortality rate per 1,000 live births			
	1969	1970	1971	1972	1969	1970	1971	1972
Northern Ireland	16	16	16	14	24	23	23	21
All urban areas . . .	17	16	16	14	27	24	24	21
All rural areas . . .	14	14	15	13	21	21	21	20
Belfast County Borough	16	19	15	15	30	28	26	23
Londonderry County Borough . . .	16	16	25	17	28	26	29	22
County Antrim . . .	16	16	14	15	22	23	19	20
County Armagh . . .	15	9	17	14	25	18	25	22
County Down . . .	16	14	17	10	23	19	24	15
County Fermanagh . . .	11	15	14	24	15	21	19	31
*County Londonderry . . .	14	15	12	11	20	22	16	20
County Tyrone . . .	19	17	18	16	25	23	25	22

* Excluding County Borough.

Perinatal deaths (i.e. deaths of children within the first week of life together with all still-births) numbered 790 giving a rate of 26 per 1,000 live and still-births. Comparative rates in England and Wales and Scotland were (provisionally) 22 and 24 respectively.

TABLE Q. Perinatal deaths and rates per 1,000 births (live and still) by area, 1969-1972.

AREA	1969		1970		1971		1972	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Northern Ireland	947	29	900	28	877	27	790	26
All urban areas . . .	538	29	515	28	502	27	438	27
All rural areas . . .	409	28	385	27	375	27	352	25
Belfast County Borough	217	30	229	33	188	30	164	30
Londonderry County Borough . . .	32	23	40	30	43	32	31	28
County Antrim . . .	215	28	206	27	192	25	182	24
County Armagh . . .	92	31	57	20	81	27	68	23
County Down . . .	182	30	161	26	171	28	133	23
County Fermanagh . . .	23	24	28	27	27	26	31	30
*County Londonderry . . .	83	26	82	26	75	23	90	27
County Tyrone . . .	103	31	97	30	100	30	91	27

* Excluding County Borough.

Abstract 22 gives the number of deaths of children under 1 year of age for Northern Ireland by counties and county boroughs (also for the aggregates of the urban and rural areas) for the years 1969-1972. For the last of these years the numbers are given by sex and age-groups.

Abstract 11 gives the number of infant deaths, together with the number of births, for each administrative area in Northern Ireland.

The numbers of infant deaths for 1972 by age and cause of death are given in Abstract 24, together with the infant mortality rates by causes.

Mortality among illegitimate children Deaths of illegitimate children under 1 year of age numbered 42 in 1972, which is equivalent to a rate of 33 per 1,000 of the illegitimate live births registered and is 3 above the rate for the previous year. The corresponding rates for legitimate children were 22 and 20 per 1,000 legitimate live births for 1971 and 1972.

TABLE R. *Northern Ireland: Illegitimate neonatal and infant mortality rates per 1,000 illegitimate live births by area, 1969-1972.*

AREA	Illegitimate neonatal mortality rate per 1,000 illegitimate live births				Illegitimate infant mortality rate per 1,000 illegitimate live births			
	1969	1970	1971	1972	1969	1970	1971	1972
Northern Ireland	27	27	22	24	40	33	30	33
All urban areas . . .	21	30	18	19	40	36	28	25
All rural areas . . .	37	23	29	32	42	27	34	47
Belfast County Borough	13	38	9	14	33	45	27	22
Londonderry County Borough . . .	49	39	33	21	66	39	33	21
County Antrim . . .	33	15	17	28	49	19	17	34
County Armagh . . .	68	27	32	9	95	27	48	36
County Down . . .	25	22	51	13	25	22	57	20
County Fermanagh	24	.	57	21	24	.	114
*County Londonderry . .	33	19	15	33	33	19	15	41
County Tyrone . . .	37	31	38	51	37	61	48	51

*Excluding County Borough.

Deaths of illegitimate infants aged under four weeks (illegitimate neonatal mortality) numbered 30, representing 71.4 per cent. of the total deaths of all illegitimate children under 1 year of age. The corresponding figures for 1971 were 27 and 75.0 per cent. respectively.

Abstract 24 gives the number of deaths and mortality rates of illegitimate children under 1 year of age by causes. Most of the rates are considerably in excess of the corresponding rates for all children, but it should be noted that many of the mortality rates of illegitimate children are based on very small numbers of deaths.

Abstract 23 shows the numbers of deaths of illegitimate children under 1 year of age for Northern Ireland by counties and county boroughs and the numbers in the urban and rural areas for the years 1969-1972. The sex and age distribution is shown for the year 1972.

Violent deaths Deaths from causes other than natural causes are termed violent deaths and are classified according to both the external circumstances giving rise to injury, expressed as the "external cause of injury" and to the nature of the injury sustained, designated as the "nature of injury" (see Abstract 19).

The number of deaths ascribed to violence during the year was 1,033 (696 males and 337 females) which is 294 more than the number registered in 1971, and is equivalent to 6.1 per cent. of the total deaths registered.

TABLE S. Northern Ireland: Violent deaths by external cause of injury, 1968-1972.

CAUSES OF DEATH	1968	1969	1970	1971	1972
Accidental Causes:					
Drowning	24	22	33	29	20
Falls	167	177	155	168	191
Fire (excl. fire on transport)	31	32	41	38	43
Firearms	3	1	3	6	6
Machinery	5	4	9	7	6
Mechanical suffocation	1	6	4	3	6
Poisons	6	6	27	27	26
Poisonous gases	12	6	11	12	13
Transport:					
Motor vehicles	219	234	269	289	344
Other road vehicles	5	6	4	4	7
Railways	1	3	1	1	.
Aircraft	3	.
Shipping (excl. drowning)	1	.	2	.	.
Other accidental causes (incl. late effects of accidents)	45	29	40	24	34
Suicide:					
Drowning	23	9	7	11	10
Hanging	8	16	7	5	9
Firearms	5	4	6	5	5
Poisons	42	47	32	24	14
Poisonous gases	13	11	7	5	6
Other suicide	8	5	1	3	3
Homicide:					
Poisons
Assault by firearms	2	3	11	7	45
Assault by other means	5	7	8	6	10
Legal intervention	3	.	.	3
Operations of war	1	6	5	45	212
Injury undetermined whether accidentally or purposely inflicted	12	10	13	17	20
TOTAL DEATHS FROM VIOLENCE	639	647	696	739	1,033

Of the 1,033 deaths 351 were attributed to transport accidents (E800—E845) (excluding drowning from watercraft (E830, E832)). Road vehicle accidents (E810—E827) accounted for 351 deaths as compared with 293 in 1971. Table S1 affords comparison of numbers of deaths from road vehicle accidents in 1972 with those for the three preceding years by sex and certain age-groups whilst Table S2 shows the various categories of persons killed in motor vehicle accidents and details of other transport accidents.

TABLE S1. Northern Ireland: Deaths from road vehicle accidents (E810—827), 1969-1972.

		All ages	Under 5 years	5-14	15-34	35-54	55-74	75 and over
MALES	1969	182	10	16	62	43	40	11
	1970	195	13	22	69	33	38	20
	1971	210	10	25	76	36	40	23
	1972	255	11	27	87	41	58	31
FEMALES	1969	58	10	9	7	6	18	8
	1970	78	6	11	13	15	25	8
	1971	83	8	5	23	11	24	12
	1972	96	3	10	31	22	20	10

Other accidents accounted for 345 deaths and of these deaths 191 were ascribed to falls, 20 to drowning, 39 to poisons or poisonous gases, 43 to fire and heat, 6 to mechanical suffocation, 6 to machinery and 40 to other accidental causes. A detailed break-down showing non-transport accidents by sex and age-groups is given in Abstract 20.

Deaths from accidents recorded as occurring in the home numbered 218 compared with 179 in 1971 and 189 in 1970. Most accidents in the home are occasioned by falls and it should be noted that in 1972 there were 22 deaths from falls where the place of the accident was unspecified compared with 19 in 1971. Fuller details of these and other accidents (apart from transport accidents) are given in Abstract 20.

During the year there were 47 cases of suicide (31 males and 16 females) compared with 53 (34 males and 19 females) in 1971, 55 deaths from homicide and 212 from war operations. In addition there were 20 deaths in which it was not possible to determine whether the injuries were accidentally or purposely inflicted.

TABLE S2. *Deaths from transport accidents, by sex and age, 1972*

Inter- national List Numbers	Cause of death	All ages	under 1 year	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
E810-E823 E940	Motor vehicle accident causing death to:													
	(a) pedestrian } M	97	.	9	8	6	6	4	7	6	11	16	20	4
	F	45	.	2	5	3	6	.	3	8	3	8	5	2
	(b) pedal cyclist } M	17	.	.	.	4	2	.	.	1	2	4	4	.
	F	1	1
	(c) motorcyclist } M	11	8	.	1	1	1	.	.	.
	F
	(d) driver of motor vehicle other than motor cycle } M	75	.	.	.	1	34	12	9	8	4	6	1	.
	F	7	1	2	2	1	.	1	.	.
	(e) passenger in motor vehicle } M	41	.	1	3	2	12	7	3	1	6	5	1	.
	F	41	.	1	1	1	16	5	2	5	5	3	.	2
E825-E827 E941	(f) other persons } M	8	.	1	2	.	2	.	2	1	.	.	.	1
	F	1
	Other road vehicle accidents } M	6	.	.	.	1	.	.	.	1	.	3	1	.
	F	1	1
	Total road vehicle accidents } M	255	.	11	13	14	64	23	22	19	24	34	27	4
	F	96	.	3	6	4	24	7	8	14	8	12	5	5
E800-E807 E830-E838 E840-E845	Rail, air and water transport accidents } M	4	2	2
	F	2	.	.	1	.	1
E800-E845 E940-E941	Total transport accidents } M	259	.	11	13	14	66	25	22	19	24	34	27	4
	F	98	.	3	7	4	25	7	8	14	8	12	5	5

Deaths in which violence was stated to be the sequel to some other cause are correlated in Table S3. Alcoholism was, as usual, the greatest single factor in this group causing the deaths of 9 people. This figure, however, does not include deaths caused by other people who were in a state of intoxication.

TABLE S3. *Northern Ireland: Deaths in which violence was a terminal cause, 1972.*

Detailed list numbers	UNDERLYING CAUSE OF DEATH		Motor vehicle traffic accident involving collision with pedestrian E814	Non-collision motor vehicle traffic accident due to loss of control E816	Fall on or from stairs or steps E880	Excessive cold E901	Hunger, thirst, exposure and neglect E904	Accidental drowning and submersion E910	Inhalation and ingestion of food causing obstruction or suffocation E911	TOTAL
303.9	Alcoholism . . . M	F	3	1	1	1	1	1	1	9
340	Multiple Sclerosis . . M	F	1	1
	TOTAL . M	F	3	1	1	1	1	1	2	10

CERTIFICATION OF DEATHS

All deaths must be certified by either a medical practitioner or a coroner and Table T shows the type of certification during the year. The circumstances of 2,571 deaths (15.1 per cent. of all deaths) were considered by the coroners and in 905 of these cases inquests were held. In 836 cases the deaths were certified by coroners after post-mortem examinations had proved inquests to be unnecessary.

TABLE T. *Northern Ireland: Deaths by certification, 1972.*

AREA	Total deaths	Certified by medical practitioners	Certified by coroners		
			Without inquest		After inquest
			Without post-mortem	After post-mortem	
Northern Ireland	17,032	14,461	830	836	905
Co. Antrim	3,438	2,975	145	144	174
Co. Armagh	1,406	1,223	60	50	73
Co. Down	3,468	2,977	207	143	141
Co. Fermanagh	638	563	24	23	28
Co. Londonderry*	1,222	1,030	80	44	68
Co. Tyrone	1,617	1,381	79	64	93
Belfast Co. Borough	4,656	3,808	201	355	292
Londonderry County Borough	587	504	34	13	36
All urban areas	9,807	8,223	493	558	533
All rural areas	7,225	6,238	337	278	372

*Excluding County Borough.

Of the 14,461 deaths certified by medical practitioners the deceased persons were not seen after death by the practitioners in 3,281 cases.

LIFE TABLE

The expectation of life is the average number of years which would be lived by a group of people of given age who are continuously subject to given mortality rates, usually those of a selected year or years.

The abridged life table shown as Table U is based on the mortality rates for 1970-1972 and shows the expectation of life at various age-points together with the number of persons who would survive to given age *x* out of 10,000 born, if subjected throughout their lives to this mortality experience.

Thus 98 per cent. of males and 98 per cent. of females would survive the first year of life; 96 per cent. of males and 97 per cent. of females would reach the age of 20; 78 per cent. of males and 86 per cent. of females would reach the age of 60 and the men could then expect an average future lifetime of 15 years compared with 19 years for women.

Based on the mortality experience of 1970-1972 the expectation of life at birth was 67.6 years for males and 73.7 years for females; at age one year the expectations were 68.3 years for males and 74.1 years for females. Table U1 affords comparison of these figures with those for certain preceding years.

TABLE U. *Northern Ireland: Abridged Life Table, 1970-1972.*

Age x	Males		Females	
	l_x	e_x	l_x	e_x
0	10,000	67.63	10,000	73.67
1	9,755	68.33	9,804	74.14
2	9,742	67.41	9,791	73.24
3	9,735	66.46	9,784	72.29
4	9,727	65.52	9,780	71.31
5	9,720	64.56	9,776	70.35
10	9,697	59.71	9,761	65.45
15	9,675	54.84	9,749	60.53
20	9,620	50.14	9,730	55.64
25	9,554	45.47	9,712	50.74
30	9,494	40.74	9,680	45.90
35	9,433	35.99	9,642	41.07
40	9,338	31.33	9,582	36.31
45	9,180	26.83	9,471	31.71
50	8,904	22.58	9,293	27.27
55	8,472	18.60	9,029	22.99
60	7,782	15.03	8,629	18.94
65	6,742	11.97	8,033	15.16
70	5,374	9.38	7,146	11.74
75	3,825	7.16	5,791	8.90
80	2,300	5.26	4,130	6.48
85	1,034	3.64	2,362	4.46

This abridged life table is constructed from the estimated populations and the total deaths registered during the years 1970-1972.

The column headed l_x shows the numbers who would survive to exact age x out of 10,000 born who were subject throughout their lives to the death probabilities indicated by the mortality records for the years 1970-1972.

Column e_x gives the "expectation of life"—that is the average future lifetime which would be lived by a person aged exactly x if subject to those death probabilities.

TABLE U1. *Northern Ireland: Expectation of life at birth, at one year of age and at 65 years of age for certain periods between 1890 and 1972.*

Period	Expectation of life					
	At birth		At age one year		At age 65 years	
	Male	Female	Male	Female	Male	Female
1890-92	46.3	45.7	—	—	10.6	10.6
1900-02	47.1	46.7	—	—	10.5	10.4
1910-12	50.7	51.0	—	—	12.1	12.8
1925-27	55.4	56.1	59.9	59.5	11.9	12.7
1936-38	57.8	59.2	—	—	11.6	12.4
1950-52	65.5	68.8	67.5	70.3	12.1	13.5
1963-65	67.8	72.9	68.8	73.6	12.2	14.8
1964-66	67.8	73.0	68.7	73.7	12.1	14.8
1965-67	68.1	73.3	68.9	74.1	12.3	15.0
1966-68	68.2	73.5	69.0	74.1	12.3	15.1
1967-69	68.3	73.7	69.2	74.3	12.4	15.3
1968-70	67.9	73.5	68.8	74.0	12.1	15.1
1969-71	67.8	73.7	68.6	74.2	12.0	15.2
1970-72	67.6	73.7	68.3	74.1	12.0	15.2

The Life Tables for 1901, 1926, 1951 and 1961 are included in Section I of the Ulster Year Book, 1972, obtainable from Her Majesty's Stationery Office price 75p.

CONGENITAL MALFORMATIONS

This section which appeared in the Report for the first time in 1964, relates to children born (live or still) with any apparent deformity. The information about these congenital malformations is furnished to the General Register Office by the county and county borough health committees and is classified according to the residence of the parents and not to the place of occurrence.

During the year 911 children were born with congenital malformations compared with 995 in 1971 and 1,043 in 1970. The Northern Ireland rate for 1972 was 29.9 per 1,000 births (live and still) compared with 30.9 for 1971.

TABLE V. *Northern Ireland: Number of congenitally malformed children by area and month of birth, 1972.*

AREA	MONTH OF BIRTH												Totals	Rate*
	January	February	March	April	May	June	July	August	September	October	November	December		
Northern Ireland	74	86	91	85	82	67	77	66	67	70	81	65	911	29.9
Belfast County Borough	13	12	16	17	17	15	15	12	12	18	8	11	166	30.5
Londonderry County Borough	1	.	1	4	2	1	5	2	1	1	3	2	23	21.0
County Antrim	16	14	23	18	14	15	14	13	14	15	25	14	195	26.1
County Armagh	8	5	4	7	5	6	4	6	5	7	10	8	75	25.8
County Down	32	40	31	29	27	19	30	24	24	22	27	19	324	55.6
County Fermanagh	.	2	.	.	1	2	3	1	1	.	.	4	14	13.6
County Londonderry†	1	7	4	5	6	4	3	6	5	3	2	3	49	14.7
County Tyrone	3	6	12	5	10	5	3	2	5	4	6	4	65	19.6

*Per 1,000 births (live and still).

†Excluding County Borough.

Of the 911 children born with malformations 140 (15.4 per cent.) were born with more than one abnormality. In all, 1,088 separate abnormalities were recorded. Table VI shows the number of children affected by multiple abnormalities in each county and county borough.

TABLE VI. *Northern Ireland: Multiple abnormalities by area, 1972.*

AREA	NUMBER OF ABNORMALITIES										All	
	1		2		3		4		5			
	Children	Abnorms.	Children	Abnorms.	Children	Abnorms.	Children	Abnorms.	Children	Abnorms.	Children	Abnorms.
Belfast County Borough	153	153	14	28	.	.	1	4	.	.	168	185
Londonderry County Borough	17	17	5	10	1	3	1	4	.	.	24	34
County Antrim	166	166	24	48	3	9	.	.	1	5	194	228
County Armagh	60	60	9	18	5	15	1	4	.	.	75	97
County Down	285	285	29	58	10	30	324	373
County Fermanagh	9	9	4	8	1	3	14	20
County Londonderry*	29	29	16	32	1	3	1	4	.	.	47	68
County Tyrone	52	52	9	18	3	9	1	4	.	.	65	83
Northern Ireland TOTAL	771	771	110	220	24	72	5	20	1	5	911	1,088

*Excluding County Borough.

In Northern Ireland as a whole 10 (1.1 per cent.) of the congenitally malformed children were born at home, the remainder having been born in hospitals.

In 7 cases the children were twins, the other partner of each having no reported malformation in 5 instances.

Details about the nature of the malformations will be found in Abstracts 26, 27, 29 and 30 and data about the mother's age and the number of other children born to her are in Abstract 28.

MIGRATION

The population figures ascertained at each census enable the net migration during the inter-censal periods to be calculated. Table W shows that during the period of approximately four and a half years between the censuses taken on the 9th October, 1966 and the 25th April, 1971 there was a net outward movement of 24,838 persons to all countries including other parts of the British Isles.

TABLE W. *Northern Ireland: Net migration during inter-censal period 1966-1971.*

	Males	Females	Total
Population, Census of 1966	723,884	760,891	1,484,775
Births, 1966-1971	76,518	72,188	148,706
Deaths, 1966-1971	38,102	34,476	72,578
Natural increase*	38,416	37,712	76,128
Population 1966 plus natural increase	762,300	798,603	1,560,903
Population, Census of 1971	754,676	781,389	1,536,065
Net movement outwards	7,624	17,214	24,838

* The excess of births over deaths.

Table W1 shows the natural increase in the population for each inter-censal period since birth and death registration commenced in 1864, together with the net movement outwards and the percentage of the increase lost by migration.

TABLE W1. *Northern Ireland: Inter-censal variations in population, 1871-1971.*

Inter-censal period	Population at beginning of period	Natural increase*	Net movement outwards	Percentage of increase lost by migration
1871-1881	1,359,190	104,350	158,724	152
1881-1891	1,304,816	71,910	140,670	196
1891-1901	1,236,056	68,634	67,738	99
1901-1911	1,236,952	78,996	65,417	83
1911-1926	1,250,531	113,603	107,573†	95
1926-1937	1,256,561	80,835	57,651	71
1937-1951	1,279,745	158,443	67,267†	42
1951-1961	1,370,921	146,349	92,228	63
1961-1966	1,425,042	97,434	37,701	39
1966-1971	1,484,775	76,128	24,838	33

* Excess of births over deaths.

† Including deaths in H.M. Forces and Mercantile Marine which occurred outside Northern Ireland.

It is estimated that during the year ended 30 June, 1972 the net outward migration amounted to 7,500 persons which represents 53.6 per cent. of the natural increase (13,995) during that period.

METEOROLOGY

The following synopsis of the weather experienced in Northern Ireland during 1972 is furnished by the Director-General of the Meteorological Office through the Climatological Services and Public Records Office, Belfast. Where the term average is used it refers to the thirty-five year period 1916 to 1950 for rainfall and to the World Meteorological Organisations standard period 1931 to 1960 for temperatures and sunshine.

Tables on pages 44 and 45 give data in respect of certain stations: columns 2 and 3 give the highest and lowest air temperatures recorded on any date during the month indicated: in columns 4 and 5 the mean daily maximum and minimum air temperatures are given. There is also a table giving similar data related to Northern Ireland as a whole, based upon a selection of stations appropriate to the Meteorological element and not necessarily those whose data are published in the preceding tables. This information smooths out the variations experienced in different parts of the Province and therefore gives a general picture. The "Highest" and "Lowest" however, refer to values received from around sixty stations recording temperatures in Northern Ireland and are not restricted to the seven stations data given in the preceding tables.

Temperature is given in degrees Centigrade: to convert actual values to Fahrenheit multiply by 9, divide by 5 and add 32.0 degrees. To convert "differences from average" temperatures in the Centigrade Scale to Fahrenheit $1.0 \text{ degrees Centigrade} = 1.8 \text{ degrees Fahrenheit}$.

During 1972 rainfall was below average during the July to October period and above average during the January to June period. November had above average rainfall and December had below average rainfall. The year's value was 94 per cent. Temperatures were 0.6 degrees Centigrade below average.

The wetness of the period January to June inclusive, when each month had above normal amounts was significant in that it was the first such pattern of rainfall over Northern Ireland since 1900. There were other years in which the total amount over the 6 months January to June was higher but such a year included at least 1 month with below average amounts. The period July to October inclusive was the driest July to October period on record and it included the very dry September, the driest in living memory in many areas. There were drought periods in many places during August and September. Temperatures were mostly below average during the first six months of the year and June was the coldest June over Northern Ireland this century. Sunshine was also below average with a value of 96 per cent. March and July were the sunniest months while May and August were the duller. The unusual windiness of the last quarter of the year was a noteworthy feature, in fact it was a stormy year with a more than average frequency of gale force winds.

Brief summary of general weather of each month of the year:—

January: Wet and dull. Rainfall 118 per cent, sunshine 78 per cent and temperatures 0.4 degrees Centigrade below average. Moneydig in Co. Londonderry had on the 31st its lowest January air minimum of minus 15.9 degrees Centigrade since 1945. There were 2 occurrences of gales.

February: Rainfall was above average, some areas having values as high as 200 per cent—especially in The Mournes. Temperatures were around normal and sunshine below average at 98 per cent. There were 2 occurrences of gales.

March: Very wet with rainfall well above normal with a general value of 171 per cent. Temperatures were below normal by 0.5 to 1.0 degrees Centigrade. Sunshine was 107 per cent. There were one or two occurrences of gales. It was the warmest St. Patrick's Day at Aldergrove, Co. Antrim since records began there in 1927.

April: April had above average rainfall amounts though some parts of the Province had droughts between the 14th and the 28th. Rainfall was 121 per cent, sunshine 102 per cent and temperatures were about average. There were one or two occurrences of gales.

May: Very wet. It was the wettest May in counties Fermanagh and Tyrone since 1924 and generally over Northern Ireland since 1945. The general value was 158 per cent. Temperatures were 1.1 degrees Centigrade below normal. Sunshine was 75 per cent of average.

June: It was the coldest June over the Province this century. Temperatures were 2.7 degrees Centigrade below normal. Rainfall was above average with a general value of 125 per cent. In the Donaghadee area rainfall was as high as 175 per cent of average. There were 2 occurrences of thunder and 3 of hail.

July: Dry with rainfall well below normal with a value of 75 per cent for Northern Ireland as a whole. It was sunny with a general value of 122 per cent though temperatures were 0.3 degrees Centigrade below average.

August: It was a dry, cool and dull month. Rainfall was 54 per cent of average. Temperatures were 1.5 degrees Centigrade below normal and sunshine too was well below average with a general value of 74 per cent. There were droughts in parts of the Province.

September: It was the driest September in living memory in many places. The monthly totals of rainfall in the Downpatrick/Comber area of County Down were as low as 2.0 millimetres. Comber had the distinction of being the driest with a total of 1.1 mms for the month. Many areas had drought conditions.

October: Rainfall was again well below normal with a general value of 49 per cent. It was the driest October over Northern Ireland since 1962. Temperatures were 0.2 to 0.9 degrees Centigrade above average. Sunshine was about average. There were 4 or 5 occurrences of fog and 1 or 2 of gales.

November: Rainfall was above average in most places with a general value of 113 per cent. Temperatures were 1.0 degree below normal. Sunshine was 94 per cent of average. There were 2 occurrences of gales in most places.

December: Rainfall was below average everywhere with a value of around 87 per cent for the Province as a whole. Temperatures were 0.5 to 1.0 degree above normal. Sunshine was well above average with a value of 111 per cent. It was the sunniest December at Aldergrove in Co. Antrim since 1963. There were 2 occurrences of gale but 4 in some exposed places in the east. There was 1 occurrence of fog, 1 of thunder and 1 of hail.

TABLE X. Northern Ireland: Air temperature, rainfall and sunshine recorded at seven stations during the year, 1972 and general values for the Province as a whole (final values*).

STRABANE											
MONTH	Air temperatures						Rainfall			Sunshine	
	Highest	Lowest	Mean daily maximum	Mean daily minimum	Daily mean	Difference from average	Total	Percentage of average	No. of days	Daily mean	Percentage of average
	°C.	°C	°C.	°C.	°C.	°C.	mm.	%		hr.	%
January	9.8	-5.9	6.2	0.8	3.5	-0.4	99	—	23	1.41	—
February	11.5	-2.0	7.9	2.1	5.0	+0.5	54	—	17	2.68	—
March	15.7	-3.7	9.8	2.0	5.9	-0.5	118	—	16	3.29	—
April	16.0	1.0	12.2	4.3	8.3	0.0	100	—	18	4.88	—
May	17.2	2.2	13.7	6.1	9.8	-1.0	120	—	25	4.25	—
June	19.0	1.5	15.4	6.8	11.1	-2.4	82	—	24	5.79	—
July	26.5	6.7	19.2	10.4	14.8	+0.1	104	—	17	4.66	—
August	23.0	4.5	17.1	9.6	13.3	-1.4	61	—	16	2.93	—
September	23.4	-0.5	16.2	6.8	11.5	-1.4	21	—	11	4.32	—
October	18.5	-0.5	14.2	7.1	10.7	+0.9	54	—	14	2.85	—
November	15.5	-3.2	9.1	2.8	5.9	-0.8	135	—	24	1.53	—
December	13.0	-3.5	9.2	3.3	6.3	+1.0	88	—	23	1.06	—
YEAR	26.5	-5.9	12.5	5.2	8.9	-0.4	1,036	—	228	3.30	—
GARVAGH (Moneydig)											
January	10.3	-15.9	5.6	0.7	3.1	-0.6	112	105	23	—	—
February	11.2	-3.7	7.5	1.2	4.3	+0.1	53	73	19	—	—
March	15.9	-5.9	9.3	1.3	5.3	-0.7	98	146	14	—	—
April	15.7	-1.5	12.3	3.7	8.0	+0.1	78	114	17	—	—
May	16.1	1.0	13.3	5.1	9.2	-1.2	102	146	23	—	—
June	17.6	0.5	14.6	6.1	10.3	-2.8	66	95	21	—	—
July	26.6	3.5	18.4	9.1	13.7	-0.8	73	74	15	—	—
August	21.9	3.4	16.9	8.8	12.9	-1.4	55	54	15	—	—
September	22.1	-1.0	15.8	5.9	10.9	-1.6	15	15	10	—	—
October	17.9	-1.2	13.8	6.1	9.9	+0.4	67	60	14	—	—
November	15.9	-3.2	8.7	2.6	5.7	-0.8	96	89	25	—	—
December	12.9	-5.9	7.9	2.6	5.3	+0.4	99	90	21	—	—
YEAR	26.6	-15.9	12.0	4.4	8.2	-0.8	914	85	217	—	—
ALDERGROVE											
January	10.5	-5.6	6.2	2.3	4.3	+0.6	101	105	21	1.18	81
February	10.1	-0.8	7.2	2.2	4.7	+0.5	60	88	19	2.48	108
March	14.0	-3.7	9.0	2.1	5.5	-0.4	95	167	17	3.76	112
April	15.0	0.7	11.9	4.5	8.2	+0.3	52	85	16	5.36	108
May	16.0	2.8	13.3	6.2	9.7	-0.8	99	143	21	5.04	80
June	17.4	2.4	14.6	7.2	10.9	-2.4	74	118	20	5.72	96
July	26.2	7.2	18.8	10.4	14.6	-0.1	60	67	17	5.69	129
August	21.6	4.7	17.0	9.9	13.5	-1.0	39	42	14	3.34	77
September	22.9	1.2	16.0	7.5	11.7	-1.0	10	12	7	5.00	140
October	17.9	1.2	13.5	7.7	10.6	+0.9	50	49	14	3.03	116
November	11.2	-4.5	8.0	2.9	5.5	-1.1	68	75	25	1.93	109
December	12.8	-5.1	8.2	3.5	5.9	+1.0	69	70	21	1.56	141
YEAR	26.2	-5.6	12.0	5.5	8.7	-0.4	777	80	212	3.67	104
HILLSBOROUGH											
January	9.7	-6.7	5.9	1.0	3.5	-0.2	122	128	22	1.10	71
February	9.6	-4.3	6.7	1.6	4.1	+0.1	80	121	17	2.46	106
March	12.5	-1.4	8.3	1.8	5.1	-0.5	112	208	18	3.66	112
April	14.4	-0.3	11.1	4.0	7.5	-0.1	63	113	15	5.47	113
May	14.5	3.2	12.4	5.7	9.1	-0.9	88	138	21	5.35	87
June	16.7	2.3	13.8	6.6	10.2	-2.7	81	139	19	5.87	97
July	24.6	6.4	17.9	9.9	13.9	-0.4	64	82	16	5.50	134
August	20.8	4.3	16.4	9.9	13.1	-1.1	33	40	11	4.25	97
September	22.0	1.7	15.3	7.0	11.1	-1.2	9	12	7	4.95	136
October	18.4	-0.3	13.1	7.0	10.1	+0.6	50	54	11	2.88	105
November	14.1	-3.4	8.0	2.7	5.3	-1.1	82	97	18	1.97	103
December	12.2	-2.8	8.8	3.1	5.9	+1.1	80	88	18	1.38	115
YEAR	24.6	-6.7	11.5	5.0	8.3	-0.5	864	96	193	3.74	105

*Certain values published in Quarterly Returns have been reviewed and corrected values appear in these Tables.

TABLE X. (continued) Northern Ireland: Air temperature, rainfall and sunshine recorded at seven stations during the year, 1972.

KILKEEL											
MONTH	Air temperatures						Rainfall			Sunshine	
	Highest	Lowest	Mean daily maximum	Mean daily minimum	Daily mean	Difference from average	Total	Percentage of average	No. of days	Daily mean	Percentage of average
	°C.	°C	°C.	°C.	°C.	°C.	mm.	%		hr.	%
January	11.0	-4.5	7.2	3.1	5.1	+0.1	127	—	20	1.08	60
February	10.1	-3.5	7.6	3.2	5.4	+0.3	80	—	16	2.48	95
March	12.5	-1.0	8.9	3.3	6.1	-0.2	84	—	15	3.96	116
April	15.5	2.1	12.0	5.3	8.7	+0.6	61	—	14	5.41	102
May	16.4	3.2	12.8	7.0	9.9	-0.6	77	—	18	5.28	80
June	16.9	4.4	14.1	8.3	11.2	-2.0	72	—	19	6.05	93
July	23.6	4.4	17.2	10.9	14.1	-0.6	43	—	10	5.83	117
August	20.3	5.5	16.6	11.1	13.9	-0.8	31	—	9	5.89	120
September	20.0	1.9	15.4	8.0	11.7	-1.2	4	—	4	5.26	131
October	16.4	-1.2	13.8	6.3	10.1	-0.3	68	—	11	2.76	92
November	16.7	-3.2	9.6	3.6	6.6	-1.1	79	—	17	2.64	132
December	12.7	-7.6	9.3	3.3	6.3	-0.2	127	—	17	1.21	86
YEAR	23.6	-7.6	12.0	6.1	9.1	-0.5	853	—	170	3.99	102

Readings for Kilkeel not available from October to December.
Readings for Newcastle (Murlough) substituted.

ARMAGH											
January	10.9	-8.5	6.4	0.6	3.5	-0.6	110	132	20	1.23	78
February	11.5	-5.9	7.5	1.1	4.3	-0.3	55	97	16	2.39	102
March	15.5	-3.0	10.0	1.5	5.7	-0.7	82	165	16	3.56	106
April	17.2	-0.3	13.0	3.8	8.4	+0.1	58	110	15	4.32	90
May	17.0	1.9	14.2	5.8	10.0	-0.9	85	142	20	4.19	70
June	18.1	2.7	15.6	6.6	11.1	-2.7	63	104	19	4.66	83
July	26.6	5.7	19.7	10.1	14.9	-0.2	56	67	16	4.75	115
August	23.4	4.1	17.8	9.3	13.5	-1.4	38	44	14	3.10	72
September	23.5	0.2	16.4	6.4	11.4	-1.5	10	13	6	4.06	112
October	17.6	0.6	13.5	6.6	10.1	+0.2	43	50	11	2.74	100
November	14.2	-4.9	8.3	2.3	5.3	-1.5	83	112	20	1.93	99
December	12.6	-6.2	8.8	2.6	5.7	+0.6	70	88	22	1.45	129
YEAR	26.6	-8.5	12.6	4.7	8.7	-0.7	7.53	89	195	3.20	92

CASTLE ARCHDALE FOREST											
January	9.6	-8.4	5.9	0.1	3.0	-0.7	113	111	21	1.46	88
February	10.7	-5.5	7.2	1.2	4.2	+0.2	67	90	16	2.17	89
March	14.7	-5.4	8.9	1.4	5.1	-1.0	143	227	17	3.65	111
April	15.6	-1.5	11.5	3.6	7.5	-0.2	97	154	18	4.61	97
May	16.5	0.7	12.3	5.4	9.1	-1.2	122	194	27	4.44	72
June	16.9	2.2	14.2	6.5	10.3	-2.6	79	113	24	5.52	100
July	26.0	6.4	18.5	10.1	14.3	0.0	66	71	18	5.52	129
August	20.4	3.6	16.4	9.2	12.8	-1.3	59	58	14	3.12	70
September	22.9	-1.0	15.6	6.2	10.9	-1.3	28	30	13	4.57	125
October	18.2	-0.2	13.5	6.4	9.9	0.4	51	47	12	2.75	101
November	14.1	-3.6	8.8	2.7	5.7	-0.6	134	130	25	1.69	86
December	13.5	-7.5	8.8	2.3	5.5	+1.0	108	101	26	1.35	100
YEAR	26.0	-8.4	11.8	4.6	8.2	-0.6	107	103	231	3.40	96

GENERAL VALUES FOR NORTHERN IRELAND AS A WHOLE											
January	12.1	-15.9	6.0	0.9	3.5	-0.4	129	118	21	1.21	78
February	13.2	-8.6	7.3	1.4	4.3	0.0	78	102	17	2.32	98
March	16.3	-5.9	9.3	1.6	5.5	-0.7	113	171	16	3.58	107
April	17.2	-5.0	12.2	3.9	8.1	0.0	81	121	16	4.99	102
May	17.8	-3.2	13.4	5.6	9.5	-1.1	114	158	22	4.67	75
June	19.0	-1.2	14.7	6.6	10.7	-2.7	89	125	21	5.47	95
July	27.8	1.0	18.9	9.9	14.4	-0.3	72	75	16	5.20	122
August	24.8	1.0	17.0	9.3	13.1	-1.4	55	54	13	3.29	74
September	2.40	-2.6	15.9	6.5	11.2	-1.5	13	14	8	4.51	123
October	19.8	-2.0	13.6	6.7	10.1	0.4	55	49	12	2.79	102
November	16.8	-6.1	8.5	2.6	5.5	-1.0	118	113	23	1.78	94
December	13.5	-8.2	8.4	2.7	5.5	0.7	96	87	21	1.30	111
YEAR	27.8	-15.9	12.1	4.8	8.5	-0.6	1,013	94	206	3.43	96

ADMINISTRATION

Introductory The administrative functions of the office of the Registrar General comprise the registration of births (live and still), deaths, marriages and adoptions, and the provision or supervision of machinery for dealing with preliminaries to marriages other than those according to the rites of the Roman Catholic Church.

Buildings licensed or registered for marriages The numbers of places of worship (other than those belonging to the Roman Catholic Church) in which marriages could be solemnised, as at 31st December in each of the years 1969, 1970, 1971 and 1972 were as follows:

<i>Denomination</i>	<i>1969</i>	<i>1970</i>	<i>1971</i>	<i>1972</i>
Church of Ireland	417	413	414	414
Presbyterian	515	515	513	516
Methodist	161	162	162	163
Others	309	327	333	346
TOTAL	1,402	1,417	1,422	1,439

State of registration The measures adopted for particulars of births notified under the Notification of Births Act, 1907, to be furnished to registrars in the two county boroughs have continued to be of value in securing the registration of a number of births which had not been registered within the prescribed period of 6 weeks.

Births and deaths not registered within a year of their occurrence can be recorded only with the authority of the Registrar General. During 1972 such authority was granted for the registration of 16 births, as compared with 25 in 1971 and 27 in 1970. The registration of 30 deaths was authorised as compared with 14 in 1971 and 12 in 1970.

Legitimacy Acts (N.I.), 1928 to 1961 Under these Acts an illegitimate child whose parents have married is, subject to certain conditions, legitimated, and the Registrar General is empowered to authorise the registration or re-registration of the birth. During 1972 the registration or re-registration of the births of 193 children was authorised, the comparative figures for 1971 and 1970 being 212 and 213 respectively.

Adoption Act (N.I.), 1967 Registers of children adopted under the provisions of the above Act and of the previous Adoption Acts of 1929 and 1950 are kept in the General Register Office, to which the adoption orders made by the Courts are transmitted. A certified copy of an entry in the Adopted Children Register is evidence of adoption, and is also evidence of the date of birth of the adopted child. The children whose adoptions were recorded in the Adopted Children Registers during 1972 numbered 426 whilst the figures for 1971 and 1970 were 393 and 554 respectively.

Searches and certificates The original records of live births, deaths, and marriages registered in Northern Ireland are, in general, in the custody of local registration officers, who issue annually therefrom many thousands of certificates. An indication of the extent to which Government Departments and the public have utilised the facilities for searching in the indexes and obtaining certificates from records in the General Register Office for

Northern Ireland (including the Adopted Children Register) is afforded by the following statement:

YEAR	OFFICIAL		PAID			
	Searches	Certificates	Searches	Certificates		Fees Received
				Full	Short	
1927	56	29	109	112	—	£ s. d. 19 9 0
1937	94	88	363	290	—	55 2 0
1951	222	220	1,683	1,609	1,270	317 0 6
*1957	319	305	2,278	2,498	1,855	702 12 0
1958	421	382	2,420	2,331	1,678	673 6 6
1959	536	521	2,405	2,256	1,638	657 1 6
1960	449	441	2,631	2,783	1,864	779 8 0
1961	382	375	2,884	2,944	1,907	826 17 0
1962	439	433	3,098	3,362	2,131	928 3 6
1963	462	450	2,979	3,505	2,377	955 13 0
1964	476	472	2,871	3,424	2,459	937 9 6
1965	498	493	3,198	3,682	2,663	1,017 7 0
*1966	352	357	3,959	4,456	3,156	1,587 14 0
1967	281	273	3,992	4,499	3,137	1,730 0 6
1968	284	279	4,181	4,585	3,596	1,810 14 6
1969	218	210	4,539	4,722	3,165	1,832 17 0
1970	224	224	4,056	4,390	3,787	1,773 9 0
1971	294	286	3,977	4,306	3,455	£ p 1,712.05
1972	254	254	4,587	4,996	3,761	1,960.40

*Fees for certificates and searches were increased with effect from the 21st April, 1956 and the 1st April 1966.

Verifications Requests for the verification of particulars of events registered are received from Government Departments in connection with claims for pensions, etc. During the year the number of cases dealt with was 11,491 out of which 5,561 were checked from the records in the General Register Office and 5,930 events (where records were not available at that office) were referred to local registration officers.

ABSTRACTS
1972

ABSTRACT 1. Northern Ireland: Ages of the population according to the census of 1971.

AGES	Northern Ireland			Belfast C.B.		Londonderry C.B.		Co. Antrim		Co. Armagh		Co. Down		Co. Fermanagh		Co. Londonderry		Co. Tyrone	
	Persons	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
— 1 Yr.	31,057	15,942	15,115	3,161	3,118	542	536	3,938	3,614	1,485	1,435	3,123	2,885	492	467	1,636	1,597	1,565	1,463
1—	30,925	15,891	15,034	3,159	2,905	555	472	3,967	3,740	1,560	1,459	2,972	2,952	447	476	1,670	1,593	1,561	1,437
2—	31,197	15,898	15,299	3,038	2,958	564	519	4,057	3,798	1,494	1,499	3,139	2,950	485	446	1,649	1,600	1,472	1,529
3—	31,325	16,194	15,131	3,195	2,984	532	570	4,065	3,790	1,486	1,424	3,134	2,900	472	462	1,703	1,548	1,607	1,453
4—	31,724	16,402	15,322	3,304	3,095	559	544	4,126	3,779	1,511	1,442	3,224	3,028	454	445	1,625	1,497	1,599	1,492
4-9	157,116	81,137	75,979	16,715	15,889	3,120	2,971	19,810	18,443	7,706	6,972	15,618	14,546	2,501	2,481	7,759	7,239	7,908	7,438
10-14	143,652	73,715	69,937	16,033	15,397	3,080	2,919	17,062	15,983	6,888	6,241	14,211	13,443	2,552	2,417	6,644	6,503	7,245	7,034
15-19	126,369	65,125	61,244	15,002	14,760	2,740	2,549	14,488	13,654	5,764	5,347	12,724	11,604	2,443	2,052	5,600	5,341	6,364	5,937
20-24	114,928	59,303	55,625	15,599	14,474	2,327	1,975	12,888	12,829	5,180	4,755	11,293	10,730	1,755	1,688	5,224	4,672	5,037	4,502
25-29	101,874	51,563	50,311	11,404	10,700	1,576	1,421	12,947	13,222	4,553	4,406	10,718	10,767	1,520	1,354	4,545	4,394	4,300	4,047
30-34	86,652	43,499	43,153	8,939	8,875	1,222	1,203	11,344	11,360	3,924	3,838	9,133	9,106	1,254	1,182	3,970	3,937	3,713	3,652
35-39	82,419	40,704	41,715	8,665	9,154	1,126	1,278	10,527	10,604	3,653	3,641	8,439	8,936	1,255	1,235	3,472	3,435	3,567	3,432
40-44	84,329	40,724	43,605	9,195	10,244	1,234	1,382	9,993	10,740	3,614	3,704	8,591	9,381	1,317	1,211	3,235	3,331	3,545	3,612
45-49	85,998	41,652	44,346	9,994	11,204	1,184	1,428	9,732	10,303	3,547	3,648	8,936	9,569	1,403	1,384	3,243	3,220	3,613	3,590
50-54	80,021	39,068	40,953	9,359	10,853	1,160	1,441	8,723	8,999	3,145	3,181	8,442	8,754	1,493	1,364	3,019	2,882	3,727	3,479
55-59	78,502	37,419	41,083	9,664	11,926	1,082	1,303	7,761	8,441	3,017	3,314	7,793	8,436	1,539	1,322	2,924	2,907	3,639	3,434
60-64	71,992	33,046	38,946	8,938	11,751	971	1,306	6,591	7,682	2,745	3,030	6,814	8,241	1,342	1,202	2,480	2,633	3,165	3,101
65-69	60,270	26,443	33,827	7,118	10,186	732	1,082	5,220	6,797	2,199	2,676	5,606	7,044	1,099	1,088	1,995	2,317	2,474	2,637
70-74	47,902	19,503	28,399	5,067	8,592	496	923	3,758	5,507	1,627	2,280	4,092	6,041	898	872	1,590	1,917	1,975	2,267
75-79	29,878	11,569	18,309	2,808	5,502	288	494	2,251	3,689	953	1,402	2,469	3,905	574	619	949	1,215	1,277	1,483
80-84	17,534	6,421	11,113	1,361	3,201	140	328	1,250	2,221	564	845	1,389	2,431	360	383	586	797	771	907
85-89	7,649	2,604	5,045	515	1,398	71	157	498	983	234	352	577	1,185	128	204	238	363	343	403
90-94	2,285	732	1,553	139	419	26	59	160	296	57	128	162	359	36	60	61	95	91	137
95 & over	467	122	345	25	100	4	14	21	65	11	33	23	61	11	11	10	29	17	32
ALL AGES	1,536,065	754,676	781,389	172,397	189,685	25,331	26,874	175,177	180,539	66,917	67,052	152,622	159,254	25,830	24,425	65,827	65,062	70,575	68,498

ABSTRACT 2. Northern Ireland: Marriages by area and month of registration, 1972.

AREA	Year	January	February	March	April	May	June	July	August	Sept- ember	Oct- ober	Nov- ember	Dec- ember
NORTHERN IRELAND	11,905	679	589	759	1,103	635	1,262	1,502	1,510	1,584	877	614	791
BELFAST COUNTY BOROUGH	3,086	216	165	252	228	195	316	356	338	382	242	161	235
LONDONDERRY COUNTY BOROUGH	468	51	31	27	51	24	55	49	64	38	37	23	18
ANTRIM	2,619	129	130	193	241	130	270	341	311	356	185	148	185
ARMAGH	993	49	44	48	87	50	109	135	132	159	74	42	64
DOWN	2,254	113	98	166	188	117	275	285	247	315	169	129	152
FERMANAGH	396	9	14	17	50	22	41	45	72	56	31	21	18
LONDONDERRY*	1,006	52	53	30	107	52	95	158	138	124	77	49	71
TYRONE	1,083	60	54	26	151	45	101	133	208	154	62	41	48

*Excluding County Borough.

ABSTRACT 3. Northern Ireland: Conjugal condition of persons contracting marriages, 1972.

AREA	Rate per 1,000 popu- lation	Total	Marriages contracted between									Marriages of	
			Bachelors and			Widowers and			Divorced Men and			Divorced men	Divorced women
			Spinsters	Widows	Divorced Women	Spinsters	Widows	Divorced Women	Spinsters	Widows	Divorced Women		
NORTHERN IRELAND	7.7	11,905	11,303	84	104	114	90	26	143	13	28	184	158
BELFAST COUNTY BOROUGH	8.5	3,086	2,877	20	46	32	18	13	62	6	12	80	71
LONDONDERRY COUNTY BOROUGH	8.9	468	453	3	1	2	3	.	4	.	2	6	3
ANTRIM	7.3	2,619	2,480	18	26	26	30	1	29	2	7	38	34
ARMAGH	7.3	993	955	8	3	8	7	1	9	1	1	11	5
DOWN	7.2	2,254	2,117	20	18	30	21	9	30	3	6	39	33
FERMANAGH	7.9	396	379	6	2	6	.	.	2	1	.	3	2
LONDONDERRY*	7.5	1,006	975	5	5	6	7	1	7	.	.	7	6
TYRONE	7.7	1,083	1,067	4	3	4	4	1	4

*Excluding County Borough.

ABSTRACT 4. Northern Ireland: Ages of men at marriage, 1972.

AREA	Average age	All ages	16—	17—	Under 18 years	18—	19—	20—	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80 and over
NORTHERN IRELAND	25.52	11,905	10	82	92	283	657	959	5,014	3,105	845	340	179	120	101	70	67	39	21	8	5
BELFAST COUNTY BOROUGH	24.96	3,086	5	33	38	106	194	302	1,347	679	191	82	32	37	30	17	15	8	4	3	1
LONDONDERRY COUNTY BOROUGH	23.86	468	1	3	4	22	36	46	227	96	17	5	4	5	2	1	2	1	1	1	1
ANTRIM	25.58	2,619	3	16	19	52	151	223	1,112	671	187	68	35	20	25	16	19	12	5	3	1
ARMAGH	25.72	993	7	7	18	48	65	416	275	85	32	18	9	3	4	8	4	1	1	1	1
DOWN	26.02	2,254	12	12	41	113	157	942	626	158	67	45	24	18	19	14	9	6	1	1	3
FERMANAGH	27.17	396	2	2	2	11	16	146	131	51	11	8	6	3	3	3	3	2	1	1	1
LONDONDERRY*	25.54	1,006	7	7	22	61	73	399	294	64	34	22	8	6	7	6	3	1	1	1	1
TYRONE	25.85	1,083	1	2	3	20	43	77	425	333	92	41	15	11	14	4	2	1	2	1	1

* Excluding County Borough.

ABSTRACT 5. Northern Ireland: Ages of women at marriage, 1972.

AREA	Average age	All ages	16—	17—	Under 18 years	18—	19—	20—	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80 and over
NORTHERN IRELAND	23.27	11,905	208	494	702	1,017	1,281	1,338	4,556	1,865	488	239	131	106	74	47	31	17	11	2	1
BELFAST COUNTY BOROUGH	22.90	3,086	73	162	235	315	376	342	1,130	408	112	56	35	31	15	17	5	6	3	1	1
LONDONDERRY COUNTY BOROUGH	22.14	468	4	20	24	47	62	75	180	56	8	7	3	1	1	3	1	1	1	1	1
ANTRIM	23.33	2,619	54	124	178	217	301	310	940	406	108	64	26	22	19	12	8	4	3	1	1
ARMAGH	23.59	993	11	34	45	69	90	110	408	163	50	27	8	11	8	1	1	1	1	1	1
DOWN	23.62	2,254	35	69	104	195	215	229	910	371	93	38	33	24	15	9	12	2	3	1	1
FERMANAGH	24.29	396	2	13	15	20	26	30	180	77	26	8	4	3	1	3	1	1	1	1	1
LONDONDERRY*	23.32	1,006	14	42	56	87	103	117	364	176	49	23	12	8	6	1	1	3	1	1	1
TYRONE	23.20	1,083	15	30	45	67	108	125	444	208	42	16	10	6	9	1	2	1	1	1	1

*Excluding County Borough.

ABSTRACT 6. Northern Ireland: Age and conjugal condition of persons married in the year 1972.

Men

Age last birthday	All men	All bachelors	All widowers	All divorced men	Bachelors who married			Widowers who married			Divorced men who married		
					Spinsters	Widows	Divorced women	Spinsters	Widows	Divorced women	Spinsters	Widows	Divorced women
All Ages	11,905	11,491	230	184	11,303	84	104	114	90	26	143	13	28
16	10	10	.	.	10
17	82	82	.	.	82
under 18	92	92	.	.	92
18	283	283	.	.	282	1
19	657	657	.	.	656	.	1
20	959	959	.	.	958	1
under 21	1,991	1,991	.	.	1,988	2	1
21	1,292	1,292	.	.	1,292
22	1,330	1,327	.	3	1,324	1	2	.	.	.	3	.	.
23	1,280	1,279	.	1	1,276	2	1	.	.	.	1	.	.
24	1,112	1,109	.	3	1,097	3	9	.	.	.	3	.	.
21-24	5,014	5,007	.	7	4,989	6	12	.	.	.	7	.	.
25	1,012	1,008	1	3	999	1	8	1	.	.	3	.	.
26	718	714	1	3	703	3	8	1	.	.	3	.	.
27	588	580	1	7	567	6	7	1	.	.	7	.	.
28	453	444	1	8	440	1	3	1	.	.	7	.	1
29	334	321	.	13	313	1	7	.	.	.	11	1	1
25-29	3,105	3,067	4	34	3,022	12	33	4	.	.	31	1	2
30	240	226	1	13	213	6	7	1	.	.	11	.	2
31	207	196	1	10	189	2	5	1	.	.	6	.	4
32	160	150	2	8	143	4	3	1	.	1	7	1	.
33	127	115	2	10	109	1	5	2	.	.	9	.	1
34	111	101	3	7	92	6	3	3	.	.	6	1	.
30-34	845	788	9	48	746	19	23	8	.	1	39	2	7
35	94	79	1	14	75	2	2	1	.	.	13	1	.
36	80	74	.	6	67	2	5	.	.	.	2	1	3
37	61	57	.	4	55	1	1	.	.	.	3	.	1
38	50	41	3	6	39	.	2	3	.	.	4	1	1
39	55	47	3	5	39	3	5	3	.	.	3	1	1
35-39	340	298	7	35	275	8	15	7	.	.	25	4	6
40	41	32	4	5	30	.	2	1	2	1	4	.	1
41	37	32	1	4	29	2	1	1	.	.	4	.	.
42	37	31	2	4	27	3	1	1	1	.	2	.	2
43	36	27	3	6	26	1	.	2	1	.	4	.	2
44	28	21	5	2	21	.	.	4	1	.	2	.	.

40-44	179	143	15	21	133	6	4	9	5	1	16	.	5
45	21	13	5	3	8	1	4	4	.	1	1	2	.
46	23	18	3	2	17	1	.	3	.	.	1	.	1
47	24	14	7	3	12	2	.	4	.	3	3	.	4
48	24	14	3	7	12	1	1	1	2	.	5	.	2
49	28	17	8	3	14	1	2	3	4	1	3	.	.
45-49	120	76	26	18	63	6	7	15	6	5	13	2	3
50	29	17	6	6	14	3	.	4	2	.	2	1	3
51	21	13	6	2	10	3	.	.	6	.	1	.	1
52	19	10	7	2	7	1	2	5	1	1	2	.	.
53	19	8	10	1	7	.	1	6	2	2	1	.	.
54	13	7	6	.	4	3	.	2	3	1	.	.	.
50-54	101	55	35	11	42	10	3	17	14	4	6	1	4
55	17	8	7	2	8	.	.	9	9	1	2	.	.
56	13	6	7	.	6	.	.	3	3	1	.	.	.
57	16	8	5	3	6	.	2	1	4	.	1	2	.
58	16	6	10	.	3	2	1	4	3	3	.	.	.
59	8	4	4	.	3	1	.	2	2
55-59	70	32	33	5	26	3	3	13	15	5	3	2	.
60	11	2	7	2	1	1	.	3	3	1	2	.	.
61	20	4	16	.	2	1	1	5	7	4	.	.	.
62	12	2	10	.	2	.	.	2	6	2	.	.	.
63	10	2	6	2	2	.	.	2	3	1	1	.	1
64	14	3	11	.	2	1	.	8	2	1	.	.	.
60-64	67	13	50	4	9	3	1	20	21	9	3	.	1
65	11	5	6	.	3	1	1	4	2
66	10	2	8	.	2	.	.	2	6
67	11	3	8	.	.	3	.	4	4
68	3	2	1	.	2	.	.	1
69	4	2	2	.	1	1	.	1	1
65-69	39	14	25	.	8	5	1	12	13
70	4	.	3	1	.	.	.	2	1	.	.	1	.
71	7	2	5	.	1	1	.	2	3
72	3	.	3	3
73	5	1	4	.	.	.	1	1	2	1	.	.	.
74	2	.	2	1	1
70-74	21	3	17	1	1	1	1	6	10	1	.	1	.
75	.	.	4	2	2
76	5	1	.	.	.	1
77	2	1	1	.	.	1	.	.	1
78
79	1	1	.	.	1
75-79	8	3	5	.	1	2	.	2	3
80 and over	5	1	4	.	.	1	.	1	3

ABSTRACT 6 (continued). Northern Ireland: Age and conjugal condition of persons married in the year 1972.

Women

Age last birthday	All women	All spinners	All widows	All divorced women	Spinsters who married			Widows who married			Divorced women who married		
					Bachelors	Widowers	Divorced men	Bachelors	Widowers	Divorced men	Bachelors	Widowers	Divorced men
All Ages	11,905	11,560	187	158	11,303	114	143	84	90	13	104	26	28
16	208	208	.	.	208
17	494	494	.	.	494
under 18	702	702	.	.	702
18	1,017	1,017	.	.	1,016	.	1
19	1,281	1,280	1	.	1,277	1	2	1
20	1,338	1,336	1	1	1,327	2	7	1	1
under 21	4,338	4,335	2	1	4,322	3	10	2	1
21	1,437	1,433	4	.	1,427	.	6	4
22	1,244	1,241	.	3	1,229	2	10	.	.	.	3	.	.
23	1,067	1,066	.	1	1,054	3	9	.	.	.	1	.	.
24	808	799	3	6	791	2	6	3	.	.	6	.	.
21-24	4,556	4,539	7	10	4,501	7	31	7	.	.	10	.	.
25	645	635	6	4	629	1	5	6	.	.	4	.	.
26	434	426	.	8	405	6	15	.	.	.	7	.	1
27	336	323	2	11	314	1	8	1	.	1	9	1	1
28	244	236	1	7	228	1	7	1	.	.	7	.	.
29	206	195	4	7	179	2	14	4	.	.	7	.	.
25-29	1,865	1,815	13	37	1,755	11	49	12	.	1	34	1	2
30	145	138	1	6	131	2	5	1	.	.	5	.	1
31	128	115	3	10	109	.	6	2	.	1	7	.	3
32	95	86	3	7	81	1	4	.	.	.	7	.	.
33	66	58	3	5	51	1	6	3	.	.	4	1	.
34	53	49	.	4	43	4	2	.	.	.	2	.	2
30-34	488	446	10	32	415	8	23	8	.	2	25	1	6
35	62	51	4	7	41	5	5	3	1	.	3	.	4
36	37	32	.	5	28	2	2	.	.	.	5	.	.
37	61	49	7	5	41	5	3	6	1	.	2	.	.
38	47	34	7	6	29	4	1	2	4	1	2	1	3
39	32	28	.	4	19	2	7	.	.	.	2	1	1
35-39	239	194	18	27	158	18	18	11	6	1	14	2	11
40	30	17	11	2	13	2	2	7	3	1	.	.	2
41	30	20	6	4	17	1	2	2	3	1	2	.	2
42	22	19	2	1	16	3	.	2	1
43	23	14	4	5	11	3	.	2	1	1	3	2	.
44	26	20	5	1	14	4	2	2	3	.	.	1	.

ABSTRACT 7. Northern Ireland: Ages in combination of men and women at marriage, 1972.

		AGES OF WIVES																			Total husbands	
		Not stated	16—	17—	18—	19—	20—	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80 and over		
AGES OF HUSBANDS	16—	.	3	3	3	1	10	16—
	17—	.	15	37	17	8	3	2	82	17—
	18—	.	32	55	90	50	29	24	3	283	18—
	19—	.	47	102	166	149	88	97	8	657	19—
	20—	.	39	86	181	236	189	210	18	959	20—
	21—	.	55	176	456	657	781	2,432	421	33	2	1	5,014	21—
	25—	.	13	29	87	155	206	1,520	925	145	20	4	1	3,105	25—
	30—	.	3	5	16	20	35	214	331	148	56	12	4	1	845	30—
	35—	.	1	.	1	2	6	40	112	89	57	21	6	5	340	35—
	40—	2	.	12	31	44	43	29	14	4	179	40—
	45—	4	8	14	34	32	16	8	4	120	45—
	50—	.	.	1	.	.	1	1	5	12	16	20	25	15	2	3	101	50—
	55—	1	.	.	2	3	8	6	15	18	13	2	2	.	.	.	70	55—
	60—	1	.	2	4	18	16	12	11	2	1	.	.	67	60—
	65—	1	6	5	12	6	7	2	.	.	.	39	65—
	70—	21	70—
	75—	1	1	1	1	2	8	5	2	1	.	8	75—
	80 and over	1	.	.	.	3	1	.	5	80 and over
Total wives		.	208	494	1,017	1,281	1,338	4,556	1,865	488	239	131	106	74	47	31	17	11	2	.	11,905	

ABSTRACT 8. Northern Ireland: Live births in each of the four quarters, 1972.

AREA	PERSONS					MALES					FEMALES				
	Total	Quarter ended the last day of				Total	Quarter ended the last day of				Total	Quarter ended the last day of			
		March	June	Sept.	Dec.		March	June	Sept.	Dec.		March	June	Sept.	Dec.
NORTHERN IRELAND	29,994	7,515	7,952	7,583	6,944	15,559	3,957	4,043	3,969	3,590	14,435	3,558	3,909	3,614	3,354
BELFAST COUNTY BOROUGH	5,355	1,385	1,431	1,312	1,227	2,799	736	727	704	632	2,556	649	704	608	595
LONDONDERRY COUNTY BOROUGH	1,076	281	296	259	240	539	153	137	124	125	537	128	159	135	115
ANTRIM	7,377	1,903	1,920	1,890	1,664	3,841	978	965	1,009	889	3,536	925	955	881	775
ARMAGH	2,876	701	746	689	740	1,491	400	367	352	372	1,385	301	379	337	368
DOWN	5,749	1,386	1,545	1,463	1,355	2,956	739	808	740	669	2,793	647	737	723	686
FERMANAGH	1,018	278	266	260	214	527	136	136	143	112	491	142	130	117	102
LONDONDERRY*	3,272	778	854	878	762	1,687	384	438	467	398	1,585	394	416	411	364
TYRONE	3,271	803	894	832	742	1,719	431	465	430	393	1,552	372	429	402	349

*Excluding County Borough.

59

ABSTRACT 9. Northern Ireland: Deaths in each of the four quarters, 1972.

AREA	PERSONS					MALES					FEMALES				
	Total	Quarter ended the last day of				Total	Quarter ended the last day of				Total	Quarter ended the last day of			
		March	June	Sept.	Dec.		March	June	Sept.	Dec.		March	June	Sept.	Dec.
NORTHERN IRELAND	17,032	4,908	4,162	3,677	4,285	9,001	2,569	2,224	1,952	2,256	8,031	2,339	1,938	1,725	2,029
BELFAST COUNTY BOROUGH	4,656	1,335	1,133	1,001	1,187	2,372	669	588	502	613	2,284	666	545	499	574
LONDONDERRY COUNTY BOROUGH	587	184	127	135	141	297	88	55	72	82	290	96	72	63	59
ANTRIM	3,438	1,006	799	771	862	1,832	540	449	408	435	1,606	466	350	363	427
ARMAGH	1,406	412	341	308	345	738	216	178	163	181	668	196	163	145	164
DOWN	3,468	963	862	748	895	1,818	497	455	399	467	1,650	466	407	349	428
FERMANAGH	638	168	175	148	147	361	95	95	85	86	277	73	80	63	61
LONDONDERRY*	1,222	371	314	244	293	672	195	179	144	154	550	176	135	100	139
TYRONE	1,617	469	411	322	415	911	269	225	179	238	706	200	186	143	177

*Excluding County Borough.

ABSTRACT 10. Northern Ireland: Still-births by sex, cause and period of gestation, 1972.

Detailed List Nos.	CAUSE OF STILL-BIRTH		PERIOD OF GESTATION (WEEKS)																			
	ALL CAUSES		Total	Not stated	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45 and over
	TOTALS	M F	206 228	.	10 5	7 10	4 12	1 11	11 15	15 11	12 21	15 12	32 23	16 19	16 25	27 18	23 30	12 11	3 3	1 1	1 1	.
486	Pneumonia	M F	1 1	1	.
740	Anencephalus	M F	29 54	.	1 1	1 2	.	2 2	3 6	4 5	1 9	3 2	5 9	2 5	4 5	.	2 3	3 2	.	1	.	.
741.0	Spina bifida with hydrocephalus	M F	4 12	1	2 1	1	2	2	1 2	1 2	1
741.9	Spina bifida without mention of hydrocephalus	M F	1 2	.	1	.	1	1
741	Spina Bifida with or without mention of Hydrocephalus	M F	5 14	.	1	.	1	.	.	.	1	2 1	1 1	1 2	2	1 2	1 2	1
742	Congenital hydrocephalus	M F	6 7	1	1	.	.	2	3 1	1	.	1 1	1	1
743	Other congenital anomalies of nervous system	M F	1 1	.	.	.	1	.	.	1
746	Congenital anomalies of heart	M F	2	1	.	.	.	1
748	Congenital anomalies of respiratory system	M F	1	1
756	Congenital anomalies of musculoskeletal systems	M F	1	1	1
758	Other and unspecified congenital anomalies	M F	2	1	1
759	Congenital syndromes affecting multiple systems	M F	3 3	1	.	1	2	.	1	1
760	Chronic circulatory and genito-urinary diseases in mother	M F	1 1	1	1

761	Other maternal conditions unrelated to pregnancy M F	2 2	2	1	.	.	1
762	Toxaemia of pregnancy M F	22 21	.	1	2	1	3	2	1	2	3	3	2	1	3	2	.	.	.
765	Difficult labour with disproportion, but no mention of abnormality of pelvis M F	1 F	1	.	.	.
766	Difficult labour with malposition of foetus M F	1 F	1
768	Difficult labour with other unspecified complications M F	4 2	1	.	1	1	1	.	.	.
769	Other complications of pregnancy and childbirth M F	8 10	.	1	.	1	2	1	1	1	3	1	.	.	1	1	.	.	.
770	Conditions of placenta M F	47 37	.	3	2	2	1	3	1	3	4	7	3	5	4	6	2	1	2
771	Conditions of umbilical cord M F	19 20	.	1	1	1	.	2	1	.	2	1	3	4	3	3	3	1	1
772	Birth injury without mention of cause M F	. 1	1
775	Haemolytic disease of newborn without mention of kernicterus M F	8 8	.	2	1	2	1	1	.	1	.	.	1	2	1
776	Anoxic and hypoxic conditions not elsewhere classified M F	13 9	.	1	.	.	1	1	.	.	.	2	2	3	2	2	.	.	.
777	Immaturity, unqualified M F	. 2	1
778	Other conditions of foetus or newborn M F	1 F	1	.	.
779	Foetal death of unknown cause M F	34 30	.	.	1	.	.	1	3	4	1	8	3	1	8	3	.	.	1

ABSTRACT 11. Northern Ireland: Births, still-births and deaths, by age and sex and by cause, in each administrative area, 1972, together with the census population, 1971.

POPULATION, BIRTHS, STILL-BIRTHS AND DEATHS		NORTHERN IRELAND	Co. ANTRIM	Ballycastle U.D.	Ballyclare U.D.	Ballymena M.B.	Ballymoney U.D.	Carrickfergus M.B.	Larne M.B.	Lisburn M.B.	New- townabbey U.D.	Portrush U.D.	Whitehead U.D.	Antrim R.D.	Ballycastle R.D.	Ballymena R.D.	Ballymoney R.D.	Larne R.D.	Lisburn R.D.
Population, Census 1971	M	754,676	175,177	1,287	2,511	7,875	1,782	7,493	8,961	13,417	28,685	2,152	1,232	20,013	4,262	17,067	11,082	11,285	36,073
	F	781,389	180,539	1,612	2,644	8,628	2,037	7,771	9,330	14,049	29,429	2,611	1,410	19,607	3,842	17,039	10,848	11,534	38,148
Live births, total	M	15,559	3,841	26	57	173	37	230	162	333	691	28	19	462	86	399	209	186	743
	F	14,435	3,536	21	49	147	24	190	166	308	623	43	18	428	84	378	212	167	678
Illegitimate live births	M	655	173	2	2	17	2	13	13	10	34	1	3	13	3	18	12	11	19
	F	608	147	.	1	14	1	9	9	12	20	4	1	15	3	18	15	7	18
Still-births, total	M	206	44	.	.	2	.	2	5	5	6	1	.	1	2	8	5	2	5
	F	228	46	1	.	2	1	3	.	5	7	.	.	6	1	5	5	1	12
Illegitimate still-births	M	16	2	1	1	.	.	.	1	.	1	.	.	.
	F	18	3	1
Deaths, total	M	9,001	1,832	14	43	102	21	65	100	125	246	30	29	182	76	210	135	134	320
	F	8,031	1,606	20	31	87	41	70	86	126	248	24	16	140	49	158	98	113	299
Ages at death— under 1 week	M	209	55	1	.	3	.	2	1	6	13	1	.	7	2	4	5	4	6
	F	147	37	1	1	2	.	1	.	6	7	2	.	1	.	5	1	2	8
under 4 weeks	M	247	66	1	.	3	.	5	2	6	15	1	.	8	2	5	6	4	8
	F	171	42	1	1	2	.	1	1	7	9	2	.	1	.	5	1	2	9
4 weeks—11 months	M	103	21	2	.	2	.	1	1	1	3	.	.	3	1	.	.	3	4
	F	95	17	.	1	2	.	2	1	2	1	.	.	3	5
1 year—14 years	M	139	35	1	.	1	.	2	2	2	4	.	.	5	1	5	1	3	8
	F	92	17	.	.	.	1	2	1	2	1	.	.	3	.	.	1	1	5
15 years—44 years	M	591	120	1	2	7	.	5	4	13	24	1	.	10	2	10	4	3	34
	F	283	68	.	1	4	.	3	5	8	13	2	1	6	1	6	1	5	12
45 years—64 years	M	2,293	487	1	14	26	7	26	35	37	70	8	6	48	16	46	35	32	80
	F	1,357	254	3	2	13	4	17	23	13	31	3	2	29	5	13	17	13	66
65 years and over	M	5,628	1,103	8	27	63	14	26	56	66	130	20	23	108	54	144	89	89	186
	F	6,033	1,208	16	26	66	36	45	55	94	193	17	13	98	43	134	78	92	202

Deaths from—																		
Infective and parasitic diseases	148	35	1	1	3	1	2	.	1	6	.	.	3	1	2	3	4	7
Neoplasms (a) Cancer*	2,614	520	6	6	17	17	20	30	39	83	12	7	47	16	51	32	40	97
(b) Other neoplasms	146	35	.	1	.	.	1	.	4	6	1	.	3	1	3	5	1	9
Endocrine, nutritional and metabolic diseases	241	55	.	1	5	2	3	1	5	4	1	.	3	1	9	5	2	13
Diseases of blood and blood-forming organs	58	13	.	.	3	.	2	1	1	2	1	.	.	.	1	.	1	1
Mental disorders	53	14	.	.	2	.	1	1	.	2	.	.	1	.	.	2	.	5
Diseases of the nervous system and sense organs	214	42	.	.	1	.	2	2	4	6	.	.	6	1	5	2	4	9
Diseases of the circulatory system	9,347	1,936	14	52	125	31	80	110	129	244	25	31	193	77	221	144	138	322
Diseases of the respiratory system	1,957	314	5	5	8	4	11	22	29	54	6	5	23	14	20	15	28	65
Diseases of the digestive system	392	69	.	2	7	1	4	2	3	15	1	.	5	1	6	6	7	9
Diseases of the genito-urinary system	204	52	1	3	1	1	.	1	.	13	1	.	4	3	12	2	3	7
Complications of pregnancy, childbirth and the puerperium	3
Diseases of the skin and subcutaneous tissue	12	2	.	.	1	1
Disease of the musculoskeletal system and connective tissue	66	13	.	.	1	.	.	.	1	2	.	1	.	1	2	1	2	2
Congenital anomalies	205	42	2	.	1	.	1	4	4	8	.	.	6	1	5	.	2	8
Certain causes of perinatal morbidity and mortality	288	77	2	1	4	.	3	1	9	18	3	.	5	1	9	6	4	11
Symptoms and ill-defined conditions	51	11	.	.	1	.	.	1	2	.	.	.	2	.	3	2	.	.
Accidents, poisonings and violence (external cause)	1,033	208	3	2	9	4	5	10	20	31	3	1	21	7	19	8	11	54

*See definition on page 8

ABSTRACT 11 (continued). Northern Ireland: Births, still-births and deaths, by age and sex and by cause, in each administrative area, 1972, together with the census population, 1971.

64

POPULATION, BIRTHS, STILL-BIRTHS AND DEATHS			CO. ARMAUGH	Armagh U.D.	Craigavon U.D.	Keady U.D.	Lurgan M.B.	Portadown M.D.	Tandragee U.D.	Armagh R.D.	Newry No. 2 R.D.	Tandragee R.D.	CO. TYRONE	Cookstown U.D.	Dungannon U.D.	Omagh U.D.	Strabane U.D.	Castlederg R.D.	Clogher R.D.	Cookstown R.D.	Dungannon R.D.	Omagh R.D.	Strabane R.D.
Population Census 1971	M F	66,917 67,052	6,307 6,008	6,344 6,396	1,044 1,101	11,782 12,332	10,634 11,364	844 881	13,723 13,126	14,762 14,362	1,477 1,482	70,575 68,498	3,188 3,495	3,719 3,915	5,960 6,001	4,515 4,898	4,291 4,055	4,957 4,540	7,422 6,996	13,201 12,797	14,545 13,374	8,777 8,427	
Live births, total	M F	1,491 1,385	116 118	241 204	27 28	259 228	231 189	27 24	271 260	294 312	25 22	1,719 1,552	105 92	81 68	179 153	141 118	86 91	99 85	203 145	333 333	291 302	201 165	
Illegitimate live births	M F	55 55	5 4	5 5	. .	8 9	17 15	1 .	5 2	13 20	1 .	54 63	5 1	2 2	5 6	1 7	4 4	5 4	7 7	2 6	14 19	9 7	
Still-births, total	M F	20 15	1 .	4 1	2 .	3 1	3 2	. .	4 5	3 5	. 1	17 29	1 2	3 3	. 1	1 2	2 1	2 2	1 .	1 8	4 4	2 6	
Illegitimate still-births	M F	1 3	. .	1 1	2 .	. .	3 .	. .	1	1	1 .	. .	
Deaths, total	M F	738 668	55 60	61 69	8 11	118 96	114 122	12 18	163 154	188 118	19 20	911 706	30 27	47 45	62 51	56 48	65 43	78 53	89 65	183 133	199 151	102 90	
Ages at Death—																							
under 1 week	M F	21 12	1 .	2 4	1 .	6 1	1 3	. 1	4 1	4 2	2 .	27 18	1 .	2 1	5 1	. 1	3 2	1 4	2 5	5 1	6 3	2 .	
under 4 weeks	M F	23 18	1 .	3 4	1 .	6 2	1 5	. 1	4 3	4 3	3 .	29 22	1 1	2 1	5 1	. 1	3 2	1 4	3 6	5 3	6 3	3 .	
4 weeks—11 months	M F	11 12	. .	2 2	. .	3 3	1 .	. .	2 4	3 3	. .	12 10	2 .	. .	2 .	3 1	. 1	2 5	1 1	2 2	
1 year—14 years	M F	8 2	. .	2	1 2	5 .	. .	16 13	. .	. 1	3 3	1 1	2 2	1 .	1 1	3 2	2 2	3 1	
15 years—44 years	M F	49 21	7 3	4 1	. .	18 4	4 2	. .	5 6	11 4	. 1	46 24	. 1	3 2	1 3	1 2	3 1	4 1	6 2	9 4	11 4	8 4	
45 years—64 years	M F	178 105	12 11	12 9	2 5	33 15	35 24	3 2	29 22	49 16	3 4	205 119	9 4	24 5	15 12	14 10	12 8	16 11	17 7	31 25	45 22	22 15	
65 years and over	M F	469 510	35 46	38 53	5 9	58 72	72 91	9 15	123 117	116 92	13 15	603 518	18 21	18 36	32 32	37 34	45 30	56 36	62 48	133 94	134 119	64 66	

Deaths from—																					
Infective and parasitic diseases	16	1	3	.	4	.	.	6	2	.	12	1	1	.	.	2	.	1	2	2	3
Neoplasms (a) Cancer*	197	17	12	2	27	37	4	40	54	4	203	6	16	18	11	14	18	21	34	38	27
(b) Other neoplasms	14	.	.	.	4	4	.	5	.	1	11	.	.	2	1	1	1	1	1	1	3
Endocrine, nutritional and metabolic diseases	20	2	1	1	2	2	.	7	5	.	24	1	.	.	3	1	2	1	8	3	5
Diseases of blood and blood-forming organs	2	.	1	1	.	8	.	.	.	4	.	1	.	2	1	.
Mental disorders	1	1	.	2	.	.	.	1	.	.	1	.	.	.
Diseases of the nervous system and sense organs	20	3	2	.	4	5	.	2	4	.	25	1	1	4	2	1	5	1	4	4	2
Diseases of the circulatory system	782	74	71	11	101	133	18	174	172	28	933	35	52	61	53	67	73	89	178	217	108
Diseases of the respiratory system	157	9	18	3	31	26	2	44	23	1	171	6	11	10	12	10	12	14	36	38	22
Diseases of the digestive system	27	1	5	.	9	5	.	4	3	.	36	1	1	1	8	.	4	3	9	7	2
Diseases of the genito-urinary system	18	1	2	.	2	3	2	7	1	.	17	.	.	2	1	2	.	2	5	4	1
Complications of pregnancy, childbirth and the puerperium	1	1	.
Diseases of the skin and subcutaneous tissue	3	1	1	.	1	.
Diseases of the musculoskeletal system and connective tissue	7	1	1	.	2	1	.	2	.	.	6	.	.	.	1	.	.	1	.	2	2
Congenital anomalies	23	.	4	.	3	3	1	5	6	1	21	2	2	2	2	1	4	1	3	1	3
Certain causes of perinatal morbidity and mortality	23	1	4	1	4	4	.	3	4	2	39	1	.	5	1	5	3	8	6	9	1
Symptoms and ill-defined conditions	4	.	.	1	.	1	.	1	1	.	6	.	.	.	1	1	4
Accidents, poisonings and violence (external cause)	95	5	6	.	21	12	3	17	29	2	99	3	8	8	3	4	7	9	28	20	9

*See definition on page 8.

ABSTRACT 11 (continued). Northern Ireland: Births, still-births and deaths, by age and sex and by cause, in each administrative area, 1972, together with the census population, 1971.

99

POPULATION, BIRTHS, STILL-BIRTHS AND DEATHS		Co. Down	Banbridge U.D.	Bangor M.B.	Donaghadee U.D.	Downpatrick U.D.	Dromore U.D.	Holywood U.D.	Kilkeel U.D.	Newcastle U.D.	Newry U.D.	Newtownards M.B.	Warrenpoint U.D.	Banbridge R.D.	Castlereagh R.D.	East Down R.D.	Hillsborough R.D.	Moir R.D.	Newry No. 1 R.D.	North Down R.D.	South Down R.D.
Population, Census 1971	M	152,622	3,250	16,358	1,744	3,640	1,115	3,763	1,378	2,099	5,441	7,320	2,100	9,527	26,196	15,614	17,865	4,584	7,539	16,248	6,841
	F	159,254	3,563	18,902	1,964	3,765	1,201	4,248	1,507	2,548	6,150	8,164	2,191	9,281	27,129	15,133	18,064	4,634	7,511	16,422	6,877
Live births, total	M	2,956	57	303	26	100	23	83	45	51	157	190	49	148	382	358	325	71	153	298	137
	F	2,793	61	323	29	71	18	87	35	43	156	186	53	141	308	355	302	58	170	296	101
Illegitimate live births	M	87	4	8	1	3	.	3	1	1	6	7	2	6	17	11	5	.	2	8	2
	F	66	.	7	1	.	.	5	1	.	.	8	1	3	12	8	9	.	3	6	2
Still-births, total	M	35	.	2	.	3	.	2	1	1	.	4	2	2	6	5	3	.	1	6	2
	F	47	.	3	.	1	.	.	.	2	.	7	.	4	4	8	4	.	.	7	2
Illegitimate still-births	M	4	.	1	1	.	1	1	1
	F	3	.	1	1	.	.	.	1
Deaths, total	M	1,818	45	211	34	39	22	48	18	35	84	75	59	127	230	185	168	60	92	199	87
	F	1,650	52	231	33	31	17	61	23	40	73	89	24	114	167	190	157	46	72	156	74
Ages at death—																					
Under 1 week	M	30	.	.	1	3	.	.	2	1	2	1	1	4	.	3	7	1	2	2	.
	F	21	2	3	1	1	.	3	.	3	2	2	1	2	1
under 4 weeks	M	36	.	2	1	3	.	.	2	1	2	1	1	4	.	4	10	1	2	2	.
	F	22	2	3	1	1	.	3	.	4	2	2	1	2	1
4 weeks—11 months	M	16	.	2	.	1	.	.	1	1	1	1	2	1	1	2	2	.	1	3	.
	F	14	.	.	1	.	.	1	1	1	3	2	2	.	1	2	.
1 year—14 years	M	26	1	2	.	1	2	.	.	1	1	1	.	1	5	2	3	1	2	3	.
	F	16	.	2	1	1	.	2	1	1	1	.	.	.	3	2	2
15 years—44 years	M	89	2	10	.	3	.	3	1	1	6	1	2	5	16	13	4	2	6	9	5
	F	55	1	6	.	1	1	.	1	1	1	2	1	3	8	7	8	2	4	7	1
45 years—64 years	M	449	7	43	5	11	4	14	3	7	26	22	6	26	68	56	39	16	24	50	22
	F	272	7	37	8	2	4	11	2	2	11	22	2	24	34	27	25	7	9	29	9
65 years and over	M	1,202	35	152	28	20	16	31	12	25	48	49	48	90	140	108	110	40	58	132	60
	F	1,271	42	183	22	27	12	47	18	36	61	64	21	83	121	150	120	35	54	114	61

Deaths from—																				
Infective and parasitic diseases	26	.	1	1	2	2	.	2	7	3	2	1	3	2	.
Neoplasms (a) Cancer*	537	11	78	12	7	7	14	4	6	25	30	12	26	81	54	59	19	17	50	25
(b) Other neoplasms	34	1	5	1	1	1	1	.	1	1	.	1	4	1	2	5	1	2	3	3
Endocrine, nutritional and metabolic diseases	47	1	6	.	2	2	.	.	.	2	2	1	2	4	8	6	1	5	2	3
Diseases of blood and blood-forming organs	19	1	2	1	1	.	.	3	.	.	.	1	4	2	3	.	.	.	1	.
Mental disorders	8	.	3	1	1	1	2
Diseases of the nervous system and sense organs	47	.	5	2	.	.	3	.	.	2	2	2	1	6	6	3	2	5	6	2
Diseases of the circulatory system	1,994	60	263	35	36	21	64	24	47	93	91	55	141	215	208	176	66	96	209	94
Diseases of the respiratory system	359	13	39	8	11	6	10	1	8	11	22	5	33	44	42	33	6	13	38	16
Diseases of the digestive system	82	2	4	2	3	.	6	2	2	6	4	1	5	8	16	6	2	5	6	2
Diseases of the genito-urinary system	37	.	3	1	.	.	2	.	3	1	2	.	1	6	3	5	.	2	8	.
Complications of pregnancy, childbirth and the puerperium
Diseases of the skin and subcutaneous tissue	1	1
Diseases of the musculoskeletal system and connective tissue	14	.	3	.	1	.	.	1	.	1	.	.	2	.	.	3	.	1	1	1
Congenital anomalies	40	1	5	1	2	.	1	2	2	1	.	1	2	2	8	3	.	4	4	1
Certain causes of perinatal morbidity and mortality	44	2	3	2	2	.	.	2	1	2	2	1	6	.	2	10	3	2	4	.
Symptoms and ill-defined conditions	12	.	1	1	2	.	2	2	1	3
Accidents, poisonings and violence (external cause)	167	5	21	1	4	2	8	2	5	9	4	3	9	18	18	14	5	9	21	9

*See definition on page 8

ABSTRACT 11 (continued). Northern Ireland: Births, still-births and deaths, by age and sex and by cause, in each administrative area, 1972, together with the census population, 1971.

89

POPULATION, BIRTHS, STILL-BIRTHS AND DEATHS			Co. FERNAGH	Enniskillen M.B.	Enniskillen R.D.	Irvinestown R.D.	Linaskea R.D.	Co. LONDONDERRY	Coleraine M.B.	Limavady U.D.	Londonderry U.D.†	Portstewart U.D.	Coleraine R.D.	Limavady R.D.	Magherafelt R.D.	LONDONDERRY C.B.	BELFAST C.B.
Population, Census 1971	M	F	25,830 24,425	3,294 3,314	8,855 8,251	5,486 5,041	8,195 7,819	65,827 65,062	7,274 7,629	2,737 2,836	16,162 15,613	2,213 2,872	9,855 9,814	10,070 9,087	17,516 17,211	25,331 26,874	172,397 189,685
Live births, total	M	F	527 491	88 71	200 182	94 100	145 138	1,687 1,585	175 155	68 53	515 491	52 47	187 208	285 269	405 362	539 537	2,799 2,556
Illegitimate live births	M	F	15 20	2 3	4 8	4 5	5 4	66 55	13 12	5 3	11 9	4 1	18 9	9 6	6 15	24 24	181 178
Still-births, total	M	F	8 3	1 .	2 1	1 1	4 1	32 26	2 5	1 .	10 10	.	5 1	7 4	7 6	3 14	47 48
Illegitimate still-births	M	F	1	1 .	1 .	.	1	1 2	3 7
Deaths, total	M	F	361 277	31 36	119 73	82 75	129 93	672 550	70 61	23 26	140 120	40 40	117 84	104 60	178 159	297 290	2,372 2,284
Ages at death—																	
under 1 week	M	F	11 9	2 2	3 4	4 2	2 1	19 13	2 1	.	4 6	3 .	6 .	3 2	1 4	8 6	38 31
under 4 weeks	M	F	15 9	2 2	5 4	4 2	4 1	22 14	2 1	.	4 7	3 .	7 .	5 2	1 4	12 6	44 38
4 weeks—11 months	M	F	4 4	1 2	2 1	1 1	.	15 14	1 .	1 .	7 4	1 1	.	4 1	1 7	1 5	23 19
1 year—14 years	M	F	3 3	.	.	1 2	2 1	11 11	3 .	.	2 5	.	4 1	1 2	1 2	2 4	38 26
15 years—44 years	M	F	21 8	2 1	6 4	4 3	9 .	46 29	8 2	2 .	13 12	.	2 3	10 2	11 9	36 10	184 68
45 years—64 years	M	F	85 31	7 4	28 7	14 11	36 9	172 90	24 8	6 6	33 19	7 8	30 16	18 8	54 25	82 58	635 428
65 years and over	M	F	233 222	19 27	78 57	58 56	78 82	406 392	32 50	14 20	81 73	29 29	74 63	66 45	110 112	164 207	1,448 1,705

Deaths from—

Infective and parasitic diseases	2	.	1	1	.	11	.	.	5	1	2	.	3	8	38
Neoplasms (a) Cancer*	95	9	29	22	35	163	14	5	39	7	27	23	48	92	807
(b) Other neoplasms	7	.	5	.	2	14	1	.	2	3	1	3	4	5	26
Endocrine, nutritional and metabolic diseases	8	2	2	2	2	19	1	1	7	1	3	3	3	13	55
Diseases of blood and blood-forming organs	3	.	.	1	2	1	.	.	.	1	12
Mental disorders	2	.	.	2	26
Diseases of the nervous system and sense organs	6	.	2	2	2	18	2	.	4	.	4	2	6	5	51
Diseases of the circulatory system	361	39	102	94	126	672	79	27	121	53	119	82	191	303	2,366
Diseases of the respiratory system	65	5	21	10	29	143	15	8	28	8	16	25	43	85	663
Diseases of the digestive system	22	4	4	10	4	34	6	3	8	2	5	3	7	14	108
Diseases of the genito-urinary system	5	.	3	2	.	12	.	1	2	1	4	.	4	6	57
Complications of pregnancy, childbirth and the puerperium	1	.	.	1	.	1	.	.	1
Diseases of the skin and subcutaneous tissue	1	.	.	.	1	1	1	.	.	4
Diseases of the musculoskeletal system and connective tissue	2	.	2	.	.	3	.	.	2	.	1	.	.	1	20
Congenital anomalies	11	2	4	2	3	20	3	.	8	.	1	4	4	5	43
Certain causes of perinatal morbidity and mortality	15	3	6	4	2	25	2	.	7	2	6	4	4	12	53
Symptoms and ill-defined conditions	8	1	2	1	.	2	2	.	5	5
Accidents, poisonings and violence (external cause)	34	3	11	6	14	75	7	2	23	1	10	12	20	33	322

*See definition on page 8.

†Londonderry U.D. was sent up on 2nd April 1969; previously it was Londonderry R.D

ABSTRACT 12. Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
	TOTAL DEATHS . . . {M (All cases) {F	9,001 8,031	247 171	350 266	25 21	15 9	15 10	8 8	44 24	32 20	121 133
000-136	I Infective and Parasitic Dis- {M eases {F	83 65	5 1	22 17	5 3	. 3	2 1	. .	5 .	1 .	1 .
140-200, 202, 203, 208, 209	II Neoplasms (a) Cancer . . {M {F	1,362 1,252	1 2	1 2	4 2	2 5	5 5
201 204- 207, 210- 239	(b) Other Neoplasms . . . {M {F	68 78	. 1	. 2	1 2	1 2	1 1	1 1	1 1	2 1	1 2
240-279	III Endocrine, Nutritional and {M Metabolic Diseases . . . {F	97 144	. 1	2 2	1 .	. .	1 2	. .	. 1
280-289	IV Diseases of Blood and Blood- {M forming Organs {F	22 36	1 .
290-315	V Mental Disorders {M {F	30 23	1 1
320-389	VI Diseases of the Nervous {M System and Sense Organs {F	104 110	2 .	8 2	2 2	2 .	1 .	. 2	2 5	2 4	1 1
390-458	VII Diseases of the Circulatory {M System {F	4,749 4,598	. .	1 1	. 1	1	1 .	1 1	3 1
460-519	VIII Diseases of the Respiratory {M System {F	1,160 797	9 4	62 46	5 3	2 2	1 1	. .	3 2	. .	2 1
520-577	IX Diseases of the Digestive {M System {F	186 206	3 1	4 3	. 3	. .	1 1 1
580-629	X Diseases of the Genito-Urin- {M ary System {F	116 88	. .	1 .	1	2 .	1 .	2 1
630-678	XI Complications of Pregnancy, Childbirth and the Puerper- ium F	3
680-709	XII Diseases of the Skin and Sub- {M cutaneous Tissue . . . {F	5 7
710-738	XIII Diseases of the Musculoske- {M letal System and Connective {F tissue	16 50	2 .	. .
740-759	XIV Congenital Anomalies . . {M {F	110 95	53 46	73 73	9 5	3 .	1 1	2 .	4 4	2 1	5 1
760-779	XV Certain Causes of Perinatal {M Morbidity and Mortality . {F	174 114	173 114	174 114
780-796	XVI Symptoms and Ill-defined {M Conditions {F	23 28	1 .	1	1
E800- E999	E XVII Accidents, Poisonings and {M Violence (External Cause) {F	696 337	1 3	2 6	4 2	6 4	5 2	4 5	21 8	21 11	96 18

of death at different age-periods, 1972.

DEATH

20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over	Detailed List Numbers
109 28	85 40	60 29	81 57	135 96	258 176	431 252	644 347	960 582	1,202 812	1,321 1,182	1,237 1,335	986 1,268	579 853	238 455	65 128	M F
2 .	1 .	.	1 2	3 4	2 4	2 3	7 3	9 4	3 8	6 4	5 3	3 4	4 1	.	.	M F
1 1	6 4	5 5	11 20	24 40	46 75	78 89	133 114	206 150	257 167	231 174	179 185	99 121	62 71	9 18	2 4	M F
2 2	1 4	1 2	1 3	2 .	6 5	4 6	6 3	6 7	8 8	12 8	6 8	4 5	2 2	1 3	.	M F
.	.	1 .	1 2	5 2	.	2 4	3 11	10 15	11 19	13 29	23 24	14 17	7 12	3 2	1 .	M F
1	1 .	.	3 .	4 .	5 .	2 4	2 8	6 5	6 4	1 3	.	M F
.	.	.	1 .	2 .	3 1	3 .	3 .	2 1	1 .	4 2	3 4	5 3	2 5	1 1	4 .	M F
2 1	3 3	2 .	3 2	4 .	5 3	6 6	7 7	8 6	10 11	13 18	18 16	8 11	1 3	1 5	.	M F
1 1	4 2	14 6	23 9	50 23	136 55	250 86	362 162	526 305	687 470	768 750	730 872	619 872	364 566	166 330	42 85	M F
2 3	7 .	2 2	4 2	5 5	13 8	45 19	61 17	118 48	153 67	191 108	187 130	153 129	94 121	42 49	15 27	M F
1 .	2 3	.	3 1	4 3	4 6	12 9	13 11	25 18	25 26	33 35	25 25	22 38	10 17	2 6	.	M F
1 .	1 3	2 .	1 1	3 1	3 3	3 2	4 6	13 6	8 7	17 13	15 16	23 13	11 6	5 8	1 .	M F
.	.	2 .	1	F
.	1 1	.	.	2 1	2 1	3 .	.	M F
1 .	1	2 .	1 1	2 5	5 5	3 11	3 5	1 11	6 .	1 .	.	M F
.	3 .	1 .	2 .	1 1	2 1	1 4	1 .	1 1	1 .	1	M F
.	M F
1 1	1 .	.	.	1 .	1 1	1 .	2 .	2 .	1 1	2 .	6 5	3 2	2 4	2 7	2 1	M F
96 17	65 11	37 7	32 12	38 10	37 12	24 22	38 11	34 10	31 16	27 24	35 33	24 36	12 34	4 20	3 6	M F
																E800 E999

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
	I. Infective and Parasitic Diseases										
000-009	<i>Intestinal infectious diseases</i> . {M F	17 16	.	8 9	3 1	.	2 1	.	1 .	.	.
000	Cholera {M F
001	Typhoid fever {M F
002	Paratyphoid fever {M F
003	Other Salmonella infections . {M F
004	Bacillary dysentery {M F
005	Food poisoning (bacterial) . . {M F
006	Amoebiasis {M F
007	Other protozoal intestinal diseases {M F
008	Enteritis due to other specified {M organism F	1 .	.	1
009	Diarrhoeal disease {M F	17 15	.	8 8	3 1	.	2 1	.	1 .	.	.
010-019	<i>Tuberculosis</i> {M F	30 19	1 .	.	.
010	Silicotuberculosis {M F
011	Pulmonary tuberculosis {M F	20 11
012	Other respiratory tuberculosis {M F	1 2
013	Tuberculosis of meninges and {M central nervous system F	1
014	Tuberculosis of intestines, peri- {M toneum and mesenteric glands F	1
015	Tuberculosis of bones and joints . {M F	1
016	Tuberculosis of genito-urinary {M system F	1 1
017	Tuberculosis of other organs . {M F
018	Disseminated tuberculosis . . {M F	1 2	.	.	.	1
019	Late effects of tuberculosis . {M F	6 1	1 .	.	.
020-027	<i>Zoonotic bacterial diseases</i> . {M F
020	Plague {M F
021	Tularaemia {M F

of death at different age-periods, 1972.

DEATH																Detailed List Numbers		
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over			
.	2	1	1	1	1	.	.	M F	}	000-009
.	M F		}
.	M F	}	001
.	M F	}	002
.	M F	}	003
.	M F	}	004
.	M F	}	005
.	M F	}	006
.	M F	}	007
.	M F	}	008
.	2	1	1	1	1	.	.	M F	}	009
1	.	.	1	3	2	1	4	7	2	5	3	1	2	2	.	M F	}	010-019
.	M F	}	010
1	.	.	1	1	2	1	2	4	2	3	3	2	1	.	.	M F	}	011
.	1	.	.	.	1	1	M F	}	012
.	1	M F	}	013
.	.	.	.	1	M F	}	014
.	1	.	.	.	M F	}	015
.	1	.	1	M F	}	016
.	M F	}	017
.	.	.	.	1	.	.	1	M F	}	018
.	1	.	.	3	.	1	.	.	1	.	.	M F	}	019
.	M F	}	020-027
.	M F	}	020
.	M F	}	021

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
022	Anthrax {M F
023	Brucellosis {M F
024	Glanders {M F
025	Melioidosis {M F
026	Rat-bite fever {M F
027	Other zoonotic bacterial diseases . {M F
030-039	Other bacterial diseases . . {M F	16 16	4 1	10 6	2 3	1	.	.	1	.	.
030	Leprosy {M F
031	Other diseases due to mycobacteria . {M F
032	Diphtheria {M F
033	Whooping cough {M F
034	Streptococcal sore throat and scarlet fever . {M F
035	Erysipelas {M F
036	Meningococcal infection . . {M F	6 5	.	3 2	2 3	.	.	.	1	.	.
037	Tetanus {M F	1
038	Septicaemia {M F	10 9	4 1	7 4	.	1
039	Other bacterial diseases . . {M F	1
040-046	Poliomyelitis and other enterovirus diseases of central nervous system {M F
040	Acute paralytic poliomyelitis specified as bulbar . {M F
041	Acute poliomyelitis with other paralysis . {M F
042	Acute non-paralytic poliomyelitis . {M F
043	Acute poliomyelitis, unspecified . {M F
044	Late effects of acute poliomyelitis . {M F
045	Aseptic meningitis due to enterovirus . {M F
046	Other enterovirus diseases of central nervous system . {M F

of death at different age-periods, 1972.

DEATH																Detailed List Numbers		
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over			
.	M F	}	022
.	M F	}	023
.	M F	}	024
.	M F	}	025
.	M F	}	026
.	M F	}	027
.	1	1	1 2	.	1	1	1	1	.	.	M F	}	030-039
.	M F	}	030
.	M F	}	031
.	M F	}	032
.	M F	}	033
.	M F	}	034
.	M F	}	035
.	M F	}	036
.	1	M F	}	037
.	1	1 1	.	1	1	1	1	.	.	M F	}	038
.	1	M F	}	039
.	M F	}	040-046
.	M F	}	040
.	M F	}	041
.	M F	}	042
.	M F	}	043
.	M F	}	044
.	M F	}	045
.	M F	}	046

ABSTRACT 12 (continued). Northern Ireland: Causes[illegible]

of death at different age-periods, 1972.

DEATH																Detailed List Numbers
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over	
.	.	.	.	1	.	.	1	.	.	.	1	M F } 050-057
.	M F } 050
.	M F } 051
.	M F } 052
.	1	M F } 053
.	.	.	.	1	.	.	1	M F } 054
.	M F } 055
.	M F } 056
.	M F } 057
.	1	.	.	1	M F } 060-068
.	M F } 060
.	M F } 061
.	M F } 062
.	M F } 063
.	M F } 064
.	1	.	.	1	M F } 065
.	M F } 066
.	M F } 067
.	M F } 068
1	.	.	2	1 1	.	.	1	.	.	.	1	.	1	.	.	M F } 070-079
1	.	.	2	1 1	.	.	1	.	.	.	1	.	1	.	.	M F } 070
.	M F } 071
.	M F } 072
.	M F } 073
.	M F } 074
.	M F } 075

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
076	Trachoma, active . . . { F
077	Late effects of trachoma . . . { F
078	Other viral diseases of the con- { junctiva . . . F
079	Other viral diseases . . . { F	1 1	.	1	1	.
080-089	Rickettsioses and other arthropod- { borne diseases. . . F
080	Epidemic louse-borne typhus . { F
081	Other typhus . . . { F
082	Tick-borne rickettsiosis . . { F
083	Other rickettsiosis . . . { F
084	Malaria . . . { F
085	Leishmaniasis . . . { F
086	American trypanosomiasis . . { F
087	Other trypanosomiasis . . { F
088	Relapsing fever . . . { F
089	Other arthropod-borne diseases . { F
090-099	Syphilis and other venereal diseases { F	2 1
090	Congenital syphilis . . . { F
091	Early syphilis, symptomatic . { F
092	Early syphilis, latent . . . { F
093	Cardiovascular syphilis . . { F	1 1
094	Syphilis of central nervous system { F
095	Other forms of late syphilis, with { symptoms . . . F
096	Late syphilis, latent . . . { F
097	Other syphilis and not specified . { F	1
098	Gonococcal infections . . { F
099	Other venereal disease . . { F

of death at different age-periods, 1972.

DEATH															95 and over	Detailed List Numbers	
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-			
.	M F	} 076
.	M F	} 077
.	M F	} 078
.	M F	} 079
.	M F	} 080-089
.	M F	} 080
.	M F	} 081
.	M F	} 082
.	M F	} 083
.	M F	} 084
.	M F	} 085
.	M F	} 086
.	M F	} 087
.	M F	} 088
.	M F	} 089
.	1	.	.	1	M F	} 090-099
.	M F	} 090
.	M F	} 091
.	M F	} 092
.	1	1	M F	} 093
.	M F	} 094
.	M F	} 095
.	M F	} 096
.	1	M F	} 097
.	M F	} 098
.	M F	} 099

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
100-104	<i>Other spirochaetal diseases</i> { M F
100	Leptospirosis { M F
101	Vincent's angina { M F
102	Yaws { M F
103	Pinta { M F
104	Other spirochaetal infection { M F
110-117	<i>Mycoses</i> { M F	i
110	Dermatophytosis { M F
111	Dermatomycosis, other and un- specified { M F
112	Moniliasis { M F	i
113	Actinomycosis { M F
114	Coccidioidomycosis { M F
115	Histoplasmosis { M F
116	Blastomycosis { M F
117	Other systemic mycosis { M F
120-129	<i>Helminthiasis</i> { M F
120	Schistosomiasis (bilharziasis) { M F
121	Other trematode infection { M F
122	Hydatidosis { M F
123	Other cestode infection { M F
124	Trichiniasis { M F
125	Filarial infection { M F
126	Ancylostomiasis { M F
127	Other intestinal helminthiasis { M F
128	Other and unspecified helminthi- asis { M F
129	Intestinal parasitism, unspecified { M F

of death at different age-periods, 1972.

DEATH																Detailed List Numbers
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over	
.	M F } 100-104
.	M F } 100
.	M F } 101
.	M F } 102
.	M F } 103
.	M F } 104
.	1	M F } 110-117
.	M F } 110
.	M F } 111
.	1	M F } 112
.	M F } 113
.	M F } 114
.	M F } 115
.	M F } 116
.	M F } 117
.	M F } 120-129
.	M F } 120
.	M F } 121
.	M F } 122
.	M F } 123
.	M F } 124
.	M F } 125
.	M F } 126
.	M F } 127
.	M F } 128
.	M F } 129

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
130-136	<i>Other infective and parasitic diseases</i> {M F	5 5	.	1 1	1	.	.
130	Toxoplasmosis {M F	2 1	.	1 1	1	.	.
131	Trichomoniasis urogenitalis {M F
132	Pediculosis {M F
133	Acariasis {M F
134	Other infestation {M F
135	Sarcoidosis {M F	3 4
136	Other and unspecified infective and parasitic diseases {M F
	II Neoplasms										
140-149	<i>Malignant neoplasm of buccal cavity and pharynx</i> {M F	36 25
140	Malignant neoplasm of lip . . {M F	6
141	Malignant neoplasm of tongue . {M F	8 6
142	Malignant neoplasm of salivary gland . {M F	4 2
143	Malignant neoplasm of gum . {M F
144	Malignant neoplasm of floor of mouth . {M F
145	Malignant neoplasm of other and unspecified parts of mouth {M F	4 2
146	Malignant neoplasm of oro-pharynx . {M F	3 2
147	Malignant neoplasm of naso-pharynx . {M F	3 2
148	Malignant neoplasm of hypo-pharynx . {M F	2 9
149	Malignant neoplasm of pharynx, unspecified {M F	6 2
150-159	<i>Malignant neoplasm of digestive organs and peritoneum</i> {M F	507 495
150	Malignant neoplasm of oesophagus . {M F	31 29
151	Malignant neoplasm of stomach . {M F	181 140
152	Malignant neoplasm of small intestine, including duodenum {M F	5
153	Malignant neoplasm of large intestine, except rectum {M F	135 175
154	Malignant neoplasm of rectum and rectosigmoid junction {M F	74 54

of death at different age-periods, 1972.

DEATH																Detailed List Numbers	
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over		
.	.	.	.	1	.	1	2	.	.	1	.	1	.	.	.	M F	} 130-136
.	M F	
.	M F	} 131
.	M F	
.	M F	} 132
.	M F	
.	M F	} 133
.	M F	
.	M F	} 134
.	M F	
.	.	.	.	1	.	1	2	.	.	1	.	1	.	.	.	M F	} 135
.	M F	
.	M F	} 136
.	M F	
.	.	.	1	2	.	2	5	7	4	4	4	3	6	.	.	M F	} 140-149
.	1	1	1	2	.	.	M F	
.	1	1	1	1	.	.	M F	} 141
.	2	1	1	1	1	1	1	.	.	M F	
.	1	1	.	.	.	1	1	.	.	M F	} 142
.	M F	
.	M F	} 143
.	M F	
.	M F	} 144
.	M F	
.	1	.	1	.	1	1	M F	} 145
.	1	.	1	M F	
.	1	.	.	1	1	1	.	.	M F	} 146
.	M F	
.	.	.	1	.	.	.	2	1	1	M F	} 147
.	1	1	M F	
.	.	.	2	.	.	1	1	1	1	1	2	1	.	.	.	M F	} 148
.	1	.	2	1	1	M F	
.	1	.	2	1	1	.	.	1	.	.	M F	} 149
.	1	M F	
.	1	2	7	9	20	38	41	65	93	86	69	37	35	4	.	M F	} 150-159
.	1	1	6	10	12	23	18	43	66	87	97	70	45	14	2	M F	
.	.	.	1	.	1	3	2	7	6	5	1	1	4	1	.	M F	} 150
.	1	5	3	3	8	5	3	.	.	M F	
.	1	2	3	2	7	15	16	26	30	37	26	12	3	1	.	M F	} 151
.	.	.	.	3	2	6	5	7	14	28	29	27	16	3	.	M F	
.	1	1	.	1	1	1	M F	} 152
.	M F	
.	1	.	3	4	5	4	8	15	30	21	21	10	14	.	.	M F	} 153
.	.	.	4	4	3	9	4	20	20	32	36	24	13	4	1	M F	
.	.	.	1	3	5	4	5	6	9	10	8	11	10	2	.	M F	} 154
.	.	.	2	2	2	2	2	4	8	7	7	7	8	5	.	M F	

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
155	Malignant neoplasm of liver and intrahepatic bile ducts speci- fied as primary	M 4 F 5
156	Malignant neoplasm of gallbladder and bile ducts	M 6 F 18
157	Malignant neoplasm of pancreas	M 75 F 58
158	Malignant neoplasm of peritoneum and retroperitoneal tissue	M 7 F
159	Malignant neoplasm of unspecified digestive organs	M 1 F 4
160-163	Malignant neoplasm of respiratory system	M 455 F 117	1
160	Malignant neoplasm of nose, nasal cavities, middle ear and acces- sory sinuses	M 4 F 3
161	Malignant neoplasm of larynx	M 18 F 2
	Malignant neoplasm of:—										
162.0	Trachea	M . F
162.1	Bronchus and lung	M 431 F 111	1
163	Malignant neoplasm of other and unspecified respiratory organs	M 2 F 1
170-174	Malignant neoplasm of bone, con- nective tissue, skin and breast	M 30 F 265	1	1	2
170	Malignant neoplasm of bone	M 14 F 10	1	1	1
171	Malignant neoplasm of connective and other soft tissue	M 1 F 2	1
172	Malignant melanoma of skin	M 7 F 9	1
173	Other malignant neoplasm of skin	M 6 F 3
174	Malignant neoplasm of breast	M 2 F 241
180-189	Malignant neoplasm of genito- urinary organs	M 179 F 212	1	1	1	1
180	Malignant neoplasm of cervix uteri	F 52
181	Chorionepithelioma	F
182	Other malignant neoplasm of uterus	F 46
183	Malignant neoplasm of ovary, fallopian tube, and broad ligament	F 65
184	Malignant neoplasm of other and unspecified female genital organs	F 15
185	Malignant neoplasm of prostate	M 112
186	Malignant neoplasm of testis	M 2	1

of death at different age-periods, 1972.

DEATH

20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over	Detailed List Numbers
.	1	1	.	2	.	1	2	1	.	.	M F } 155
.	.	.	1	.	.	1	.	3	3	.	6	.	1	.	.	M F } 156
.	.	1	.	.	2	11	8	8	13	13	13	3	4	2	1	M F } 157
.	1	.	1	.	1	2	1	1	.	.	.	M F } 158
.	.	.	.	1	1	.	.	1	.	1	M F } 159
1	.	1	2	10	15	25	61	87	109	79	42	19	4	.	1	M F } 160-163
.	.	.	1	7	6	5	18	25	16	17	13	6	1	.	.	M F } 160
.	1	.	.	2	.	1	1	.	.	M F } 161
.	.	.	.	1	1	.	1	3	1	7	3	1	.	.	.	M F } 162.0
1	.	1	2	8	14	25	59	84	108	72	37	17	3	.	1	M F } 162.1
.	.	.	1	7	5	5	17	25	16	15	12	5	1	.	.	M F } 163
.	.	.	.	1	1	1	M F } 170-174
1	1	2	4	14	30	31	4	4	3	4	2	3	2	3	2	M F } 170
1	.	.	.	1	2	.	2	2	2	1	2	1	1	.	.	M F } 171
.	1	M F } 172
.	1	.	.	2	.	2	1	1	1	2	2	.	1	.	.	M F } 173
.	1	1	.	2	.	1	1	1	1	M F } 174
.	.	2	4	11	30	1	1	31	28	29	24	12	7	2	1	M F } 180-189
.	1	4	.	7	15	21	5	19	24	33	49	27	11	2	1	M F } 180
.	.	1	1	4	4	7	7	4	8	8	6	2	.	.	.	F } 181
.	F } 182
.	.	.	1	1	3	5	6	6	7	7	3	3	4	.	.	F } 183
.	.	.	.	1	7	6	12	9	11	6	4	5	4	.	.	F } 184
.	2	3	1	1	3	5	.	.	.	F } 185
.	2	11	14	19	37	18	10	1	.	M } 186
.	1	M }

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
187	Malignant neoplasm of other and unspecified male genital organs M	3
188	Malignant neoplasm of bladder . {M	40
	F	20
189	Malignant neoplasm of other and unspecified urinary organs . {M	22	1	1	.	.
	F	14	2	.	.
190-199	Malignant neoplasm of other and unspecified sites . {M	104	1	.	1	1	2
	F	114	2	.	.	4	2
190	Malignant neoplasm of eye . {M	2
	F	1
191	Malignant neoplasm of brain . {M	25	1	1	1
	F	20	2	.
192	Malignant neoplasm of other parts of nervous system . {M	5	1	.	.	.	1
	F	8	2	.	.	1	2
193	Malignant neoplasm of thyroid gland . {M	7
	F	9
194	Malignant neoplasm of other endocrine glands . {M
	F
195	Malignant neoplasm of ill-defined sites . {M	12
	F	11
196	Secondary and unspecified malignant neoplasm of lymph nodes . {M	6
	F	5
197	Secondary malignant neoplasm of respiratory and digestive systems . {M	22	1	.
	F	33
198	Other secondary malignant neoplasm . {M	2
	F	8
199	Malignant neoplasm without specification of site . {M	23
	F	19
200-209	Neoplasms of lymphatic and haematopoietic tissue . {M	106	.	.	1	.	1	1	2	3	1
	F	70	.	.	1	.	1	1	1	.	2
200	Lymphosarcoma and reticulum-cell sarcoma . {M	21	1	1	.
	F	15
201	Hodgkin's disease . {M	11
	F	7
202	Other neoplasms of lymphoid tissue . {M	6
	F	1
203	Multiple myeloma . {M	21
	F	7
204	Lymphatic leukaemia . {M	10	1
	F	8	1
205	Myeloid leukaemia . {M	18	1	.	1	1	.
	F	14	1
206	Monocytic leukaemia . {M	3
	F	5	.	.	1
207	Other and unspecified leukaemia . {M	13	.	.	1	.	.	1	.	1	.
	F	12	.	1	.	.	1	.	1	.	.
208	Polycythaemia vera . {M	1
	F	1
209	Myelofibrosis . {M	2
	F

of death at different age-periods, 1972.

DEATH															95 and over	Detailed List Numbers	
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-			
.	1	.	1	.	.	1	M	187
.	1	1	1	5	7	9	7	7	1	1	.	M	} 188
.	2	1	1	4	1	4	3	3	2	.	.	F	
.	.	.	2	1	1	1	2	3	3	4	5	1	.	.	.	M	} 189
.	1	1	F	
.	3	1	1	3	6	6	9	14	15	21	8	7	3	2	.	M	} 190-199
1	1	.	3	2	10	6	13	16	13	11	16	11	3	1	.	F	
.	1	.	1	M	} 190
.	1	F	
.	1	.	1	1	4	1	3	4	3	5	1	M	} 191
.	2	1	4	4	2	1	F	
.	.	.	.	1	1	1	1	M	} 192
.	F	
.	1	1	.	2	2	1	2	1	.	.	.	M	} 193
.	1	1	.	2	.	2	2	.	.	.	F	
.	M	} 194
.	F	
.	1	.	1	.	1	.	1	1	2	3	2	3	1	1	.	M	} 195
.	.	.	1	1	1	2	1	1	.	F	
.	.	.	1	1	.	.	.	2	2	2	1	1	.	1	.	M	} 196
.	F	
.	.	.	.	1	1	2	3	4	3	3	5	4	1	1	.	M	} 197
.	2	2	4	4	3	4	8	.	1	.	.	F	
.	1	.	1	1	.	2	1	2	1	.	.	M	} 198
.	F	
.	1	1	.	.	1	1	3	2	4	8	2	2	1	.	.	M	} 199
.	3	1	1	3	5	2	.	1	1	.	.	F	
1	1	3	1	1	7	8	14	15	15	10	10	7	2	2	.	M	} 200-209
2	4	2	2	.	5	3	3	8	11	7	9	4	2	2	.	F	
.	1	.	.	.	1	2	4	4	4	1	1	M	} 200
.	2	1	3	2	2	1	3	F	
1	2	2	.	.	1	2	2	2	2	1	M	} 201
2	1	.	.	1	1	1	F	
.	1	1	1	1	.	.	1	1	.	.	M	} 202
.	F	
.	.	.	.	1	.	1	3	5	4	2	2	2	.	1	.	M	} 203
.	1	2	4	F	
.	1	.	.	.	1	1	2	2	1	1	.	M	} 204
.	1	3	3	F	
.	.	1	1	.	3	2	2	1	1	1	2	1	2	.	.	M	} 205
.	1	1	1	.	F	
.	1	1	1	1	.	.	.	M	} 206
.	F	
.	1	1	1	.	1	.	2	2	1	3	1	1	1	1	.	M	} 207
.	2	F	
.	1	M	} 208
.	F	
.	1	1	M	} 209
.	F	

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
210-228	<i>Benign neoplasms</i> { M F	4 21	1	1	1	.	1	1	.	.	.
210	Benign neoplasm of buccal cavity and pharynx { M F
211	Benign neoplasm of other parts of digestive system { M F	1
212	Benign neoplasm of respiratory system { M F	2 1
213	Benign neoplasm of bone and cartilage { M F
214	Lipoma { M F
215	Other benign neoplasm of muscular and connective tissue { M F
216	Benign neoplasm of skin { M F
217	Benign neoplasm of breast { M F
218	Uterine fibroma F	3
219	Other benign neoplasm of uterus . F
220	Benign neoplasm of ovary . . . F	6
221	Benign neoplasm of other female genital organs F
222	Benign neoplasm of male genital organs M
223	Benign neoplasm of kidney and other urinary organs { M F
224	Benign neoplasm of eye { M F
225	Benign neoplasm of brain and other parts of nervous system { M F	5
226	Benign neoplasm of endocrine glands { M F	1 2	1	.	.	.
227	Haemangioma and lymphangioma { M F	3	1	1	1	.	1
228	Benign neoplasm of other and unspecified organs and tissues { M F	1
230-239	<i>Neoplasm of unspecified nature</i> { M F	9 11	.	.	.	1
230	Neoplasm of unspecified nature of digestive organs { M F	2
231	Neoplasm of unspecified nature of respiratory organs { M F	3
232	Neoplasm of unspecified nature of skin and musculo-skeletal system { M F	1 2
233	Neoplasm of unspecified nature of breast { M F
234	Neoplasm of unspecified nature of uterus F

of death at different age-periods, 1972.

DEATH

20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over	Detailed List Numbers	
I	I	.	I	2	I	4	I	I	I	I	3	I	I	.	.	M	} 210-228
.	F	
.	M	} 210
.	1	.	.	.	M	} 211
.	1	1	1	M	} 212
.	M	} 213
.	M	} 214
.	M	} 215
.	M	} 21 6
.	M	} 21 7
.	.	.	.	2	1	.	.	F	218
.	F	219
.	1	.	.	.	1	1	.	1	1	.	1	F	220
.	F	221
.	M	222
.	M	} 223
.	F	
.	M	} 224
.	3	1	.	.	.	1	M	} 225
1	.	.	1	M	} 226
.	M	} 227
.	1	.	.	M	} 228
.	1	.	2	I	I	5	I	.	.	I	.	M	} 230-239
.	2	3	F	
.	3	M	} 230
.	M	} 231
.	1	.	.	1	.	M	} 232
.	M	} 233
.	F	
.	F	234

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
235	Neoplasm of unspecified nature F of ovary	1
236	Neoplasm of unspecified nature F of other female genital organs
237	Neoplasm of unspecified nature {M of other genito-urinary organs . {F	1
238	Neoplasm of unspecified nature {M of eye, brain and other parts of {F nervous system	3 4	.	.	1
239	Neoplasm of unspecified nature {M of other and unspecified organs {F	1 2
III. Endocrine, Nutritional and Metabolic Diseases											
240-246	Diseases of thyroid gland . . {M {F	3 18
240	Simple goitre {M {F	1
241	Non-toxic nodular goitre . . {M {F
242	Thyrotoxicosis with or without {M goitre {F	1 8
243	Cretinism of congenital origin . {M {F
244	Myxoedema {M {F	2 9
245	Thyroiditis {M {F
246	Other diseases of thyroid gland . {M {F
250-258	Diseases of other endocrine glands {M {F	81 110	1
250	Diabetes mellitus {M {F	78 105	1
251	Disorders of pancreatic internal {M secretion other than diabetes {F mellitus	1
252	Diseases of parathyroid gland . {M {F
253	Diseases of pituitary gland . {M {F	1 2
254	Diseases of thymus gland . {M {F
255	Diseases of adrenal glands . {M {F	1 1
256	Ovarian dysfunction F
257	Testicular dysfunction M
258	Polyglandular dysfunction and {M other diseases of endocrine {F glands	2

of death at different age-periods, 1972.

DEATH																Detailed List Numbers
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over	
.	1	F 235
.	F 236
.	1	M } 237
.	1	.	2	1	.	1	M } 238
.	1	.	1	M } 239
.	.	.	.	1	.	1	2	1	2	4	1	1	.	.	.	M } 240-246
.	1	M } 240
.	M } 241
.	1	1	1	1	1	1	.	.	.	M } 242
.	M } 243
.	.	.	.	1	.	1	1	.	1	2	1	1	.	.	.	M } 244
.	M } 245
.	M } 246
.	.	1	1	5	1	1	3	3	8	12	20	12	7	2	.	M } 250-258
.	.	.	1	4	1	2	3	8	9	12	20	12	7	2	1	M } 250
.	.	1	M } 251
.	M } 252
.	1	1	1	M } 253
.	M } 254
.	.	.	.	1	.	1	M } 255
.	F 256
.	M 257
.	.	.	.	1	.	.	.	1	M } 258

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
260-269	<i>Avitaminoses and other nutritional deficiency</i> {M F	4 4
260	Vitamin A deficiency . . . {M F
261	Thiamine deficiency . . . {M F
262	Niacin deficiency . . . {M F
263	Other vitamin B deficiency . . {M F	1
264	Ascorbic acid deficiency . . {M F
265	Vitamin D deficiency . . . {M F
266	Other vitamin deficiency states . {M F
267	Protein malnutrition . . . {M F
268	Nutritional marasmus . . . {M F	1 1
269	Other nutritional deficiency . . {M F	2 3
270-279	<i>Other metabolic diseases</i> . . {M F	9 12	1	2 2	.	.	1	.	1 2	.	.
270	Congenital disorders of amino- acid metabolism . . . {M F
271	Congenital disorders of carbohy- drate metabolism . . . {M F
272	Congenital disorders of lipid met- abolism {M F
273	Other and unspecified congenital disorders of metabolism . . {M F	4 5	1	2 2	.	.	1	.	1 2	.	.
274	Gout {M F
275	Plasma protein abnormalities . {M F
276	Amyloidosis {M F	2 2
277	Obesity not specified as of endo- crine origin {M F	1 3
278	Other hyperalimentation . . . {M F
279	Other and unspecified metabolic diseases {M F	2 2
	IV. Diseases of Blood and Blood- Forming Organs										
280-289	<i>Diseases of Blood and Blood-Form- ing organs</i> {M F	22 36	1
280	Iron deficiency anaemias . . . {M F	3 4

of death at different age-periods, 1972.

DEATH																Detailed List Numbers
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over	
.	2	.	1	.	1	1	1	1	.	M F } 260-269
.	M F } 260
.	M F } 261
.	M F } 262
.	1	.	.	.	M F } 263
.	M F } 264
.	M F } 265
.	M F } 266
.	M F } 267
.	1	.	M F } 268
.	2	.	1	.	1	M F } 269
.	1	1	1	1	1	1	M F } 270-279
.	M F } 270
.	M F } 271
.	M F } 272
.	1	M F } 273
.	M F } 274
.	1	.	.	1	.	1	M F } 275
.	1	M F } 276
.	1	1	1	1	M F } 277
.	M F } 278
.	1	1	1	1	M F } 279
1	1	.	3	4	1	2	2	6	6	1	.	M F } 280-289
.	1	.	.	1	.	1	1	1	.	M F } 280

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
281	Other deficiency anaemias . . . { M F	5 13
282	Hereditary haemolytic anaemias { M F	2 2
283	Acquired haemolytic anaemias . { M F	1 1
284	Aplastic anaemia . . . { M F	5 9	1
285	Other and unspecified anaemias . { M F	4 6
286	Coagulation defects . . . { M F
287	Purpura and other haemorrhagic { conditions . . . { M F	2 1
288	Agranulocytosis . . . { M F
289	Other diseases of blood and blood- forming organs . . . { M F
V. Mental Disorders											
290-299	Psychoses { M F	20 21
290	Senile and pre-senile dementia . { M F	17 19
291	Alcoholic psychosis . . . { M F	1
292	Psychosis associated with intra- cranial infection . . . { M F
293	Psychosis associated with other cerebral condition . . . { M F	1 1
294	Psychosis associated with other physical condition . . . { M F
295	Schizophrenia { M F
296	Affective psychoses . . . { M F	1
297	Paranoid states { M F
298	Other psychoses { M F
299	Unspecified psychosis . . . { M F	i i
300-309	Neuroses, personality disorders { and other non-psychotic mental disorders . . . { M F	9 1
300	Neuroses { M F
301	Personality disorders . . . { M F
302	Sexual deviation { M F

of death at different age-periods, 1972.

DEATH																Detailed List Numbers		
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over			
1	2	2	1	1	3	2	.	M F	}	281
.	1	1	.	.	.	M F		
.	1	.	.	.	1	M F	}	282
.	1	M F		
.	1	3	2	1	1	.	1	.	.	M F	}	284
.	1	.	.	3	.	1	.	.	M F		
.	1	.	.	4	2	1	1	.	M F	}	285
.	M F		
.	1	M F	}	286
.	M F		
.	1	.	.	1	.	.	.	M F	}	287
.	M F		
.	M F	}	288
.	M F		
.	M F	}	289
.	M F		
.	.	.	.	1	1	2	2	2	1	2	3	5	2	1	4	M F	}	290-299
.	.	.	.	1	.	1	2	1	1	2	4	5	2	1	4	M F		
.	1	M F	}	291
.	M F		
.	M F	}	292
.	1	.	.	i	.	M F		
.	M F	}	294
.	M F		
.	M F	}	295
.	1	M F		
.	M F	}	296
.	M F		
.	M F	}	297
.	M F		
.	M F	}	298
.	1	M F		
.	.	.	1	1	3	1	1	1	.	2	M F	}	299
.	M F		
.	M F	}	300-309
.	M F		
.	M F	}	300
.	M F		
.	M F	}	301
.	M F		
.	M F	}	302

ABSTRACT 12 (continued) Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
303	Alcoholism {M F	9
304	Drug dependence {M F
305	Physical disorders of presumably psychogenic origin {M F
306	Special symptoms not elsewhere classified {M F	1
307	Transient situational disturbances {M F
308	Behaviour disorders of childhood {M F
309	Mental disorders not specified as psychotic associated with physical conditions {M F
310-315	Mental retardation {M F	1 1	1 1
310	Borderline mental retardation . . {M F
311	Mild mental retardation {M F
312	Moderate mental retardation . . {M F
313	Severe mental retardation . . . {M F
314	Profound mental retardation . . {M F	1 1	1 1
315	Unspecified mental retardation . {M F
	VI. Diseases of the Nervous System and Sense Organs										
320-324	Inflammatory diseases of central nervous system {M F	12 12	2	6 1	.	.	1	.	1 2	.	1
320	Meningitis {M F	7 5	2	4 1	.	.	1	1	.	.	1
321	Phlebitis and thrombophlebitis of intracranial venous sinuses {M F
322	Intracranial and intraspinal abscess {M F
323	Encephalitis, myelitis, and encephalomyelitis {M F	5 6	.	2	1 2	.	.
324	Late effects of intracranial abscess or pyogenic infection {M F
330-333	Hereditary and familial diseases of nervous system {M F	8 5	.	1	1	3
330	Hereditary neuromuscular disorders {M F	6 1	.	1	1	3
331	Hereditary diseases of the striato-pallidal system {M F	2 2
332	Hereditary ataxia {M F	2
333	Other hereditary and familial diseases of nervous system {M F

of death at different age-periods, 1972.

DEATH															Detailed List Numbers
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90- 95 and over	
.	.	.	1	1	3	1	1	.	.	2	M F } 303
.	M F } 304
.	M F } 305
.	1	M F } 306
.	M F } 307
.	M F } 308
.	M F } 309
.	M F } 310-315
.	M F } 310
.	M F } 311
.	M F } 312
.	M F } 313
.	M F } 314
.	M F } 315
.	1 1	.	1	2	.	2 1	1	.	.	.	1	1	.	.	M F } 320-324
.	1	.	1	.	.	.	1	.	.	.	1	.	.	.	M F } 320
.	M F } 321
.	M F } 322
.	1	.	.	2	.	2 1	M F } 323
.	1	.	.	M F } 324
.	1	2	.	.	1	1	.	1	.	.	1	.	.	.	M F } 330-333
.	1	1	.	.	.	M F } 330
.	.	1	.	.	1	1	.	1	M F } 331
.	.	1	1	.	.	.	M F } 332
.	M F } 333

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
340-349	<i>Other diseases of central nervous system</i> {M F	84 91	.	2	.	2	.	.	1 2	1	.
340	Multiple sclerosis {M F	14 19	.	.	1	.	.	1	.	.	.
341	Other demyelinating diseases of central nervous system {M F	1
342	Paralysis agitans {M F	23 22
343	Cerebral spastic infantile paralysis {M F	4 1	.	.	.	1	.	.	1	.	.
344	Other cerebral paralysis {M F	22 29
345	Epilepsy {M F	7 7	.	1	.	.	.	1	1	1	1
346	Migraine {M F
347	Other diseases of brain {M F	4 3	.	1	1	.	.	.	1	.	.
348	Motor neurone disease {M F	9 10
349	Other diseases of spinal cord {M F
350-358	<i>Diseases of nerves and peripheral ganglia</i> {M F
350	Facial paralysis {M F
351	Trigeminal neuralgia {M F
352	Brachial neuritis {M F
353	Sciatica {M F
354	Polyneuritis and polyradiculitis {M F
355	Other and unspecified forms of neuralgia and neuritis {M F
356	Other diseases of cranial nerves {M F
357	Other diseases of peripheral nerves except autonomic {M F
358	Diseases of peripheral autonomic nervous system {M F
360-369	<i>Inflammatory diseases of the eye</i> {M F
370-379	<i>Other diseases and conditions of eye</i> {M F
380-389	<i>Diseases of the ear and mastoid process</i> {M F
380	Otitis externa {M F
381	Otitis media without mention of mastoiditis {M F	2 2	.	.	1	.	.	.	1	.	.

of death at different age-periods, 1972.

DEATH																Detailed List Numbers		
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over			
2 1	1 2	.	3 1	2	4 3	3 5	7 6	8 5	10 11	13 18	17 14	8 10	1 3	1 5	.	M F	}	340-349
.	1	.	2 1	2	2	1 2	1 1	4 3	3 4	2 1	1 2	M F		}
.	1	M F	}	
.	1	2	3	5 2	4 8	6 5	3 3	2	1	.	M F		}
1	1	.	.	.	1	M F	}	
.	1	.	3 2	1 1	1 2	4 6	6 7	5 5	1 1	5	.	M F		}
1 1	1	.	1	.	1	.	1	.	1	1	1	M F	}	
.	M F		}
.	1	.	.	.	1	1	M F	}	
.	1	1 3	2 1	1	1	2 2	3	2	.	.	.	M F		}
.	M F	}	
.	M F		}
.	M F	}	
.	M F		}
.	M F	}	
.	M F		}
.	M F	}	
.	M F		}
.	M F	}	
.	M F		}
.	M F	}	
.	M F		}
.	M F	}	
.	M F		}
.	M F	}	
.	M F		}

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
382	Otitis media with mastoiditis . { F
383	Mastoiditis without mention of { otitis media { F
384	Other inflammatory diseases of ear { F
385	Ménière's disease . . . { F
386	Otosclerosis { F
387	Other diseases of ear and mastoid { process { F
388	Deaf mutism { F
389	Other deafness { F
VII. Diseases of the Circulatory System											
390-392	Active rheumatic fever . . { F	1
390	Rheumatic fever without mention { of heart involvement . . { F
391	Rheumatic fever with heart in- { volvement { F	1
392	Chorea { F
393-398	Chronic rheumatic heart disease . { F	79 116	1	.
393	Diseases of pericardium . . { F
Diseases of mitral valve:—											
394.0	Specified as rheumatic . . { F	15 20
394.9	Not specified as rheumatic . { F	17 36
Diseases of aortic valve:—											
395.0	Specified as rheumatic . . { F	5 3
395.9	Not specified as rheumatic . { F	19 6	1	.
Diseases of mitral and aortic valves:—											
396.0	Specified as rheumatic . . { F	3 9
396.9	Not specified as rheumatic { F	7 6
397	Diseases of other endocardial { structures { F	1 6
398	Other heart disease, specified as { rheumatic { F	12 30
400-404	Hypertensive disease . . { F	137 165

of death at different age-periods, 1972.

DEATH																Detailed List Numbers		
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over			
.	M F	}	382
.	M F		
.	M F	}	383
.	M F		
.	M F	}	384
.	M F		
.	M F	}	385
.	M F		
.	M F	}	386
.	M F		
.	M F	}	387
.	M F		
.	M F	}	388
.	M F		
.	M F	}	389
.	M F		
.	1	M F	}	390-392
.	M F		
.	M F	}	390
.	M F		
.	1	M F	}	391
.	M F		
.	M F	}	392
.	M F		
.	1	3	2	2	6	14	10	9	14	10	3	4	2	.	.	M F	}	393-398
.	M F		
.	M F	}	393
.	M F		
.	1	6	5	1	1	1	3	.	1	1	.	M F	}	394.0
.	.	.	1	2	.	1	2	4	1	3	1	3	1	.	.	M F		
.	.	.	.	1	.	.	8	4	6	7	4	3	.	.	.	M F	}	394.9
.	M F		
.	.	.	1	.	1	.	1	1	1	1	M F	}	395.0
.	1	2	2	.	6	3	2	1	1	.	.	M F		
.	1	.	.	.	1	2	1	.	1	1	.	M F	}	395.9
.	M F		
.	1	1	3	2	1	1	.	1	.	.	.	M F	}	396.0
.	.	.	1	.	.	2	.	1	1	1	.	.	2	.	.	M F		
.	.	.	1	.	.	1	.	.	1	1	M F	}	396.9
.	M F		
.	.	.	1	.	.	3	.	1	1	.	1	M F	}	397
.	M F		
.	.	.	2	.	3	2	5	2	4	1	3	1	1	2	.	M F	}	398
.	.	.	.	3	2	5	4	4	3	1	M F		
.	.	.	.	2	2	3	5	9	16	32	20	16	9	3	1	M F	}	400-404
.	.	.	.	1	3	1	6	15	17	29	32	31	20	9	.	M F		

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
400	Malignant hypertension . . . { F	16 11
401	Essential benign hypertension . . . { F	30 33
402	Hypertensive heart disease . . . { F	85 119
403	Hypertensive renal disease . . . { F	6 2
404	Hypertensive heart and renal dis- ease . . . { F
410-414	Ischaemic heart disease . . . { F	2,823 1,999
	Acute myocardial infarction:—										
410.0	With hypertensive disease . . . { F	164 170
410.9	Without mention of hypertensive disease . . . { F	1,948 1,161
	Other acute and sub-acute forms of ischaemic heart disease:—										
411.0	With hypertensive disease . . . { F
411.9	Without mention of hypertensive disease . . . { F	1 2
	Chronic ischaemic heart disease:—										
412.0	With hypertensive disease . . . { F	78 46
412.9	Without mention of hypertensive disease . . . { F	630 619
	Angina pectoris:—										
413.0	With hypertensive disease . . . { F
413.9	Without mention of hypertensive disease . . . { F	2 1
	Asymptomatic ischaemic heart disease:—										
414.0	With hypertensive disease . . . { F
414.9	Without mention of hypertensive disease . . . { F
420-429	Other forms of heart disease . . . { F	386 532	.	1	1	.	.	.	1	.	2
420	Acute pericarditis, non-rheumatic { F
421	Acute and sub-acute endocarditis. { F	7 2
422	Acute myocarditis . . . { F	4 2	.	1
423	Chronic disease of pericardium, { non-rheumatic . . . { F
424	Chronic disease of endocardium . { F	6 8

of death at different age-periods, 1972.

DEATH

20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over	Detailed List Numbers		
.	.	.	1	1	2	2	2	1	1	5	.	1	.	.	.	M	}	400
.	.	.	.	1	3	1	1	.	.	2	1	1	.	.	F			
.	5	3	6	9	2	1	1	2	1	M	}	401
.	3	5	4	3	6	7	2	2	.	F		
.	.	.	1	.	1	3	2	11	13	17	16	13	7	1	.	M	}	402
.	2	9	13	22	25	23	18	7	.	F		
.	1	.	1	2	1	1	.	.	M	}	403
.	F		
.	M	}	404
.	F		
.	1	6	18	40	103	197	273	388	454	443	384	276	154	67	19	M	}	410-414
.	.	1	1	9	16	36	82	168	233	382	401	333	204	109	24	F		
.	.	1	1	.	7	11	15	32	31	30	22	10	3	1	.	M	}	410.0
.	.	.	1	1	.	8	13	23	20	40	35	20	8	1	.	F		
.	1	3	11	32	78	149	205	287	324	307	256	172	89	26	8	M	}	410.9
.	.	1	.	5	13	22	56	110	166	246	242	179	88	31	2	F		
.	M	}	411.0
.	F		
.	1	1	.	.	1	.	M	}	411.9
.	F		
.	.	.	2	1	1	4	7	12	19	13	10	4	5	.	.	M	}	412.0
.	1	3	2	8	6	14	10	2	.	.	F		
.	.	2	4	7	17	33	46	57	79	93	94	90	57	40	11	M	}	412.9
.	.	.	.	3	3	5	10	33	39	89	110	124	106	76	21	F		
.	M	}	413.0
.	F		
.	1	.	1	.	.	.	1	M	}	413.9
.	F		
.	M	}	414.0
.	F		
.	M	}	414.9
.	F		
1	.	1	2	3	3	7	7	19	33	44	80	86	51	41	7	M	}	420-429
.	1	2	2	3	4	5	9	14	31	70	87	127	88	63	24	F		
.	M	}	420
.	F		
.	.	1	.	1	.	1	1	1	1	1	1	M	}	421
.	1	F		
.	1	.	.	.	1	.	.	1	.	1	.	M	}	422
.	F		
.	1	M	}	423
.	F		
.	1	.	4	.	1	.	.	M	}	424
.	1	.	.	.	2	2	.	3	.	.	F		

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
425	Cardiomyopathy . . . { F	2	1 .	. .	1 .
426	Pulmonary heart disease . . { F	16 8
	Symptomatic heart disease:—										
427.0	Congestive heart failure . . { F	133 208
427.1	Left ventricular failure . . { F	27 26
427.2	Heart block . . . { F	4 3
427.9	Other disorders of heart rhythm . { F	28 53
428	Other myocardial insufficiency . { F	156 219	1	1 .
429	Ill-defined heart disease . . { F	3 2
430-438	Cerebrovascular disease . . { F	1,040 1,488	. .	1 .	. .	1	1 .	1 .
	Subarachnoid haemorrhage:—										
430.0	With hypertension (benign) . { F	3 18
430.9	Without mention of hypertension { F	16 42
	Cerebral haemorrhage:—										
431.0	With hypertension (benign) . { F	94 159
431.9	Without mention of hypertension { F	164 196	. .	1 .	. .	1	1 .	1 .
	Occlusion of pre-cerebral arteries:—										
432.0	With hypertension (benign) { F
432.9	Without mention of hypertension { F	4 3
	Cerebral thrombosis:—										
433.0	With hypertension (benign) . { F	39 54
433.9	Without mention of hypertension { F	338 519
	Cerebral embolism:—										
434.0	With hypertension (benign) . { F	2 1
434.9	Without mention of hypertension { F	5 6
	Transient cerebral ischaemia:—										
435.0	With hypertension (benign) . { F
435.9	Without mention of hypertension { F	. 1

of death at different age-periods, 1972.

DEATH																Detailed List Numbers		
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over			
.	M F	}	425
.	1	1	1	3	2	1	3	2	2	2	.	M F		}
.	.	.	1	1	2	3	2	9	14	25	21	30	17	8	2	M F	}	
.	1	1	2	3	5	2	3	5	1	2	4	M F		}
.	.	1	1	1	.	1	1	.	1	1	.	M F	}	
.	1	1	2	5	4	4	7	4	3	1	.	M F		}
.	.	1	.	.	.	2	1	2	5	11	33	46	25	25	5	M F	}	
1	.	.	.	1	.	.	.	3	.	21	.	.	1	1	.	M F		}
.	1	2	3	15	22	46	66	124	188	205	199	112	43	12	M F	}	430-438	
.	.	.	2	6	23	26	43	83	137	215	289	303	204	125	26		.	}
.	1	1	2	1	4	2	3	1	2	7	2	.	1	.	.	M F	}	
.	.	.	.	1	4	5	11	10	17	20	9	14	1	2	.	M F		}
.	.	.	.	1	6	3	13	18	37	32	36	12	3	.	M F	}	431.9	
.		M F	}
.	.	1	2	1	1	M F	}	
.	2	1	2	4	9	7	3	9	2	.	.	M F		}
.	1	1	16	13	35	48	69	79	52	18	6	M F	}	
.	1	.	.	.	1	.	.	1	.	.	M F		}
.	1	.	.	2	1	2	2	1	.	1	.	M F	}	
.	M F		}
.	1	M F	}	

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
	Acute but ill-defined cerebrovascular disease:—										
436.0	With hypertension (benign) {M F	43 50
436.9	Without mention of hypertension {M F	186 241
	Generalized ischaemic cerebrovascular disease:—										
437.0	With hypertension (benign) {M F	4 5
437.9	Without mention of hypertension {M F	127 176
	Other and ill-defined cerebrovascular disease:—										
438.0	With hypertension (benign) {M F	10 9
438.9	Without mention of hypertension {M F	5 8
440-448	Diseases of arteries, arterioles and capillaries {M F	208 224
440	Arteriosclerosis {M F	98 152
441	Aortic aneurysm (non-syphilitic) {M F	56 17
442	Other aneurysm {M F	8 2
443	Other peripheral vascular disease {M F	1
444	Arterial embolism and thrombosis {M F	12 21
445	Gangrene {M F	27 26
446	Polyarteritis nodosa and allied conditions {M F	4 5
447	Other diseases of arteries and arterioles {M F	2 1
448	Diseases of capillaries {M F
450-458	Diseases of veins and lymphatics, and other diseases of circulatory system {M F	76 73
450	Pulmonary embolism and infarction {M F	56 46
451	Phlebitis and thrombophlebitis {M F	1 1
452	Portal vein thrombosis {M F	1
453	Other venous embolism and thrombosis {M F	14 20
454	Varicose veins of lower extremities {M F	3 1

of death at different age-periods, 1972.

DEATH

20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over	Detailed List Numbers		
.	.	.	.	1	3	2	4	7	7	9	5	5	1	.	.	M	}	436.0
.	1	2	.	4	10	10	9	9	.	4	.	F	}	
.	1	3	7	9	24	44	43	30	16	7	2	M	}	436.9
.	1	4	4	14	26	40	60	48	27	15	2	F	}	
.	1	1	.	.	1	1	.	.	M	}	437.0
.	1	1	.	2	1	1	.	.	F	}	
.	1	2	5	8	18	29	22	27	13	4	M	}	437.9
.	4	6	14	33	36	38	31	12	F	}	
.	1	1	1	6	1	2	1	1	M	}	438.0
.	1	2	1	2	.	.	F	}	
.	1	1	3	1	3	.	.	M	}	438.9
.	2	.	2	3	.	.	F	}	
.	2	1	1	1	4	2	11	13	30	40	30	30	31	9	4	M	}	440-448
.	1	1	5	19	26	36	62	42	21	10	F	}	
.	3	13	20	12	17	22	8	3	M	}	440
.	2	13	14	24	43	32	16	8	F	}	
.	3	1	7	4	12	13	10	3	3	2	1	M	}	441
.	1	.	.	2	2	1	3	2	3	.	.	F	}	
.	2	.	.	1	.	.	.	2	1	1	.	1	.	.	.	M	}	442
.	1	.	.	.	1	F	}	
.	1	.	.	.	M	}	443
.	F	}	
.	2	.	2	4	1	2	.	1	M	}	444
.	2	7	4	5	2	.	.	F	}	
.	M	}	445
.	2	.	3	3	3	3	11	4	1	1	F	}	
.	4	M	}	446
.	.	1	.	1	1	.	.	1	2	.	1	F	}	
.	M	}	447
.	1	1	F	}	
.	M	}	448
.	F	}	
1	.	1	1	1	2	3	6	15	12	11	8	8	5	3	.	M	}	450-458
.	1	2	.	7	14	14	15	9	4	2	.	F	}	
.	.	.	1	1	2	1	4	12	8	8	8	5	3	1	.	M	}	450
.	3	6	6	11	7	4	.	.	F	}	
.	1	M	}	451
.	F	}	
.	M	}	452
.	F	}	
.	M	}	453
1	.	1	.	.	1	2	1	2	2	3	.	2	1	1	.	F	}	
.	2	6	4	3	M	}	454
.	1	.	.	.	1	.	.	.	F	}	

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
455	Haemorrhoids { M F
456	Varicose veins of other sites { M F	3
457	Non-infective disease of lymphatic channels { M F
458	Other diseases of circulatory system { M F	1 2
VIII. Diseases of the Respiratory System											
460-466	Acute respiratory infections (except influenza) { M F	17 8	. .	3 .	1 .	. 1	1
460	Acute nasopharyngitis (common cold) { M F	1
461	Acute sinusitis { M F
462	Acute pharyngitis { M F
463	Acute tonsillitis { M F	1	1
464	Acute laryngitis and tracheitis { M F	1	1
465	Acute upper respiratory infection of multiple or unspecified sites { M F	2 .	. .	1
466	Acute bronchitis and bronchiolitis { M F	12 8	. .	2 .	. .	1
470-474	Influenza { M F	48 59	1 .	. 1
470	Influenza unqualified { M F	17 10
471	Influenza with pneumonia { M F	29 48	1 .	. .	1
472	Influenza with other respiratory manifestations { M F	. 1
473	Influenza with digestive manifestations { M F	1
474	Influenza with nervous manifestations { M F	1
480-486	Pneumonia { M F	407 413	9 4	55 45	4 2	1 1	1 .	. .	1 2	. .	1 1
480	Viral pneumonia { M F	5 4	2 .	4 3
481	Pneumococcal pneumonia { M F	27 24	. .	1 1
482	Other bacterial pneumonia { M F	3 2
483	Pneumonia due to other specified organism { M F
484	Acute interstitial pneumonia { M F	31 25	1 2	30 25	1
485	Bronchopneumonia, unspecified { M F	313 332	3 .	17 13	2 2	1 .	1 .	. .	1 2	. .	1 1

of death at different age-periods, 1972.

DEATH

20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over	Detailed List Numbers
.	M } 455
.	F } 455
.	1	1	1	M } 456
.	F } 456
.	M } 457
.	F } 457
.	1	1	.	.	1	.	.	M } 458
.	F } 458
.	1	1	3	2	2	3	.	1	1	M } 460-466
.	F } 460-466
.	1	M } 460
.	F } 460
.	M } 461
.	F } 461
.	M } 462
.	F } 462
.	M } 463
.	F } 463
.	M } 464
.	F } 464
.	1	M } 465
.	F } 465
.	1	1	2	2	1	3	.	1	2	M } 466
.	F } 466
.	2	3	5	7	12	7	5	.	6	M } 470-474
.	.	1	.	.	1	1	1	5	6	14	9	9	6	4	1	F } 470-474
.	1	.	2	1	1	4	4	2	1	2	2	M } 470
.	1	1	2	1	1	1	.	.	F } 470
.	2	1	1	4	3	8	4	3	.	4	M } 471
.	.	1	.	.	.	1	.	4	5	12	8	8	5	1	1	F } 471
.	M } 472
.	1	.	F } 472
.	1	.	.	.	M } 473
.	F } 473
.	1	.	.	M } 474
.	F } 474
1	3	2	1	3	3	9	10	24	23	46	68	71	44	34	8	M } 480-486
.	3	4	5	19	35	70	82	81	30	24	F } 480-486
.	1	M } 480
.	F } 480
.	1	3	3	3	5	6	1	4	.	M } 481
.	2	.	3	1	7	4	6	.	.	F } 481
.	1	.	1	.	.	1	M } 482
.	1	1	F } 482
.	M } 483
.	F } 483
.	M } 484
.	F } 484
1	2	1	1	.	2	8	5	19	19	39	58	61	39	29	8	M } 485
.	.	.	.	3	3	3	2	4	15	33	60	73	66	27	23	F } 485

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
486	Pneumonia, unspecified . . . {M F	28 26	3 2	3 3	1 1
490-493	Bronchitis, emphysema and asthma {M F	630 260	.	3	1
490	Bronchitis, unqualified . . . {M F	14 15	.	2	1
491	Chronic bronchitis . . . {M F	568 212	.	1
492	Emphysema . . . {M F	24 7
493	Asthma . . . {M F	24 26
500-508	Other diseases of upper respiratory tract {M F	1
500	Hypertrophy of tonsils and adenoids {M F
501	Peritonsillar abscess . . . {M F
502	Chronic pharyngitis and nasopharyngitis {M F
503	Chronic sinusitis . . . {M F
504	Deflected nasal septum . . . {M F
505	Nasal polyp . . . {M F
506	Chronic laryngitis . . . {M F
507	Hay fever . . . {M F
508	Other diseases of upper respiratory tract {M F	1
510-519	Other diseases of respiratory system {M F	57 57	.	1 1	1 .	.	.	1
510	Empyema . . . {M F
511	Pleurisy . . . {M F	1
512	Spontaneous pneumothorax {M F
513	Abscess of lung . . . {M F	1 1
514	Pulmonary congestion and hypostasis {M F	15 23	.	1
515	Pneumoconiosis due to silica and silicates {M F	4 1
516	Other pneumoconioses and related diseases {M F	1 1
517	Other chronic interstitial pneumonia {M F	4 3	1
518	Bronchiectasis . . . {M F	21 20

of death at different age-periods, 1972.

DEATH																Detailed List Numbers			
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over				
.	.	1	.	.	.	1	2	2	1	3	5	4	4	1	.	M F	}	486	
1	.	.	1	4	9	30	44	86	116	127	100	62	39	6	1	M F		}	490-493
3	2	1	2	2	4	14	9	31	37	52	41	32	24	6	.	M F	}		490
.	.	.	1	.	.	1	.	2	1	5	2	1	3	4	1	.		M F	}
.	.	.	1	4	9	24	42	81	104	113	91	58	34	5	1	M F	}	492	
.	.	.	1	1	4	10	6	25	34	47	35	26	18	5	.	M F		}	493
.	2	.	1	8	6	6	.	1	.	.	M F	}		500-508
1	2	.	1	1	.	2	.	.	1	.	M F		}	500
3	2	1	.	1	.	4	2	4	4	3	2	3	1	.	.	M F	}		501
.	1	3	3	1	3	2	4	2	.	.	M F		}	502
.	1	M F	}		503
.	M F		}	504
.	M F	}		505
.	M F		}	506
.	M F	}		507
.	1	M F		}	508
.	2	.	2	1	1	4	3	8	6	8	5	10	6	1	2	M F	}		510-519
.	M F		}	510
.	1	M F	}		511
.	M F		}	512
.	1	.	.	.	1	.	.	.	M F	}		513
.	1	1	1	2	1	7	5	1	1	M F		}	514
.	1	1	2	M F	}		515
.	1	M F		}	516
.	1	1	.	.	.	2	1	M F	}		517
.	2	.	1	1	.	3	.	3	4	5	3	.	1	1	.	M F		}	518

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
519	Other diseases of respiratory system {M F}	10 8	.	1	.	1
	IX. Diseases of the Digestive System										
520-529	Diseases of oral cavity, salivary glands and jaws {M F}	1
520	Disorders of tooth development and eruption {M F}
521	Diseases of hard tissues of the teeth {M F}
522	Diseases of pulp and periapical tissues {M F}
523	Periodontal diseases {M F}
524	Dento-facial anomalies including malocclusion {M F}
525	Other diseases and conditions of the teeth and supporting structures {M F}
526	Diseases of the jaws {M F}	1
527	Diseases of the salivary glands {M F}
528	Diseases of the oral soft tissues, excluding gingiva and tongue {M F}
529	Diseases of the tongue and other oral conditions {M F}
530-537	Diseases of oesophagus, stomach and duodenum {M F}	72 42
530	Diseases of oesophagus {M F}	4 4
531	Ulcer of stomach {M F}	21 10
532	Ulcer of duodenum {M F}	37 15
533	Peptic ulcer, site unspecified {M F}	6 9
534	Gastrojejunal ulcer {M F}
535	Gastritis and duodenitis {M F}	1 2
536	Disorders of function of stomach {M F}
537	Other diseases of stomach and duodenum {M F}	3
540-543	Appendicitis {M F}	3 7	.	.	2	.	1
540	Acute appendicitis {M F}	2 6	.	.	1	.	1
541	Appendicitis, unqualified {M F}	1
542	Other appendicitis {M F}

of death at different age-periods, 1972.

DEATH																Detailed List Numbers
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over	
.	.	.	1	.	.	.	1	2	.	1	.	3	4	1	1	M F } 519
.	1	1	.	1	M F } 520-529
.	M F } 520
.	M F } 521
.	M F } 522
.	M F } 523
.	M F } 524
.	M F } 525
.	1	1	.	1	M F } 526
.	M F } 527
.	M F } 528
.	M F } 529
.	.	.	1	2	1	6	4	10	8	7	12	15	6	.	.	M F } 530-537
.	1	1	2	.	.	3	1	.	.	M F } 530
.	3	.	1	3	2	4	7	2	1	.	M F } 531
.	.	.	1	2	1	1	3	8	3	4	5	5	5	.	.	M F } 532
.	2	.	1	1	.	2	2	3	.	.	M F } 533
.	1	1	.	.	M F } 534
.	1	1	1	.	.	M F } 535
.	M F } 536
.	1	2	M F } 537
.	1	.	.	1	1	1	.	.	.	1	.	1	1	.	.	M F } 540-543
.	.	.	1	.	1	1	.	.	.	1	.	1	.	.	.	M F } 540
.	1	M F } 541
.	M F } 542

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
543	Other diseases of appendix . . . { F	1	.	.	1
550-553	<i>Hernia of abdominal cavity</i> . . . { F	21	3	3	.	.	1
		18	1	1	1
550	Inguinal hernia without mention { of obstruction . . . F	3
551	Other hernia of abdominal cavity { without mention of obstruction F	9	2	2	.	.	1
		7	1	1	1
552	Inguinal hernia with obstruction . { F	4	1	1
		3
553	Other hernia of abdominal cavity { with obstruction . . . F	5
		8
560-569	<i>Other diseases of intestine and</i> { <i>peritoneum</i> . . . F	47	.	1
		60	.	1
560	Intestinal obstruction without { mention of hernia . . . F	15
		12	.	1
561	Gastro-enteritis and colitis except { ulcerative, of non-infectious F origin . . .	1
562	Diverticula of intestine . . . { F	14
		19
563	Chronic enteritis and ulcerative { colitis . . . F	8
		11
564	Functional disorders of intestines . { F	1
565	Anal fissure and fistula . . . { F
	
566	Abscess of anal and rectal regions { F	1
		1
567	Peritonitis { F	6	.	1
		2
568	Peritoneal adhesions { F	1
		1
569	Other diseases of intestines and { peritoneum . . . F	3
		12
570-577	<i>Diseases of liver, gallbladder and</i> { <i>pancreas</i> . . . F	43
		75	.	1
570	Acute and subacute necrosis of { liver . . . F	1
		4	.	1
571	Cirrhosis of liver { F	27
		29
572	Suppurative hepatitis and liver { abscess . . . F	1
		1
573	Other diseases of liver { F	1
		9
574	Cholelithiasis { F	2
		10
575	Cholecystitis and cholangitis, { without mention of calculi . F	4
		12
576	Other diseases of gallbladder and { biliary ducts . . . F	1
		3

of death at different age-periods, 1972.

DEATH																Detailed List Numbers		
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over			
.	M F	}	543
.	.	.	1	1	2	3	5	2	1	2	.	M F		}
.	1	.	1	1	M F	}	
.	1	.	3	1	1	.	1	M F		}
.	1	1	1	.	.	1	.	M F	}	
.	.	.	1	1	1	1	.	1	.	.	M F		}
.	1	.	1	1	1	2	5	3	3	8	12	4	4	3	.	M F	}	
.	1	.	2	7	1	3	3	1	.	M F		}
.	1	.	.	.	M F	}	
.	1	1	4	5	2	5	5	1	.	M F		}
.	1	.	1	.	1	2	1	1	1	2	.	.	2	1	.	M F	}	
.	1	.	M F		}
.	M F	}	
.	1	1	M F		}
.	.	.	.	1	.	.	1	1	1	1	.	.	1	1	.	M F	}	
.	1	M F		}
.	1	.	2	1	4	1	2	1	2	M F	}	
1	2	.	.	1	2	4	4	11	7	10	2	1	4	3	.	M F		}
.	1	1	1	1	M F	}	
.	1	.	.	1	2	3	3	7	5	6	1	2	.	.	.	M F		}
.	1	.	1	M F	}	
.	1	2	1	2	1	.	1	1	1	.	M F		}
.	1	.	1	1	1	.	2	2	2	1	.	M F	}	
.	1	.	1	.	.	1	1	1	2	.	M F		}
.	1	1	2	.	.	.	M F	}	

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
577	Diseases of pancreas . . . { F	6 7
	X. Diseases of Genito-Urinary System										
580-584	Nephritis and nephrosis . . { F	34 31	1	1	1
580	Acute nephritis . . . { F	2 2
581	Nephrotic syndrome . . . { F	1
582	Chronic nephritis . . . { F	28 26	1	1	1
583	Nephritis, unqualified. . . { F	4 2
584	Renal sclerosis, unqualified . { F
590-599	Other diseases of urinary system . { F	56 55	.	1	1	.	.	.	1	.	1
590	Infections of kidney . . . { F	32 35	.	1	1
591	Hydronephrosis . . . { F	1	1	.	.
592	Calculus of kidney and ureter . { F	2 2	1
593	Other diseases of kidney and ureter { F	18 13	.	.	1
594	Calculus of other parts of urinary system . { F
595	Cystitis { F
596	Other diseases of bladder . . { F	2
597	Urethritis (non-venereal) . . { F
598	Stricture of urethra . . . { F
599	Other diseases of urinary tract . { F	1 5
600-607	Diseases of male genital organs . M	26
600	Hyperplasia of prostate . . M	25
601	Prostatitis M	1
602	Other diseases of prostate . M
603	Hydrocele M
604	Orchitis and epididymitis . . M
605	Redundant prepuce and phimosis M
606	Sterility male M
607	Other diseases of male genital organs . M

of death at different age-periods, 1972.

DEATH																Detailed List Numbers		
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over			
1	2	.	.	1	1	3	1	1	.	.	.	M F	}	577
1	1	2	.	2	1	2	1	4	2	6	2	4	4	1	.	M F		}
.	1	1	1	M F	}	
.	1	M F		}
.	.	2	.	2	1	1	1	3	2	5	2	4	4	1	.	M F	}	
1	1	.	.	.	1	1	.	.	.	1	.	.	.	1	.	M F		}
.	M F	}	
.	2	.	1	1	2	1	3	9	5	7	8	12	13	4	3	M F		}
.	1	.	.	.	1	.	3	8	1	4	5	7	2	1	.	M F	}	
.	M F		}
.	1	.	.	1	1	.	.	.	M F	}	
.	1	.	1	1	1	1	1	1	4	3	2	4	1	1	.	M F		}
.	M F	}	
.	M F		}
.	1	.	1	.	.	M F	}	
.	M F		}
.	M F	}	
.	1	1	1	2	1	.	M F		}
.	.	.	1	1	4	5	7	3	4	1	M		
.	.	.	1	1	4	5	7	3	4	1	M		
.	M		601
.	M		602
.	M		603
.	M		604
.	M		605
.	M		606
.	M		607

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
610-616	<i>Diseases of breast, ovary, fallopian tube and parametrium . . . F</i>	1
610	Chronic cystic disease of breast . . F
611	Other diseases of breast . . . F
612	Acute salpingitis and oophoritis . . F
613	Chronic salpingitis and oophoritis F
614	Salpingitis and oophoritis, unqualified . . . F	1
615	Other diseases of ovary and fallopian tube . . . F
616	Diseases of parametrium and pelvic peritoneum (female) . F
620-629	<i>Diseases of uterus and other female genital organs . . . F</i>	1
620	Infective diseases of cervix uteri . F
621	Other diseases of cervix . . . F
622	Infective diseases of uterus (except cervix), vagina and vulva . F
623	Uterovaginal prolapse . . . F	1
624	Malposition of uterus . . . F
625	Other diseases of uterus . . . F
626	Disorders of menstruation . . . F
627	Menopausal symptoms . . . F
628	Sterility, female . . . F
629	Other diseases of female genital organs . . . F
	XI. Complications of Pregnancy, Childbirth and the Puerperium										
630-634	<i>Complications of pregnancy . . . F</i>
630	Infections of genital tract during pregnancy . . . F
631	Ectopic pregnancy . . . F
632	Haemorrhage of pregnancy . . . F
633	Anaemia of pregnancy . . . F
634	Other complications of pregnancy F
635-639	<i>Urinary infections and toxæmias of pregnancy and the puerperium F</i>
635	Urinary infections arising during pregnancy and the puerperium F
636	Renal disease arising during pregnancy and the puerperium . F
637	Pre-eclampsia, eclampsia and toxæmia, unspecified . . . F
638	Hyperemesis gravidarum . . . F

of death at different age-periods, 1972.

DEATH																Detailed List Numbers
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over	
	1															F 610-616
																F 610
																F 611
																F 612
																F 613
	1															F 614
																F 615
																F 616
						1										F 620-629
																F 620
																F 621
																F 622
						1										F 623
																F 624
																F 625
																F 626
																F 627
																F 628
																F 629
																F 630-634
																F 630
																F 631
																F 632
																F 633
																F 634
																F 635-639
																F 635
																F 636
																F 637
																F 638

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
639	Other toxæmias of pregnancy and the puerperium F
640-645	Abortion F	1
640	Abortion induced for medical indications F
641	Abortion induced for other legal indications F
642	Abortion induced for other reasons F
643	Spontaneous abortion . . . F	1
644	Abortion not specified as induced or spontaneous F
645	Other abortion F
650-662	Delivery F	1
650	Delivery without mention of complication F
651	Delivery complicated by placenta prævia or antepartum hæmorrhage F
652	Delivery complicated by retained placenta F
653	Delivery complicated by other postpartum hæmorrhage. . F
654	Delivery complicated by abnormality of bony pelvis . . . F
655	Delivery complicated by foeto-pelvic disproportion F
656	Delivery complicated by malpresentation of foetus F
657	Delivery complicated by prolonged labour of other origin . . . F
658	Delivery with laceration of perineum, without mention of other laceration F
659	Delivery with rupture of uterus . F
660	Delivery with other obstetrical trauma F
661	Delivery with other complications F	1
662	Anæsthetic death in uncomplicated delivery F
670-678	Complications of the puerperium . F	1
670	Sepsis of childbirth and the puerperium F
671	Puerperal phlebitis and thrombosis F
672	Pyrexia of unknown origin during the puerperium F
673	Puerperal pulmonary embolism . F	1
674	Cerebral hæmorrhage in the puerperium F

of death at different age-periods, 1972.

DEATH																Detailed List Numbers
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over	
.	F 639
.	.	.	I	F 640-645
.	F 640
.	F 641
.	F 642
.	.	.	I	F 643
.	F 644
.	F 645
.	.	I	F 650-662
.	F 650
.	F 651
.	F 652
.	F 653
.	F 654
.	F 655
.	F 656
.	F 657
.	F 658
.	F 659
.	F 660
.	.	I	F 661
.	F 662
.	.	I	F 670-678
.	F 670
.	F 671
.	F 672
.	.	I	F 673
.	F 674

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
675	Puerperal blood dyscrasias . . F
676	Anaemia of the puerperium . . F
677	Other and unspecified complications of the puerperium . . F
678	Mastitis and other disorders of lactation F
	XII. Diseases of the Skin and Subcutaneous Tissue										
680-686	<i>Infections of skin and subcutaneous tissue</i> {M F	2 3
680	Boil and carbuncle {M F
681	Cellulitis of finger and toe . . . {M F
682	Other cellulitis and abscess . . {M F	2 3
683	Acute lymphadenitis {M F
684	Impetigo {M F
685	Pilonidal cyst {M F
686	Other local infections of skin and subcutaneous tissue . . {M F
690-698	<i>Other inflammatory conditions of skin and subcutaneous tissue</i> {M F
690	Seborrhoeic dermatitis {M F
691	Infantile eczema and related conditions {M F
692	Other eczema and dermatitis . . {M F
693	Dermatitis herpetiformis {M F
694	Pemphigus {M F
695	Erythematous conditions {M F
696	Psoriasis and similar disorders . {M F
697	Lichen {M F
698	Pruritus and related conditions . {M F
700-709	<i>Other diseases of skin and subcutaneous tissue</i> {M F	3 4
700	Corns and callosities {M F
701	Other hypertrophic and atrophic conditions of skin . . . {M F

of death at different age-periods, 1972.

DEATH																Detailed List Numbers	
30-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over		
.	F	675
.	F	676
.	F	677
.	F	678
.	1	.	.	1	1	.	.	M F	} 680-686
.	M F	
.	M F	} 680
.	M F	} 681
.	1	.	.	1	1	.	.	M F	} 682
.	M F	} 683
.	M F	} 684
.	M F	} 685
.	M F	} 686
.	M F	} 690-698
.	M F	
.	M F	} 690
.	M F	} 691
.	M F	} 692
.	M F	} 693
.	M F	} 694
.	M F	} 695
.	M F	} 696
.	M F	} 697
.	M F	} 698
.	1	.	1	1	1	3	.	M F	} 700-705
.	M F	
.	M F	} 700
.	M F	} 701

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
702	Other dematoses . . . { F
703	Diseases of nail . . . { F
704	Diseases of hair and hair follicles . { F
705	Diseases of sweat glands . . { F
706	Diseases of sebaceous glands . { F
707	Chronic ulcer of skin . . { F	3 4
708	Urticaria { F
709	Other diseases of skin . . { F
	XIII. Diseases of the Musculo- skeletal System and Connective Tissue										
710-718	Arthritis and rheumatism, except { rheumatic fever F	11 34	1	.
710	Acute arthritis due to pyogenic { organisms F
711	Acute non-pyogenic arthritis . { F
712	Rheumatoid arthritis and allied { conditions F	8 23
713	Osteo-arthritis and allied condi- { tions F	3 7
714	Other specified forms of arthritis { F
715	Arthritis, unspecified . . { F	1
716	Polymyositis and dermatomyositis { F	1
717	Other non-articular rheumatism . { F	2	1	.
718	Rheumatism, unspecified . . { F
720-729	Osteomyelitis and other diseases { of bone and joint F	3 10
720	Osteomyelitis and periostitis . { F	1
721	Osteitis deformans . . . { F	1 6
722	Osteochondrosis . . . { F
723	Other diseases of bone . . { F	1 3
724	Internal derangement of joint . { F

of death at different age-periods, 1972.

DEATH																Detailed List Numbers
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over	
.	M F } 702
.	M F } 703
.	M F } 704
.	M F } 705
.	M F } 706
.	1	.	1	1	1	3	.	M F } 707
.	M F } 708
.	M F } 709
1	1	1	1	4	2	1	1	6	1	.	M F } 710-718
.	M F } 710
.	M F } 711
.	1	.	4	3	2	1	1	5	1	.	M F } 712
.	1	1	1	.	1	4	1	.	.	M F } 713
.	M F } 714
.	1	.	.	.	M F } 715
1	M F } 716
.	1	M F } 717
.	M F } 718
.	1	1	4	2	3	.	.	.	M F } 720-729
.	1	M F } 720
.	1	.	3	1	2	.	.	.	M F } 721
.	M F } 722
.	1	1	1	.	.	.	M F } 723
.	M F } 724

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
725	Displacement of intervertebral disc {M F
726	Affection of sacro-iliac joint {M F	1
727	Ankylosis of joint {M F
728	Vertebrogenic pain syndrome {M F
729	Other diseases of joint {M F
730-738	Other diseases of musculoskeletal system {M F	2 6	1 .	. .
730	Bunion {M F
731	Synovitis, bursitis and tenosynovitis {M F
732	Infective myositis and other inflammatory diseases of tendon and fascia {M F
733	Other diseases of muscle, tendon and fascia {M F	1
734	Diffuse diseases of connective tissue {M F	2
735	Curvature of spine {M F	1 4	1 .	. .
736	Flat foot {M F
737	Hallux valgus and varus {M F
738	Other deformities {M F
XIV. Congenital Anomalies											
740-739	Congenital anomalies {M F	110 95	53 46	73 73	9 5	3 .	1 1	2 .	4 4	2 1	5 1
740	Anencephalus {M F	6 9	6 9	6 9
741	Spina bifida {M F	28 24	15 9	24 21	2 1	2
742	Congenital hydrocephalus {M F	6 4	1 1	3 2	2 1	1 .	. 1
743	Other congenital anomalies of nervous system {M F	3 3	1 2	1 3	. .	1	1 .
744	Congenital anomalies of eye {M F
745	Congenital anomalies of ear, face and neck {M F
746	Congenital anomalies of heart {M F	42 29	19 12	27 22	4 2	2 .	1 1	. .	1 1	2 1	2 .
747	Other congenital anomalies of circulatory system {M F	5 5	2 2	2 3	2 .

of death at different age-periods, 1972.

DEATH																Detailed List Numbers		
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over			
.	M F	}	725
.	1	M F		}
.	M F	}	
.	M F		}
.	M F	}	
.	1	1	.	.	1	1	1	M F		}
.	M F	}	
.	M F		}
.	M F	}	
.	1	M F		}
.	1	.	.	.	1	M F	}	
.	1	1	1	1	M F		}
.	M F	}	
.	M F		}
.	M F	}	
.	3	1	2	1	2	1	1	1	1	1	M F		}
.	M F	}	
.	1	1	M F		}
.	M F	}	
.	M F		}
.	M F	}	
.	M F		}
.	2	.	.	1	1	1	M F	}	
.	.	1	1	.	.	.	1	M F		}

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
748	Congenital anomalies of respiratory system {M F	1 2	1 2	1 2
749	Cleft palate and cleft lip {M F
750	Other congenital anomalies of upper alimentary tract {M F	3 1	3 .	3 .	. 1
751	Other congenital anomalies of digestive system {M F	1 2	. 1	. 2	1
752	Congenital anomalies of genital organs {M F
753	Congenital anomalies of urinary system {M F	6 2	2
754	Clubfoot (congenital) {M F
755	Other congenital anomalies of limbs {M F
756	Other congenital anomalies of musculoskeletal system {M F	2 3	2 1	2 2
757	Congenital anomalies of skin, hair and nails {M F
758	Other and unspecified congenital anomalies {M F	. 1	. 1	. 1
759	Congenital syndromes affecting multiple systems {M F	7 10	3 6	4 6	1 .	1 1
760-779	XV. Certain Causes of Perinatal Morbidity and Mortality* {M F	174 114	173 114	174 114
	XVI. Symptoms and Ill-defined Conditions										
780-789	Symptoms referable to systems or organs {M F	16 18	1 .	1
780	Certain symptoms referable to nervous system and special senses {M F	1 .	1 .	1
781	Other symptoms referable to nervous system and special senses {M F
782	Symptoms referable to cardiovascular and lymphatic system {M F	10 13
783	Symptoms referable to respiratory system {M F	1
784	Symptoms referable to upper gastro-intestinal tract {M F	1 3
785	Symptoms referable to abdomen and lower gastro-intestinal tract {M F	1
786	Symptoms referable to genito-urinary system {M F	1
787	Symptoms referable to limbs and joints {M F
788	Other general symptoms {M F	1 1
789	Abnormal urinary constituents of unspecified cause {M F	. 1

*See Abstract 24 for further details.

of death at different age-periods, 1972.

DEATH																Detailed List Numbers		
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over			
.	M F	}	748
.	M F		749
.	M F	}	750
.	M F		751
.	M F	}	752
.	.	.	1	1	1	1	.	.	.	1	M F		753
.	M F	}	754
.	M F		755
.	1	M F	}	756
.	M F		757
.	M F	}	758
.	1	1	.	1	M F		759
.	M F	}	760-779
.			
1	1	.	.	.	1	1	6 3	2 2	2 3	1 5	2 1	M F	}	780-789
.	M F		780
.	M F	}	781
1	1	.	.	.	1	.	3 2	2 2	3	1 3	2 1	M F		782
.	1	M F	}	783
.	1	.	.	.	1	2	.	M F		784
.	1	M F	}	785
.	1	.	.	M F		786
.	M F	}	787
.	1	1	M F		788
.	1	M F	}	789
.			

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
790-796	Senility and ill-defined diseases . {M F	7 10	1
790	Nervousness and debility . {M F	1
791	Headache {M F
792	Uraemia {M F	1 1
793	Observation, without need for {M further medical care . {F
794	Senility without mention of psy- {M chosis {F	1 3
795	Sudden death (cause unknown) . {M F	1	1
796	Other ill-defined and unknown {M causes of morbidity and mortal- {F ity	4 5
EXVII. Accidents, Poisonings and Violence (External cause)											
E800- E807	Railway accidents . . . {M F
E800	Railway accident involving coll- {M ision with rolling stock . {F
E801	Railway accident involving coll- {M ision with other object . {F
E802	Railway accident involving derail- {M ment without antecedent coll- {F ision
E803	Railway accident involving ex- {M plosion, fire, burning . {F
E804	Fall in, on, or from train . {M F
E805	Hit by rolling stock . . . {M F
E806	Other specified railway accident . {M F
E807	Railway accident of unspecified {M nature {F
E810- E819	Motor vehicle traffic accidents . {M F	237 95	.	.	1	4	3	3	12	12	34
E810	Motor vehicle traffic accident in- {M volving collision with train . {F
E811	Motor vehicle traffic accident in- {M volving collision with street car {F
E812	Motor vehicle traffic accident in- {M volving collision with another {F motor vehicle	67 31	1	1	1	1	10
E813	Motor vehicle traffic accident in- {M volving collision with other veh- {F icle	17 1	4	2
E814	Motor vehicle traffic accident in- {M volving collision with pedestrian {F	94 45	.	.	1	4	2	2	8	6	5
			.	.	1	1	.	1	5	3	5

of death at different age-periods, 1972.

DEATH																Detailed List Numbers		
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over			
1	1	.	.	1	.	1	2	2	.	1	2	1	1	1	2	.	M F	} 790-796
.	1	M F	
.	M F	
.	1	.	.	.	1	M F	
.	M F	
.	1	2	M F	
.	M F	
1	1	.	.	1	.	1	2	1	.	1	1	M F	
.	M F	} E800- E807
.	M F	
.	M F	
.	M F	
.	M F	
.	M F	
.	M F	
.	M F	
28 9	15 6	8 1	10 4	10 4	8 5	7 9	13 3	9 5	17 5	14 7	13 1	12 4	4 3	1	1	1	M F	} E810- E819
.	M F	
.	M F	
12 5	8 1	5 .	4 2	5 1	3 1	2 3	5 2	4 3	1 1	4 3	.	1 .	1	M F	
.	.	.	1	.	1	.	1	1	2	2	1	3	M F	} E813
1 1	1 .	3 .	2 .	5 3	3 3	3 5	6 1	3 2	11 3	5 4	11 1	8 4	4 2	1	.	.	M F	
																		} E814

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
E815	Other motor vehicle traffic accident involving collision {M F	1	1 .
E816	Non-collision motor vehicle traffic accident due to loss of control {M F	52 18	1 .	1 .	16 4
E817	Non-collision motor vehicle traffic accident while boarding or alighting {M F	2
E818	Other non-collision motor vehicle traffic accident {M F	4	1 .	2
E819	Motor vehicle traffic accident of unspecified nature {M F
E820- E823	Motor vehicle non-traffic accidents {M F	12	1 .	1 .	1 .
E820	Motor vehicle non-traffic accident involving collision with moving object {M F	2
E821	Motor vehicle non-traffic accident involving collision with stationary object {M F
E822	Motor vehicle non-traffic accident while boarding or alighting {M F
E823	Motor vehicle non-traffic accident of other and unspecified nature {M F	10	1 .	1 .	1 .
E825- E827	Other road vehicle accidents {M F	6 1	1 .	. .
E825	Street car accident {M F
E826	Pedal cycle accident {M F	6 1	1 .	. .
E827	Other non-motor road vehicle accident {M F
E830- E838	Water transport accidents {M F	4 2	1
E830	Accident to watercraft causing submersion {M F	4 2	1
E831	Accident to watercraft causing other injury {M F
E832	Other accidental submersion or drowning in water transport {M F
E833	Fall on stairs or ladders in water transport {M F
E834	Other fall from one level to another in water transport {M F
E835	Other and unspecified fall in water transport {M F
E836	Machinery accident in water transport {M F
E837	Explosion, fire, burning, in water transport {M F
E838	Other and unspecified water transport accident {M F

of death at different age-periods, 1972.

DEATH																Detailed List Numbers		
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over			
.	M F	}	E815
14 3	6 5	1	4 1	.	1 1	2 1	1	1	3 1	2	1	M F	}	E816
.	1	1	M F	}	E817
1	M F	}	E818
.	M F	}	E819
1	.	.	.	2	2	1	2	.	.	.	1	M F	}	E820- E823
.	.	.	.	1	.	.	1	M F	}	E820
.	M F	}	E821
.	M F	}	E822
1	.	.	.	1	2	1	1	.	.	.	1	M F	}	E823
1	1	.	.	2	1	1	M F	}	E825- E827
.	M F	}	E825
1	1	.	.	2	1	1	M F	}	E826
.	M F	}	E827
2 1	1	1	M F	}	E830- E838
2 1	1	1	M F	}	E830
.	M F	}	E831
.	M F	}	E832
.	M F	}	E833
.	M F	}	E834
.	M F	}	E835
.	M F	}	E836
.	M F	}	E837
.	M F	}	E838

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
E840- E845	Air and space transport accidents . { F
E840	Accident to powered aircraft at take-off or landing . { F
E841	Accident to powered aircraft, other and unspecified . { F
E842	Accident to unpowered aircraft . { F
E843	Fall in, on, or from aircraft . { F
E844	Other specified air transport accidents . { F
E845	Accident involving spacecraft . { F
E850- E859	Accidental poisoning by drugs and medicaments . { F	5 15	1	.	1
E850	Accidental poisoning by anti- biotics and other anti-infectives { F
E851	Accidental poisoning by hormones and synthetic substitutes . { F
E852	Accidental poisoning by primarily systemic and haematologic { F
E853	Accidental poisoning by analgesics and antipyretics . { F
E854	Accidental poisoning by other sedatives and hypnotics . { F	5 14	1	.	1
E855	Accidental poisoning by auto- nomic nervous system and psy- chotherapeutic drugs { F	1
E856	Accidental poisoning by other central nervous system depres- sants and stimulants { F
E857	Accidental poisoning by cardio- vascular drugs . { F
E858	Accidental poisoning by gastro- intestinal drugs . { F
E859	Accidental poisoning by other and unspecified drugs and medica- ments . { F
E860- E869	Accidental poisoning by other solid and liquid substances . { F	4 2
E860	Accidental poisoning by alcohol . { F	3 2
E861	Accidental poisoning by cleansing and polishing agents . { F
E862	Accidental poisoning by disin- fectants . { F
E863	Accidental poisoning by paints and varnishes . { F
E864	Accidental poisoning by petroleum products and other solvents . { F

of death at different age-periods, 1972.

DEATH

20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over	Detailed List Numbers		
.	M F	}	E840- E845
.	M F		}
.	M F	}	E841
.	M F	}	E842
.	M F	}	E843
.	M F	}	E844
.	M F	}	E845
.	1 2	.	1 1	2	1	4	1	1 2	.	1	1	M F	}	E850- E859
.	M F	}	E850
.	M F	}	E851
.	M F	}	E852
.	M F	}	E853
.	1 1	.	1 1	2	1	4	1	1 2	.	1	1	M F	}	E854
.	1	M F	}	E855
.	M F	}	E856
.	M F	}	E857
.	M F	}	E858
.	M F	}	E859
.	.	1 1	.	.	1	1 1	1	.	.	.	M F	}	E860- E869
.	.	1 1	.	.	1	1 1	M F	}	E860
.	M F	}	E861
.	M F	}	E862
.	M F	}	E863
.	M F	}	E864

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
E865	Accidental poisoning by pesticides, {M fertilizers or plant foods F	1
E866	Accidental poisoning by heavy {M metals and their fumes F
E867	Accidental poisoning by corrosives {M and caustics not elsewhere classi- F fied
E868	Accidental poisoning by noxious {M foodstuffs and poisonous plants F
E869	Accidental poisoning by other and {M unspecified solid and liquid sub- F stances
E870- E877	Accidental poisoning by gases and {M vapours F	8 5	.	.	1	1
E870	Accidental poisoning by gas dis- {M tributed by pipe-line F	1 3	.	.	1
E871	Accidental poisoning by liquefied {M petroleum gas distributed in F mobile containers	2 1
E872	Accidental poisoning by other {M utility gas F
E873	Accidental poisoning by motor {M vehicle exhaust gas F	1
E874	Accidental poisoning by carbon {M monoxide from incomplete com- F bustion of domestic fuels	3 1	1
E875	Accidental poisoning by other {M carbon monoxide F
E876	Accidental poisoning by other {M gases and vapours F	1
E877	Accidental poisoning by unspeci- {M fied gases and vapours F
E880- E887	Accidental falls {M F	66 125	.	.	1	.	1	3	1	1	1
E880	Fall on or from stairs or steps . {M F	15 9	1	1	.	.
E881	Fall on or from ladders or scaf- {M olding F	5 1
E882	Fall from or out of building or {M other structure F	9 2	.	.	1	.	1	2	1	1	.
E883	Fall into hole or other opening {M in surface F	1
E884	Other fall from one level to another {M F	6 8
E885	Fall on same level from slipping, {M tripping or stumbling F	2 12
E886	Fall on same level from collision, {M pushing or shoving by or with F other person	1
E887	Other and unspecified fall . . . {M F	29 91

of death at different age-periods, 1972.

DEATH																	Detailed List Numbers		
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over				
.	1	.	.	.	M F	}	E865	
.	M F		E866	
.	M F	}	E867	
.	M F		E868	
.	M F	}	E869	
.	.	1 1	.	3	.	.	.	1	1	1	.	1	1 1	.	.	M F		}	E870- E877
.	.	.	.	1	1	1	.	.	M F	}		E870
.	.	1 1	1	M F		}	E871
.	M F	}		E872
.	.	.	.	1	M F		}	E873
.	1	1	.	.	1	.	.	M F	}		E874
.	M F		}	E875
.	.	.	.	1	M F	}		E876
.	M F		}	E877
3	1	2	1	3 1	1	3 1	2 1	4 2	3 4	7 11	13 24	8 29	4 27	3 17	3 5	M F	}		E880- E887
1	.	.	1	2 1	.	1 1	1	.	1	3	2 2	2 1	2	1	.	M F		}	E880
1	.	1	.	.	1	.	.	1	.	.	1	1	.	.	.	M F	}		E881
1	.	1	.	1	.	1	1	.	.	M F		}	E882
.	1	M F	}		E883
.	1	1	1	.	1	1	1 1	2	2	2	1	M F		}	E884
.	3	1 1	1 4	2	1	1	.	M F	}		E885
.	1	M F		}	E886
.	1	3 1	1 1	2 10	8 16	6 23	4 21	2 14	2 5	M F	}		E887

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT										
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-	
E890- E899	Accidents caused by fires and flames { M F	22 21	. .	. 1	2 1	. 1	1 1	1 .	
E890	Accident caused by conflagration in private dwelling { M F	12 9	1 .	. 1	1 1	
E891	Accident caused by conflagration in other building or structure { M F	2	
E892	Accident caused by conflagration not in building or structure { M F	
E893	Accident caused by ignition of clothing { M F	1 4	
E894	Accident caused by ignition of highly inflammable material { M F	2 1	1 .	
E895	Accident caused by controlled fire in private dwelling { M F	3 1	
E896	Accident caused by controlled fire in other building or structure { M F	. 1	
E897	Accident caused by controlled fire not in building or structure { M F	
E898	Accident caused by other specified fires or flames { M F	1 3	. .	. 1	
E899	Accident caused by unspecified fire { M F	1 2	1	
E900- E909	Accidents due to natural and environmental factors { M F	4 3	1 2	1 2	
E900	Excessive heat { M F	
E901	Excessive cold { M F	
E902	High and low air pressure { M F	
E903	Effects of travel and motion { M F	
E904	Hunger, thirst, exposure and neglect { M F	1 3	1 2	1 2	
E905	Bites and stings of venomous animals and insects { M F	
E906	Other accidents caused by animals { M F	3	
E907	Lightning { M F	
E908	Cataclysm { M F	
E909	Accident due to other natural and environmental factors { M F	
E910- E929	Other accidents { M F	41 12	. .	1 2	. .	. 1	1 1	1 2	4 .	3 2	3 .	
E910	Accidental drowning and submersion { M F	11 3	1 .	2 .	1 .	1 .	. .	
E911	Inhalation and ingestion of food causing obstruction or suffocation { M F	1 1	

of death at different age-periods, 1972.

DEATH																Detailed List Numbers		
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over			
1	1	.	1	1	2	1	1	2	1	2	4	3	2	1	.	M F	}	E890- E899
.	.	.	1	.	1	.	1	1	1	2	1	2	1	1	.	M F		}
.	.	.	.	1	1	M F	}	E891
.	M F	}	E892
1	1	.	.	3	M F	}	E893
.	1	.	1	.	.	.	M F	}	E894
.	2	.	1	1	.	M F	}	E895
.	1	.	.	M F	}	E896
.	M F	}	E897
.	1	1	M F	}	E898
.	1	1	M F	}	E899
.	.	.	.	1	.	1	1	1	.	.	M F	}	E900- E909
.	M F		}
.	M F	}	E901
.	M F	}	E902
.	M F	}	E903
.	1	.	.	M F	}	E904
.	M F	}	E905
.	.	.	.	1	.	1	1	M F	}	E906
.	M F	}	E907
.	M F	}	E908
.	M F	}	E909
5	6	3	.	.	5	.	3	4	.	1	1	1	.	1	.	M F	}	E910- E929
.	2	1	3	.	1	1	1	.	.	.	M F		}
.	1	1	M F	}	E911

ABSTRACT 12 (continued). Northern Ireland: Causes

[illegible]

of death at different age-periods, 1972.

DEATH																Detailed List Numbers
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over	
.	M F } E912
.	1	M F } E913
.	M F } E914
.	M F } E915
.	1	1	.	.	2	.	.	1	M F } E916
.	M F } E917
.	M F } E918
.	M F } E919
1	M F } E920
.	1	M F } E921
3	.	1	M F } E922
.	M F } E923
.	1	M F } E924
1	1	M F } E925
.	M F } E926
.	M F } E927
.	1	.	.	.	2	.	1	M F } E928
.	1	M F } E929
.	.	.	.	1	.	1	M F } E930-E936
.	M F } E930
.	.	.	.	1	.	1	M F } E931
.	M F } E932
.	M F } E933
.	M F } E934

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
E935	Complications and misadventures in other prophylactic procedures {M F
E936	Complications and misadventures in other non-therapeutic procedures {M F
E940- E949	Late effects of accidental injury {M F	3 1
E940	Late effect of motor vehicle accident {M F
E941	Late effect of other transport accident {M F
E942	Late effect of accidental poisoning {M F
E943	Late effect of accidental fall {M F	1 1
E944	Late effect of accident caused by fire {M F
E945	Late effect of accident due to natural and environmental factors {M F
E946	Late effect of other accidents {M F	2
E947	Late effect of surgical operation {M F
E948	Late effect of irradiation {M F
E949	Late effect of other surgical and medical procedures {M F
E950- E959	Suicide and self-inflicted injury {M F	31 16	1
E950	Suicide and self-inflicted poisoning by solid or liquid substances {M F	7 7
E951	Suicide and self-inflicted poisoning by gases in domestic use {M F	3 3
E952	Suicide and self-inflicted poisoning by other gases {M F
E953	Suicide and self-inflicted injury by hanging, strangulation and suffocation {M F	8 1	1
E954	Suicide and self-inflicted injury by submersion (drowning) {M F	5 5
E955	Suicide and self-inflicted injury by firearms and explosives {M F	5
E956	Suicide and self-inflicted injury by cutting and piercing instruments {M F	2
E957	Suicide and self-inflicted injury by jumping from high place {M F
E958	Suicide and self-inflicted injury by other and unspecified means {M F	1
E959	Late effect of self-inflicted injury {M F

of death at different age-periods, 1972.

DEATH																Detailed List Numbers		
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over			
.	M F	}	E935
.	M F		}
.	.	1	.	.	.	1	1	1	M F	}	
.	M F		}
.	M F	}	
.	M F		}
.	.	1	1	M F	}	
.	M F		}
.	M F	}	
.	1	.	1	M F		}
.	M F	}	
.	M F		}
.	M F	}	
2	3	1 2	3 2	1 1	3 2	2 2	6 1	6	1 5	1 1	.	.	.	1	.	M F		}
.	3	2	1	1	1	1	1	3	1	M F	}	
.	.	.	1	.	.	1	1	.	1 2	M F		}
.	M F	}	
.	.	.	1 1	1	2	1	.	1	1	.	M F		}
.	.	1	3 1	.	2	1	M F	}	
2	.	.	1	.	1	.	1	M F		}
.	1	.	1	M F	}	
.	M F		}
.	1	M F	}	
.	M F		}

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
E960- E969	Homicide and injury purposely in- flicted by other persons . . . {M F	51 4	1	1	.	1	13
E960	Fight, brawl, rape . . . {M F	2
E961	Assault by corrosive or caustic substance, except poisoning . . . {M F
E962	Assault by poisoning . . . {M F
E963	Assault by hanging and strangula- tion . . . {M F	1 1	1	1	.	1
E964	Assault by submersion (drowning) {M F	1	1
E965	Assault by firearms and explosives {M F	43 2	12
E966	Assault by cutting and piercing instruments . . . {M F	3 1
E967	Assault by pushing from high place {M F
E968	Assault by other and unspecified means . . . {M F	1
E969	Late effect of injury purposely inflicted by other person . . . {M F
E970- E978	Legal intervention . . . {M F	3
E970	Injury due to legal intervention by firearms . . . {M F	3
E971	Injury due to legal intervention by explosives . . . {M F
E972	Injury due to legal intervention by gas . . . {M F
E973	Injury due to legal intervention by blunt object . . . {M F
E974	Injury due to legal intervention by cutting and piercing instruments {M F
E975	Injury due to legal intervention by other specified means . . . {M F
E976	Injury due to legal intervention by unspecified means . . . {M F
E977	Late effect of injuries due to legal intervention . . . {M F
E978	Legal execution . . . {M F
E980- E989	Injury undetermined whether acci- dentally or purposely inflicted . . {M F	12 8	1
E980	Poisoning by solid or liquid sub- stances, undetermined whether accidentally or purposely in- flicted . . . {M F	3 7	1
E981	Poisoning by gases in domestic use, undetermined whether acci- dentally or purposely inflicted {M F	1

of death at different age-periods, 1972.

DEATH																Detailed List Numbers
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over	
5 1	7 1	4 .	4 1	7 .	5 .	2 .	2 .	.	1	M F } E960- E969
.	1 .	1	M F } E960
.	M F } E961
.	M F } E962
.	M F } E963
.	M F } E964
4 1	7 .	4 .	4 1	6 .	4 .	.	1 .	.	1	M F } E965
1 .	1	1 .	1	M F } E966
.	M F } E967
.	.	.	.	1	M F } E968
.	M F } E969
.	3	M F } E970- E978
.	3	M F } E970
.	M F } E971
.	M F } E972
.	M F } E973
.	M F } E974
.	M F } E975
.	M F } E976
.	M F } E977
.	M F } E978
2 .	1 .	.	1 .	1 .	1 .	1 3	2 2	2 .	2	M F } E980- E989
.	1 .	.	1 .	1 .	1 .	1 2	2	M F } E980
.	1	M F } E981

ABSTRACT 12 (continued). Northern Ireland: Causes

Detailed List Numbers	CAUSES OF DEATH	AGES AT									
		ALL AGES	Under 4 weeks	Total under one year	1-	2-	3-	4-	5-	10-	15-
E982	Poisoning by other gases, undetermined whether accidentally or purposely inflicted {M F
E983	Hanging and strangulation, undetermined whether accidentally or purposely inflicted {M F
E984	Submersion (drowning), undetermined whether accidentally or purposely inflicted {M F	8
E985	Injury by firearms and explosives, undetermined whether accidentally or purposely inflicted {M F
E986	Injury by cutting and piercing instruments, undetermined whether accidentally or purposely inflicted {M F
E987	Falling from high place, undetermined whether accidentally or purposely inflicted {M F	1
E988	Injury by other and unspecified means, undetermined whether accidentally or purposely inflicted {M F
E989	Late effect of injury, undetermined whether accidentally or purposely inflicted {M F
E990- E999	Injury resulting from operations of war {M F	186 26	.	.	1	1	.	.	1	3 4	40 3
E990	Injury due to war operations by fires and conflagrations {M F
E991	Injury due to war operations by bullets and fragments {M F	113 14	.	.	1	.	.	.	1	2 3	27 2
E992	Injury due to war operations by explosion of marine weapons {M F
E993	Injury due to war operations by other explosion {M F	73 12	.	.	1	1	.	.	.	1 1	13 1
E994	Injury due to war operations by destruction of aircraft {M F
E995	Injury due to war operations by other and unspecified forms of conventional warfare {M F
E996	Injury due to war operations by nuclear weapons {M F
E997	Injury due to war operations by other forms of unconventional warfare {M F
E998	Injury due to war operations but occurring after cessation of hostilities {M F
E999	Late effect of injury due to war operations {M F

of death at different age-periods, 1972.

DEATH															Detailed List Numbers
20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90- 95 and over	
.	M F } E982
.	M F } E983
2	.	.	.	1	.	.	1	2	2	M F } E984
.	M F } E985
.	M F } E986
.	1	M F } E987
.	M F } E988
.	M F } E989
48 4	27 1	16 1	13 2	9	9 4	3 1	5 2	4	4 1	1	2	.	1	.	M F } E990- E999
.	M F } E990
32 1	15 1	10 1	6 1	8	5 2	2	2	2	1 1	.	.	.	1	.	M F } E991
.	M F } E992
16 3	12	6	7 1	1	4 2	1 1	3 2	2	3	1	2	.	.	.	M F } E993
.	M F } E994
.	M F } E995
.	M F } E996
.	M F } E997
.	M F } E998
.	M F } E999

ABSTRACT 13. Northern Ireland: Deaths from the

Abbreviated List Nos.	CAUSES OF DEATH	January		February		March		April	
		M	F	M	F	M	F	M	F
B1	Cholera
B2	Typhoid fever
B3	Bacillary dysentery and amoebiasis
B4	Enteritis and other diarrhoeal diseases	2	.	3	2	2	2	1	1
B5	Tuberculosis of respiratory system	1	1	1	2	3	1	3	2
B6	Other tuberculosis, including late effects	1	2	.	.	1	1	.	.
B7	Plague
B8	Diphtheria
B9	Whooping cough
B10	Streptococcal sore throat and scarlet fever
B11	Meningococcal infection	1	.	1	.	1	.	.	1
B12	Acute poliomyelitis
B13	Smallpox
B14	Measles
B15	Typhus and other rickettsioses
B16	Malaria
B17	Syphilis and its sequelae	1	.	.	1	.	.	.
B18	All other infective and parasitic diseases	1	2	6	3	2	1	3	4
B19	Malignant neoplasms, including neoplasms or lymphatic and haematopoietic tissues								
	(a) Cancer*	123	102	110	99	110	116	84	97
	(b) Hodgkin's disease and leukaemia	1	9	7	2	4	5	5	4
B20	Benign and unspecified neoplasms	1	3	3	2	.	1	2	3
B21	Diabetes mellitus	6	6	8	9	5	9	5	8
B22	Avitaminoses and other nutritional deficiency	1	.	.	.	1	.	.
B23	Anaemias	3	1	5	3	4	1	5
B24	Meningitis	1	.	2	.
B25	Active rheumatic fever
B26	Chronic rheumatic heart disease	11	10	6	13	9	9	9	9
B27	Hypertensive disease	16	10	18	23	8	16	10	13
B28	Ischaemic heart disease	277	208	282	226	257	193	214	162
B29	Other forms of heart disease	43	39	42	53	31	61	38	49
B30	Cerebrovascular disease with hypertension	93	133	86	154	117	158	88	122
B31	Influenza	6	14	26	18	11	8	2	4
B32	Pneumonia	39	45	49	49	42	33	45	31
B33	Bronchitis, emphysema and asthma	76	40	102	45	61	28	62	16
B34	Peptic ulcer	10	5	5	2	9	4	6	2
B35	Appendicitis	2	.	.
B36	Intestinal obstruction and hernia	3	4	3	1	5	1	2	4
B37	Cirrhosis of liver	3	2	1	2	1	3	3	1
B38	Nephritis and nephrosis	2	.	2	2	2	2	2	3
B39	Hyperplasia of prostate	5	.	1	.	3	.	3	.
B40	Abortion	1
B41	Other complications of pregnancy, childbirth and puerperium
B42	Congenital anomalies	9	15	8	6	9	14	10	6
B43	Birth injury, difficult labour and other anoxic and hypoxic conditions	5	8	13	6	5	2	4	4
B44	Other causes of perinatal mortality	7	3	5	2	12	1	4	5
B45	Symptoms and ill-defined conditions	1	2	4	3	1	1	4	2
B46	All other diseases	55	74	64	64	64	53	51	76
BE47	Motor vehicle accidents	11	5	20	7	22	15	9	5
BE48	All other accidents	12	13	9	13	15	13	13	12
BE49	Suicide and self-inflicted injuries	2	1	1	2	1	.	.	1
BE50	All other external causes	12	2	17	1	12	2	17	2
	TOTALS	835	763	904	817	830	759	702	654

*See definition on page 8.

principal causes by month of registration, 1972.

May		June		July		August		September		October		November		December		Abbreviated List Nos.
M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
.	B1
.	B2
.	B3
3	1	1	1	.	1	1	2	1	2	1	2	1	1	1	1	B4
4	1	1	.	.	.	1	.	3	1	1	3	3	1	.	1	B5
1	.	1	1	.	.	1	1	1	.	1	1	1	.	1	.	B6
.	B7
.	B8
.	B9
1	1	1	1	.	.	1	2	.	.	B10
.	B11
.	B12
.	B13
.	B14
.	B15
1	B16
.	4	1	2	2	1	3	3	2	.	3	1	1	1	4	2	B17
142	119	109	86	111	97	102	101	110	98	145	122	114	104	102	111	B18
7	6	4	3	5	5	5	3	6	4	1	3	7	5	3	3	B19
3	5	4	1	1	5	7	8	9	9	4	6	8	12	8	14	B20
11	9	7	7	2	7	8	9	6	9	4	6	8	12	8	14	B21
1	3	1	6	2	1	4	3	2	1	.	1	.	2	1	.	B22
2	1	2	.	.	2	.	1	.	1	B23
9	8	2	11	6	7	3	9	5	11	5	8	8	11	6	10	B24
16	13	10	10	17	14	8	10	8	13	10	15	6	9	10	19	B25
230	156	232	145	190	134	219	143	208	132	237	142	224	162	253	196	B26
27	49	34	48	31	30	31	37	23	34	19	34	32	48	35	50	B27
94	131	67	111	67	108	85	108	72	120	76	122	77	106	118	115	B28
35	1	2	2	24	21	21	26	22	24	34	1	1	28	35	47	B29
36	32	37	37	34	11	41	11	31	17	36	40	24	21	66	24	B30
7	16	42	15	34	2	3	5	7	2	4	16	43	21	66	24	B31
.	1	5	3	2	3	4	5	2	2	4	1	3	3	2	3	B32
1	3	1	1	1	1	2	2	1	5	3	1	1	4	5	2	B33
2	5	3	3	1	2	2	2	1	3	2	5	3	3	3	3	B34
3	1	7	4	2	2	2	4	5	4	3	4	5	3	3	2	B35
1	.	1	.	1	.	3	.	3	.	.	2	.	.	2	.	B36
.	B37
13	6	9	5	10	5	13	2	6	10	5	7	11	9	7	10	B38
9	6	3	1	4	5	8	4	7	5	7	9	12	4	7	7	B39
9	4	15	9	4	5	5	5	8	5	7	5	5	3	9	6	B40
5	5	3	1	2	2	3	3	1	3	1	2	1	2	2	2	B41
59	55	45	60	51	54	44	58	48	63	59	52	34	63	63	74	B42
29	9	33	8	23	12	16	7	16	5	24	8	24	8	22	6	B43
18	16	11	15	12	18	10	21	9	16	14	21	16	19	25	11	B44
3	2	4	2	4	1	5	1	1	5	1	2	1	1	3	4	B45
29	6	22	8	29	4	15	1	27	17	.	35	5	20	5	5	B46
809	675	713	609	640	555	665	581	647	589	723	640	711	645	822	744	B47
.	B48
.	B49
.	B50

ABSTRACT 14. Northern Ireland: Deaths by sex

Ages	MALES					FEMALES				
	Total	Single	Married	Wid-owed	Divorced	Total	Single	Married	Wid-owed	Divorced
0	350	350	.	.	.	266	266	.	.	.
1	25	25	.	.	.	21	21	.	.	.
2	15	15	.	.	.	9	9	.	.	.
3	15	15	.	.	.	10	10	.	.	.
4	8	8	.	.	.	8	8	.	.	.
0-4	413	413	.	.	.	314	314	.	.	.
5	9	9	.	.	.	4	4	.	.	.
6	12	12	.	.	.	8	8	.	.	.
7	8	8	.	.	.	3	3	.	.	.
8	9	9	.	.	.	7	7	.	.	.
9	6	6	.	.	.	2	2	.	.	.
5-9	44	44	.	.	.	24	24	.	.	.
10	7	7	.	.	.	3	3	.	.	.
11	7	7	.	.	.	1	1	.	.	.
12	5	5	.	.	.	2	2	.	.	.
13	7	7	.	.	.	5	5	.	.	.
14	6	6	.	.	.	9	9	.	.	.
10-14	32	32	.	.	.	20	20	.	.	.
15	5	5	.	.	.	5	5	.	.	.
16	20	20	.	.	.	7	7	.	.	.
17	16	16	.	.	.	7	7	.	.	.
18	47	46	1	.	.	5	5	.	.	.
19	33	27	6	.	.	9	8	1	.	.
15-19	121	114	7	.	.	33	32	1	.	.
20	24	24	.	.	.	4	2	2	.	.
21	26	20	6	.	.	6	5	1	.	.
22	27	13	14	.	.	5	4	1	.	.
23	19	10	9	.	.	5	2	3	.	.
24	13	7	6	.	.	8	3	5	.	.
20-24	109	74	35	.	.	28	16	12	.	.
25	17	12	5	.	.	14	3	11	.	.
26	16	5	11	.	.	4	2	2	.	.
27	14	6	8	.	.	8	3	5	.	.
28	17	6	11	.	.	9	3	6	.	.
29	21	5	15	.	1	5	2	3	.	.
25-29	85	34	50	.	1	40	13	27	.	.
30	11	2	9	.	.	6	2	4	.	.
31	17	5	12	.	.	5	2	3	.	.
32	9	5	4	.	.	9	3	6	.	.
33	7	2	5	.	.	4	1	3	.	.
34	16	4	12	.	.	5	.	4	1	.
30-34	60	18	42	.	.	29	8	20	1	.
35	12	2	10	.	.	5	2	3	.	.
36	15	7	8	.	.	7	1	6	.	.
37	18	6	12	.	.	12	.	12	.	.
38	15	7	8	.	.	18	2	15	1	.
39	21	3	18	.	.	15	2	13	.	.
35-39	81	25	56	.	.	57	7	49	1	.
40	20	6	14	.	.	17	4	13	.	.
41	22	9	12	.	1	13	1	12	.	.
42	19	3	16	.	.	14	4	10	.	.
43	33	3	30	.	.	27	7	17	2	1
44	41	7	32	1	1	25	5	17	2	1
40-44	135	28	104	1	2	96	21	69	4	2
45	42	13	27	1	1	44	10	33	1	.
46	52	15	37	.	.	36	5	25	5	1
47	51	12	36	3	.	30	6	21	3	.
48	44	13	31	.	.	30	10	17	2	1
49	69	17	51	.	1	36	9	26	1	.
45-49	258	70	182	4	2	176	40	122	12	2

at each year of age and by conjugal condition, 1972.

Ages	MALES					FEMALES				
	Total	Single	Married	Wid- owed	Divorced	Total	Single	Married	Wid- owed	Divorced
50	69	16	49	3	1	47	11	27	8	1
51	81	12	68	1	.	55	12	37	5	1
52	98	21	72	4	1	53	7	37	7	2
53	98	20	73	5	.	47	6	35	6	.
54	85	22	57	5	1	50	7	40	3	.
50-54	431	91	319	18	3	252	43	176	29	4
55	88	17	62	9	.	55	7	42	5	1
56	125	28	90	6	1	53	12	28	12	1
57	111	28	82	1	.	80	13	56	11	.
58	157	28	119	9	1	69	19	39	11	.
59	163	31	118	13	1	90	12	53	24	1
55-59	644	132	471	38	3	347	63	218	63	3
60	154	29	113	11	1	102	20	57	23	2
61	186	47	126	12	1	109	27	55	27	.
62	212	46	141	25	.	110	19	65	26	.
63	213	50	143	20	.	128	35	54	37	2
64	195	39	130	26	.	133	28	67	38	.
60-64	960	211	653	94	2	582	129	298	151	4
65	234	46	157	30	1	154	32	71	51	.
66	214	47	146	19	2	158	35	72	51	.
67	215	41	143	30	1	178	54	59	65	.
68	251	45	176	30	.	159	47	45	66	1
69	288	58	176	52	2	163	43	53	66	1
65-69	1,202	237	798	161	6	812	211	300	299	2
70	250	40	169	40	1	186	42	56	88	.
71	248	48	147	53	.	216	47	81	88	.
72	325	68	183	74	.	285	70	90	124	1
73	251	49	134	67	1	236	60	66	110	.
74	247	42	143	61	1	259	63	56	140	.
70-74	1,321	247	776	295	3	1,182	282	349	550	1
75	266	33	160	72	1	277	61	71	145	.
76	245	53	114	78	.	293	69	65	159	.
77	233	53	115	65	.	264	57	58	148	1
78	265	57	134	74	.	250	55	44	151	.
79	228	47	109	71	1	251	68	42	141	.
75-79	1,237	243	632	360	2	1,335	310	280	744	1
80	205	34	94	77	.	264	66	39	159	.
81	217	38	112	67	.	237	58	30	149	.
82	215	43	87	85	.	273	63	39	171	.
83	192	32	97	63	.	254	61	23	170	.
84	157	35	52	70	.	240	49	17	174	.
80-84	986	182	442	362	.	1,268	297	148	823	.
85	145	15	60	69	1	218	48	21	149	.
86	153	34	46	73	.	204	45	13	146	.
87	113	14	38	61	.	176	47	11	118	.
88	86	17	27	42	.	143	42	7	94	.
89	82	9	24	49	.	112	31	4	77	.
85-89	579	89	195	294	1	853	213	56	584	.
90	64	11	15	38	.	121	23	6	92	.
91	54	7	8	39	.	112	30	.	82	.
92	53	8	10	35	.	93	20	.	73	.
93	35	6	9	20	.	70	16	.	54	.
94	32	6	4	22	.	59	18	1	40	.
90-94	238	38	46	154	.	455	107	7	341	.
95	23	3	2	18	.	43	10	.	33	.
96	18	2	3	13	.	24	4	1	19	.
97	7	2	1	4	.	21	7	.	14	.
98	8	.	3	5	.	17	6	.	11	.
99	5	2	.	3	.	6	1	.	5	.
95-99	61	9	9	43	.	111	28	1	82	.
100 and over	4	2	1	1	.	17	2	1	14	.
All Ages	9,001	2,333	4,818	1,825	25	8,031	2,180	2,134	3,698	19

ABSTRACT 15A. Northern Ireland: Deaths, by sex and

Abbreviated List Nos.	CAUSES OF DEATH		All ages	Under 4 weeks	Under 1 yr.	1-	2-	3-	4-	5-	10-	15-
	ALL CAUSES	M F	9,001 8,031	247 171	350 266	25 21	15 9	15 10	8 8	44 24	32 20	121 33
B1	Cholera	M F
B2	Typhoid fever	M F
B3	Bacillary dysentery and amoebiasis	M F
B4	Enteritis and other diarrhoeal diseases	M F	17 16	. .	8 9	3 .	. 1	2 1	. .	1
B5	Tuberculosis of respiratory system	M F	21 13
B6	Other tuberculosis, including late effects	M F	9 6 1	1
B7	Plague	M F
B8	Diphtheria	M F
B9	Whooping cough	M F
B10	Streptococcal sore throat and scarlet fever	M F
B11	Meningococcal infection	M F	6 5	. .	3 2	2 3	1
B12	Acute poliomyelitis	M F
B13	Smallpox	M F
B14	Measles	M F
B15	Typhus and other rickettsioses	M F
B16	Malaria	M F
B17	Syphilis and its sequelae	M F	2 1
B18	All other infective and parasitic diseases	M F	28 24	5 1	11 6	. .	. 1	2 .	1 .	1 .
B19	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissue											
	(a) Cancer*	M F	1,362 1,252	1 2	1 .	4 2	2 5	5 1
	(b) Hodgkin's disease and leukaemia	M F	55 46	. .	. 1	1 1	. .	1 1	1 .	1 1	2 .	1 2
B20	Benign neoplasms and neoplasms of unspecified nature	M F	13 32	. 1	. 1	. 1	. .	. 1	. 1
B21	Diabetes mellitus	M F	78 105	1 .
B22	Avitaminoses and other nutritional deficiency	M F	4 4
B23	Anaemias	M F	20 35	1 .
B24	Meningitis	M F	7 5	2 .	4 1	1 .	. 1	1 .
B25	Active rheumatic fever	M F	. 1
B26	Chronic rheumatic heart disease	M F	79 116	1 .	. .

* See definition on page 8.

age-groups, by abbreviated list numbers, 1972.

20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 & over	Abbreviated List Nos.
109 28	85 40	60 29	81 57	135 96	258 176	431 252	644 347	960 582	1,202 812	1,321 1,182	1,237 1,335	986 1,268	579 853	238 455	65 128	
.	B1
.	B2
.	B3
.	B4
.	1	1	1	.	.	.	B5
1	.	.	1	.	2	1	2	4	2	4	3	1	1	.	.	B6
.	.	.	.	1	2	2	2	2	2	1	1	2	1	.	.	B7
.	.	.	.	2	1	.	.	3	2	1	.	1	.	.	.	B8
.	B9
.	B10
.	B11
.	B12
.	B13
.	B14
.	B15
.	B16
.	1	.	.	1	B17
1	.	.	.	3	.	.	3	2	1	.	.	1	2	.	.	B18
.	1	.	2	1	1	1	3	2	1	2	2	1	.	.	.	
1	6	5	11	24	46	78	133	206	257	231	179	99	62	9	2	B19
1	4	5	20	40	75	89	114	150	167	174	185	121	71	18	4	
1	1	1	1	.	6	4	6	5	6	6	5	4	1	1	.	
2	3	2	2	.	3	2	.	5	6	6	2	4	1	2	.	B20
1	1	.	1	2	2	4	3	1	2	6	1	1	1	1	.	
.	.	.	2	4	1	2	5	8	9	12	20	12	7	2	.	B21
.	9	13	24	20	14	11	2	1	
.	2	.	1	.	1	1	1	1	.	B22
.	2	.	1	2	2	5	1	1	.	B23
1	1	.	1	4	4	4	8	5	6	3	.	B24
.	1	.	1	.	.	.	1	.	.	.	1	B25
.	1	
.	1	3	2	4	6	14	10	9	14	10	3	4	2	1	.	B26
.	.	2	1	.	8	15	17	13	18	14	12	7	4	.	.	

ABSTRACT 15A (continued). Northern Ireland: Deaths, by

Abbreviated List Nos.	CAUSES OF DEATH		All ages	Under 4 weeks	Under 1 yr.	1-	2-	3-	4-	5-	10-	15-
B27	Hypertensive disease	M	137
		F	165
B28	Ischaemic heart disease	M	2,823
		F	1,999
B29	Other forms of heart disease	M	386	1	.	2
		F	532	.	1	1
B30	Cerebrovascular disease	M	1,040	.	1	1	1
		F	1,488	1	1
B31	Influenza	M	48
		F	59	.	.	1	1
B32	Pneumonia	M	407	9	55	4	1	.	.	1	.	1
		F	413	4	45	2	1	.	.	2	.	1
B33	Bronchitis, emphysema and asthma	M	630	.	3	1
		F	260	1
B34	Peptic ulcer	M	64
		F	34
B35	Appendicitis	M	3
		F	7	.	.	2	.	1
B36	Intestinal obstruction and hernia	M	36	3	3	.	1
		F	30	1	2	1
B37	Cirrhosis of liver	M	27
		F	29
B38	Nephritis and nephrosis	M	34	1	1	1
		F	31
B39	Hyperplasia of prostate	M	25
B40	Abortion	F	1
B41	Other complications of pregnancy, childbirth and puerperium	F	2
B42	Congenital anomalies	M	110	53	73	9	3	1	2	4	2	5
		F	95	46	73	5	.	1	.	4	1	1
B43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	84	83	84
		F	61	61	61
B44	Other causes of perinatal mortality	M	90	90	90
		F	53	53	53
B45	Symptoms and ill-defined conditions	M	23	1	1	.	.	1
		F	28
B46	All other diseases	M	637	.	12	2	3	1	.	6	2	5
		F	746	1	5	2	1	.	1	7	2	4
BE47	Motor vehicle accidents	M	249	.	.	1	4	3	3	13	13	35
		F	95	.	.	.	1	.	2	6	4	14
BE48	All other accidents	M	164	1	2	2	1	2	1	8	5	6
		F	188	2	5	1	2	2	3	1	3	1
BE49	Suicide and self-inflicted injuries	M	31	1
		F	16
BE50	All other external causes	M	252	.	.	1	1	.	.	.	3	54
		F	38	1	1	1	1	.	.	1	4	3

sex and age-groups, by abbreviated list numbers, 1972.

20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 & over	Abbreviated List Nos.
.	.	.	2	2	3	5	9	16	20	32	20	16	9	3	.	B27
.	.	.	.	1	3	1	6	15	17	29	32	31	20	9	1	B28
.	1	6	18	40	103	197	273	388	454	443	384	276	154	67	19	B29
1	.	1	1	9	16	36	82	168	233	382	401	333	204	109	24	B30
.	1	2	2	3	4	5	7	19	33	44	80	86	51	41	7	B31
.	.	1	2	3	4	5	9	14	31	70	87	127	88	63	24	B32
.	1	1	4	6	15	22	46	66	124	188	205	199	112	43	12	B33
.	.	.	.	23	23	26	43	83	137	215	289	303	204	125	26	B34
.	.	.	.	1	1	2	3	5	7	12	7	9	5	4	6	B35
1	.	2	1	.	3	9	10	24	23	46	68	71	44	34	8	B36
.	3	.	.	3	3	3	4	5	19	35	70	82	81	30	24	B37
1	2	1	2	4	14	30	44	86	116	127	100	62	39	6	1	B38
3	.	1	2	2	1	6	3	31	37	52	41	32	24	6	.	B39
.	.	.	.	1	.	1	1	10	7	11	12	6	4	.	.	B40
.	1	.	.	1	.	1	1	5	7	6	8	4	.	.	.	B41
.	1	1	.	.	.	1	1	5	2	2	.	B42
.	.	.	1	.	.	1	1	4	10	6	5	3	1	.	.	B43
.	1	3	7	5	7	7	1	B44
.	1	.	.	1	2	4	2	6	4	7	2	2	.	.	.	B45
.	.	2	.	2	1	2	1	4	2	6	4	4	4	1	.	B46
.	.	.	.	1	2	1	3	1	4	5	4	7	3	5	1	B47
.	.	.	1	1	4	5	7	3	4	.	B48
1	1	1	2	.	1	2	6	3	2	2	2	B49
1	1	.	.	1	1	1	.	2	1	2	5	3	2	7	1	B50
3	5	3	9	7	18	24	42	66	82	101	86	86	53	17	4	BE47
3	11	2	4	10	10	18	30	53	79	105	112	141	84	49	16	BE48
29	15	8	10	12	10	8	15	9	17	14	14	12	4	.	.	BE49
9	16	1	4	4	5	9	3	5	5	7	1	4	3	1	1	BE50
10	9	8	2	8	10	8	8	13	6	11	19	12	7	3	3	BE51
3	3	3	2	4	.	7	3	5	5	16	32	32	31	19	5	BE52
2	3	1	3	1	3	2	6	1	1	1	.	.	.	1	.	BE53
55	38	20	17	17	2	2	1	5	7	1	.	.	1	.	.	BE54
5	2	1	4	1	5	4	4	.	1	BE55

ABSTRACT 15B. Northern Ireland: Distribution of deaths

Abbreviated List Nos.	CAUSES OF DEATH	All ages		—1		1—		5—		10—	
		M	F	M	F	M	F	M	F	M	F
B1	Cholera
B2	Typhoid fever
B3	Bacillary dysentery and amoebiasis
B4	Enteritis and other diarrhoeal diseases	2	2	23	34	79	42	23	.	.	.
B5	Tuberculosis of respiratory system	2	2
B6	Other tuberculosis, including late effects	1	1	.	.	.	21	23	.	.	.
B7	Plague
B8	Diphtheria
B9	Whooping cough
B10	Streptococcal sore throat and scarlet fever
B11	Meningococcal infection	1	1	9	8	32	63	23	.	.	.
B12	Acute poliomyelitis
B13	Smallpox
B14	Measles
B15	Typhus and other rickettsioses
B16	Malaria
B17	Syphilis and its sequelae	†	†
B18	All other infective and parasitic diseases	3	3	31	23	.	21	45	.	32	.
B19	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissue	151	156	.	.	32	42	91	83	63	250
	(a) Cancer†	6	6	.	4	48	42	23	42	63	.
B20	(b) Hodgkin's disease and leukaemia	1	4	.	4	16	63
B21	Benign neoplasms and neoplasms of unspecified nature	9	13
B22	Diabetes mellitus
B23	Avitaminoses and other nutritional deficiency	†	†
B24	Anaemias	2	4
B25	Meningitis	1	1	11	4	16	21
B26	Active rheumatic fever	9	14	32	.
B27	Chronic rheumatic heart disease	15	21
B28	Hypertensive disease	314	249
B29	Ischaemic heart disease	43	66	.	4	.	21	23	.	.	.
B30	Other forms of heart disease	116	185	3	.	16	50
B31	Cerebrovascular disease	8	7	.	.	.	42
B32	Influenza	45	51	157	169	95	63	23	83	.	.
B33	Pneumonia	70	32	9
B34	Bronchitis, emphysema and asthma	7	4
B35	Peptic ulcer	†	1	.	.	.	63
B36	Appendicitis	4	4	9	8	16	21
B37	Intestinal obstruction and hernia	3	4
B38	Cirrhosis of liver	4	4	23	.	32	.
B39	Nephritis and nephrosis	3
B40	Hyperplasia of prostate
B41	Abortion	.	†
	Other complications of pregnancy, childbirth and the puerperium.
B42	Delivery without mention of complication	12	†
B43	Congenital anomalies	9	12	209	274	238	125	91	167	63	50
B44	Birth injury, difficult labour and other anoxic and hypoxic conditions	9	8	240	229
B45	Other causes of perinatal mortality	10	7	257	199
B46	Symptoms and ill-defined conditions	3	3	.	.	16
BE47	All other diseases	71	93	34	19	95	83	136	292	63	100
BE48	Motor vehicle accidents	28	12	.	.	175	63	295	250	406	200
BE49	All other accidents	18	23	6	19	95	167	182	42	156	150
BE50	Suicide and self-inflicted injuries	3	2
	All other external causes	28	5	.	4	32	42	.	42	94	200

* To the nearest unit.

† Less than 0.5.

‡ See definition on page 8.

by cause per 1,000 deaths in certain age groups, by sex, 1972*

15—		25—		35—		45—		55—		65—		75—		85 and over		Abbreviated List Nos.
M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
.	B1
.	B2
.	B3
.	B4
4	.	.	.	5	7	4	9	4	2	2	2	1	1	1	1	B5
.	13	.	2	3	.	†	1	†	.	1	.	B6
.	B7
.	B8
.	B9
.	B10
.	B11
.	B12
.	B13
.	B14
.	B15
.	†	.	.	.	†	1	B16
.	B17
9	.	.	14	14	20	.	5	3	5	.	2	1	1	2	.	B18
26	98	76	130	162	392	180	383	211	284	193	171	125	118	83	65	B19
9	66	14	72	5	13	15	12	7	5	5	6	4	2	2	2	
4	.	.	14	.	20	.	14	1	5	3	2	†	3	1	2	B20
.	16	.	.	23	13	.	7	7	15	8	19	14	13	10	10	B21
4	16	2	1	2	†	1	†	†	1	1	B22
4	1	1	4	3	5	8	5	B23
4	.	7	.	7	1	.	.	.	†	.	.	B24
.	1	B25
.	.	28	29	9	33	29	54	12	32	10	16	3	7	2	3	B26
.	.	.	.	19	7	12	9	16	23	21	23	16	24	14	21	B27
.	.	48	14	269	65	435	121	412	269	355	308	297	282	272	235	B28
13	.	7	43	14	33	15	21	16	25	31	51	75	82	112	122	B29
4	16	14	29	14	65	54	114	70	136	124	177	182	227	189	247	B30
.	.	.	14	.	4	2	2	6	5	10	9	7	12	8	.	B31
9	16	14	43	5	20	17	14	21	10	27	27	63	58	98	94	B32
9	49	.	43	23	26	57	42	81	43	96	45	73	28	52	21	B33
.	.	.	.	14	7	10	2	8	2	5	6	10	5	7	3	B34
.	.	7	.	5	.	.	5	.	.	†	B35
.	.	.	.	5	.	.	.	1	.	6	6	5	5	5	3	B36
.	.	.	14	5	7	6	14	6	9	4	6	†	1	.	.	B37
9	.	7	29	9	7	4	7	3	4	3	5	3	2	6	6	B38
.	7	2	.	5	.	9	.	B39
.	7	B40
22	16	21	29	5	20	4	12	1	1	1	B41
.	.	.	14	B42
.	B43
4	16	.	14	.	7	3	2	1	2	†	2	4	3	7	8	B44
35	115	55	188	74	72	61	65	67	89	73	92	77	97	84	103	B45
278	377	159	101	109	52	26	33	15	9	12	6	12	2	5	3	B46
70	66	117	87	46	39	26	16	13	9	7	11	14	25	15	38	BE47
13	.	28	29	19	20	7	9	7	1	1	3	.	.	1	.	BE48
474	131	400	43	157	33	29	21	9	4	3	4	1	.	1	.	BE49
.	BE50

ABSTRACT 15C. Northern Ireland: Death rates per million

Abbreviated List Nos.	CAUSES OF DEATH	All Ages		—1—		1—		5—		10—	
		M	F	M	F	M	F	M	F	M	F
	ALL CAUSES	11,769	10,236	22,436	18,345	969	787	533	310	424	280
B1	Cholera
B2	Typhoid fever
B3	Bacillary dysentery and amoebiasis
B4	Enteritis and other diarrhoeal diseases	22	20	513	621	77	33	12	.	.	.
B5	Tuberculosis of respiratory system	27	17
B6	Other tuberculosis, including late effects	12	8	.	.	.	16	12	.	.	.
B7	Plague
B8	Diphtheria
B9	Whooping cough
B10	Streptococcal sore throat and scarlet fever
B11	Meningococcal infection	8	6	192	138	32	49	12	.	.	.
B12	Acute poliomyelitis
B13	Smallpox
B14	Measles
B15	Typhus and other rickettsioses
B16	Malaria
B17	Syphilis and its sequelae	3	1
B18	All other infective and parasitic diseases	37	31	706	414	.	16	24	.	14	.
B19	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissue	1,781	1,596	.	.	32	33	48	25	26	70
	(a) Cancer†	72	59	.	69	46	33	12	13	26	.
	(b) Hodgkin's disease and leukaemia
B20	Benign neoplasms and neoplasms of unspecified nature	17	40	.	69	15	49
B21	Diabetes mellitus	102	134
B22	Avitaminoses and other nutritional deficiency	5	5
B23	Anaemias	26	45
B24	Meningitis	9	6	256	69	15	16
B25	Active rheumatic fever	1
B26	Chronic rheumatic heart disease	103	148	14	.
B27	Hypertensive disease	179	210
B28	Ischaemic heart disease	3,691	2,548
B29	Other forms of heart disease	505	678	.	69	.	16	12	.	.	.
B30	Cerebrovascular disease	1,360	1,897	64	.	15	14
B31	Influenza	63	75	.	.	.	33
B32	Pneumonia	532	526	3,526	3,103	92	49	12	25	.	.
B33	Bronchitis, emphysema and asthma	824	331	192
B34	Peptic ulcer	84	43
B35	Appendicitis	4	9	.	.	.	49
B36	Intestinal obstruction and hernia	47	38	192	138	15	16
B37	Cirrhosis of liver	35	37
B38	Nephritis and nephrosis	44	40	12	.	14	.
B39	Hyperplasia of prostate	33
B40	Abortion	1
B41	Other complications of pregnancy, childbirth and the puerperium
	Delivery without mention of complication	3
B42	Congenital anomalies	144	121	4,679	5,034	231	99	48	52	26	14
B43	Birth injury, difficult labour and other anoxic and hypoxic conditions	110	78	5,386	4,207
B44	Other causes of perinatal mortality	118	68	5,769	3,655
B45	Symptoms and ill-defined conditions	30	36	64	.	15
B46	All other diseases	833	951	769	345	92	66	73	91	26	28
BE47	Motor vehicle accidents	326	121	.	.	169	49	158	78	172	56
BE48	All other accidents	214	240	128	345	92	132	98	13	66	42
BE49	Suicide and self-inflicted injuries	40	20
BE50	All other external causes	329	48	.	69	31	33	.	13	40	56

† See definition on page 8.

living by sex and age, from principal causes, 1972

15—		25—		35—		45—		55—		65—		75—		80 and over	
M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1,749	510	1,556	745	2,625	1,821	8,485	4,971	22,816	11,804	54,610	32,006	102,231	68,462	198,723	153,636
.
.
.
8	.	.	.	12	12	37	47	85	25	130	48	83	51	106	114
.	106	114
.	24	.	12	71	.	22	32	.	.	213	.
.
.
.
.
.
.
.	12	.	.	.	22	16
15	.	.	11	37	36	.	23	71	64	.	48	83	103	319	57
46	51	118	97	425	714	1,527	1,906	4,822	3,355	10,563	5,474	14,793	9,487	18,297	12,158
15	34	21	53	12	24	123	58	157	64	259	193	413	103	638	398
8	.	.	11	.	36	.	70	14	64	173	64	83	308	106	170
.	8	.	.	62	24	.	34	157	178	455	594	1,653	1,026	2,234	1,591
.	25	22	.	83	51	213	57
8	8	12	29	64	65	128	165	410	1,277	682
8	.	11	.	12	13	.	.	.	51	.	.
.	.	43	22	24	59	246	267	270	381	519	16	247	615	638	682
.	.	.	.	49	12	99	47	356	267	1,126	514	738	1,653	2,979	3,466
.	.	75	11	705	119	3,695	603	9,403	3,177	19,416	9,872	31,736	20,564	54,894	38,068
23	.	11	32	36	59	123	104	370	292	1,667	1,621	6,613	4,462	19,680	17,159
8	8	21	22	36	119	456	569	1,593	1,601	6,753	5,650	16,942	14,821	38,936	37,386
.	.	.	11	.	37	12	43	76	259	320	992	462	1,915	1,136	.
15	8	21	32	12	36	148	70	484	114	1,494	867	5,620	3,590	16,702	12,330
15	25	.	32	62	48	480	209	1,849	508	5,260	1,429	8,264	2,103	11,489	3,523
.	.	.	.	36	12	86	12	185	25	259	193	909	308	1,915	682
.	.	11	.	12	.	.	23	.	.	22	.	51	358	958	57
.	.	.	.	12	.	.	.	28	.	303	177	496	83	114	511
.	.	.	11	12	12	49	70	142	101	238	177	83	205	958	455
15	.	11	22	24	12	37	34	71	51	173	144	165	.	1,596	.
.	12	108	.	413	.	.	.
.
38	8	32	22	12	36	37	58	28	13	43
.
8	8	.	11
61	59	86	140	194	130	517	325	1,536	1,055	3,961	2,953	7,107	5,744	17,022	16,477
486	192	248	75	267	95	222	162	341	101	670	193	1,157	51	1,702	511
121	34	182	65	122	71	222	81	299	101	368	337	1,570	1,641	2,660	4,943
23	.	43	22	49	36	61	47	171	13	43	96	.	.	106	.
828	67	622	32	413	59	246	104	213	51	173	16	165	.	106	.

ABSTRACT 16. Northern Ireland: Death rates by sex and age-groups, 1926, 1937, 1953-1972.

161

		All ages	AGES AT DEATH																	85 and over
			0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	
MALES																				
1926	15.1	31.2	3.1	2.1	2.9	4.1	4.4	5.1	5.5	8.1	10.9	16.1	21.5	31.0	40.6	73.6	97.1	141.8	228.8	
1937	15.1	24.3	1.6	1.3	2.5	3.4	3.5	4.6	5.2	7.4	10.9	15.5	19.7	29.5	48.6	83.6	120.0	158.0	254.2	
1953	11.4	10.3	0.7	0.6	0.9	1.3	1.4	1.6	2.5	3.9	6.6	10.8	16.6	25.8	40.1	62.8	88.8	141.3	229.6	
1954	11.5	8.9	0.5	0.6	0.8	0.9	1.3	1.8	2.3	3.3	6.1	10.3	16.3	25.5	41.0	68.4	89.2	145.2	280.0	
1955	11.6	8.3	0.5	0.4	0.8	1.1	1.2	1.7	2.2	3.8	5.4	10.9	17.9	24.1	42.1	66.2	98.3	143.0	317.8	
1956	11.2	7.5	0.4	0.3	0.6	0.8	1.0	1.2	2.4	3.4	5.7	10.8	17.1	26.3	39.1	64.6	97.0	149.4	263.2	
1957	11.6	7.6	0.5	0.4	0.8	1.0	1.3	1.4	2.5	3.5	5.8	10.6	16.4	28.3	44.8	65.6	93.5	141.7	300.4	
1958	11.6	7.7	0.4	0.5	0.8	0.8	1.2	1.3	1.7	3.7	5.6	10.1	17.3	27.3	42.7	66.6	102.1	139.7	295.6	
1959	11.6	7.2	0.3	0.6	0.7	0.9	1.1	1.3	2.3	3.4	5.9	9.9	17.7	26.8	46.1	68.9	101.4	133.2	328.8	
1960	11.4	7.6	0.6	0.4	0.9	1.1	1.1	1.5	1.8	3.3	5.6	10.0	16.3	28.7	39.2	67.2	102.5	135.9	328.8	
1961	12.1	8.0	0.5	0.5	0.8	1.2	1.4	1.5	2.1	3.5	5.0	10.4	17.6	28.7	43.5	65.6	107.0	145.7	259.4	
1962	11.3	6.9	0.5	0.3	0.6	0.7	0.8	1.5	1.8	3.0	5.8	9.8	16.5	28.1	42.5	61.8	93.4	156.1	235.8	
1963	11.8	7.2	0.6	0.4	0.7	1.1	1.2	1.1	2.1	3.4	5.5	10.8	19.4	27.9	43.5	63.0	97.6	158.6	260.6	
1964	11.3	7.4	0.4	0.4	0.8	0.9	1.0	1.4	1.8	3.4	6.0	10.0	16.5	26.2	42.7	65.4	92.9	148.9	233.6	
1965	11.5	6.7	0.7	0.3	0.7	0.8	0.8	1.4	2.3	3.6	5.9	9.0	17.3	28.2	44.1	66.0	93.2	149.4	270.0	
1966	12.0	6.7	0.5	0.4	0.9	1.1	1.1	1.2	2.1	3.7	5.2	9.7	18.4	28.7	46.1	67.5	102.0	159.3	314.0	
1967	10.6	5.9	0.5	0.5	0.7	1.1	0.8	1.2	1.9	3.0	5.5	9.9	15.3	25.2	38.4	43.9	87.9	144.4	218.6	
1968	11.2	6.0	0.4	0.4	0.8	0.9	1.0	1.4	1.6	3.0	5.6	8.4	16.1	27.1	43.6	66.1	97.8	152.3	233.7	
1969	11.7	6.2	0.5	0.4	0.8	1.0	1.2	1.3	1.9	3.7	6.5	10.3	16.6	28.4	43.9	68.6	103.5	143.9	225.7	
1970	11.8	5.9	0.5	0.5	0.6	1.1	1.1	1.0	2.1	3.5	6.3	9.6	17.6	29.3	46.9	70.1	99.1	145.4	247.6	
1971	11.4	5.6	0.5	0.4	1.0	1.3	1.0	1.4	2.0	3.4	5.7	9.5	15.7	28.2	43.6	64.4	97.0	152.8	278.5	
1972	11.8	5.1	0.5	0.4	1.8	1.7	1.7	1.4	1.9	3.3	6.3	10.7	17.6	28.5	45.0	67.7	102.2	156.5	284.5	
FEMALES																				
1926	14.9	24.8	2.4	2.1	3.6	4.8	5.2	7.1	6.3	8.9	10.9	16.0	20.5	31.2	38.0	66.8	87.1	123.0	188.1	
1937	15.0	21.7	2.1	1.7	2.6	3.7	3.8	4.7	4.8	7.7	9.5	13.3	19.1	28.1	43.5	69.3	110.0	148.5	247.6	
1953	10.1	7.6	0.4	0.4	0.5	0.9	1.4	1.9	1.8	2.8	4.9	7.2	9.4	16.9	30.2	51.1	70.5	124.2	209.5	
1954	10.4	6.9	0.3	0.4	0.4	0.7	0.8	1.5	2.1	2.8	4.4	7.3	10.6	18.0	27.3	52.4	72.0	141.1	244.2	
1955	10.6	7.3	0.4	0.3	0.5	0.7	0.9	1.2	1.9	3.0	4.4	6.7	10.3	17.5	30.2	50.5	78.4	132.6	275.4	
1956	10.1	6.3	0.3	0.3	0.4	0.5	0.8	1.3	1.9	2.6	3.9	6.2	9.5	18.1	27.7	49.1	74.6	128.9	251.4	
1957	10.1	6.7	0.4	0.2	0.5	0.5	0.6	1.1	2.2	2.7	4.1	6.2	9.1	18.0	28.0	49.7	69.1	115.2	278.4	
1958	10.0	6.0	0.2	0.2	0.4	0.3	0.7	0.9	1.7	2.7	3.5	6.7	9.4	16.8	26.4	48.9	76.8	117.0	260.8	
1959	10.3	6.7	0.4	0.4	0.4	0.3	0.5	1.0	1.6	2.5	4.2	6.6	9.4	16.3	27.8	47.2	76.8	115.3	293.8	
1960	10.2	6.2	0.4	0.2	0.3	0.4	0.7	0.9	1.6	2.6	4.5	6.5	9.3	16.9	25.8	48.6	79.8	112.3	266.0	
1961	10.5	5.5	0.3	0.3	0.4	0.5	0.7	1.0	1.5	2.2	3.7	5.9	8.2	15.4	26.8	48.3	78.5	140.0	231.1	
1962	9.9	6.5	0.3	0.2	0.4	0.5	0.6	0.8	1.8	2.2	3.5	5.9	8.4	14.3	24.8	44.8	72.0	127.3	211.5	
1963	10.2	6.1	0.3	0.3	0.3	0.4	0.6	1.0	1.5	2.9	3.7	6.8	9.2	16.0	25.4	47.1	69.5	124.7	223.4	
1964	9.8	5.3	0.4	0.2	0.3	0.4	0.5	0.8	1.5	1.9	4.5	5.6	9.3	15.1	23.6	43.7	70.7	118.8	233.5	
1965	9.8	5.5	0.3	0.2	0.2	0.5	0.5	1.0	1.5	2.4	3.3	6.5	9.1	14.7	21.9	44.1	72.8	115.8	223.1	
1966	10.3	5.7	0.3	0.3	0.5	0.5	0.6	0.8	1.4	2.5	3.9	5.9	8.3	14.6	24.7	45.1	75.8	120.2	254.6	
1967	9.1	5.2	0.2	0.2	0.4	0.3	0.6	1.0	1.1	2.3	3.1	5.1	7.9	13.8	22.8	38.9	64.0	104.1	181.6	
1968	10.0	4.9	0.3	0.3	0.3	0.4	0.5	0.9	1.5	2.6	3.8	5.7	9.1	14.7	24.8	41.7	71.0	108.2	215.7	
1969	10.0	4.8	0.3	0.2	0.2	0.4	0.6	0.7	1.6	2.2	3.8	5.8	9.0	15.4	25.1	42.3	67.5	107.7	216.0	
1970	10.0	4.4	0.4	0.2	0.2	0.3	0.6	1.0	1.3	2.3	3.9	6.3	9.4	15.1	24.4	43.0	69.6	104.5	215.7	
1971	9.8	4.7	0.2	0.2	0.4	0.3	0.6	0.6	1.2	2.4	3.5	5.1	9.2	12.6	22.0	40.8	62.9	110.8	226.3	
1972	10.2	4.2	0.3	0.3	0.5	0.5	0.8	0.7	1.4	2.3	4.0	5.9	8.7	15.1	23.7	42.1	68.5	112.2	227.9	

ABSTRACT 17. Abbreviated list numbers and equivalent detailed list numbers and causes of death (8th Revision I.C.D.).

Detailed List	Abbreviated List	CAUSE OF DEATH
000	1	Cholera
001	2	Typhoid fever
004,006	3	Bacillary dysentery and amoebiasis
008,009	4	Enteritis and other diarrhoeal diseases
010-012	5	Tuberculosis of respiratory system
013-019	6	Other tuberculosis, including late effects
020	7	Plague
032	8	Diphtheria
033	9	Whooping cough
034	10	Streptococcal sore throat and scarlet fever
036	11	Meningococcal infection
040-043	12	Acute poliomyelitis
050	13	Smallpox
055	14	Measles
080-083	15	Typhus and other rickettsioses
084	16	Malaria
090-097	17	Syphilis and its sequelae
Rem. 000-136	18	All other infective and parasitic diseases
151	19A	Cancer of:— stomach
152-154	19B	intestines and rectum
162	19C	trachea, bronchus and lung
174	19D	breast
180-189	19E	genito-urinary organs
Rem. 140-200, 202, 203, 208, 209	19F	other sites
201, 204-207	19G	Hodgkin's disease and leukaemia
210-239	20	Benign neoplasms and neoplasms of unspecified nature
250	21	Diabetes mellitus
260-269	22	Avitaminoses and other nutritional deficiency
280-285	23	Anaemias
320	24	Meningitis
390-392	25	Active rheumatic fever
393-398	26	Chronic rheumatic heart disease
402, 404	27A	Hypertensive heart disease
400, 401, 403	27B	Other hypertensive disease
Pt. of 410-414	28A	Ischaemic heart disease with hypertension
Rem. of 410-414	28B	Ischaemic heart disease without hypertension
420-429	29	Other forms of heart disease
Pt. of 430-438	30A	Cerebrovascular disease with hypertension (benign)
Rem. of 430-438	30B	Cerebrovascular disease without hypertension
440-458	46A	Other diseases of circulatory system
470-474	31	Influenza
480-486	32	Pneumonia
490-493	33	Bronchitis, emphysema and asthma
Rem. 460-519	46B	Other diseases of respiratory system
531-533	34	Peptic ulcer
540-543	35	Appendicitis
550-553, 560	36	Intestinal obstruction and hernia
571	37	Cirrhosis of liver
Rem. 520-577	46C	Other diseases of digestive system
580-584	38	Nephritis and nephrosis
600	39	Hyperplasia of prostate
640-645	40	Abortion
630-639, 650-678	41	Other complications of pregnancy, childbirth and puerperium
740-759	42	Congenital anomalies
764-768, 772, 776	43	Birth injury, difficult labour and other anoxic and hypoxic conditions
760-763, 769-771, 773-775, 777-779	44	Other causes of perinatal mortality
780-796	45	Symptoms and ill-defined conditions
Rem. 240-738	46D	All other diseases
E810-E823	47	Motor vehicle accidents
E800-E807, E825-E949	48	All other accidents
E950-E959	49	Suicide and self-inflicted injuries
E960-E999	50	All other external causes

ABSTRACT 17. Northern Ireland: Causes of death at different age-periods, 1972.

Abbreviated List Nos.	Total deaths	MALES												FEMALES												
		AGED												AGED												
		All ages	under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	All ages	under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	
ALL CAUSES	17,032	9,001	247	77	26	350	63	76	230	361	2,293	2,523	3,105	8,031	171	68	27	266	48	44	61	222	1,357	1,994	4,039	
B1	
B2	
B3	
B4	33	17	.	8	.	8	5	1	1	2	16	.	6	3	9	2	3	2
B5	34	21	1	1	9	6	4	13	1	6	3	3	
B6	15	9	1	.	.	5	1	2	6	1	.	.	2	1	2	.	
B7	
B8	
B9	
B10	
B11	11	6	.	1	2	3	2	1	5	.	1	1	2	3	
B12	
B13	
B14	
B15	
B16	
B17	3	2	1	1	.	1	1	.	
B18	52	28	5	4	2	11	.	3	2	3	5	.	4	24	1	3	2	6	1	.	.	4	7	3	3	
B19A	321	181	8	64	67	42	140	3	20	42	75	
B19B	443	209	11	52	70	76	234	11	48	69	106	
B19C	542	431	1	10	182	180	58	111	1	9	52	31	18	
B19D	243	2	2	.	.	241	17	121	57	46	
B19E	391	179	1	1	1	1	28	57	90	212	2	.	12	92	58	48	
B19F	674	360	1	5	4	16	135	114	85	314	2	5	5	17	95	84	106	
B19G	101	55	3	3	2	3	21	12	11	46	.	1	.	1	2	1	4	7	10	12	9	
B20	45	13	1	.	1	.	1	8	2	32	1	.	.	1	3	.	.	4	11	4	9	
B21	183	78	5	11	21	41	105	1	2	17	37	48	

B22	8	4	1	3	4	2	.	2
B23	55	20	1	.	2	3	14	35	6	8	20
B24	12	7	2	1	1	4	1	.	1	1	5	.	1	.	1	1	.	1	1	.	1
B25	1	1	1	.
B26	195	79	1	.	6	39	24	9	116	7	53	32	24
B27A	204	85	1	17	30	37	119	11	35	73
B27B	98	52	3	16	22	11	46	1	14	11	20
B28A	458	242	5	89	93	55	216	2	50	74	90
B28B	4,364	2,581	60	872	804	845	1,783	9	252	541	981
B29	918	386	1	3	4	36	77	265	532	.	1	.	1	1	.	.	8	32	101	389
B30A	491	195	1	58	74	62	296	5	66	85	140
B30B	2,037	845	.	1	.	1	1	.	1	4	91	238	509	1,192	1	1	7	109	267	807	
B46A	581	284	7	56	93	128	297	1	1	21	73	201	
B31	107	48	6	12	30	59	2	.	.	1	7	20	29
B32	820	407	9	35	11	55	6	1	2	3	46	69	225	413	4	33	8	45	3	2	1	6	15	54	287
B33	890	630	.	2	1	3	.	.	2	5	169	243	208	260	3	7	58	89	103
B46B	140	75	.	4	.	4	2	2	.	3	16	20	28	65	.	.	1	1	1	.	2	12	12	37	
B34	98	64	3	20	12	29	34	1	3	12	18	
B35	10	3	2	.	1	.	7	3	.	.	2	.	2	
B36	66	36	3	.	.	3	1	.	.	1	2	14	15	30	1	1	.	2	1	.	.	.	11	16	
B37	56	27	1	14	11	1	29	2	14	11	2	
B46C	162	56	.	1	.	1	.	.	1	2	18	20	14	106	.	.	1	1	.	.	1	4	25	27	48
B38	65	34	2	2	3	8	8	11	31	3	7	9	12	
B39	25	25	5	20	
B40	1	1	1	.	.	
B41	2	2	2	.	.	
B42	205	110	53	15	5	73	15	6	5	4	5	2	.	95	46	19	8	73	6	5	1	4	6	.	
B43	145	84	83	1	.	84	61	61	.	.	61	
B44	143	90	90	.	.	90	53	53	.	.	53	
B45	51	23	1	.	.	1	1	.	1	.	4	1	15	28	1	2	3	3	19
B46D	500	222	.	4	3	7	4	6	7	12	60	50	76	278	1	1	1	3	3	9	5	17	53	72	116
BE47	344	249	11	26	64	45	42	31	30	95	3	10	23	15	22	12	10
BE48	352	164	1	.	1	2	6	13	16	27	39	17	44	188	2	1	2	5	8	4	4	12	15	21	119
BE49	47	31	3	8	17	2	1	16	5	5	6	.
BE50	290	252	2	3	109	92	35	8	3	38	1	.	.	1	2	5	8	8	13	1	.

*Corresponding detailed list numbers and causes of death appear on page 161.

**ABSTRACT 17. Belfast County Borough: Causes of death at different age-periods
and Standardised Mortality Ratios, by sex, 1972.**

Abbreviated List Nos. *	Total deaths	MALES												FEMALES												S.M.R.† (Northern Ireland = 100)	
		AGED												AGED													
		All ages	under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	All ages	under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	M	F
ALL CAUSES	4,656	2,372	44	17	6	67	18	20	78	106	635	736	712	2,284	38	15	4	57	14	12	15	53	428	563	1,142	111	101
B1
B2
B3
B4	7	3	2	1	4	.	1	.	1	3	.	.	.
B5	14	10	5	4	1	4	3	.	1	195	.
B6	3	3	1	1	1	.	.	.
B7
B8
B9
B10
B11	3	2	.	.	1	1	1	1	1
B12
B13
B14
B15
B16
B17	3	2	1	1	.	1	1	.	.	.
B18	8	2	.	1	.	1	1	6	.	1	.	1	.	.	.	2	1	2	.	.	101
B19A	94	52	3	18	21	10	42	11	11	20	117	104
B19B	126	62	3	22	11	26	64	3	16	19	26	123	96
B19C	230	181	5	75	76	25	49	4	21	16	8	169	158
B19D	64	64	6	33	17	8	.	95
B19E	112	49	4	22	23	63	2	28	18	15	115	111
B19F	181	89	1	1	1	34	32	20	92	1	1	3	29	22	36	102	104
B19G	15	6	1	2	3	9	1	.	4	1	3	46	73
B20	11	2	1	1	.	9	1	.	.	1	.	.	.	1	3	2	2	.	106
B21	43	18	2	1	4	11	25	1	.	4	8	12	98	83

†No S.M.R. is shown when fewer than 5 deaths occurred.

S.M.R. for 5-19 deaths is shown in bold print.

**ABSTRACT 17. Londonderry County Borough: Causes of death at different age-periods
and Standardised Mortality Ratios, by sex, 1972.**

Abbreviated List Nos. *	Total deaths	MALES												FEMALES												S.M.R.† (Northern Ireland = 100)	
		AGED												AGED												M	F
		All ages	under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	All ages	under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over		
ALL CAUSES	587	297	12	1	.	13	1	1	15	21	82	89	75	290	6	.	5	11	2	2	1	9	58	78	129	125	120
B1
B2
B3
B4	1	1	.	.	1	1
B5	1	1	1
B6	1	1	1
B7
B8
B9
B10
B11
B12
B13
B14
B15
B16
B17
B18	5	3	.	1	.	1	.	.	.	1	.	.	1	2	.	.	1	1	1
B19A	12	8	1	3	3	1	4	1	3	.	172	.
B19B	15	8	1	7	.	7	3	2	2	152	100
B19C	16	13	8	5	.	3	2	1	.	117	.
B19D	10	10	8	1	1	.	136
B19E	16	7	1	2	4	9	5	2	2	157	138
B19F	23	13	5	3	5	10	1	.	.	1	4	3	1	139	104
B19G	4	1	1	.	.	3	1	.	.	1	1	.	.	.
B20	1	1	1
B21	10	5	2	3	5	1	3	1	259	157

†No S.M.R. is shown when fewer than 5 deaths occurred.

S.M.R. for 5-19 deaths is shown in bold print.

**ABSTRACT 17. County Antrim: Causes of death at different age-periods
and Standardised Mortality Ratios, by sex, 1972.**

Abbreviated List Nos. *	Total deaths	MALES												FEMALES												S.M.R.† (Northern Ireland = 100)	
		AGED												AGED												M	F
		All ages	under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	All ages	under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over		
ALL CAUSES	3,438	1,832	66	18	3	87	14	21	44	76	487	503	600	1,606	42	13	4	59	6	11	11	57	254	391	817	96	97
B1
B2
B3
B4	7	4	.	2	.	2	1	1	3	.	2	.	2	1
B5	3	2	1	1	1	1	.	.	.
B6	4	3	1	1	1	1	1	.	.	.
B7
B8
B9
B10
B11	3	1	1	2	.	.	1	1	1
B12
B13
B14
B15
B16
B17
B18	18	13	4	2	.	6	.	1	2	1	3	.	.	5	.	1	1	2	.	.	.	1	2	.	.	198	91
B19A	59	31	1	13	10	7	28	3	4	10	11	81	99
B19B	87	38	4	5	15	14	49	3	11	11	24	87	102
B19C	106	81	1	2	37	33	8	25	3	13	4	5	89	106
B19D	51	51	3	28	11	9	.	99
B19E	76	36	1	5	15	15	40	1	.	3	19	5	12	98	90
B19F	141	79	1	2	.	33	28	15	62	3	1	3	17	17	21	104	95
B19G	26	16	2	2	.	.	6	6	.	10	1	.	1	2	2	2	2	143	100
B20	9	4	1	.	.	2	1	5	1	2	.	1	.	72
B21	43	19	4	6	9	24	1	5	8	10	117	113

*Corresponding detailed list numbers and causes of death appear on page 161.

†No S.M.R. is shown when fewer than 5 deaths occurred.

S.M.R. for 5-19 deaths is shown in bold print.

**ABSTRACT 17. County Armagh: Causes of death at different age-periods
and Standardised Mortality Ratios, by sex, 1972.**

Abbreviated List Nos. *	Total deaths	MALES												FEMALES												S.M.R.† (Northern Ireland = 100)	
		AGED												AGED												M	F
		All ages	under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	All ages	under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over		
ALL CAUSES	1,406	738	23	7	4	34	3	5	23	26	178	187	282	668	18	9	3	30	2	.	8	13	105	168	342	95	103
B1
B2
B3
B4	4	2	.	2	.	2	2	.	.	1	1	1
B5	3	2	1	1	.	.	.	1	1	.	.
B6	1	1	1
B7
B8
B9	9	.
B10
B11	2	1	1	1	.	1	.	1
B12
B13
B14
B15
B16
B17
B18	6	3	1	.	.	1	.	1	3	1	1	.	2	1	.	.
B19A	27	18	1	5	8	4	9	1	3	5	117	81
B19B	29	13	2	2	8	1	16	4	6	6	73	88
B19C	30	27	12	11	4	3	1	1	1	74	.
B19D	25	25	3	10	7	5	.	129
B19E	33	19	1	.	4	6	8	14	7	4	3	124	82
B19F	53	29	2	8	8	11	24	2	6	6	10	95	95
B19G	9	2	1	1	7	.	1	.	1	.	.	.	2	.	2	2	.	185
B20	5	5	3	.	2	.	189
B21	15	7	1	3	3	8	2	3	3	105	95

†No S.M.R. is shown when fewer than 5 deaths occurred.

S.M.R. for 5-19 deaths is shown in bold print.

**ABSTRACT 17. County Down: Causes of death at different age-periods
and Standardised Mortality Ratios, by sex, 1972.**

Abbreviated List Nos. *	Total deaths	MALES												FEMALES												S.M.R.† Northern Ireland =100	
		AGED												AGED													
		All ages	under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	All ages	under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	M	F
ALL CAUSES	3,468	1,818	36	11	5	52	13	13	28	61	449	498	704	1,650	22	12	2	36	8	8	13	42	272	414	857	95	96
B1
B2
B3
B4	9	7	.	3	.	3	2	1	1	2	2	211	.
B5	9	5	2	1	2	4	3	1	.	117	.
B6	3	2	1	1	1	1
B7
B8
B9
B10
B11
B12
B13
B14
B15
B16
B17
B18	5	2	.	.	1	1	.	1	3	1	1	.	1	.	.
B19A	58	29	1	12	10	6	29	1	5	23	75	96	.
B19B	105	49	2	12	18	17	56	2	10	16	28	110	111
B19C	97	80	2	34	29	15	17	1	7	6	3	87	72
B19D	56	1	1	.	.	55	2	27	12	14	.	107
B19E	82	37	1	.	.	10	6	20	45	3	16	19	7	97	99
B19F	139	74	2	1	6	23	28	14	65	1	1	.	2	20	21	20	97	97
B19G	21	12	1	1	1	3	2	4	9	1	2	2	3	1	104	93	.
B20	13	4	3	1	9	9	2	2	1	4	.	133	.
B21	36	13	4	2	7	23	1	1	6	15	78	104	.

B22	2	1	1	1	1	.	.		
B23	17	8	1	1	6	9	1	2	5	188	120	
B24	3	3	1	1	.	.	.		
B25		
B26	39	12	1	6	4	1	27	2	13	7	5	71	109	
B27A	41	15	1	8	6	26	4	6	16	82	101	
B27B	17	10	2	6	2	7	1	2	4	90	71	
B28A	86	40	1	15	15	9	46	9	16	21	77	99	
B28B	929	557	10	172	176	199	372	2	61	110	199	101	97	
B29	188	79	7	16	56	109	3	6	21	79	96	95
B30A	94	34	11	7	16	60	1	12	27	20	82	94
B30B	461	189	1	.	.	.	1	21	43	123	272	1	.	29	54	188	105	106
B46A	139	66	1	12	19	34	73	8	17	48	109	114	
B31	17	10	1	2	7	7	1	.	2	4	97	55	
B32	154	84	.	4	3	7	2	1	.	.	.	11	8	55	70	.	5	1	6	1	2	2	7	52	98	79	
B33	174	135	1	32	54	48	39	1	.	5	14	19	100	70
B46B	14	7	1	.	.	1	2	2	1	7	2	1	4	44	50	
B34	20	14	5	3	6	6	1	.	2	3	102	82	
B35	1	1	
B36	14	7	2	5	7	2	5	92	110	
B37	12	4	3	1	.	8	1	5	1	1	.	130	
B46C	35	16	1	6	7	2	19	2	2	4	11	134	84	
B38	11	8	1	1	2	4	3	2	1	.	112	.
B39	6	6	6	112	.
B40	
B41	
B42	40	22	9	3	.	12	6	1	.	2	1	.	.	.	18	5	7	1	13	3	1	.	.	.	1	.	.	85	97		
B43	20	9	9	.	.	9	11	11	.	.	11	56	94		
B44	24	18	18	.	.	18	6	6	.	.	6	105	59		
B45	12	5	1	4	7	1	.	6	103	116	
B46D	98	46	.	1	1	2	.	1	1	1	18	11	12	52	2	2	2	4	7	14	21	.	98	88			
BE47	71	49	1	2	21	7	9	6	3	22	3	5	1	7	6	.	.	97	113			
BE48	68	27	1	1	2	6	4	3	10	41	1	1	1	4	4	5	25	.	79	102			
BE49	9	6	2	4	.	3	1	2	.	92	.			
BE50	19	19	2	13	3	1	37	.		

* Corresponding detailed list numbers and causes of death appear on page 161.

†No S.M.R. is shown when fewer than 5 deaths occurred.

S.M.R. for 5-19 deaths is shown in bold print.

**ABSTRACT 17. County Fermanagh: Causes of death at different age-periods
and Standardised Mortality Ratios, by sex, 1972.**

Abbreviated List Nos. •	Total deaths	MALES												FEMALES												S.M.R.† Northern Ireland = 100	
		AGED												AGED													
		All ages	under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	All ages	under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	M	F
ALL CAUSES	638	361	15	3	1	19	2	1	8	13	85	101	132	277	9	3	1	13	2	1	2	6	31	66	156	94	104
B1
B2
B3
B4
B5	1	1	1	.	.
B6
B7
B8
B9
B10
B11	1	1	.	1	.	1
B12
B13
B14
B15
B16
B17
B18
B19A	16	10	1	3	6	6	1	5	131	129
B19B	18	11	4	4	3	7	5	2	121	92
B19C	13	11	2	7	2	2	1	1	62	.
B19D	10	1	1	.	.	9	5	1	3	.	121
B19E	14	5	1	1	3	9	1	1	4	3	61	125
B19F	24	17	1	1	.	2	5	3	5	7	2	2	1	2	.	113	61
B19G	7	5	1	1	.	1	2	2	1	.	1	.	.	.	227	.
B20
B21	5	3	2	1	2	2	.	.	.

†No S.M.R. is shown when fewer than 5 deaths occurred.

S.M.R. for 5-19 deaths is shown in bold print.

**ABSTRACT 17. County Londonderry†: Causes of death at different age-periods
and Standardised Mortality Ratios, by sex, 1972.**

Abbreviated List Nos. •	Total deaths	MALES												FEMALES												S.R.M.† Northern Ireland =100	
		AGED												AGED													
		All ages	under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	All ages	under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	M	F
ALL CAUSES	1,222	672	22	10	5	37	4	7	17	29	172	174	232	550	14	9	5	28	7	4	7	22	90	139	253	89	93
B1
B2
B3
B4	2	2	.	2	.	2
B5	1	1	1
B6	2	2	2
B7
B8
B9
B10
B11
B12
B13
B14
B15
B16
B17
B18	6	4	1	.	1	2	1	.	1	2	1	.	.	.	1
B19A	20	12	4	5	3	8	2	5	1	82	79	.
B19B	29	11	1	4	6	18	2	2	6	8	64	106	.
B19C	23	19	9	8	2	4	1	1	.	2	.	55	.	.
B19D	10	10	1	4	4	1	.	58	.
B19E	29	12	2	3	7	17	1	.	3	10	1	2	80	111	.
B19F	52	25	4	13	5	27	2	2	11	3	9	85	118	.
B19G	11	6	1	4	1	5	1	.	1	.	2	1	131	141	.
B20	3	1	2	1	.	.	.	1
B21	14	6	2	1	2	1	8	3	3	2	91	106	.

* Corresponding detailed list numbers and causes of death appear on page 161.

† Excluding County Borough.

†No S.M.R. is shown when fewer than 5 deaths occurred.

S.M.R. for 5-19 deaths is shown in bold print.

**ABSTRACT 17. County Tyrone: Causes of death at different age-periods
and Standardised Mortality Ratios, by sex, 1972.**

Abbreviated List Nos. •	Total deaths	MALES												FEMALES												S.M.R.† (Northern Ireland = 100)	
		AGED												AGED													
		All ages	under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	All ages	under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	M	F
ALL CAUSES	1,617	911	29	10	2	41	8	8	17	29	205	235	368	706	22	7	3	32	7	6	4	20	119	175	343	101	108
B1
B2
B3
B4	3	1	.	1	.	1	2	.	1	1	2
B5	2	1	1	.	.	1	1	.	.	.
B6	1	1	1
B7
B8
B9
B10
B11	2	1	.	.	1	1	1	1
B12
B13
B14
B15
B16
B17
B18	4	1	1	.	.	3	1	1	1	.	.
B19A	35	21	1	8	7	5	14	4	10	119	125	.
B19B	34	17	5	3	9	17	1	2	4	10	81	90
B19C	27	19	1	5	11	2	8	8	.	.	46	89
B19D	17	17	2	6	4	5	.	87
B19E	29	14	1	1	2	10	15	6	5	4	75	87
B19F	61	34	1	14	7	12	27	1	2	6	11	7	97	106
B19G	8	7	6	.	1	1	1	.	131	.
B20	3	2	1	1	.	1	.	.	.	1
B21	17	7	1	.	6	10	1	6	3	86	119

* Corresponding detailed list numbers and causes of death appear on page 161.

†No S.M.R. is shown when fewer than 5 deaths occurred.

S.M.R. for 5-19 deaths is shown in bold print,

ABSTRACT 17. All urban areas (Excluding Belfast and Londonderry County Boroughs): Causes of death at different age-periods and Standardised Mortality Ratios, by sex, 1972.

Abbreviated List Nos. *	Total deaths	MALES												FEMALES												S.M.R.† Northern Ireland = 100	
		AGED												AGED													
		All ages	under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	All ages	under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	M	F
ALL CAUSES	4,565	2,312	77	28	13	118	18	15	51	98	614	594	804	2,253	57	17	8	82	14	11	13	73	358	552	1,150	97	93
B1
B2
B3
B4	9	7	.	4	.	4	1	1	1	2	.	1	1	2	136	.
B5	7	5	1	1	2	1	.	2	1	.	1	.	90	.
B6	4	3	2	.	1	1	1
B7
B8
B9
B10
B11	5	2	.	.	1	1	.	1	3	.	1	1	2	1
B12
B13
B14
B15
B16
B17
B18	12	5	1	.	1	2	.	2	.	.	1	.	.	7	1	.	.	1	1	.	.	1	2	1	1	62	96
B19A	69	29	2	9	9	9	40	1	2	13	24	61	94	.
B19B	116	50	4	11	16	19	66	3	15	19	29	91	92	.
B19C	137	109	1	45	47	16	28	1	3	9	10	5	96	82	.
B19D	60	60	4	30	13	13	.	81	.
B19E	101	41	1	.	1	1	6	15	17	60	1	.	5	27	14	13	88	92	.
B19F	184	97	6	40	31	20	87	1	8	24	23	31	102	91	.
B19G	28	15	2	.	.	1	6	3	3	13	.	1	.	1	1	.	1	4	1	4	1	102	92
B20	15	4	4	.	11	2	.	.	1	3	.	5	.	115
B21	44	14	1	2	4	7	30	1	6	9	14	69	93	.

* Corresponding detailed list numbers and causes of death appear on page 161.

†No S.M.R. is shown when fewer than 5 deaths occurred.

S.M.R. for 5-19 deaths is shown in bold print.

**ABSTRACT 17. All rural areas: Causes of death at different age-periods
and Standardised Mortality Ratios, by sex, 1972.**

Abbreviated List Nos.	Total deaths	MALES												FEMALES												S.R.M.† (Northern Ireland = 100)		
		AGED												AGED														
		All ages	under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	All ages	under 4 wks.	1-5 mths.	6-11 mths.	Total under 1 yr.	1-4	5-14	15-24	25-44	45-64	65-74	75 and over	M	F	
ALL CAUSES	7,225	4,020	114	31	7	152	26	40	86	136	962	1,104	1,514	3,205	70	36	10	116	18	19	32	87	513	801	1,619	95	95	
B1	
B2	
B3	
B4	16	7	.	4	.	4	2	1	9	.	4	1	5	2	2	91	127
B5	12	6	2	1	3	6	2	3	1	61	106	
B6	7	6	1	.	.	3	1	1	1	1	142	.	
B7	
B8	
B9	
B10	
B11	3	2	.	1	.	1	1	1	1	
B12	
B13	
B14	
B15	
B16	
B17	
B18	27	18	4	2	1	7	.	1	2	2	4	.	2	9	.	2	1	3	.	.	.	1	3	.	2	140	84	
B19A	147	92	2	34	34	22	55	2	6	15	32	109	95		
B19B	186	89	4	18	36	31	97	5	14	29	49	90	99		
B19C	159	128	1	4	54	52	17	31	2	20	4	5	64	64		
B19D	109	2	2	.	.	107	7	50	26	24	.	102		
B19E	162	82	1	.	.	17	18	46	80	1	.	5	32	24	18	96	87		
B19F	286	161	1	4	3	9	56	48	40	125	1	4	3	5	38	36	38	96	93	
B19G	54	33	1	3	2	2	13	7	5	21	1	.	2	3	4	6	5	129	106	
B20	18	7	1	.	1	3	2	11	1	.	2	4	2	2	2	117	79	
B21	86	41	2	8	11	20	45	1	6	17	21	110	103		

†No S.M.R. is shown when fewer than 5 deaths occurred.

S.M.R. for 5-19 deaths is shown in bold print.

ABSTRACT 18. Northern Ireland: Deaths and death rates at different age-periods, 1972.

AREA		TOTAL DEATHS	AGES AT DEATH																											
			Under 1 year	1-	2-	3-	4-	Under 5 years	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95 and over			
NORTHERN IRELAND	Persons	17,032	616	46	24	25	16	727	68	52	154	137	125	89	138	231	434	683	991	1,542	2,014	2,503	2,572	2,254	1,432	693	193			
	Males	9,001	350	25	15	15	8	413	44	32	121	109	85	60	81	135	258	431	644	960	1,202	1,321	1,237	986	579	238	65			
	Females	8,031	266	21	9	10	8	314	24	20	33	28	40	29	57	96	176	252	347	582	812	1,182	1,335	1,268	853	455	128			
BELFAST COUNTY BOROUGH	Persons	4,656	124	16	9	4	3	156	19	13	45	48	31	22	39	67	114	189	295	465	587	712	721	560	351	166	56			
	Males	2,372	67	8	5	3	2	85	12	8	38	40	24	13	24	45	68	107	181	279	350	386	320	206	129	46	11			
	Females	2,284	57	8	4	1	1	71	7	5	7	8	7	9	15	22	46	82	114	186	237	326	401	354	222	120	45			
LONDONDERRY COUNTY BOROUGH	Persons	587	24	.	2	1	.	27	2	1	7	9	8	7	4	11	21	34	31	54	67	100	68	65	44	17	10			
	Males	297	13	.	1	.	.	14	1	.	.	8	6	5	3	7	8	21	20	33	42	47	30	27	9	7	2			
	Females	290	11	.	1	1	.	13	1	1	.	1	2	2	1	4	13	13	11	21	25	53	38	38	35	10	8			
ANTRIM	Persons	3,438	146	6	4	6	4	166	18	14	30	25	24	22	36	51	89	145	190	317	402	492	501	427	297	145	47			
	Males	1,832	87	5	4	3	2	101	13	8	25	19	12	14	23	27	56	96	129	206	245	258	238	174	123	49	16			
	Females	1,606	59	1	.	3	2	65	5	6	5	6	12	8	13	24	33	49	61	111	157	234	263	253	174	96	31			
ARMAGH	Persons	1,406	64	1	1	2	1	69	3	2	19	12	9	3	8	19	40	41	79	123	153	202	239	189	116	63	17			
	Males	738	34	1	.	2	.	37	3	2	15	8	6	2	5	13	24	23	52	79	87	100	114	86	49	28	5			
	Females	668	30	.	1	.	1	32	.	.	4	4	3	1	3	6	16	18	27	44	66	102	125	103	67	35	12			
DOWN	Persons	3,468	88	10	4	4	3	109	12	9	25	16	26	14	19	44	89	129	202	301	408	504	540	525	311	153	32			
	Males	1,818	52	6	4	2	1	65	7	6	18	10	17	11	10	23	55	78	130	186	235	263	251	257	131	49	16			
	Females	1,650	36	4	.	2	2	44	5	3	7	6	9	3	9	21	34	51	72	115	173	241	289	268	180	104	16			
FERMANAGH	Persons	638	32	1	1	2	.	36	2	.	4	6	5	4	4	6	16	30	28	42	76	91	93	86	71	32	6			
	Males	361	19	.	.	2	.	21	1	.	3	5	4	3	2	4	11	23	20	31	52	49	54	36	26	12	4			
	Females	277	13	1	1	.	.	15	1	.	1	1	1	1	2	2	5	7	8	11	24	42	39	50	45	20	2			
§ LONDONDERRY	Persons	1,222	65	7	2	2	.	76	4	7	13	11	12	9	14	16	27	45	77	113	140	173	168	157	101	51	8			
	Males	672	37	3	.	1	.	41	2	5	7	10	9	7	7	6	13	32	55	72	79	95	90	77	42	19	4			
	Females	550	28	4	2	1	.	35	2	2	6	1	3	2	7	10	14	13	22	41	61	78	78	80	59	32	4			
TYRONE	Persons	1,617	73	5	1	4	5	88	8	6	11	10	10	8	14	17	38	70	89	127	181	229	242	245	141	66	17			
	Males	911	41	2	1	2	3	49	5	3	8	9	7	5	7	10	23	51	57	74	112	123	140	123	70	28	7			
	Females	706	32	3	.	2	2	39	3	3	3	1	3	3	7	7	15	19	32	53	69	106	102	122	71	38	10			
NORTHERN IRELAND— Death rate per 1,000 population in each age-group		Persons	11.0	*20.5	1.5	0.8	0.8	0.5	4.7	0.4	0.4	1.2	1.2	1.2	1.0	1.7	2.8	5.1	8.2	12.9	21.3	33.1	52.6	81.4	128.1			246.6		
		Males	11.8	*22.5	1.5	0.9	0.9	0.5	5.1	0.5	0.4	1.8	1.7	1.7	1.4	1.9	3.3	6.3	10.7	17.6	28.5	45.0	67.7	102.2	156.5			284.5		
		Females	10.2	18.4	1.4	0.6	0.6	0.5	4.2	0.3	0.3	0.5	0.5	0.8	0.7	1.4	2.8	4.0	5.9	8.7	15.1	23.7	42.1	68.5	112.2			227.9		

* Rate per 1,000 live births.

§ Excluding County Borough.

ABSTRACT 19. Northern Ireland: Deaths from violent causes, by nature of injury, external cause and sex, 1972.

Inter- mediate List	NATURE OF INJURY	TOTAL	EXTERNAL CAUSE OF INJURY (INTERMEDIATE LIST)												
			AE138. Motor vehicle accidents	AE139. Other transport accidents	AE140. Accidental poisoning	AE141. Accidental falls	AE142. Accidents caused by fires	AE143. Accidental drowning and submersion	AE144. Accidents caused by firearm missiles	AE145. Accidents mainly of industrial type	AE146. All other accidents	AE147. Suicide and self inflicted injury	AE148. Homicide and injury purposely inflicted by other persons; legal intervention	AE149. Injury undetermined whether accidentally or purposely inflicted	AE150. Injury resulting from operations of war
	TOTAL M	696	249	10	17	66	22	11	6	19	13	31	54	12	186
AN138	Fracture of skull F	337	95	3	22	125	21	3	.	5	9	16	4	8	26
 M	148	86	5	.	15	.	.	.	6	1	1	9	.	25
AN139	Fracture of spine and trunk F	41	28	1	.	5	.	.	.	3	.	.	1	.	3
 M	39	26	.	.	5	.	.	.	1	.	.	3	.	3
AN140	Fracture of limbs F	22	14	.	.	6	1
 M	47	13	1	.	33	1
AN141	Dislocation without fracture F	117	6	.	.	111
 M
AN142	Sprains and strains of joints and adjacent muscles F
 M
AN143	Intracranial injury (excluding skull fracture) M	75	20	.	.	6	.	.	.	1	3	2	21	.	22
 F	22	13	.	.	2	6
AN144	Internal injury of chest, abdomen and pelvis M	236	92	.	.	6	2	.	5	5	3	1	17	.	105
 F	45	31	.	.	1	1	.	12
AN145	Laceration and open wound M	28	1	1	1	.	2	2	.	21
 F	2	2
AN146	Superficial injury, contusion and crushing with intact skin surface F	1	1
 M
AN147	Foreign body entering through orifice M	1	1
 F	1	1
AN148	Burn M	18	2	6
 F	20	9	.	.	1	1
AN149	Adverse effects of chemical substances M	47	.	.	17	.	16	.	.	2	.	11	1	.	4
 F	47	.	.	22	.	11	.	.	1	.	10	.	3	1
AN150	All other and unspecified effects of external cause M	56	8	4	.	1	5	11	.	3	5	14	2	8	.
 F	20	3	2	.	.	.	3	.	.	5	6	1	.	.

**ABSTRACT 20. Northern Ireland: Deaths from
(a) by place of occurrence**

Age-groups	TOTAL		Home		Farm		Industrial place and premises		Other specified places		Place unspecified		While working	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F

E850-869: Accidental poisoning by solid and liquid substances

All ages	9	17	9	15	2
0—
5—	1	.	1
15—	3	7	3	7
45—	4	8	4	6	2
65—	.	1	.	1
75 and over	1	1	1	1

E870-877: Accidental poisoning by gases and vapours

All ages	8	5	5	4	.	.	1	.	2	1	.	.	2	.
0—	.	1	.	1
5—
15—	5	1	3	2	1	.	.	1	.
45—	1	1	1	.
65—	1	1	1	1
75 and over	1	2	1	2

E880-887: Accidental falls

All ages	66	125	42	87	.	.	8	.	11	21	5	17	9	.
0—	1	1	1	1	1
5—	4	1	2	1
15—	10	2	4	2	.	.	4	.	2	.	.	.	6	.
45—	10	4	6	4	1	.	3	.
65—	10	15	6	10	4	3	.	2	.	.
75 and over	31	102	23	70	4	17	4	15	.	.

E890-899: Accidents caused by fire and flames

All ages	22	21	20	19	2	1	.	1	2	.
0—	3	3	3	3
5—
15—	3	2	2	1	1	.	.	1	1	.
45—	5	1	4	4
65—	2	4	2	4
75 and over	9	11	9	10	1

E910: Accidental drowning and submersion

All ages	11	3	2	1	2	.	.	.	7	2
0—	1	2	.	.	1	2
5—	2	2
15—	3	.	2	1
45—	3	.	.	.	1	.	.	.	2
65—	1	1
75 and over	1	1	.	1	1

E911-912: Inhalation and ingestion of food and other objects causing obstruction and suffocation

All ages	1	1	1	1
0—
5—
15—
45—	1	1
65—
75 and over	.	1	1

non-transport accidents (E850-929) by age and sex,
(b) while working, 1972.

Age-groups	TOTAL		Home		rm		Industrial place and premises		Other specified places		Place unspecified		While working	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F

E913: Accidental mechanical suffocation in bed and cradle and other circumstances

All ages	3	3	2	2	1	.	.	.	1	.	.	.	1	.
0—	1	3	1	2	1
5—	1	.	1
15—	1	.	.	.	1	1	.
45—
65—
75 and over

E916: Blow from falling object

All ages	8	1	1	.	.	.	3	.	4	1	.	.	3	.
0—	1	1
5—	2	2
15—	2	2	1	.
45—	3	1	1	.	.	.	1	.	1	1	.	.	2	.
65—
75 and over

E922: Accident caused by firearm

All ages	6	.	1	5	.	.	.	2	.
0—
5—
15—	6	.	1	5	.	.	.	2	.
45—
65—
75 and over

E925, 927, 928: Accident caused by machinery and electric current

All ages	7	2	2	.	.	.	2	.	3	2	.	.	3	.
0—
5—	1	2	1	2
15—	3	.	1	2	.	.	.	1	.
45—	3	.	1	.	.	.	2	2	.
65—
75 and over

Remainder E850-929: Other and unspecified accidents

All ages	9	5	2	4	1	.	2	.	4	.	.	1	3	.
0—	1	3	1	2	1	.	.
5—	1	.	1
15—	3	1	.	2	.	.	.	2	.
45—	4	1	1	1	1	.	1	.	2	.	.	.	1	.
65—
75 and over	.	1	.	1

E850-929: Total non-transport accidents

All ages	150	183	86	132	4	.	16	.	39	32	5	19	25	.
0—	8	13	6	9	1	.	1	.	1	3	.	1	.	.
5—	12	3	5	.	.	.	1	.	6	3
15—	39	12	16	10	1	.	7	.	15	1	.	1	15	.
45—	34	15	16	12	2	.	8	.	7	3	1	.	10	.
65—	14	21	9	16	5	3	.	2	.	.
75 and over	43	119	34	85	5	19	4	15	.	.

ABSTRACT 21. Northern Ireland: Deaths from cancer* in each county and county borough by sex and site, 1972.

Detailed List Numbers	SITES	Co. BOROUGHs				COUNTIES												Tyrone
		Belfast		London-derry		Antrim		Armagh		Down		Fer-managh		London-derry (exc. Co. Boro.)				
		M	F	M	F	M	F	M	F	M	F	M	F	M	F			
	<i>Buccal cavity and pharynx</i>																	
140	Lip					2										4		
141	Tongue		1			1	1	1		3	1			2	1	1	1	
142	Salivary gland					1				1	1	1						
143	Gum																	
144	Floor of mouth																	
145	Other and unspecified parts of mouth	2	1	1						1	1							
146	Oropharynx									2	1							1
147	Nasopharynx		1			1				1		1						1
148	Hypopharynx		1				2	1		1	1		1	1				3
149	Pharynx, unspecified	1				4	1			1								1
	<i>Digestive organs and peritoneum</i>																	
150	Oesophagus	10	7	1	2	6	2	1	3	6	8	3		1	5	3	2	
151	Stomach	52	42	8	4	31	28	18	9	29	29	10	6	12	8	21	14	
152	Small intestine, including duodenum		3				1										1	
153	Large intestine, except rectum	38	47	4	6	23	36	10	14	36	49	5	4	7	7	12	12	
154	Rectum and rectosigmoid junction	24	14	4	1	15	12	3	2	13	7	6	3	4	11	5	4	
155	Liver and intrahepatic bile ducts, specified as primary	3	3				3			2	2		1		1	1	1	
156	Gallbladder and bile ducts	1	6		2	2	3		1	2	2		1		1		2	
157	Pancreas	20	22	5	2	19	13	6	5	15	9			3	3	7	4	
158	Peritoneum and retroperitoneal tissue		4				2		1									
159	Unspecified digestive organs		1			1					2				1			
	<i>Respiratory system</i>																	
160	Nose, nasal cavities, middle ear and accessory sinuses						3	1				2				1		
161	Larynx	4		1		6	1	2	1	2				1		2		
162	Trachea, bronchus and lung	181	49	13	3	81	25	27	3	80	17	11	2	19	4	19	8	
163	Other and unspecified respiratory organs	1	1							1								
	<i>Bone, connective tissue, skin and breast</i>																	
170	Bone	4	1			7	3			1	2	1		1	4			
171	Connective and other soft tissue						1	1							1			
172	Melanoma of skin	2				2	2		1	1	3		2	1	1	1		
173	Skin (other than melanoma)	1	2					2		3	1							
174	Breast		64		10		51		25	1	55	1	9		10		17	
	<i>Genito-urinary organs</i>																	
180	Cervix uteri		15		2		8		4		10		3		5		5	
181	Chorionepithelioma																	
182	Other parts of uterus		17		1		10		2		9		2		3		2	
183	Ovary, fallopian tube, and broad ligament		18		4		12		4		15		1		6		5	
184	Other and unspecified female genital organs		2				3				5		3		1		1	
185	Prostate	24		3		23		15		24		5		9		9		
186	Testis					1		1										
187	Other and unspecified male genital organs							2								1		
188	Bladder	19	9	1	1	6	2	1	3	9	4			1		3	1	
189	Other and unspecified urinary organs	6	2	3	1	6	5		1	4	2			2	2	1	1	
	<i>Other and unspecified sites</i>																	
190	Eye	1									1					1		
191	Brain	6	8	1		5	8	2		7	3	2		2		1	1	
192	Other parts of nervous system	1	3		1			1		1	2	1		1	1			
193	Thyroid gland					2	2	1	1	2	3						2	
194	Other endocrine glands																	
195	Ill-defined sites	2	2	1		3	2		1	2	1	1	2	2	2	1	1	
196	Lymph nodes (secondary and unspecified)	3	1				2	2	1		1					1		
197	Respiratory and digestive systems (secondary)	5	11	1	2	6	3	2	2	4	7	1		2	5	1	3	
198	Other sites (secondary)		1				2			2	4						1	
199	Unspecified sites	9	3	1	1	2	4	3	3	1	6	1		2		4	2	
	<i>Lymphatic and haematopoietic tissue</i>																	
200	Lymphosarcoma and reticulum-cell sarcoma	4	7	1		2	3	2	2	6	3	1		3		2		
202	Lymphoid tissue (other)	2	1				2			2								
203	Multiple myeloma	3	4			4	1	2		7	2	1		1		3		
208	Polycythaemia vera	1					1											
209	Myelofibrosis	2																
	TOTAL	433	374	49	43	265	255	106	91	270	267	55	40	79	84	105	98	

*Excluding Hodgkin's disease and leukaemia (201, 203-207). Deaths from these diseases will be found in Abstract 17.

ABSTRACT 22. Northern Ireland: Deaths of all children under one year in each county and county borough, 1969-72.

AREA				Year 1972																							
	1969	1970	1971	MALES and FEMALES								MALES								FEMALES							
				Total	under 1 day	1-6 days	1-3 wks	4 wks-	2 mths-	3-5 mths	6-11 mths	Total	under 1 day	1-6 days	1-3 wks	4 wks-	2 mths-	3-5 mths	6-11 mths	Total	under 1 day	1-6 days	1-3 wks	4 wks-	2 mths-	3-5 mths	6-11 mths
NORTHERN IRELAND .	790	734	722	616	218	138	62	40	36	69	53	350	135	74	38	17	20	40	26	266	83	64	24	23	16	29	27
All urban areas	488	430	431	348	118	81	35	26	19	33	36	198	69	45	19	14	12	20	19	150	49	36	16	12	7	13	17
All rural areas	302	304	291	268	100	57	27	14	17	36	17	152	66	29	19	3	8	20	7	116	34	28	8	11	9	16	10
Belfast County Borough	212	195	162	124	40	29	13	10	7	15	10	67	23	15	6	6	5	6	6	57	17	14	7	4	2	9	4
Londonderry County Borough	39	34	39	24	6	8	4	.	.	1	5	13	4	4	4	.	.	1	11	2	4	5	5
County Antrim	170	175	149	146	65	27	16	8	8	15	7	87	38	17	11	2	6	10	3	59	27	10	5	6	2	5	4
" Armagh	73	53	74	64	16	17	8	6	5	5	7	34	11	10	2	4	1	2	4	30	5	7	6	2	4	3	3
" Down	139	113	146	88	32	19	7	5	8	10	7	52	20	10	6	.	4	7	5	36	12	9	1	5	4	3	2
" Fermanagh	14	21	20	32	17	3	4	3	1	2	2	19	10	1	4	1	.	2	1	13	7	2	.	2	1	1	1
" Londonderry*	63	69	51	65	21	11	4	3	4	12	10	37	16	3	3	1	2	7	5	28	5	8	1	2	2	5	5
" Tyrone	80	74	81	73	21	24	6	5	3	9	5	41	13	14	2	3	2	5	2	32	8	10	4	2	1	4	3

* Excluding County Borough.

ABSTRACT 23. Northern Ireland: Deaths of illegitimate children under one year in each county and county borough, 1969-72.

AREA				Year 1972																							
	1969	1970	1971	MALES and FEMALES								MALES								FEMALES							
				Total	under 1 day	1-6 days	1-3 wks	4 wks-	2 mths-	3-5 mths	6-11 mths	Total	under 1 day	1-6 days	1-3 wks	4 wks-	2 mths-	3-5 mths	6-11 mths	Total	under 1 day	1-6 days	1-3 wks	4 wks-	2 mths-	3-5 mths	6-11 mths
NORTHERN IRELAND .	49	40	36	42	15	11	4	2	3	4	3	28	11	6	3	2	1	3	2	14	4	5	1	.	2	1	1
All urban areas	30	28	21	20	7	5	3	2	1	.	2	13	5	3	2	2	.	.	1	7	2	2	1	.	1	.	1
All rural areas	19	12	15	22	8	6	1	.	2	4	1	15	6	3	1	.	1	3	1	7	2	3	.	.	1	.	.
Belfast County Borough	13	18	9	8	1	2	2	2	1	.	.	5	1	1	1	2	.	.	.	3	.	1	1	.	1	.	.
Londonderry County Borough	4	2	2	1	.	.	1	1	.	1
County Antrim	12	5	5	11	8	1	.	.	1	.	1	6	5	1	5	3	.	.	.	1	.	1
" Armagh	7	2	3	4	.	1	.	.	.	1	2	4	.	1	.	.	.	1	2
" Down	4	4	10	3	.	2	.	.	1	.	.	3	.	2	.	.	1
" Fermanagh	1	1	.	4	2	2	.	3	1	2	.	1	1
" Londonderry*	4	2	2	5	3	1	.	.	.	1	.	3	3	2	.	1	.	.	.	1	.
" Tyrone	4	6	5	6	1	4	1	3	1	1	1	3	.	3

* Excluding County Borough.

ABSTRACT 24. Northern Ireland: Infant

Detailed List Numbers	CAUSES OF DEATH	Total deaths	DAYS							Total under 1 week
			under 1 day	1-	2-	3-	4-	5-	6-	
	All causes {M F	350 266	135 83	39 27	15 14	12 10	4 4	3 5	1 4	209 147
009	Diarrhoeal disease {M F	8 8
013	Tuberculosis of meninges and central nervous system {M F
014	Tuberculosis of intestines, peritoneum and mesenteric glands {M F
010-012, 015-019	Other tuberculous diseases {M F
032	Diphtheria {M F
033	Whooping cough {M F
034.1	Scarlet fever {M F
036	Meningococcal infection {M F	3 2
040-043	Acute poliomyelitis {M F
055	Measles {M F
090-097	Syphilis {M F
310-315	Mental retardation {M F
320	Meningitis {M F	4 1	1	1	2
466.0, 490-491	Bronchitis {M F	5
470-474	Influenza {M F
480-486	Pneumonia {M F	55 45	.	.	1	.	.	1	.	1 1
740	Anencephalus {M F	6 9	6 8	.	1	6 9
741.0	Spina bifida with hydrocephalus {M F	19 16	4 1	1 2	.	.	.	1	.	6 4
741.9	Spina bifida without hydrocephalus {M F	5 5	2 1	.	1	3 2
742	Congenital hydrocephalus {M F	3 2
743	Other congenital anomalies of nervous system {M F	1 3
744	Congenital anomalies of eye {M F
745	Congenital anomalies of ear, face and neck {M F
746	Congenital anomalies of heart {M F	27 22	5 2	5 1	3 2	1 3	2 1	.	.	16 9
747	Other congenital anomalies of circulatory system {M F	2 3	.	1 1	1 1

mortality by cause, age and sex, 1972.

WEEKS			Total under 4 weeks	MONTHS											Mortality rate per 10,000 live births	Deaths of illegitimate infants		Detailed List Numbers
1-	2-	3-		1-	2-	3-	4-	5-	6-	7-	8-	9-	10-	11-		No.	Rate per 10,000 illegitimate live births	
20 15	7 2	11 7	247 171	17 23	20 16	15 13	14 11	11 5	6 5	6 4	5 7	5 2	2 4	2 5	225 184	28 14	427 230	
.	.	.	.	1 3	2 1	1 .	1 2	3 .	.	.	2	5 6	1	16	M } 009 F }
.	M } 013 F }
.	M } 014 F }
.	M } 010-012, F } 015-019
.	M } 032 F }
.	M } 033 F }
.	M } 034.1 F }
.	.	.	.	1 1	1 .	1 1	1 .	.	.	2 1	1	16	M } 036 F }
.	M } 040-043 F }
.	M } 055 F }
.	M } 090-097 F }
.	M } 310-315 F }
.	.	.	2	1	.	.	1	.	.	.	1	.	.	.	3	.	.	M } 320 F }
.	.	.	.	1	1	1	.	1	1	3	.	.	M } 466.0, F } 490-491
.	M } 470-474 F }
3 1	1 .	4 2	9 4	9 9	9 7	5 9	10 4	2 4	1 2	2 2	4 2	3 2	1 .	2	35 31	6 2	92 33	M } 480-486 F }
.	.	.	6 9	4 6	1	16	M } 740 F }
2	1	3	10 7	2 4	4 2	1 .	1 1	1 1	1 1	.	.	.	1 .	.	12 11	2	31	M } 741.0 F }
1	.	1	5 2	1	1 1	.	3 3	1	16	M } 741.9 F }
.	1	1	1	.	.	1	1	2 1	.	.	M } 742 F }
1	1	1	1 2	1	1 2	.	.	M } 743 F }
.	M } 744 F }
.	M } 745 F }
2 3	1	.	19 12	1	2 3	3 1	2	1	1	1	1	.	.	1	17 15	1	15	M } 746 F }
1 1	.	.	2 2	1	1 2	.	.	M } 747 F }

ABSTRACT 24 (continued). Northern Ireland:

Detailed List Numbers	CAUSES OF DEATH	Total deaths	DAYS							Total under 1 week
			under 1 day	1-	2-	3-	4-	5-	6-	
748	Congenital anomalies of respiratory system {M F	1 2	1 1	1 1
749	Cleft palate and cleft lip {M F
750	Other congenital anomalies of upper alimentary tract {M F	3
751	Other congenital anomalies of digestive system {M F	2 .	.	1	1
752	Congenital anomalies of genital organs {M F
753	Congenital anomalies of urinary system {M F
754	Clubfoot (congenital) {M F
755	Other congenital anomalies of limbs {M F
756	Other congenital anomalies of musculo-skeletal system {M F	2 2	2 .	.	.	1	.	.	.	2 1
757	Congenital anomalies of skin, hair and nails {M F
758	Other and unspecified congenital anomalies {M F	1 1	1	1
759	Congenital syndromes affecting multiple systems {M F	4 6	2 3	.	1	.	1	.	.	3 5
760	Chronic circulatory and genito-urinary diseases in mother {M F	3 1	1	1	1 1
761	Other maternal conditions unrelated to pregnancy {M F	1 1	1 .	1	1 1
762	Toxaemia of pregnancy {M F	1 4	1 2	1	.	1	.	.	.	1 4
763	Maternal ante- and intrapartum infection {M F
764	Difficult labour with abnormality of bones, organs or tissues {M F
765	Difficult labour with disproportion, but no mention of abnormality of pelvis {M F
766	Difficult labour with malposition of foetus {M F	1 1	1 1	1
767	Difficult labour with abnormality of forces of labour {M F	1 1	1 1	1
768	Difficult labour with other and unspecified complications {M F	1 1	1 1	1
769	Other complications of pregnancy and childbirth {M F	8 6	7 4	.	1	8 5
770	Conditions of placenta {M F	5 4	4 2	1 1	.	.	.	1	.	5 4
771	Conditions of umbilical cord {M F	2 2	1 1	1	2
772	Birth injury without mention of cause {M F	7 6	3 2	2 1	2	7 5
773	Termination of pregnancy {M F	2 .	2	2

Infant mortality by cause, age and sex, 1972.

WEEKS			Total under 4 weeks	MONTHS											Mortality rate per 10,000 live births	Deaths of illegitimate infants		Detailed List Numbers	
1-	2-	3-		1-	2-	3-	4-	5-	6-	7-	8-	9-	10-	11-		No.	Rate per 10,000 illegitimate live births		
1	.	.	1 2	1 1	.	.	M F	748
.	M F	749
2	.	1	3	2 .	1	15	M F	750
.	.	.	1	1	1	.	.	M F	751
.	M F	752
.	M F	753
.	M F	754
.	M F	755
.	.	.	2 1	1	.	.	1 1	.	.	M F	756
.	M F	757
.	.	.	1	1	.	.	M F	758
1	.	.	3 6	1	3 4	.	.	M F	759
2	.	.	3 1	2 1	.	.	M F	760
.	.	.	1 1	1 1	.	.	M F	761
.	.	.	1 4	1 3	1	16	M F	762
.	M F	763
.	M F	764
.	M F	765
.	.	.	1	1	.	.	M F	766
.	.	.	1	1	.	.	M F	767
.	.	.	1	1	.	.	M F	768
1	.	.	8 6	5 4	1 1	15 16	M F	769
.	.	.	5 4	3 3	1	15	M F	770
.	.	.	2	1	.	.	M F	771
.	.	1	7 6	4 4	1 1	15 16	M F	772
.	.	.	2	1	.	.	M F	773

ABSTRACT 24 (continued). Northern Ireland:

Detailed List Numbers	CAUSES OF DEATH	Total deaths	Days							Total under 1 week
			under 1 day	1-	2-	3-	4-	5-	6-	
774	Haemolytic disease of newborn with { kernicterus F	
775	Haemolytic disease of newborn without { kernicterus F	2 3	2 3	2 3	
776	Anoxic and hypoxic conditions not else- { where classified F	77 52	41 24	18 11	8 8	5 3	1 2	1 1	73 49	
777	Immaturity, unqualified { F	61 31	48 22	9 4	3 1	1 1	. .	. 2	61 30	
778	Other conditions of foetus or newborn . { F	7 1	. .	1 .	. .	1 .	1 1	. .	3 1	
Rem. 000-796	Other natural causes { F	26 17	2 .	1 1	. .	3 1	
E904	Hunger, thirst, exposure and neglect . { F	1 2	1 2	1 2	
E911-912	Inhalation and ingestion of food, etc. { causing obstruction or suffocation F	
E913	Accidental mechanical suffocation . . { F	1 2	
Rem. E800-999	Other violent deaths { F	2	1	1	

Infant mortality by cause, age and sex, 1972.

WEEKS			Total under 4 weeks	MONTHS											Mortality rate per 10,000 live births	Deaths of illegitimate infants		Detailed List Numbers
1-	2-	3-		1-	2-	3-	4-	5-	6-	7-	8-	9-	10-	11-		No.	Rate per 10,000 illegitimate live births	
.	M } 774
.	F } 774
.	.	.	2	1	.	.	M } 775
.	.	.	3	2	.	.	F } 775
2	1	.	76	1	49	6	92	M } 776
2	.	1	52	36	2	33	F } 776
.	.	.	61	39	7	107	M } 777
1	.	.	31	21	1	16	F } 777
3	.	1	7	4	1	15	M } 778
.	.	.	1	1	.	.	F } 778
3	2	1	9	1	2	4	2	3	1	2	.	1	.	1	17	1	15	M } Rem.
2	1	.	4	2	3	1	1	.	1	2	.	.	2	1	12	.	.	F } 000-796
.	.	.	1	1	.	.	M } E904
.	.	.	2	1	1	16	F } E904
.	M } E911-912
.	F } E911-912
.	M } E913
.	.	.	.	1	1	.	.	1	1	.	.	F } E913
.	M } Rem.
.	.	.	1	1	.	1	1	16	F } E800 999

**ABSTRACT 25. Northern Ireland: Infant mortality by cause,
sex and month of registration, 1972.**

Detailed List Numbers	CAUSES OF DEATH		Year	January	February	March	April	May	June	July	August	September	October	November	December
009	Diarrhoeal disease . . .	M	8	1	3	.	.	2	.	.	.	1	.	1	.
		F	8	.	.	2	1	1	.	1	.	1	1	.	1
013	Tuberculosis of meninges and central nervous system . .	M
		F
014	Tuberculosis of intestines, peritoneum and mesenteric glands	M
		F
010-012, 015-019	Other tuberculous diseases .	M
		F
032	Diphtheria	M
		F
033	Whooping cough	M
		F
034.1	Scarlet fever	M
		F
036	Meningococcal infection .	M	3	1	1	.	.	1
		F	2	2	.
040-043	Acute poliomyelitis . . .	M
		F
055	Measles	M
		F
090-097	Syphilis	M
		F
310-315	Mental retardation . . .	M
		F
320	Meningitis	M	4	.	.	1	1	2	.	.	.
		F	1	1
466.0, 490-491	Bronchitis	M	5	.	1	2	.	1	1
		F
470-474	Influenza	M
		F
480-486	Pneumonia	M	55	4	9	6	9	2	7	5	.	1	5	1	6
		F	45	3	2	3	3	6	7	1	5	4	3	2	6
740	Anencephalus	M	6	.	1	.	.	1	2
		F	9	2	.	2	2
741.0	Spina bifida with hydroce- phalus	M	19	4	3	1	1	1	1	2	1	1	2	3	1
		F	16	1	2	2	.	1	1	1	1	2	1	5	.
741.9	Spina bifida without hydro- cephalus	M	5	1
		F	5	.	.	2	1
742	Congenital hydrocephalus .	M	3	.	1	.	.	.	1	.	1	.	.	.	1
		F	2	1
743	Other congenital anomalies of nervous system	M	1	1
		F	3	1	1	1	1	.	.
744	Congenital anomalies of eye .	M
		F
745	Congenital anomalies of ear, face and neck	M
		F
746	Congenital anomalies of heart	M	27	2	.	4	4	1	3	2	4	2	1	3	1
		F	22	3	2	4	2	3	1	2	.	1	2	.	2
747	Other congenital anomalies of circulatory system . .	M	2	.	.	.	2
		F	3
748	Congenital anomalies of re- spiratory system	M	1	1	.
		F	2	1	1	.	.	.
749	Cleft palate and cleft lip .	M
		F
750	Other congenital anomalies of upper alimentary tract .	M	3	.	1	.	.	1	.	.	1
		F
751	Other congenital anomalies of digestive system . . .	M
		F	2	1	1
752	Congenital anomalies of genital organs	M
		F
753	Congenital anomalies of urinary system	M
		F
754	Clubfoot (congenital) . . .	M
		F
755	Other congenital anomalies of limbs	M
		F
756	Other congenital anomalies of musculoskeletal system .	M	2	1	1	.
		F	2	1	1
757	Congenital anomalies of skin, hair and nails	M
		F
758	Other and unspecified con- genital anomalies	M	1	1
		F	1	1
759	Congenital syndromes affect- ing multiple systems . . .	M	4	1	.	1	1
		F	6	1	.	1	.	.	1	.	.	1	.	1	1

**ABSTRACT 25 (continued). Northern Ireland: Infant mortality by cause,
sex and month of registration, 1972.**

Detailed List Numbers	CAUSES OF DEATH	Year	January	February	March	April	May	June	July	August	September	October	November	December
760	Chronic circulatory and genito-urinary diseases in mother	M F	3 1	1 1	.	.	2	.
761	Other maternal conditions unrelated to pregnancy	M F	1 1	.	1
762	Toxaemia of pregnancy	M F	1 4	.	.	1	1	1	.
763	Maternal ante- and intra-partum infection	M F
764	Difficult labour with abnormality of bones, organs or tissues of pelvis	M F
765	Difficult labour with disproportion, but no mention of abnormality of pelvis	M F
766	Difficult labour with malposition of foetus	M F	1 1	.	.	.	1
767	Difficult labour with abnormality of forces of labour	M F	1 1	1
768	Difficult labour with other and unspecified complications	M F	1 8	1	.	.	.
769	Other complications of pregnancy and childbirth	M F	6 5	1	2	1	2	2	1	1	1	.	.	.
770	Conditions of placenta	M F	4 4	3	1	1	1	1	.	1
771	Conditions of umbilical cord	M F	2 7	1	.	1	.
772	Birth injury without mention of cause	M F	6 2	.	2	.	1	1	2	.	.	.	1	2
773	Termination of pregnancy	M F	2	2	.	.
774	Haemolytic disease of newborn with kernicterus	M F	2 3	.	1	1
775	Haemolytic disease of newborn without kernicterus	M F	77 52	5 7	11 4	5 2	4 4	8 7	2 10	4 3	8 4	7 4	11 4	5 5
776	Anoxic and hypoxic conditions not elsewhere classified	M F	61 31	6 2	4 2	8 3	2 3	7 2	4 4	3 3	1 1	5 4	3 1	6 5
777	Immaturity, unqualified	M F	7 2	2
778	Other conditions of foetus or newborn	M F	1 26	.	.	1	3	1	1	1	1	.	.	.
Rem. 000-796	Other natural causes	M F	17 2	2 1	1 1	4	2	1	1	2	1	5	1	3
E904	Hunger, thirst, exposure or neglect	M F	1 2	.	2	1	.	.	.
E911-912	Inhalation and ingestion of food causing obstruction or suffocation	M F
E913	Accidental mechanical suffocation	M F	1 2	1	1	.
Rem. E800-999	Other violent deaths	M F	2	1	.
TOTAL		M F	350 266	27 27	40 18	33 20	28 21	32 25	33 23	21 18	25 16	25 20	28 26	29 29

ABSTRACT 26. Northern Ireland: Nature of congenital malformations

List* number	MALFORMATIONS		NUMBER OF							
			Total		0		1		2	
	TYPE OF BIRTH (LIVE OR STILL)		L	S	L	S	L	S	L	S
	All malformations	Males Females Not Known	499 417 .	69 103 .	156 146 .	26 42 .	128 109 .	6 31 .	95 62 .	5 10 .
0	Central nervous system	M F NK	89 88 .	46 87 .	29 26 .	21 35 .	27 23 .	4 25 .	14 12 .	5 8 .
	(a) Anencephalus	M F NK	9 12 .	22 54 .	4 3 .	10 23 .	3 5 .	2 10 .	.	3 7 .
	(b) Hydrocephalus	M F NK	23 21 .	11 13 .	6 6 .	5 3 .	8 6 .	1 9 .	4 3 .	1 .
	(c) Spina bifida	M F NK	51 35 .	8 15 .	16 11 .	4 7 .	15 6 .	.	8 7 .	1 .
	(d) Other defects of central nervous system	M F NK	6 20 .	5 5 .	3 6 .	2 2 .	1 6 .	1 1 .	2 2 .	1 .
	Eye, ear	M F NK	16 10 .	.	2 4 .	.	5 2 .	.	3 2 .	.
	Alimentary system	M F NK	47 36 .	9 1 .	15 19 .	.	5 6 .	2 1 .	16 7 .	.
	Heart and great vessels	M F NK	45 30 .	.	10 7 .	.	14 8 .	.	12 4 .	.
	(a) Congenital heart disease N.O.S.	M F NK	27 20 .	.	6 4 .	.	8 3 .	.	8 3 .	.
	(b) Other defects of heart and great vessels	M F NK	18 10 .	.	4 3 .	.	6 5 .	.	4 1 .	.
4	Respiratory system	M F NK	25 6 .	2 1 .	10 1 .	.	6 1 .	.	1 2 .	.
	Uro-genital system	M F NK	38 .	.	13	8 .	.
6	Limbs	M F NK	189 178 .	5 6 .	66 61 .	3 4 .	46 55 .	.	32 24 .	.
	(a) Talipes	M F NK	80 57 .	4 .	31 17 .	2 .	18 17 .	.	13 10 .	.
	(b) Other defects of limbs	M F NK	109 121 .	1 6 .	35 44 .	1 4 .	28 38 .	2 .	19 14 .	.
	Other skeletal	M F NK	2 11 .	1 1 .	1 4 .	1 .	2 .	1 .	3 .	.
	Other systems	M F NK	18 38 .	2 2 .	5 15 .	1 1 .	7 9 .	.	2 6 .	.
	Other malformations	M F NK	30 20 .	4 5 .	5 9 .	.	9 3 .	.	7 2 .	2
9	(a) Mongolism	M F NK	21 10 .	.	2 5 .	.	6 .	.	6 1 .	.
	(b) Other malformations	M F NK	9 10 .	4 5 .	3 4 .	.	3 3 .	.	1 1 .	2

*Special list numbers adopted by Ministry of Health and Social Services.

by sex, type of birth and number of other children born to mother, 1972.

CHILDREN															
3		4		5		6		7		8		9		10+	
L	S	L	S	L	S	L	S	L	S	L	S	L	S	L	S
53	4	30	14	14	3	5	2	4	3	6	1	7	4	1	2
46	6	19	6	11	1	5	2	7	3	4	1	6	1	2	1
.
7	4	2	6	5	1	1	2	.	.	2	1	2	1	.	2
10	6	6	5	3	1	1	2	3	3	1	1	3	.	.	1
.	.	.	.	2	1	.	1
2	2	1	3	.	.	.	1	.	2	.	1	1	.	.	1
.	6	.	.	1	1	1	.	1
1	1	1	.	2	.	1	.	1	.	1	.	1	.	.	.
2	.	.	1
6	1	1	2	1	.	1	1	.	1	1	1	1	.	.	1
4	.	3
.	.	.	2	.	1	.	.	1	.	.	.	1	.	.	.
2	.	2
4	.	1	.	1
1	.	1
6	.	1	3	.	.	1	.	2	2	.	.	1	2	.	.
2	.	1	1
2	.	3	.	1	2	.	1	.	.	.
7	.	4
1	.	2	.	1	1
6	.	4
1	.	1	1	.	1	.	.	.
1
2	.	5	1	1	1	.	.
2
4	.	1	.	1	.	.	.	1	.	.	.	1	.	.	.
.
21	.	13	1	5	1	2	.	.	.	2	.	2	.	.	.
18	.	6	.	6	.	2	.	1	.	2	.	2	.	1	.
8	.	1	1	4	1	1	.	.	.	1	.	1	.	.	.
8	.	1	.	2	1	.	1	.	.	.
13	.	12	.	1	.	1
10	.	5	4	.	.	2	.	1	.	1	.	1	.	1	.
.
1	1
1
2	.	2	1	1
4	.	1	1	1	1	.	.	.	1	.
4	.	2	3	1	1	1	.	1	.	.	.	1	.	.	.
1
3	.	2	.	1	.	.	.	1	.	.	.	1	.	1	.
.
1	.	.	3	.	1	1	.	1
1

ABSTRACT 27. Northern Ireland: Nature of congenital malformations by age of mother, 1972.

200

List* number	MALFORMATIONS	AGE OF MOTHER												
		All ages	Not stated	15 years	16 years	17 years	18 years	19 years	20- years	25- years	30- years	35- years	40- years	45 years and over
	All malformations	1,088	1	1	4	4	17	38	322	351	193	102	50	5
0.0	Defects of brain N.O.S.	4	1	.	1	1	1	.	.	.
0.1	Anencephalus	97	.	1	1	2	2	5	37	22	18	6	3	.
0.2	Encephalocele	5	1	.	1	1	2	.	.	.
0.3	Arnold Chiari malformation
0.4	Hydrocephalus	68	2	2	20	24	10	6	4	.
0.5	Microcephalus	4	1	1	1	.	.	2	.
0.6	Other defects of brain	4	1	2	1	1	.	.	.
0.7	Defects of spinal cord N.O.S.	10	1	1	2	2	4	1	.	.
0.8	Spina bifida	109	2	3	40	29	19	11	5	.
0.9	Other defects of spinal cord	9	5	3	.	.	1	.
1.0	Defects of eye N.O.S.	3	1	2	.	.	.
1.1	Anophthalmos, microphthalmos	2	1	1	.	.
1.2	Buphthalmos
1.3	Cataract	5	2	.	1	1	1	.	.
1.4	Corneal opacity	1	1
1.5	Other defects of eye	2	1	.	.	1	.	.	.
1.6	Defects of ear N.O.S.	1	1	.	.	.
1.7	Defects of ear causing impairment of hearing
1.8	Accessory auricle	8	3	3	2	.	.	.
1.9	Other defects of ear	4	2	.	1	1	.	.
2.0	Defects of alimentary system N.O.S.
2.1	Cleft lip	31	1	5	11	8	5	.	1
2.2	Cleft palate	34	1	10	8	8	5	1	1
2.3	Hiatus hernia	3	2	1	.	.	.
2.4	Tracheo-oesophageal fistula, oesophageal atresia and stenosis	9	1	3	5
2.5	Intestinal atresia	1	1
2.6	Hirschsprung's disease
2.7	Rectal and anal atresia	8	2	4	.	1	1	.
2.8	Defects of liver and biliary tracts	1	1
2.9	Other defects of alimentary system	6	4	1	.	1	.	.
3.0	Congenital heart disease N.O.S.	48	2	15	16	7	5	3	.
3.1	Common truncus
3.2	Tetralogy of Fallot
3.3	Transposition of great vessels	3	2	1	.	.	.
3.4	Defects of aortic arch	1	1
3.5	Interatrial septal defect, persistent foramen ovale	2	1	1

3.6	Interventricular septal defect	8	3	2	2	1	.	.
3.7	Persistent ductus arteriosus	2	1	1
3.8	Endocardial fibroelastosis	8	.	.	1	4	2	.	1	.	.
3.9	Other defects of heart and great vessels	4	2	2	2	.	.	.
4.0	Defects of respiratory system N.O.S.	6	1	1	2	.	2	.	.
4.1	Defects of nose (arhinia, choanal, atresia or stenosis)	4	1	.	.	1	1	1	.	.
4.2	Defects of larynx
4.3	Defects of trachea	1	1	.	.
4.4	Defects of bronchus
4.5	Defects of lung	19	2	4	6	3	3	1	.	.
4.6	Defects of pleura
4.7	Defects of diaphragm	3	1	2
4.8	Defects of mediastinum
4.9	Other defects of respiratory system
5.0	Defects of uro-genital system N.O.S.	1	1	.	.
5.1	Renal agenesis	3	1	.	1	.	1	.	.
5.2	Polycystic kidney, all forms	1	1
5.3	Obstructive defects of urinary tract (hydro-nephrosis, hydro-ureter)
5.4	Other defects of kidney and ureter
5.5	Other defects of bladder and urethra
5.6	Hypospadias, epispadias	17	4	10	2	1	.	.	.
5.7	Other defects of male genitalia	15	1	7	4	2	.	1	.	.
5.8	Defects of female genitalia (includes female pseudo-hermaphroditism)
5.9	Indeterminate sex (includes true hermaphroditism)	1	1
6.0	Defects of upper limb N.O.S.	4	1	3
6.1	Defects of lower limb N.O.S.	12	2	7	3
6.2	Reduction deformities (amelia, hemimelia, phocomelia, etc.)	3	1	1	1	.	.	.
6.3	Polydactyly	13	.	.	1	.	.	.	2	4	3	2	.	.	.
6.4	Syndactyly	14	5	7	1	.	1	.	.
6.5	Dislocation of hip	163	.	.	1	.	.	4	51	51	34	10	6	.	.
6.6	Talipes	141	1	.	.	2	3	2	41	49	26	14	3	.	.
6.7	Other defects of shoulder girdle, upper arm, and forearm	4	1	1	1	1	.	.	.
6.8	Other defects of hand	9	1	4	2	1	1	.	.
6.9	Other defects of pelvic girdle and lower limb	15	1	3	9	1	1	.	.	.
7.0	Defects of skeleton N.O.S.
7.1	Defects of skull and face	7	1	.	2	1	2	.	1
7.2	Spinal curvature, scoliosis, lordosis	1	1
7.3	Other defects of spine	2	2
7.4	Defects of ribs and sternum	1	1
7.5	Chondrodystrophy	1	1
7.6	Osteogenesis imperfecta	1	1	.	.	.

*Special list numbers adopted by Ministry of Health and Social Services.

ABSTRACT 27 (continued). Northern Ireland: Nature of congenital malformations by age of mother, 1972.

List* number	MALFORMATIONS	AGE OF MOTHER												
		All ages	Not stated	15 years	16 years	17 years	18 years	19 years	20- years	25- years	30- years	35- years	40 -years	45 years and over
7.9	Other generalised defects of skeleton (including arachnodactyly)	2	2
8.0	Branchial cleft, cyst or fistula; pre-auricular sinus	2	1	1
8.1	Other defects of face and neck
8.2	Defects of muscles	2	2
8.3	Vascular defects of skin, subcutaneous tissues, and mucous membranes (including lymphatic defects) (a)	40	2	14	12	5	4	3	.
8.4	Other defects of skin (including ichthyosis congenita)	2	1	1
8.5	Defects of hair, nails and teeth	2	1	1	1	.	.
8.6	Defects of peripheral vascular system other than in (a) above (including arteriovenous aneurysm, etc.)
8.7	Defects of spleen
8.8	Defects of endocrine glands	1	1	.	.
8.9	Exomphalos, omphalocele	11	2	5	1	.	2
9.0	Congenital malformation N.O.S.	3	1	1	1	.
9.1	Multiple malformations N.O.S.	13	2	5	3	2	1
9.2	Cyclops	1	1	.	.	.
9.3	Other monster
9.4	Conjoined twins
9.5	Situs inversus
9.6	Mongolism	31	1	7	1	7	5	9	1
9.7	Other chromosomal syndromes	5	3	.	1	1	.
9.8	Other specific syndromes	3	1	2
9.9	Other	3	3

*Special list numbers adopted by Ministry of Health and Social Services.

ABSTRACT 28. Northern Ireland: Children born (live and still) with congenital malformations by sex, age of mother and number of other children born to mother, 1972.

AGE OF MOTHER		Total Number of Births		NUMBER OF OTHER CHILDREN BORN TO MOTHER.																						
				0		1		2		3		4		5		6		7		8		9		10 and over		
TYPE OF BIRTH (LIVE OR STILL)		L	S	L	S	L	S	L	S	L	S	L	S	L	S	L	S	L	S	L	S	L	S	L	S	
Age not stated	Males	1	.	1
	Females	
	Not Known	
15 years	M	.	1	.	1	
	F	
	NK	
16 years	M	2	.	2	
	F	1	1	1	1	
	NK	
17 years	M	3	.	3	
	F	1	.	1	
	NK	
18 years	M	4	.	4	
	F	4	4	4	4	
	NK	
19 years	M	16	1	12	1	4	
	F	12	2	7	1	4	1	1	
	NK	
20 years —	M	132	9	64	5	44	1	17	.	6	2	.	.	1	1	
	F	107	30	63	13	34	10	7	4	3	3	
	NK	
25 years —	M	129	18	34	6	36	4	33	2	14	.	8	4	3	1	1	
	F	127	24	35	9	46	10	23	5	14	.	5	.	2	.	1	.	.	1	
	NK	
30 years —	M	82	8	6	3	23	.	19	3	15	.	10	2	3	.	2	.	.	3	.	1	
	F	54	10	9	1	10	1	12	1	12	1	3	3	6	1	.	.	2	1	.	1	.	1	.	.	
	NK	
35 years —	M	38	6	7	1	2	.	9	.	6	1	6	1	2	.	2	1	1	1	.	1	.	2	2	.	
	F	39	4	7	.	5	.	9	.	6	1	6	.	2	.	1	1	2	.	1	.	1	.	.	1	
	NK	
40 years —	M	18	1	1	.	1	.	5	.	3	.	3	.	2	2	.	.	.	1	.	1	
	F	16	3	.	1	1	.	.	.	3	1	1	1	.	.	2	.	.	4	.	1	.	2	.	2	
	NK	
45 years and over	M	1	1	1	1	
	F	
	NK	
TOTALS	M	426	45	134	17	110	5	83	5	44	27	7	11	2	5	2	3	1	4	4	2	1	1	1	1	
	F	362	78	127	30	100	22	52	10	38	6	4	10	1	5	1	6	2	4	3	.	2	.	.	.	
	NK	

ABSTRACT 29. Northern Ireland: Nature of congenital malformations by month of birth, 1972.

List* number	MALFORMATIONS	Year	January	February	March	April	May	June	July	August	Sept- ember	Oct- ober	Nov- ember	Dec- ember
0	All malformations	1,088	94	104	110	97	106	80	85	78	85	75	95	79
	Central nervous system	310	31	44	26	30	28	22	17	24	30	17	18	23
	(a) Anencephalus	97	7	16	7	9	5	10	4	11	8	8	3	9
	(b) Hydrocephalus	68	9	12	6	8	5	3	4	4	5	4	5	3
	(c) Spina bifida	109	11	12	11	7	12	6	7	8	15	4	8	8
	(d) Other defects of central nervous system	36	4	4	2	6	6	3	2	1	2	1	2	3
1	Eye, ear	26	3	.	3	2	3	2	3	.	2	2	1	5
2	Alimentary system	93	5	7	11	1	5	7	5	2	12	9	15	14
3	Heart and great vessels	76	6	6	6	8	10	3	4	12	6	6	7	2
	(a) Congenital heart disease NOS . . .	48	4	6	3	3	7	2	4	6	1	5	5	2
	(b) Other defects of heart and great vessels	28	2	.	3	5	3	1	.	6	5	1	2	.
4	Respiratory system	33	4	6	3	3	2	4	1	2	1	1	3	3
5	Uro-genital system	38	3	3	6	7	7	2	3	1	1	2	3	.
6	Limbs	378	32	28	40	38	34	29	40	27	26	28	35	21
	(a) Talipes	141	11	10	10	17	17	15	14	13	11	10	10	3
	(b) Other defects of limbs	237	21	18	30	21	17	14	26	14	15	18	25	18
7	Other skeletal	15	3	1	3	.	1	3	1	2	.	.	.	1
8	Other systems	60	4	5	4	5	7	5	5	4	4	5	7	5
9	Other malformations	59	3	4	8	3	9	3	6	4	3	5	6	5
	(a) Mongolism	31	3	3	5	1	5	.	3	3	1	3	2	2
	(b) Other malformations	28	.	1	3	2	4	3	3	1	2	2	4	3

*Special list numbers adopted by Ministry of Health and Social Services.

ABSTRACT 30. Northern Ireland: Nature of congenital malformations in each county and county borough, 1972.

List* number	MALFORMATIONS	Northern Ireland	COUNTY BOROUGHs		COUNTIES					
			Belfast	London- derry	Antrim	Armagh	Down	Fer- managh	London- derry (exc. Co. Boro')	Tyrone
	All malformations	1,088	183	32	229	97	373	20	71	83
0	Central nervous system	310	64	11	48	35	81	6	40	25
	(a) Anencephalus	97	23	2	17	7	23	2	12	11
	(b) Hydrocephalus	68	19	1	11	8	19	1	7	2
	(c) Spina bifida	109	15	3	13	19	32	2	14	11
	(d) Other defects of central nervous system	36	7	5	7	1	7	1	7	1
1	Eye, ear	26	4	.	3	3	10	1	1	4
2	Alimentary system	93	9	4	28	14	25	.	4	9
3	Heart and great vessels	76	19	2	16	5	29	1	2	2
	(a) Congenital heart disease NOS	48	11	1	12	5	15	1	1	2
	(b) Other defects of heart and great vessels	28	8	1	4	.	14	.	1	.
4	Respiratory system	33	.	.	8	.	22	.	.	3
5	Uro-genital system	38	2	.	10	2	17	.	4	3
6	Limbs	378	69	12	88	28	133	7	15	26
	(a) Talipes	141	31	4	32	13	36	5	10	10
	(b) Other defects of limbs	237	38	8	56	15	97	2	5	16
7	Other skeletal	15	2	.	4	.	6	.	1	2
8	Other systems	60	3	2	9	8	34	1	1	2
9	Other malformations	59	11	1	15	2	16	4	3	7
	(a) Mongolism	31	8	1	5	1	10	1	2	3
	(b) Other malformations	28	3	.	10	1	6	3	1	4

*Special list numbers adopted by Ministry of Health and Social Services.

**ABSTRACT 31. Cases of infectious diseases notified to the Ministry of Health and Social Services
during the year ended 31 December, 1972***

206

COUNTY BOROUGH, COUNTIES, BOROUGH, URBAN AND RURAL DISTRICTS	Acute Encephalitis	Acute Meningitis	Anthrax	Cholera	Diphtheria	Dysentery	Food Poisoning (All sources)	Gastro-Enteritis (Persons under 2 years of age only)	Infective Hepatitis	Measles	Paratyphoid fever	Plague	Polio-myelitis (Paralytic)	Polio-myelitis (Non-paralytic)	Relapsing fever	Scarlet fever	Smallpox	Tuberculosis (Pulmonary)	Tuberculosis (Non-pulmonary)	Typhoid fever	Typhus	Whooping cough	Yellow fever	Total
NORTHERN IRELAND	6	162	.	.	.	339	31	933	1,106	5,847	2	410	.	237	45	.	.	112	.	9,230
Belfast C.B.	.	51	.	.	.	64	3	461	278	1,587	139	.	92	17	.	.	42	.	2,734
Londonderry C.B.	.	10	.	.	.	10	3	49	13	41	5	.	6	.	.	.	8	.	145
County Antrim	3	44	.	.	.	165	7	116	360	1,860	2	94	.	35	5	.	.	14	.	2,705
Ballycastle	2	14	3	19
Ballyclare	.	2	1	6	11	11	3	.	1	24
Ballymena	M.B.	1	.	.	.	6	3	2	27	103	2	.	3	1	148
Ballymoney	U.D.	1	14	5	5	20
Carrickfergus	M.B.	3	.	.	.	26	1	3	6	137	9	.	1	.	.	.	2	.	188
Larne	"	72	1	1	17	141	4	.	4	1	240
Lisburn	"	3	.	.	.	1	9	10	42	42	11	.	1	1	78
Newtownabbey	U.D.	7	.	.	.	7	31	51	352	352	23	.	10	1	.	.	2	.	484
Portrush	"	13	13	1	14
Whitehead	"	1	.	17	17	1	19
Antrim	R.D.	3	.	.	.	6	8	45	427	427	9	.	3	.	.	.	5	.	506
Ballycastle	"	3	.	.	.	25	.	3	12	12	2	42
Ballymena	"	3	.	3	105	164	1	1	.	2	.	.	.	1	.	280
Ballymoney	"	1	.	.	.	1	.	1	14	14	4	35
Larne	"	1	.	.	.	10	.	3	22	84	2	.	2	124
Lisburn	"	2	21	.	.	8	1	54	41	324	1	21	.	6	1	.	.	4	.	484
County Armagh	2	13	.	.	.	9	2	61	15	779	41	.	23	4	.	.	3	.	952
Armagh	U.D.	1	2	3	81	4	.	2	93
Craigavon	"	1	.	10	.	105	10	126
Keady	"	1	1	.	.	3	5
Lurgan	M.B.	1	3	.	.	2	.	20	10	86	3	.	4	1	.	.	1	.	131
Portadown	"	1	10	1	254	1	.	3	2	272
Tandragee	U.D.	9	9
Armagh	R.D.	4	.	.	.	1	.	8	.	161	9	.	4	1	189
Newry No. 2	"	4	.	.	.	4	1	9	1	69	13	.	10	.	.	.	2	.	112
Tandragee	"	1	.	2	.	11	1	15

County Down		26			14	12	120	142	677						65		42	14			17		1,129
Banbridge	U.D.							1									1						2
Bangor	M.B.	1			1		2	1	75						6		2	2					90
Donaghadee	U.D.						1								1								2
Downpatrick	"	1					7		1								3						12
Dromore	"														1								1
Holywood	"					1	4	1	28								1						35
Kilkeel	"	2						8	3														13
Newcastle	"						1	4	46														51
Newry	"	1			2	1	11		9						3		2						29
Newtownards	M.B.						1	8	1								2			2			14
Warrenpoint	U.D.	1					4	8	2						1		2	3					21
Banbridge	R.D.						1	5	11						2		2	1					22
Castlereagh	"	6			3	3	29	46	244						24		8	5			12		380
East Down	"	2				7	30	26	53						1		5	1					125
Hillsborough	"	4			3		14	14	92						16		4	1					148
Moir	"						2	1	56						2					2			63
Newry No. 1	"	4			3		8	12	43						4		4						78
North Down	"	1			1		5	1	11						4		3	1		1			28
South Down	"	3			1			6	2								3						15
County Fermanagh					2			3	65						1		6				4		81
County Londonderry		10			9	3	41	209	456						31		8	3			23		793
Coleraine	M.B.				1			9	62						1								73
Limavady	U.D.						2	5	89								1						97
Londonderry	"	4			6	2	34	32	49						5		3	1			19		155
Portstewart	"								12														12
Coleraine	R.D.					1	1	35	52						6			1					99
Limavady	"	3			1		4	14	165						15					4			206
Magherfelt	"				1			114	27						4		4	1					151
County Tyrone		1	8		66	1	85	86	382						34		25	2			1		691
Cookstown	U.D.		1					10	22														33
Dungannon	"						1	1							1								3
Omagh	"				45		55	17	142						4		5	1					269
Strabane	"	3					6	3	23														35
Castlederg	R.D.				1		1	5	2						2					1			12
Clogher	"								24						8								32
Cookstown	"	1	1					7	24								2						35
Dungannon	"		2			1	1	5	19						6		6						40
Omagh	"				19		15	18	77						7		6	1					143
Strabane	"		1				7	20	49						6		6						89

* This revised list of diseases came into operation on 1st July, 1968.

TABLE Estimate of the home population at 30 June 1972
by age and sex

REVISED for NORTHERN IRELAND

figs. in UNITS

Age	Persons	Males	Females	Age	Persons	Males	Females
All ages	1,541,713	760,956	780,757	50-54	829,47	407,57	420,90
0-4	152,133	73,209	73,925	50	17,409	8,435	8,974
0	298,47	15,447	14,400	51	17,619	8,606	9,013
1	300,69	15,358	14,711	52	17,553	8,626	8,927
2	305,40	15,720	14,820	53	15,578	7,650	7,928
3	307,59	15,720	15,039	54	14,628	7,440	7,188
4	309,18	15,963	14,955	55-59	75,893	36,197	39,696
5-9	157,730	81,618	76,112	55	14,385	6,939	7,446
5	314,03	16,241	15,162	56	14,888	6,997	7,691
6	315,77	16,407	15,170	57	15,760	7,512	8,248
7	322,44	16,675	15,589	58	15,401	7,328	8,073
8	317,25	16,349	15,376	59	15,659	7,421	8,238
9	307,61	15,946	14,815	60-64	72,302	33,232	39,070
10-14	146,079	75,027	71,052	60	15,167	7,155	8,012
10	300,29	15,407	14,622	61	15,199	6,996	8,203
11	300,99	15,518	14,531	62	14,447	6,590	7,857
12	294,01	15,155	14,246	63	13,987	6,377	7,610
13	283,93	14,543	13,850	64	13,502	6,114	7,388
14	281,57	14,404	13,753	65-69	61,114	26,873	34,241
15-19	129,406	66,813	62,593	65	13,191	5,917	7,274
15	274,97	14,230	13,267	66	12,874	5,676	7,198
16	266,34	13,762	12,872	67	12,368	5,367	7,001
17	254,12	13,168	12,244	68	11,702	5,143	6,559
18	251,05	12,845	12,260	69	10,979	4,770	6,209
19	247,58	12,808	11,950	70-74	47,798	19,518	28,280
20-24	113,501	59,875	53,626	70	10,316	4,323	5,993
20	236,34	12,674	10,960	71	10,564	4,316	6,248
21	229,44	12,182	10,762	72	9,877	3,999	5,878
22	227,10	11,986	10,724	73	8,936	3,637	5,299
23	222,01	11,679	10,522	74	8,105	3,243	4,862
24	220,12	11,354	10,658	75-79	30,809	11,677	19,132
25-29	106,254	54,631	51,623	75	7,724	2,944	4,783
25	224,42	11,482	10,960	76	6,927	2,702	4,225
26	210,92	10,966	10,126	77	6,157	2,301	3,856
27	207,27	10,607	10,120	78	5,400	2,005	3,395
28	209,86	10,797	10,189	79	4,598	1,725	2,873
29	210,07	10,779	10,228	80-84	17,304	6,207	11,097
30-34	87,614	44,394	43,220	80	4,289	1,575	2,714
30	184,25	9,301	9,124	81	3,879	1,442	2,437
31	171,98	8,762	8,436	82	3,521	1,275	2,246
32	173,57	8,844	8,513	83	3,109	1,065	2,044
33	175,62	8,844	8,718	84	2,506	850	1,656
34	170,72	8,643	8,429	85-89	7,612	2,510	5,102
35-39	83,216	41,466	41,750	85	2,187	745	1,442
35	172,52	8,666	8,586	86	1,746	568	1,178
36	170,37	8,511	8,526	87	1,521	484	1,037
37	163,03	8,104	8,199	88	1,202	406	796
38	161,69	8,094	8,075	89	956	307	649
39	164,55	8,091	8,364	90 and over	2,697	794	1,903
40-44	83,047	40,259	42,788	16-44	575,544	293,208	282,333
40	162,75	7,989	8,286	45-64/59*	276,329	151,086	125,243
41	168,12	8,124	8,688	65/60+ and over	206,404	67,579	138,825
42	168,53	8,158	8,695				
43	166,51	8,037	8,614				
44	164,56	7,951	8,505				
45-49	84,357	40,900	43,457				
45	168,66	8,186	8,680				
46	168,32	8,171	8,661				
47	167,06	8,111	8,595				
48	169,47	8,207	8,740				
49	170,06	8,225	8,781				
All ages under 16	483,439	249,083	234,356				
All ages under 18	535,435	276,013	259,422				

* 45-64 for males; 45-59 for females.

+ 65 and over for males; 60 and over for females.

ENT. files. and 488